

CraftersMarket

Google Ads API — Design Documentation

Applicant: CraftersMarket LLC

Tool name: CraftersMarket Maker Analytics

Tool URL: <https://craftersmarket.org>

Contact email: williams1cnc@gmail.com

Access tier requested: Basic Access (read-only reporting)

Document version: 1.0 — February 2026

1. Tool Overview

CraftersMarket is an Etsy-style e-commerce marketplace serving CNC machinists and woodworking artisans. The platform allows independent makers to list physical products, accept payments through Stripe Connect, and ship orders directly to consumers in the United States and Canada.

CraftersMarket Maker Analytics is the internal admin dashboard (located at `/admin/dashboard?tab=ads`) that the CraftersMarket marketing team uses to monitor the ROI of paid advertising campaigns run on Google Ads and Meta Ads. The Google Ads API integration powers a single feature: **read-only daily import of campaign performance metrics** (spend, impressions, clicks, conversions) into our internal ledger so the marketing team can correlate ad spend with marketplace orders.

We are **not** an agency tool, ad-management product, third-party SaaS, or a reseller. The API is used exclusively against Google Ads accounts that CraftersMarket owns under its own Manager (MCC) account. No external user ever authenticates with the Google Ads API through our system.

2. Use Case & Business Justification

Problem. The CraftersMarket growth team runs Google Search and Performance Max campaigns to drive traffic to maker storefronts. Reconciling daily ad spend against marketplace conversions manually (via CSV export) is slow and error-prone.

Solution. A nightly job pulls yesterday's campaign-level metrics from the Google Ads API and writes them into our internal `ad_spend` collection. The admin dashboard then joins that data with marketplace order data to compute true ROAS per campaign.

Scope of access. Read-only. We do not create, modify, or pause campaigns. We do not bid, target, or generate ad copy. The integration only issues `SearchStream` queries against the campaign resource.


Metric	Value
Expected daily API operations	~500 ops/day

Peak daily operations (worst case)	~2,000 ops/day
Number of Google Ads accounts accessed	1-3 (all owned by CraftersMarket)
Number of external end-users authenticated	0 (first-party use only)
Authentication method	OAuth 2.0 refresh-token (offline access)
Services used	GoogleAdsService.SearchStream, CustomerService.ListAccessibleCustomers
Mutating calls (create/update/remove)	None

3. System Architecture

CraftersMarket runs a three-tier stack: a React 18 single-page frontend, a FastAPI (Python 3.11) backend, and a MongoDB Atlas datastore. The Google Ads integration lives entirely on the backend.

3.1 Component Diagram



3.2 Modules involved

- **routers/google_ads.py** — OAuth start/callback, connection-status, and ad-hoc sync endpoints. All routes are admin-only and require a valid admin JWT.
- **scheduler.py** — APScheduler job that fires at 03:30 UTC daily and calls the sync function for the previous calendar day.
- **routers/ad_spend.py** — Platform-agnostic ledger that the admin Ads tab reads from. Google rows are upserted into this collection.

3.3 Data flow

1. Admin clicks *Connect Google Ads* in the admin dashboard.
2. Backend issues an OAuth authorization URL with a CSRF state token and the `https://www.googleapis.com/auth/adwords` scope.
3. Admin consents in Google's UI; Google redirects back to `/api/admin/integrations/google-ads/oauth/callback`.
4. Backend exchanges the authorization code for a refresh token and stores it (encrypted at rest) in MongoDB's `integration_credentials` collection keyed by `_id="google_ads"`.
5. The nightly scheduler reads the refresh token, instantiates the official `google-ads` Python SDK, runs a single GAQL query, and upserts the rows into `ad_spend`.
6. The existing admin Ads tab UI renders the new data — no per-platform rendering logic is needed in the frontend.

4. GAQL Query Used (Read-Only)

Exactly one query shape is issued. It is parameterized only by the reporting date.

```
SELECT
  campaign.id,
  campaign.name,
  campaign.status,
  metrics.cost_micros,
  metrics.impressions,
  metrics.clicks,
  metrics.conversions,
  segments.date
FROM campaign
WHERE segments.date = '{YYYY-MM-DD}'
```

No `MutateOperations` are constructed. No `Service.Mutate*` methods are imported. The integration is provably read-only at the static-analysis level.

5. Authentication & Authorization

5.1 OAuth client

A single OAuth 2.0 **Web Application** client is configured in our Google Cloud Console project. The OAuth consent screen lists the `auth/adwords` scope only, no other Google scopes are requested.

5.2 Token storage

Refresh tokens are stored in MongoDB, encrypted at rest by MongoDB Atlas (KMS-backed AES-256). The application reads tokens only via a server-side service account; tokens never leave the backend tier and never appear in any HTTP response body, log line, or client-visible payload.

5.3 Access control

All Google Ads endpoints sit behind the `current_admin` FastAPI dependency, which validates an admin-role JWT issued by our first-party auth system. No other roles (maker, buyer, anonymous) can reach these endpoints.

6. Policy Compliance

- **Google API Services User Data Policy.** CraftersMarket uses Google Ads data exclusively for the internal-analytics purpose stated above. We do not sell, transfer, or share Google Ads data with any third party. The data is not used for advertising targeting outside Google Ads.
- **Required Minimum Functionality.** The dashboard provides meaningful, non-trivial reporting value to the marketing team beyond what the native Google Ads UI offers, because it joins ad data with marketplace order data we own.
- **Limited Use.** Data is retained for 24 months for year-over-year reporting then purged by a scheduled cleanup job.
- **Security.** All API traffic is HTTPS. Secrets live in environment variables managed by Emergent's hosted secrets vault, never in source control.
- **Privacy Policy.** Our public privacy policy at <https://craftersmarket.org/privacy> discloses the Google Ads API integration and references the Google API Services User Data Policy.

7. UI Surfaces That Consume This Data

All Google Ads data is rendered in a single internal admin view:

- **Admin** → **Dashboard** → **Ads** **tab**
(<https://craftersmarket.org/admin/dashboard?tab=ads>). This tab shows: daily/weekly/monthly spend totals, cost-per-acquisition, campaign-level breakdown, ROAS vs marketplace orders, and a *Connect / Reconnect* button card that exposes the OAuth flow.

No Google Ads data is ever shown to makers, buyers, or anonymous visitors. There is no public-facing surface that consumes this API.

8. Rate Limiting & Error Handling

- Sync runs once per day per linked customer; we are nowhere near the 15,000 ops/day Basic-tier cap.
- The SDK call runs inside a thread pool with a 60-second timeout. On `GoogleAdsException` we log the `request_id` and error code, surface a 'needs reconnect' state in the admin UI for auth errors, and retry transient errors with exponential backoff (max 3 attempts).
- Quota-exceeded responses pause the scheduler and email the admin team via Mailgun.

9. Contact & Maintenance

Primary technical contact: williams1cnc@gmail.com

Response SLA to Google review emails: < 24 hours, monitored 7 days a week.

Source code location: Private repository, `backend/routers/google_ads.py`. Module docstring serves as the canonical operational runbook and is kept in sync with this document.

— End of document —