

Como distinguir entre dispositivos de bem-estar de terahertz genuínos e falsos?



1 O profissionalismo do fabricante?

Em quais produtos a fábrica é especializada na produção?

2 Onde o fabricante está localizado?

Verifique a autenticidade do fabricante?

3 Quem é o inventor e cientista do produto?

Eles possuem relatório de verificação de terahertz, relatórios de segurança e estudos clínicos?

De Shang Health Technology Co., Ltd.



A De Shang Health Technology Co., Ltd. foi fundada em maio de 2015. A empresa está localizada no Condado de Donghai, Lianyungang, Província de Jiangsu. A De Shang é uma empresa abrangente que integra o design e o desenvolvimento de produtos científicos e tecnológicos, produção e vendas, comércio de importação e exportação e gestão da saúde. Também é uma das principais instituições de pesquisa e desenvolvimento em tecnologia terahertz da China.




**Em 2014, o cientista
biomédico Yang Wen Jun**

**inventou com sucesso o
primeiro dispositivo de
terahertz no mundo.**



Após 8 anos de pesquisa diligente, o cientista Yang Wen Jun foi nomeado membro de um Think-Tank (Centro de Estudos) pela Academia Chinesa de Ciências da Gestão, em reconhecimento ao seu profissionalismo e autoridade na indústria de terahertz.





PRIFE INTERNATIONAL foi orgulhosamente apontada como Único Agente Global



iTera-Pro



iTera-Premium Plus



iTera-Classic

Tubo de Cristal Óptico Quântico de Terahertz



Processo Avançado

Combina óptica quântica e tecnologia terahertz para alta pureza.



Resistência ao Calor

Estável a 1800 °C, aumentando a durabilidade.



Refinamento Prolongado

Processo de 12 dias garante uniformidade.



Emissão Potente

Libera ondas de luz terahertz de alta intensidade.



Time de Especialistas

Desenvolvido por cientistas líderes.

Refinado
a 1800°C
por 12 Dias






序号	检测项目	检测结果	备注
1	总有机碳含量	2774	<10000
2	电导率	8222	<10
3	总氮含量	1.97	<1.0
4	总磷	0.196	<0.1
5	砷	0.004	<0.01
6	镉	0.001	<0.001
7	铬	0.001	<0.001
8	铜	0.001	<0.001
9	镍	0.001	<0.001
10	汞	0.001	<0.001
11	铅	0.001	<0.001
12	钼	0.001	<0.001
13	钴	0.001	<0.001
14	锰	0.001	<0.001
15	铀	0.001	<0.001
16	钒	0.001	<0.001
17	锡	0.001	<0.001
18	锑	0.001	<0.001
19	钨	0.001	<0.001
20	铋	0.001	<0.001
21	碲	0.001	<0.001
22	硒	0.001	<0.001
23	铈	0.001	<0.001
24	镧	0.001	<0.001
25	铪	0.001	<0.001
26	钽	0.001	<0.001
27	铌	0.001	<0.001
28	钍	0.001	<0.001
29	铀	0.001	<0.001
30	钍	0.001	<0.001

序号	检测项目	检测结果	备注
1	总有机碳含量	2774	<10000
2	电导率	8222	<10
3	总氮含量	1.97	<1.0
4	总磷	0.196	<0.1
5	砷	0.004	<0.01
6	镉	0.001	<0.001
7	铬	0.001	<0.001
8	铜	0.001	<0.001
9	镍	0.001	<0.001
10	汞	0.001	<0.001
11	铅	0.001	<0.001
12	钼	0.001	<0.001
13	钴	0.001	<0.001
14	锰	0.001	<0.001
15	铀	0.001	<0.001
16	钒	0.001	<0.001
17	锡	0.001	<0.001
18	锑	0.001	<0.001
19	钨	0.001	<0.001
20	铋	0.001	<0.001
21	碲	0.001	<0.001
22	硒	0.001	<0.001
23	铈	0.001	<0.001
24	镧	0.001	<0.001
25	铪	0.001	<0.001
26	钽	0.001	<0.001
27	铌	0.001	<0.001
28	钍	0.001	<0.001
29	铀	0.001	<0.001
30	钍	0.001	<0.001



SEGURANÇA

Um produto patenteado, testado e comprovado quanto à segurança e eficácia por diversas instituições nacionais de autoridade.



Relatório de Teste CE EMC



01:36 100%

< PTC21031505902E-EM01 CE-EMC EN55... 🔍 ☰

PTC

CE EMC TEST REPORT

for

Product: Terahertz light wave therapy apparatus
Model: DS-808
Report No.: PTC21031505902E-EM01

Issued for

Donghaixian Deshang Health Technology Co., Ltd.
No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang

Issued by

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No. 6, Tongxin Road, Dongcheng Street, Dongguan, Guangdong, China.
TEL: +86-769-3880 8222
FAX: +86-769-3882 6111

Note: This report shall not be reproduced except in full, without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd. This document may be altered or revised by Precise Testing & Certification (Guangdong) Co., Ltd. personnel only, and shall be noted in the revision section of the document. The test results presented in this report only relate to the tested sample.

01:37 100%

< PTC21031505902E-EM01 CE-EMC EN55... 🔍 ☰

PTC

Report No.: PTC21031505902E-EM01

TABLE OF CONTENTS

1. TEST CERTIFICATION.....	3
2. TEST SUMMARY.....	4
3. TEST SITE.....	5
3.1. TEST FACILITY.....	5
3.2. MEASUREMENT UNCERTAINTY.....	5
3.3. LIST OF TEST AND MEASUREMENT INSTRUMENTS.....	6
4. EUT DESCRIPTION.....	9
5. TEST METHODOLOGY.....	10
5.1. TEST MODE.....	10
5.2. EUT SYSTEM OPERATION.....	10
6. SETUP OF EQUIPMENT UNDER TEST.....	11
6.1. DESCRIPTION OF SUPPORT UNITS.....	11
6.2. CONFIGURATION OF SYSTEM UNDER TEST.....	11
7. EMISSION TEST.....	12
7.1. CONDUCTED EMISSION MEASUREMENT.....	12
7.2. CLICK MEASUREMENT.....	16
7.3. DISTURBANCE POWER MEASUREMENT.....	18
7.4. RADIATED EMISSION MEASUREMENT.....	21
7.5. HARMONICS CURRENT MEASUREMENT.....	23
7.6. VOLTAGE FLUCTUATION AND FLICKS MEASUREMENT.....	31
8. IMMUNITY TEST.....	33
8.1. GENERAL DESCRIPTION.....	33
8.2. GENERAL PERFORMANCE CRITERIA DESCRIPTION.....	34
8.3. ELECTROSTATIC DISCHARGE (ESD).....	35
8.4. RADIATED RADIO-FREQUENCY, ELECTROMAGNETIC FIELD (RS).....	38
8.5. ELECTRICAL FAST TRANSIENT (EFT).....	40
8.6. SURGE IMMUNITY TEST.....	42
8.7. CONDUCTED RADIO FREQUENCY DISTURBANCES (CS).....	44
8.8. VOLTAGE DIP & VOLTAGE INTERRUPTIONS.....	46
9. PHOTOGRAPHS OF THE TEST CONFIGURATION.....	48
10. PHOTOGRAPHS OF EUT.....	52

Teste europeu que comprova que o produto é seguro e não interfere em outros aparelhos eletrônicos.



01:38 100%

< PTC21031505902E-EM01 CE-EMC EN55... 🔍 ☰

PTC

Report No.: PTC21031505902E-EM01

3. TEST SITE

3.1. TEST FACILITY

Precise Testing & Certification (Guangdong) Co., Ltd.
Address: Building 1, No. 6, Tongxin Road, Dongcheng Street, Dongguan, Guangdong, China.

- ☆ CNAS Registration No.: CNAS L5772
- ☆ FCC Registration No.: 790290
- ☆ A2LA Certificate No.: 4408.01
- ☆ IC Registration No.: 12191A-1

Test Lab: Guangdong Dongguan Quality Supervision Testing Center
Address: No. 2, Industrial South Road, Songshan Lake Science and Technology Industrial Park, Dongguan City, China
Test items: radio frequency electromagnetic field immunity (R/S) test

3.2. MEASUREMENT UNCERTAINTY

Parameter	Uncertainty
Temperature	±1° C
Humidity	±5%
DC and Low Frequency Voltages	±3%
Conducted Emission(150KHz-30MHz)	±3.60dB
Radiated Emission(30MHz-1GHz)	±4.76dB
Radiated Emission (1GHz-18GHz)	±4.44dB

Note 1: This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

01:37 100%

< PTC21031505902E-EM01 CE-EMC EN55... 🔍 ☰


PTC

Report No.: PTC21031505902E-EM01

1. TEST CERTIFICATION



Product: Terahertz light wave therapy apparatus
Model: DS-808
Applicant: Donghaixian Deshang Health Technology Co., Ltd.
Address: No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang
Manufacturer: Donghaixian Deshang Health Technology Co., Ltd.
Address: No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang
Test Date: Mar 18, 2021 to Apr 2, 2021
Issued Date: Apr 2, 2021
Test Voltage: AC 230V/50Hz
Applicable Standards: EMC Directive 2014/30/EU
EN 55014-1:2017/A11:2020
EN 55014-2:2015
EN IEC 61000-3-2:2019
EN 61000-3-3:2013+A1:2019

The above equipment has been tested by Precise Testing & Certification (Guangdong) Co., Ltd. and found compliance with the requirements in the technical standards mentioned above. The test results presented in this report only relate to the product/system tested. The Other similar equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.



Test Engineer: 
Leo Yang / Engineer

Technical Manager: 
Chris Du / Manager






Relatório de Teste CE EMC



Relatório de Teste CE EMC



Relatório de Teste CE EMC



— End of report —

< PTC21031505902E-EM01 CE-EMC EN55...

Essas imagens fazem parte do relatório CE EMC, que comprova que o produto foi testado em laboratório e é seguro para uso.

Relatório de Testes Clínicos



专业分析检测机构

中化所简介 Introduction

中科光析化工技术研究所（简称中化所），成立于1982年。2012年改制为集体所有制单位，以科研检测为主的化工技术研究机构。经国家有关部门和北京市人民政府批准，总投资5000余万元，目前已成为国内大型的分析测试技术服务单位。具备检测行业认可的科研成果及人才储备资格，是北京市工商局批准的正规研究所，承担化学化工行业分析测试资源共享服务平台建设项目，得到国家创新基金的支持。先后成立了化学实验室、微生物实验室、力学实验室、材料实验室、医学实验室、高分子实验室、声学实验室等，是我国航空航天研发中心、空间研究中心、航材院等指定测试单位。

主要业务 Primary Service

成分检测：配方解密，成分分析，帮助产品研发，从而使您的配方可以得到改进，并保证原有性能不变的基础上降低生产成本，提高产品质量。

指标测试：依照ISO、ASTM、DIN、GB、HB等标准，提供多种理化性能测试服务，出具专业的检测报告，数据精准、可以为您的产品质量提供权威证明！

工业问题诊断：具有工业诊断认证资格，专注于工业诊断质量和安全研究。通过综合分析方法（失效分析、理化检测、异物分析、副产物分析等），寻找原因，进行工艺改进和优化。

未知物剖析：通过综合性的分离和检测手段对未知物进行鉴定与分析，为科研及生产中成分鉴定、调整配方、新产品研发、改进生产工艺提供科学依据。

实验环境 Test Environment

中化所
China Institute of Chemical Technology

北京中科光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 2 页 共 8 页

研究检测报告 (Research Test Report)

研究检测结果 (Research Test Result):

序号	检测项目	代码	数值
1	综合健康品质	Z779	+42000
2	免疫功能	B222	+18
3	幸福/爱情	C493	+15
4	阴	E196	+2
5	阳	F068	+2
6	阴阳调和	A332	+42000
7	生命力	T144	+48000
8	恶性肿瘤	F005	+42000
9	酸度	E862	+42000
10	心脏	D166	+42000
11	肝脏	D273	+42000
12	脾脏	D544	+42000
13	肺	D996	+42000
14	肾	D802	+42000
15	胆囊	D347	+42000
16	胃	D199	+42000
17	脑	C583	+42000
18	血管	D614	+42000

62 relatórios de testes clínicos emitidos pelo Instituto de Pesquisa de Tecnologia Química de Pequim.

Relatório de Testes Clínicos



中化所
China Institute of Chemical Technology

北京中科院光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 3 页 共 8 页

序号	检测项目	代码	数值
19	动脉	D037	+42000
20	代谢障碍	H094	+42000
21	颈椎神经	D807	+42000
22	腰椎神经	C653	+42000
23	炎症	D372	+45000
24	炎症性风湿病	J031	+42000
25	农药	M887	+32000
26	一般毒素	E973	+32000
27	胆固醇血症	F247	+32000
28	低血压	E099	+32000
29	高血压	D520	+32000
30	高脂血症	L481	+32000
31	毛细血管	C480	+32000
32	淋巴结	E320	+42000
33	甲状腺/副甲状腺	E384	+38000
34	血液疾病	H082	+38000
35	病毒	F121	+42000
36	真菌	D643	+32000
37	荷尔蒙平衡	C895	+38000
38	糖尿病	D789	+42000
39	糖尿病	I009	+42000
40	便秘症	E387	+32000

中化所
China Institute of Chemical Technology

北京中科院光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 4 页 共 8 页

序号	检测项目	代码	数值
41	神经衰弱	C818	+36000
42	不眠症	D362	+29000
43	疲劳	D823	+36000
44	皮肤	D330	+36000
45	皮肤斑点	G167	+25000
46	皱纹	F608	+25000
47	阴道炎	F053	+38000
48	月经停滞/月经不调	H127	+38000
49	月经痛	J020	+38000
50	头部神经痛	E083	+32000
51	神经性头痛	F994	+32000
52	偏头痛	D865	+32000
53	关节痛	F360	+24000
54	放射性毒素	E170	+42000
55	微波射线	F031	+52000
56	正离子	E268	+22000
57	负离子	E603	+32000
58	水银毒素/汞毒素	H069	+0
59	磷毒素/ (中毒)	H118	+0
60	黄铜毒素	F674	+0
61	磷毒素	J022	+0
62	硫中毒	F474	+0

62 relatórios de testes clínicos emitidos pelo Instituto de Pesquisa de Tecnologia Química de Pequim.

Relatório de Testes Clínicos



中化所
北京中科光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 4 页 共 8 页

序号	检测项目	代码	数值
41	神经衰弱	C818	+36000
42	不眠症	D362	+29000
43	疲劳	D823	+36000
44	皮肤	D330	+36000
45	皮肤斑点	G167	+25000
46	皱纹	F608	+25000
47	阴道炎	F053	+38000
48	月经停滞/月经不调	H127	+38000
49	月经痛	J020	+38000
50	头部神经痛	E083	+32000
51	神经性头痛	F994	+32000
52	偏头痛	D865	+32000
53	关节痛	F360	+24000
54	放射性毒素	E170	+42000
55	微波射线	F031	+52000
56	正离子	E268	+22000
57	负离子	E603	+32000
58	水银毒素/汞毒素	H069	+0
59	磷毒素/ (中毒)	H118	+0
60	黄铜毒素	F674	+0
61	磷毒素	J022	+0
62	硫中毒	F474	+0

中化所
北京中科光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 7 页 共 8 页
检测报告附件 (Test Report Attachment):

量子值释疑:

+44000 以上 (五星) ——代表该产品对此方面有效;

+42000以上 (四星) ——代表该产品对此方面改善效果显著;

+32000以上 (三星) ——代表该产品对此方面有普通药效 (改善治疗);

+23000以上 (二星) ——代表该产品对此方面有日常保健, 功能性效果;

+22000以上 (一星) ——代表该产品对此方面增进健康, 较长时间才感知效果 (微效); +1000—9000——代表该产品对此方面健康改善不明显, 对机体没有伤害;

+70—900——代表该产品对此方面健康改善需要警惕、关注, 健康临界点;

正值——代表该产品对此方面有益;

负值——代表该产品对此方面有副作用。

报告结束
(END)

62 relatórios de testes clínicos emitidos pelo Instituto de Pesquisa de Tecnologia Química de Pequim.



精准检测
PRECISE TESTING

SDoC's Compliance Information Statement

No.: PTC21031505902E-FC01

Applicant : Donghaixian Deshang Health Technology Co., Ltd.
Address : No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang
Manufacturer : Donghaixian Deshang Health Technology Co., Ltd.
Address : No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang
Trade Mark : N/A
Product : Terahertz light wave therapy apparatus
Model No. : DS-808

The submitted sample of the above equipment has been tested and found to comply with the following requirement of 47 CFR of PART 15.
The assessment of compliance of the product with the requirements relating to FCC rules was based on the following standards and procedure:

Applicable Standard(s)	Test Report(s) Number
FCC Part 15, Subpart B ANSI C63.4:2014	PTC21031505902E-FC01

This verification is part of the full test report(s) and should be read in conjunction with it. This verification is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification Co., Ltd., this verification is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

FCC

PRECISE TESTING & CERTIFICATION (GUANGDONG) CO., LTD.
Jacky Ou
Manager
Date: April 2, 2021

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No. 6, Tongxin Road, Dongcheng Street,
Dongguan, Guangdong, China
Tel: 86 769 38808222 Web: www.ptc-testing.com
Mail: inquiry@ptc-testing.com

精准检测
PRECISE TESTING

CERTIFICATE OF CONFORMITY

No.: PTC21031505902E-EM01

Applicant : Donghaixian Deshang Health Technology Co., Ltd.
Address : No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang
Manufacturer : Donghaixian Deshang Health Technology Co., Ltd.
Address : No. 32-6 Binhe Road, Niushan town, Donghai County, Lianyungang
Trade Mark : N/A
Product : Terahertz light wave therapy apparatus
Model No. : DS-808

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:
EMC Directive - 2014/30/EU

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
EN 55014-1:2017/A11:2020 EN 55014-2:2015 EN 61000-3-2:2019 EN 61000-3-3:2013+A1:2019	PTC21031505902E-EM01

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd. this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo. The CE marking may only be used if all the relevant and applicable European Directives are applicable.

CE

PRECISE TESTING & CERTIFICATION (GUANGDONG) CO., LTD.
Jacky Ou
Manager
Date: April 2, 2021

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No. 6, Tongxin Road, Dongcheng Street,
Dongguan, Guangdong, China
Tel: 86 769 38808222 Web: www.ptc-testing.com
Mail: inquiry@ptc-testing.com

Testes precisos

Testes em Nível Quântico Análise de Elementos Traço



中化所
北京中科光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 1 页 共 8 页

检测报告

Test Report

报告编号 (Report ID): ZKGX191118-86326

样品名称 (Sample Name): 太赫兹光波理疗仪

委托单位 (Applicant): 东海县德尚健康科技有限公司

检测要求 (Testing requirements): 检测量子值

分析结果 (Test Result): 见后页。

测试 董兰
批准 孙

编辑 刘真
审核 丁兴伟

中化所
北京中科光析化工技术研究所
Beijing ZKGX Research Institute of Chemical Technology

报告编号 (Report ID): ZKGX191118-86326 日期 (Date): 2019.11.18 第 1 页 共 9 页

检测报告

Test Report

报告编号 (Report ID): ZKGX191118-86326

样品名称 (Sample Name): 太赫兹光波理疗仪

委托单位 (Applicant): 东海县德尚健康科技有限公司

检测要求 (Testing requirements): 微量元素分析

分析结果 (Test Result): 见后页。

测试 董兰
批准 孙

编辑 刘真
审核 丁兴伟

Certificação de Qualidade e Segurança

Certificação de Qualidade da China Inspeção de Segurança Elétrica



Patente de Design

Patente de Design no: ZL2019 30638324.1



Relatório de Teste de Materiais



Test Report

Report No.: PTC21031505901C-EN01

Issue Date: Mar. 24, 2021

Page 1 of 8

Applicant: Donghaixian Deshang Health Technology Co., Ltd.
Address: No. 32-6 Binhe Road, Nushan town, Donghai County, Lianyungang

The following merchandise was (were) submitted and identified by client as:

Sample Name: Terahertz light wave therapy apparatus
Model: DS-608
Manufacturer: Donghaixian Deshang Health Technology Co., Ltd.
Address: No. 32-6 Binhe Road, Nushan town, Donghai County, Lianyungang
Sample Received Date: Mar. 17, 2021
Completed Date: Mar. 22, 2021

Test Requested and Conclusion(s):

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Tested materials of submitted samples	RoHS Directive 2011/65/EU and its subsequent amendments regulation EU No.2015/863. - Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr ⁶⁺), PBBs and PBDEs, Phthalates (DBP, BBP,DEHP,DiBP)	PASS

Test Result(s): Please refer to next page(s).



Signed for and on Behalf of PTC

Mya Ning / Technical Manager
Precise Testing & Certification (Guangdong) Co., Ltd.

This report is issued according to the general clauses in www.precise-testing.com by PTC. Responsibility, guarantee and fair restriction are defined in the general service clauses. The report is only responsible for the submitted sample(s) except as otherwise noted. The report should not be copied without permission.

Precise Testing & Certification (Guangdong) Co., Ltd. (PTC)
Building 1, No. 6, Tongpin Road, Dongcheng Street, Dongguan, Guangdong, China
Tel: 86-769-36806222 Fax: 86-769-36806111 http://www.ptc-testing.com



Test Report

Report No.: PTC21031505901C-EN01

Issue Date: Mar. 24, 2021

Page 2 of 8

Test Result(s):

RoHS - Lead (Pb)/Cadmium(Cd)/Mercury(Hg)/Hexavalent Chromium(Cr⁶⁺)/PBBs/PBDEs
Test Method: IEC62321-3-1: 2013, IEC62321-5: 2013, IEC62321-6: 2015, IEC62321-4: 2013, IEC 62321-7-1: 2015, IEC 62321-7-2: 2017, analyzed by EDXRF & AAS & ICP-AES & GC-MS & UV-Vis.

No.	Material Description	EDXRF Result					Chemical Result (mg/kg)	Conclusion
		Pb	Cd	Hg	Cr	Br		
1	Silvery metal (plug leg)	BL	BL	BL	BL	---	---	PASS
2	Black plastic (shell)	BL	BL	BL	BL	BL	---	PASS
3	White plastic with rose red / black coating (shell)	BL	BL	BL	BL	BL	---	PASS
4	Black plastic with bright silvery plating (shell)	BL	BL	BL	BL	BL	---	PASS

Note: 1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (<RL).
3. Negative = Absence of Cr⁶⁺.
4. Positive = Presence of Cr⁶⁺; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.
5. The result are obtained by EDXRF for primary screening, if the result exceeds the below limit (BL), and further chemical testing.

Screening limits in mg/kg for regulated elements in various matrices

Elements	Polymer	Metal	Composite Materials
Pb	BL≤(700-3σ)×X<(1300+3σ)×OL	BL≤(700-3σ)×X<(1300+3σ)×OL	BL≤(500-3σ)×X<(1500+3σ)×OL
Cd	BL≤(70-3σ)×X<(130+3σ)×OL	BL≤(70-3σ)×X<(130+3σ)×OL	LOD×X<(150+3σ)×OL
Hg	BL≤(700-3σ)×X<(1300+3σ)×OL	BL≤(700-3σ)×X<(1300+3σ)×OL	BL≤(500-3σ)×X<(1500+3σ)×OL
Cr	BL≤(700-3σ)×X	BL≤(700-3σ)×X	BL≤(500-3σ)×X
Br	BL≤(300-3σ)×X	---	BL≤(250-3σ)×X


BL = Below Limit, OL = Over Limit, IN = Inconclusive, LOD = Limit of Detection

This report is issued according to the general clauses in www.precise-testing.com by PTC. Responsibility, guarantee and fair restriction are defined in the general service clauses. The report is only responsible for the submitted sample(s) except as otherwise noted. The report should not be copied without permission.

Precise Testing & Certification (Guangdong) Co., Ltd. (PTC)
Building 1, No. 6, Tongpin Road, Dongcheng Street, Dongguan, Guangdong, China
Tel: 86-769-36806222 Fax: 86-769-36806111 http://www.ptc-testing.com


Relatório de Inspeção de Segurança

Inspeção de Segurança Inspeção de Radioatividade



Seguro de Responsabilidad Civil





O único dispositivo de bem-estar com terahertz autêntico do mundo

Certificado por especialistas chineses em terahertz biomédico e por múltiplas instituições de autoridade.