



SECURITY ASSESSMENT

Vulnerability Scan Report

Prepared by the Suricatoos Security Platform

ENGAGEMENT	Quarterly External Assessment & Perimeter Review
HOSTS ASSESSED	2
SCAN STARTED	Sun Jun 28 09:00:00 2026 UTC
SCAN COMPLETED	Sun Jun 28 11:42:13 2026 UTC
REPORT DATE	June 30, 2026
CLASSIFICATION	Confidential

Contents

1	Executive Summary	2
1.1	Top Findings	2
2	Result Overview	3
3	Results per Host	3
3.1	192.0.2.10	3
3.1.1	Critical 443/tcp	3
3.1.2	High 443/tcp	4
3.1.3	Medium 22/tcp	5
3.2	192.0.2.20	6
3.2.1	Low general/tcp	6
3.2.2	Log general/tcp	7


1 Executive Summary

This report presents the results of an automated security assessment performed by the Suricatoos Security Platform. The task “Quarterly External Assessment & Perimeter Review” assessed 2 host(s) and identified 4 security finding(s) carrying a severity rating, of which 2 are of High or Critical severity and warrant prompt remediation.

Findings by severity



Severity distribution



1.1 Top Findings

Severity	Finding (NVT)	Affected Host	CVSS
Critical	OpenSSL Heap Buffer Overflow Remote Code Execution Vulnerability	192.0.2.10	9.8
High	TLS/SSL Server Supports Deprecated TLSv1.0 / TLSv1.1 Protocols	192.0.2.10	7.5

Up to eight findings are listed per severity level. The complete set of results follows in the detailed sections below.

2 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.0.2.10 web01.acme.example.com	1	1	1	0	0	0
192.0.2.20 db01.acme.example.com	0	0	0	1	1	0
Total: 2	1	1	1	1	1	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

It only lists hosts that produced issues.

Issues with the threat level "Debug" are not shown.

Issues with the threat level "False Positive" are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 5 results selected by the filtering described above. Before filtering there were 5 results.

3 Results per Host

3.1 192.0.2.10

Host scan start Sun Jun 28 09:01:10 2026 UTC

Host scan end Sun Jun 28 10:05:55 2026 UTC

Service (Port)	Threat Level
443/tcp	Critical
443/tcp	High
22/tcp	Medium

3.1.1 Critical 443/tcp

Critical (CVSS: 9.8)

NVT: OpenSSL Heap Buffer Overflow Remote Code Execution Vulnerability

Summary

The remote host is running a version of OpenSSL that is affected by a heap buffer overflow.

Quality of Detection (QoD): 98%

... continues on next page ...

... continued from previous page ...

Vulnerability Detection Result

Installed version: OpenSSL 3.0.2
Fixed version: OpenSSL 3.0.14
Detection method: TLS banner inspection on port 443/tcp.

Impact

Successful exploitation allows remote, unauthenticated code execution in the context of the affected service.

Solution:

Solution type: VendorFix

Update OpenSSL to version 3.0.14 or later and restart all dependent services.

Affected Software/OS

OpenSSL versions prior to 3.0.14 and 1.1.1x.

Vulnerability Insight

An attacker can craft a malicious TLS handshake that overflows an internal buffer, leading to memory corruption.

Vulnerability Detection Method

Checks the version of OpenSSL reported by the TLS service.
Details: OpenSSL Heap Buffer Overflow Remote Code Execution Vulnerability
OID:1.3.6.1.4.1.25623.1.0.111111

References

cve: CVE-2026-1234
url: <https://www.openssl.org/news/secadv/20260601.txt>

[\[return to 192.0.2.10 \]](#)**3.1.2 High 443/tcp**

High (CVSS: 7.5)

NVT: TLS/SSL Server Supports Deprecated TLSv1.0 / TLSv1.1 Protocols

Summary

The remote service accepts connections using deprecated TLS protocol versions.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The service on 443/tcp negotiated TLSv1.0 during the assessment.

... continues on next page ...

... continued from previous page ...

Impact Weak protocol versions are subject to downgrade and cryptographic attacks such as BEAST and POODLE.
Solution: Solution type: Mitigation Disable TLSv1.0 and TLSv1.1 and require TLSv1.2 or TLSv1.3.
Affected Software/OS Services negotiating TLSv1.0 or TLSv1.1.
Vulnerability Detection Method Attempts TLS handshakes using each protocol version. Details: TLS/SSL Server Supports Deprecated TLSv1.0 / TLSv1.1 Protocols OID:1.3.6.1.4.1.25623.1.0.22222
References cve: CVE-2026-2222

[\[return to 192.0.2.10 \]](#)

3.1.3 Medium 22/tcp

Medium (CVSS: 5.3) NVT: OpenSSH Weak Key Exchange Algorithms Supported
Summary The remote SSH server is configured to allow weak key exchange algorithms.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The SSH server on 22/tcp offers: diffie-hellman-group1-sha1.
Impact Weak key exchange may permit cryptographic attacks against the confidentiality of the session.
Solution: Solution type: Mitigation Restrict KexAlgorithms in sshd_config to strong, modern algorithms.
Affected Software/OS OpenSSH servers offering diffie-hellman-group1-sha1.
... continues on next page ...

... continued from previous page ...

Vulnerability Detection Method

Reviews the algorithms advertised during the SSH handshake.
Details: OpenSSH Weak Key Exchange Algorithms Supported
OID:1.3.6.1.4.1.25623.1.0.333333

References

url: <https://www.openssh.com/legacy.html>

[\[return to 192.0.2.10 \]](#)

3.2 192.0.2.20

Host scan start Sun Jun 28 10:06:00 2026 UTC

Host scan end Sun Jun 28 11:42:00 2026 UTC

Service (Port)	Threat Level
general/tcp	Low
general/tcp	Log

3.2.1 Low general/tcp

Low (CVSS: 2.6)

NVT: TCP Timestamps Information Disclosure

Summary

The remote host implements TCP timestamps and therefore allows uptime computation.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The host responded with TCP timestamps enabled.

Impact

A remote attacker may compute the host uptime.

Solution:

Solution type: Mitigation

Disable TCP timestamps where operationally acceptable.

Affected Software/OS

Hosts with RFC1323 TCP timestamps enabled.

Vulnerability Detection Method

Sends a TCP SYN with the timestamp option set.
Details: TCP Timestamps Information Disclosure
... continues on next page ...

... continued from previous page ...

OID:1.3.6.1.4.1.25623.1.0.444444

References

cve: CVE-2005-0688

[\[return to 192.0.2.20 \]](#)**3.2.2 Log general/tcp****Log**

NVT: Traceroute / Hop Count

Summary

Informational traceroute results for the target host.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

traceroute: 10.0.0.1, 192.0.2.20

Log Method

Performs a traceroute to the target.

Details: Traceroute / Hop Count

OID:1.3.6.1.4.1.25623.1.0.555555

[\[return to 192.0.2.20 \]](#)**Suricatoos Security Platform**

This report was generated automatically by the Suricatoos vulnerability management platform.

CONFIDENTIAL — distribute on a need-to-know basis.