EXP 801 DS Wheat Heat Drought

— Ed Chaplin (USyd), *Apr–June 2025* —

Li-600 STOMATAL CONDUCTANCE MODEL PARAMETERS VS ANATOMICAL TRAIT CORRELATIONS

- Using the parameters of interest estimated from the stomatal conductance models and the anatomical trait predictions, calculate correlations on a 'environment' basis
- Changes to v2: Adding multiple comparison adjustment to p-values in correlation matrix

Load the libraries

```
library(knitr)
#knitr::spin("Exp801.porometer.stomatalCondvsAnatomicalTraits.v2.r")
library(ggplot2)
opts_chunk$set("tidy" = FALSE, "dev" = "png", "dpi" = 300,
               "fig.width" = 7.5, "fig.height" = 10, "comment"=NA, fig.path = "figures/increase/")
library(dplyr)
library(tidyverse)
library(lattice)
library(GGally)
```

Set up constants and files

```
options(width=90)
load("../data/stomatalCondParamEstimation_porometer_i.v1.Rdata")
load("../data/stomatalCondParamEstimation_porometer_d.v1.Rdata")
load("../../../Anatomical traits/data/anat.diffs.full.rda")
saveFile <- "../data/stomatalCondvsAnatTraits.v2.Rdata"
```

Add variables to make the dataframes compatible

```
Diffs.full <- within(Diffs.full, {
  Room_Temperature <- as.character(Rm_Temperature)
  Room_Temperature[Rm_Temperature == "7,Heat"] <- "CER7_Heat"
  Room_Temperature[Rm_Temperature == "8,Ambient"] <- "CER8_Ambient"

  Device_Watering <- as.character(Watering)
  Device_Watering[Watering == "Limited"] <- "D2_Limited"
  Device_Watering[Watering == "Unlimited"] <- "D1_Unlimited"
})

##do some work to li600.i.param and li600.d.param to make the variable names unique
li600.i.param <- li600.i.param %>% rename(g0_i = g0_emmean,
                                         g1_i = g1_emmean,
                                         k_i = k_emmean,
                                         lambda_i = lambda_emmean,
                                         Slmax_i = Slmax_emmean)

li600.d.param <- li600.d.param %>% rename(g0_d = g0_emmean,
                                         g1_d = g1_emmean,
                                         k_d = k_emmean,
```

```
                                        lambda_d = lambda_emmean,
                                        Slmax_d = Slmax_emmean)

##convert Diffs.full to wide format and then merge with li600.i.param and li600.d.param
traits.df <- Diffs.full %>% select(Room_Temperature, Device_Watering, Line,
                                   Trait, predicted.value) %>%
  pivot_wider(names_from = c("Trait"), values_from = "predicted.value") %>%
  left_join(., li600.i.param %>% select(Room_Temperature, Device_Watering, Line,
                                        g0_i, g1_i, k_i,
                                        lambda_i, Slmax_i)) %>%
  left_join(., li600.d.param %>% select(Room_Temperature, Device_Watering, Line,
                                        g0_d, g1_d, k_d,
                                        lambda_d, Slmax_d)) %>%
  as.data.frame()
```

```
Joining with `by = join_by(Room_Temperature, Device_Watering, Line)`
Joining with `by = join_by(Room_Temperature, Device_Watering, Line)`
```

```
head(traits.df)
```

```
  Room_Temperature Device_Watering                      Line StomatalCount
1        CER7_Heat      D2_Limited                 SUNCHASER      24.25000
2        CER7_Heat      D2_Limited                  ROCKSTAR      24.50000
3        CER7_Heat      D2_Limited         PBI17N006-0N-0N-89N      26.00000
4        CER7_Heat      D2_Limited  PBI17N013-0C-0N-0N-010N-8N      29.00902
5        CER7_Heat      D2_Limited PBIC15034-0C-24N-010N-1N-0N      26.25000
6        CER7_Heat      D2_Limited PBI16C009-0C-0N-0N-010N-14N      29.50000
  StomatalDensity StomatalArea StomatalWidth StomatalLength PoreArea    gsmax       g0_i
1        47.14864     1572.885      31.83217       64.17884 961.0736 1.276378 0.08794347
2        47.63471     1810.276      36.37408       64.72257 978.2416 1.299678 0.02812548
3        50.55112     1643.381      33.55433       63.49741 942.4175 1.351104 0.03065694
4        56.40148     1776.963      37.51749       61.38072 880.1979 1.451460 0.06633263
5        51.03719     1520.344      30.71767       64.23318 967.4540 1.378773 0.07179241
6        57.35608     1498.850      33.45667       57.28076 777.7226 1.457145 0.04117321
       g1_i      k_i lambda_i   Slmax_i       g0_d         g1_d      k_d   lambda_d
1 0.36222523 5.952203 5.482128 0.2815461 0.19232587 -0.003456831 2.615539 0.04680341
2 0.36250003 5.120474 5.482128 0.3996154 0.25007818 -0.001401506 2.615539 0.04680341
3 0.41342218 3.146440 5.482128 0.7455489 0.13764445  0.001578794 2.615539 0.04680341
4 0.33471686 2.164836 5.482128 0.7588531 0.15174256  0.002402050 2.615539 0.04680341
5 0.26972436 7.207846 5.482128 0.1677780 0.23729447 -0.001012931 2.615539 0.04680341
6 0.09041874 2.018804 5.482128 0.1505521 0.04495835  0.005589331 2.615539 0.04680341
      Slmax_d
1 -0.45926641
2 -0.58906178
3 -0.31913519
4 -0.35066318
5 -0.55887118
6 -0.09193003
```

```
pairs(traits.df[,4:ncol(traits.df)])
```

Put together proper plot

```
traits <- c("g0_i", "g1_i", "k_i", "Slmax_i", "g0_d", "g1_d", "Slmax_d", #"k_d"
            "StomatalDensity", "StomatalArea", "StomatalWidth", "StomatalLength",
```




Figure 1: plot of chunk unnamed-chunk-3

```
            "gsmax")

trait_labs <- list(
  g0_i = expression(italic(r)[0[i]]),
  g1_i = expression(italic(g)[smax]),
  k_i = expression(italic(k)[i]),
  Slmax_i = expression(italic(Sl)[max[i]]),
  g0_d = expression(italic(r)[0[d]]),
  g1_d = expression(italic(g)[smin]),
 # k_d = expression(italic(k)[d]),
  Slmax_d = expression(italic(Sl)[max[d]]),
  StomatalDensity = "SD",
  StomatalArea = "SA",
  StomatalWidth = "GCW",
  StomatalLength = "GCL",
  gsmax = expression(g[smax[a]])
)


diag_lab <- function(data, mapping) {
  var <- as_label(mapping$x)
  GGally::ggally_text(
    label = trait_labs[[var]],
    xP = 0.5,
    yP = 0.5,
    size = 6
  ) + theme_void()
}

lower_scatter <- function(data, mapping) {

  ggplot(data = data, mapping = mapping) +
    geom_point(
      shape = 16,
      colour = "black",
      alpha = 1,
      size = 1.5
    ) +
    theme_bw()
}

## Create a custom function to calculate corrected p-values for the plot matrix
custom_cor_with_adjustment <- function(data, mapping, method = "bonferroni") {

  # Identify the current x and y variables from the mapping
  x_var <- rlang::as_label(mapping$x)
  y_var <- rlang::as_label(mapping$y)

  # Select only the numeric columns that are likely being used in the pairs plot
  numeric_cols <- names(data)[sapply(data, is.numeric)]

  # Step A: Compute the raw p-value matrix for all numeric columns
  p_matrix <- matrix(NA, nrow = length(numeric_cols), ncol = length(numeric_cols),
```

```
                    dimnames = list(numeric_cols, numeric_cols))

  for (i in numeric_cols) {
    for (j in numeric_cols) {
      if (i != j) {
        # Extract pair complete observations to match ggpairs default behavior
        valid_data <- na.omit(data[, c(i, j)])
        if (nrow(valid_data) > 2) {
          p_matrix[i, j] <- suppressWarnings(cor.test(valid_data[[i]], valid_data[[j]])$p.value)
        }
      }
    }
  }

  # Step B: Flatten the matrix to adjust all p-values simultaneously
  raw_p_values <- as.vector(p_matrix)
  adjusted_p_values <- p.adjust(raw_p_values, method = method) # e.g., "BH", "bonferroni"

  # Reconstruct back into the matrix format
  adjusted_p_matrix <- matrix(adjusted_p_values, nrow = nrow(p_matrix),
                              dimnames = dimnames(p_matrix))

  # Step C: Extract the correlation coefficient and the specific adjusted p-value
  current_cor <- suppressWarnings(cor(data[[x_var]], data[[y_var]], use = "complete.obs"))
  current_adj_p <- adjusted_p_matrix[x_var, y_var]
  ##build dataframe to add significance stars
  sig_adj_p <- data.frame("adj.p" = current_adj_p)
  sig_adj_p$sig <- ""
  sig_adj_p$sig[sig_adj_p$adj.p < 0.10] <- "."
  sig_adj_p$sig[sig_adj_p$adj.p < 0.05] <- "*"
  sig_adj_p$sig[sig_adj_p$adj.p < 0.01] <- "**"
  sig_adj_p$sig[sig_adj_p$adj.p < 0.001] <- "***"

  # Step D: Construct the text display (similar to ggpairs default style)
  label_text <- paste0(
    "Corr: ", "\n", format(round(current_cor, 2), nsmall = 2), sig_adj_p$sig
  )

  # Create a blank plot centered with our custom text label
  ggplot(data = data, mapping = mapping) +
    annotate("text", x = mean(range(data[[x_var]], na.rm = TRUE)),
             y = mean(range(data[[y_var]], na.rm = TRUE)),
             label = label_text, size = 4) +
    theme_void() +
    theme(panel.background = element_rect(fill = "white", color = "grey90"))
}


p1 <- ggpairs(
  filter(traits.df, Room_Temperature == "CER7_Heat" &
           Device_Watering == "D1_Unlimited"),
  columns = traits,
  # upper = list(continuous = wrap("cor", stats = TRUE,
```

```
  #                                 digits = 2, size = 4,
  #                                 colour = "black")),
  upper = list(continuous = wrap(custom_cor_with_adjustment, method = "bonferroni")),
  lower = list(continuous = lower_scatter),
  diag = list(continuous = diag_lab),
  progress = FALSE) +
  theme(
    strip.background = element_blank(),
    strip.text = element_blank()
  )
p1 <- p1 + ggtitle("CER7_Heat, D1_Unlimited")
p1
```

```
ggsave("figures/CER7_Heat_D1_Unlimited_Correlation.png", width = 10, height = 10)
ggsave("figures/CER7_Heat_D1_Unlimited_Correlation.pdf", width = 10, height = 10)
ggsave("figures/CER7_Heat_D1_Unlimited_Correlation.tiff", width = 10, height = 10)

p2 <- ggpairs(
  filter(traits.df, Room_Temperature == "CER7_Heat" &
           Device_Watering == "D2_Limited"),
  columns = traits,
  # upper = list(continuous = wrap("cor", stats = TRUE,
  #                                 digits = 2, size = 4,
  #                                 colour = "black")),
  upper = list(continuous = wrap(custom_cor_with_adjustment, method = "bonferroni")),
  lower = list(continuous = lower_scatter),
  diag = list(continuous = diag_lab),
  progress = FALSE) +
  theme(
    strip.background = element_blank(),
    strip.text = element_blank()
  )
p2 <- p2 + ggtitle("CER7_Heat, D2_Limited")
suppressWarnings(p2)
```

```
ggsave("figures/CER7_Heat_D2_Limited_Correlation.png", width = 10, height = 10)
ggsave("figures/CER7_Heat_D2_Limited_Correlation.pdf", width = 10, height = 10)
ggsave("figures/CER7_Heat_D2_Limited_Correlation.tiff", width = 10, height = 10)

p3 <- ggpairs(
  filter(traits.df, Room_Temperature == "CER8_Ambient" &
           Device_Watering == "D1_Unlimited"),
  columns = traits,
  # upper = list(continuous = wrap("cor", stats = TRUE,
  #                                 digits = 2, size = 4,
  #                                 colour = "black")),
  upper = list(continuous = wrap(custom_cor_with_adjustment, method = "bonferroni")),
  lower = list(continuous = lower_scatter),
  diag = list(continuous = diag_lab),
  progress = FALSE) +
  theme(
    strip.background = element_blank(),
    strip.text = element_blank()
  )
```




Figure 2: plot of chunk unnamed-chunk-4




Figure 3: plot of chunk unnamed-chunk-4

```
p3 <- p3 + ggtitle("CER8_Ambient, D1_Unlimited")
suppressWarnings(p3)
```

```
ggsave("figures/CER8_Ambient_D1_Unlimited_Correlation.png", width = 10, height = 10)
ggsave("figures/CER8_Ambient_D1_Unlimited_Correlation.pdf", width = 10, height = 10)
ggsave("figures/CER8_Ambient_D1_Unlimited_Correlation.tiff", width = 10, height = 10)

p4 <- ggpairs(
  filter(traits.df, Room_Temperature == "CER8_Ambient" &
           Device_Watering == "D2_Limited"),
  columns = traits,
  # upper = list(continuous = wrap("cor", stats = TRUE,
  #                                digits = 2, size = 4,
  #                                colour = "black")),
  upper = list(continuous = wrap(custom_cor_with_adjustment, method = "bonferroni")),
  lower = list(continuous = lower_scatter),
  diag = list(continuous = diag_lab),
  progress = FALSE) +
  theme(
    strip.background = element_blank(),
    strip.text = element_blank()
  )
p4 <- p4 + ggtitle("CER8_Ambient, D2_Limited")
suppressWarnings(p4)
```

```
ggsave("figures/CER8_Ambient_D2_Limited_Correlation.png", width = 10, height = 10)
ggsave("figures/CER8_Ambient_D2_Limited_Correlation.pdf", width = 10, height = 10)
ggsave("figures/CER8_Ambient_D2_Limited_Correlation.tiff", width = 10, height = 10)
```

Save data and export

```
save.image(saveFile)
```




Figure 4: plot of chunk unnamed-chunk-4




Figure 5: plot of chunk unnamed-chunk-4