


# Documentation Quality Compliance Checker

Ilona Brinkmeier · Wiebke Meyer · Carol Willing




# Problem


**Software teams in regulated or audit-heavy environments (healthcare, fintech, enterprise SaaS or critical infrastructure) often lose significant time during releases because documentation quality and compliance checks are manual, inconsistent and late in the delivery cycle.**

## Initial solution and audit scope

## The Doc Quality Compliance Checker introduces a structured, workflow-oriented system that:

- checks technical documents against governance and quality standards,
- improves consistency across SOP, architecture, and risk artifacts,
- shortens review cycles for QA, compliance, and audit teams,
- reduces release risk by surfacing gaps earlier,
- provides better traceability for approvals and governance decisions.






### High-level architecture

- Human operator
- Next.js frontend
- FastAPI backend
- PostgreSQL database
- Orchestrator and external agents
- Excellent documentation and production software engineering practices
- [github.com/llobe/doc\\_quality\\_compliance\\_check](https://github.com/llobe/doc_quality_compliance_check)

## Privacy-focused audit

[View audit report →](#)



- End-to-end investigation of privacy risks across the stack
- User accounts, roles, and session data (GDPR-relevant)
- Document content and audit trails with business and personal data
- External LLM egress and telemetry expand the trust boundary

# Top privacy risks


- Egress traffic flow data to director and external models
  - Application telemetry and workflow tracing
- Role-based access controls and GDPR compliance

# Up next: In-depth risk analysis


Let's look at each privacy risk...

- its sensitive data
- why the risk matters
- the priority of the risk
- **mitigations** of the risk

## Egress exposes privacy data








## Sensitive data

- External model: transfer of potentially personal prompt/output data
  - **Data:**
    - Names, emails, stakeholder assignments, reviewer identifiers, document passages copied into prompts, generated summaries that may restate personal data
  - **Why Sensitive:**
    - Leaves the primary application context during model inference (current external-provider path)




- Over-collection and -retention in model observability traces
  - **Data:**
    - provider, model\_used, trace\_id, correlation\_id, latency/tokens, rich payload entries, prompt/output snapshots
  - **Why Sensitive:**
    - Enables reconstruction of *who* triggered *what* model action and *when*
    - can become re-identifiable when combined with audit tables




- Model credentials and routing configuration
  - **Data:**
    - API keys, adapter routing flags, provider selection settings
  - **Why Sensitive:**
    - Compromise enables data exfiltration or unauthorized model usage

**Mitigation: Egress traffic flow data to orchestrator and models**

TODO: add happy mitigated image here



# Audit logs/reports and telemetry expose privacy data



### Sensitive data

- Raw LLM prompt and output in *quality\_observations.payload*
  - **Data:**
    - *payload.provider, payload.model\_used, payload.llm\_temperature*
    - *payload.llm\_prompt* (document text submitted by user, stakeholder names, reviewer assignments)
    - *payload.llm\_output* (generated compliance summaries restating personal context)

- ○ **Why Sensitive:**
  - Prompt context is assembled from user-submitted documents which routinely contain names, emails, project identifiers, and business-sensitive content
  - The output may restate or summarise that content
  - Both are persisted to a queryable table



- Audit event payload in `audits_events.payload`
  - **Data:**
    - `payload.roles` (user role at login), `payload.remember_me` flag, event-specific context fields, any free-form data inserted by orchestrator or Skills API callers
  - **Why Sensitive:**
    - Append-only and intended for long retention
    - No technical control prevents a caller from writing personal data into the payload column
    - Combined with `actor_id` (user email) it forms a rich personal profile


- OTEL (open telemetry) span attributes (exporter config)
  - **Data:**
    - HTTP path attribute (e.g., */api/v1/documents/doc-abc123* — document ID in path),  
user\_agent, http.method, http.status\_code, trace\_id / span\_id (linkable back to session)
  - **Why Sensitive:**
    - When TRACING\_EXPORTER=otlp span data is sent to an external collector,
      - path values can embed document or session identifiers
      - user-agent can contribute to fingerprinting

- Frontend CSV export of prompt/output pairs
  - **Data:**
    - Exported observability *prompt\_output\_pairs.csv* file containing prompt, output, source\_component, trace\_id, timestamps
  - **Why Sensitive:**
    - Created on the user's local filesystem;
    - outside system access controls, retention policy, and audit log;
    - may contain personal data from documents processed during the export window


### Mitigation: Application telemetry and workflow tracing

- Recommend following OpenTelemetry best practices for handling sensitive data
- Follow the principle of data minimization, where possible.
- While it may not be optimal, try hashing user information and id and delete unhashed data.
- Consider using OTel's `redaction` processor between collection and export
- Apply similar principles to audit logs and reports

TODO: add happy mitigated image here



# Misconfigured and stale controls give access to private data



## Sensitive data

- User identity in session store
  - **Data:**
    - user\_email (primary identifier), user\_org, session session\_id, expires\_at, last\_seen\_at
  - **Why Sensitive:**
    - Directly identifies users and links their organisational role to access patterns and audit trails
    - Retained in PostgreSQL with no visible TTL-based purge policy

- Role assignments and permission scope
  - **Data:**
    - user\_roles array per session row (e.g., ["qm\_lead"], ["auditor"]), org isolation field user\_org
  - **Why Sensitive:**
    - Reveals organisational responsibilities and access privileges
    - Can be used for social engineering or targeted attacks
    - GDPR data minimisation applies



- Bootstrap/MVP credentials in environment configuration
  - **Data:**
    - AUTH\_MVP\_EMAIL, AUTH\_MVP\_PASSWORD, AUTH\_MVP\_ROLES, AUTH\_MVP\_ORG (env vars)
    - SECRET\_KEY (API key secret)
  - **Why sensitive:**
    - Compromise of bootstrap credentials gives attacker a fully provisioned account with configurable roles
    - SECRET\_KEY grants service-client access to skills and observability

- Access decision and audit context not separately persisted
  - **Data:**
    - Which role accessed which route at what time
    - 403 access denials
    - service-client route usage with payload summary
  - **Why sensitive:**
    - Absence of access-decision audit log prevents retrospective investigation of data-access incidents
    - Required for GDPR Art. 30 record of processing activities and breach response

Mitigation: Role-based access controls and GDPR compliance

ADMIN / GOVERNANCE

Compliance Controls & Policies

Operational control baseline for policy lifecycle, evidence completeness, and framework accountability.

Auth bootstrap healthy

2 account(s) configured, admin login active.

CONTROL COVERAGE

92%

Compliant

EVIDENCE FRESHNESS

81%

Needs Attention

OPEN REMEDIATION ACTIONS

4

Needs Attention

CRITICAL CONTROL GAPS

0

Compliant

Policy Registry

Policy ownership and review cadence tracking for controlled admin processes.

| Policy                                         | Owner                     | Review                        | Status          |
|------------------------------------------------|---------------------------|-------------------------------|-----------------|
| Access Control and Role Governance v1.8        | Security Governance Board | Quarterly<br>Next: 2026-07-15 | Compliant       |
| AI Quality and Hallucination Management v1.4   | QM Lead Office            | Monthly<br>Next: 2026-08-05   | Needs Attention |
| Audit Traceability and Evidence Retention v2.1 | Compliance Operations     | Quarterly<br>Next: 2026-08-01 | Compliant       |
| Incident Response and Escalation v0.9          | Platform Reliability Team | Monthly<br>Next: 2026-05-28   | Draft           |

Control Implementation Matrix

End-to-end mapping from framework objective to implementation evidence.

ADD CONTROL ITEM (APP ADMIN / QM LEAD)

Control name

Framework label (e.g. GDPR Art. 32)

Framework Id (e.g. gdpr)

Directive

Context

medical

eu

Draft

Objective

Implementation

Evidence

ADD CONTROL ITEM

Human-in-the-loop approval gate

EU AI Act Art. 14 · baseline · directive

Compliant

Objective

Require accountable human review before regulated release decisions.

ACTIVE PROJECT

All Projects

Search Doc ID / Title

demo@quality-station.ai

ADMIN / ACCESS GOVERNANCE

Stakeholder Profiles & Authorization Rights

Configure role templates used for controlled access in compliance workflows.

Auth bootstrap healthy

2 account(s) configured, admin login active.

Role Profiles

Model Policy

PROFILES

App Admin

Architect

Auditor

QM Lead

Risk Manager

Service Client

App Admin

Maintains user-role mapping and model/runtime policy configuration.

Save template

TITLE

App Admin

DESCRIPTION

Maintains user-role mapping and model/runtime policy configuration.

Active profile

Inactive profiles remain stored but can be excluded by admin queries.

Compliance Check Read

Compliance Check Write

Model Policy Read

Model Policy Write

Audit View

Risk Assessment Read

Risk Assessment Write

Bridge Run Write

Architecture Read


Stakeholder Profiles Write

ASSIGNED EMPLOYEES

AI Privacy Capstone - May 2026

27

TODO: add happy mitigated image here



# Recommendations

- Top priority going forward
  - Why it matters
- Fit with company and risk strategy
  - Value created

### Top priority going forward

- Continue to refine the automation and human interaction
- Focus on reducing manual work while meeting the standard
- Maintain and enhance the tool for further efficiency gains and respond to regulatory changes

### Why it matters

- Too much for any one human to analyze 1000 page document
- Reduces time to analyze document from weeks and months
- Flexibility to implement changes if directives change
- Reduces the need for expensive specialists to work on repetitive tasks
- Offers basic insights on what has changed, where changed, and policies affected

### Fit with company and risk strategy

- Complies with GDPR / BSI in Germany regulations for software rules
- Main regulatory points are addressed in workflow and prepares for external audits



### Value created

- Company is prepared for being audited by external agencies
- Cost savings from moving to internal models instead of using external services
- Maximize the human's impact for Human-in-the-loop by reducing toil and increasing time to focus on complex business cases

# Questions & answers

- Audit scope and findings
- Risk prioritization and trade-offs
- Mitigations and open items

# Thank you





Ilona Brinkmeier · Wiebke Meyer · Carol Willing

**Privacy audit**

<https://willingc.github.io/compliance-checker/>

**Application**

[https://github.com/IloBe/doc\\_quality\\_compliance\\_check](https://github.com/IloBe/doc_quality_compliance_check)



# Appendix

- DocQuality Bridge workflow screens
  - DocQuality Admin screens
- DocQuality Compliance standards screens

Bridge workflow — orchestration



DOCQUALITY

COMPLIANCE & QA LAB

Home (Doc Hub)

Compliance Standards

STATISTICS

Dashboard

PIPELINE

Bridge

Artifact Lab

Auditor Vault

GOVERNANCE

SOPs

Risk (FMEA/RMF)

Architecture (arc42)

REPORTING

Exports Registry

Audit Trail

Auditor Workstation

SUPPORT

Help & Snippets

Q&A

Glossary

Admin

Observability

Stakeholders & Rights

Compliance Controls

AI-Assisted Tool

This application uses AI to assist document analysis and compliance checking. **Results should be verified by qualified human experts.** AI systems have limitations and may produce errors. Users remain fully responsible for all decisions and outputs.

AI model disclaimer: Llama 3.1 8B (OLLAMA) T=0.2 P=0.9 K=40

N

It accessed: 2026-05-25 01:59

ACTIVE PROJECT

All Projects

Search Doc ID / Title

demo@quality-station.ai

QM\_LEAD

D

BRIDGE ARCHITECTURE

Workflow Orchestration

Multi-agent orchestration pipeline for document compliance and quality analysis.

SELECT LOCAL FILE

RELOAD AGENTS

OPEN BRIDGE RUN

Select Document for Bridge Run

The selected document becomes the active document for workflow orchestration.

ACTIVE DOCUMENT

07\_bridge\_gdpr\_security\_violation\_xray\_complaint.pdf

3ff1f39b-052b-4ec7-8a18-55a9a3ef0d37

Dynamic Agent Routing

Live bridge runtime topology proof for orchestrator-managed, containerized agent sandboxes.

4

AGENT CONTAINERS

4

HEALTHY CONTAINERS

docker\_inspect

PROOF SOURCE

RUNTIME TOPOLOGY PROOF

Checked at 2026-05-25 01:59. Orchestrator: bridge-workflow-orchestrator (containerized-sandbox).

All 4 bridge agents are running in isolated orchestrated containers.

Governance note

Bridge orchestrates the controlled analysis sequence. Any downstream approval or rejection decision should reference the corresponding pipeline evidence and session trace.

AI Privacy Capstone - May 2026

37

Bridge workflow — run steps 1–2

DOCQUALITY

COMPLIANCE & QA LAB

Home (Doc Hub)

Compliance Standards

STATISTICS

Dashboard

PIPELINE

Bridge

Artifact Lab

Auditor Vault

GOVERNANCE

SOPs

Risk (FMEA/RMF)

Architecture (arc42)

REPORTING

Exports Registry

Audit Trail

Auditor Workstation

SUPPORT

Help & Snippets

Q&A

Glossary

Admin

Observability

Stakeholders & Rights

Compliance Controls

AI-Assisted Tool

This application uses AI to assist document analysis and compliance checking. Results should be verified by qualified human experts. AI systems have limitations and may produce errors. Users remain fully responsible for all decisions and

ACTIVE PROJECT

All Projects

Q Search Doc ID / Title

Load Document

Prepare source document and metadata

ACTIVE DOCUMENT UNDER INVESTIGATION

07\_bridge\_gdpr\_security\_violation\_xray\_complaint.pdf

3ff2f39b-852b-4ec7-ba1b-55da3ef0637

Run Controls

Evaluate compliance controls and standards

APPLICABLE CONTROLS FOR THIS RUN

EU AI Act Art. 14

MANDATORY BASELINE

PASSED

GDPR Art. 32 and NIS2

MANDATORY BASELINE

FINDINGS

IEC 62304

CONTEXT-ACTIVATED

FINDINGS

ISO/IEC 13485

CONTEXT-ACTIVATED

PASSED

ISO/IEC 14971

CONTEXT-ACTIVATED

PASSED

ISO/IEC 27001 A.5

MANDATORY BASELINE

PASSED

ISO 9001 plus Internal AI SOP

MANDATORY BASELINE

FINDINGS

MDR EU Medical Devices

CONTEXT-ACTIVATED

PASSED

DATA PRIVACY RISK STATUS

Explicit GDPR and LLM/GenAI security-violation indicators detected in bridge document context.

Detailed data privacy mitigation actions are provided in Step 4 (Produce Recommendation).

[00:18:41] Step 4: Produce Recommendation active...

[00:18:48] Step 3: Assess Findings active...

[00:18:59] Multi-framework check complete. Score: 405.

[00:18:38] Step 2: Run Controls active...

[00:18:37] Step 1: Load Document active...

[00:18:37] Initiating Bridge Run for 3ff2f39b-852b-4ec7-ba1b-55da3ef0637...

DOCQUALITY

COMPLIANCE & QA LAB

Home (Doc Hub)

Compliance Standards

STATISTICS

Dashboard

PIPELINE

Bridge

Artifact Lab

Auditor Vault

GOVERNANCE

SOPs

Risk (FMEA/RMF)

Architecture (arc42)

REPORTING

Exports Registry

Audit Trail

Auditor Workstation

SUPPORT

Help & Snippets

Q&A

Glossary

Admin

Observability

Stakeholders & Rights

Compliance Controls

AI-Assisted Tool

This application uses AI to assist document analysis and compliance checking. Results should be verified by qualified human experts. AI systems have limitations and may produce errors. Users remain fully responsible for all decisions and outputs.

AI model disclaimer: Llama 3.1 8B (OLLAMA) T=0.2 P=0.9 K=40

Last accessed: May 24, 2026

ACTIVE PROJECT

All Projects

Q Search Doc ID / Title

Assess Findings

Cross-check against references and evidence

FINDINGS BY CONTROL ITEM

EU AI ACT

Data and Data Governance

ART. 10 - PARAGRAPH NOT EXPLICITLY STATED

Data and Data Governance: Training, validation and testing datasets must meet quality criteria (Art. 10)

Record-Keeping / Logging

ART. 12 - PARAGRAPH NOT EXPLICITLY STATED

Record-Keeping / Logging: High-risk AI systems shall be designed with automatic logging capabilities (Art. 12)

Human Oversight

ART. 14 - PARAGRAPH NOT EXPLICITLY STATED

Human Oversight: Design AI systems to be effectively overseen by humans (Art. 14)

Accuracy, Robustness and Cybersecurity

ART. 15 - PARAGRAPH NOT EXPLICITLY STATED

Accuracy, Robustness and Cybersecurity: High-risk AI systems shall be resilient to errors and attacks (Art. 15)

Conformity Assessment

ART. 43 - PARAGRAPH NOT EXPLICITLY STATED

Conformity Assessment: Undertake a conformity assessment before placing on market (Art. 43)

Register in EU database

ART. 49 - PARAGRAPH NOT EXPLICITLY STATED

Register in EU database: Register high-risk AI systems in EU database before placing on market (Art. 49)

CRA CYBER RESILIENCE ACT

Secure-by-Design Product Controls

CRA-SECURE-BY-DESIGN - PARAGRAPH NOT EXPLICITLY STATED

Secure-by-Design Product Controls: Document secure-by-design and vulnerability handling controls under the EU CRA.

Component and Vulnerability Transparency

CRA-SBOM - PARAGRAPH NOT EXPLICITLY STATED

Component and Vulnerability Transparency: Maintain component and known-vulnerability transparency for digital products.

## Bridge workflow — run steps 4–4b

### Produce Recommendation

Generate decision summary for HITL review

#### FINAL RESULT SUMMARY

##### QUALITY GATE SUMMARY - REJECTED

Violations detected. Mandatory gaps: 15. Optional gaps: 1. Privacy violation: yes.

##### MITIGATIONS FOR FOUND CONTROL ISSUES

###### Strengthen monitoring and incident response

Add structured logging, alert thresholds, and incident-response playbooks for bridge-critical paths. Attach log samples, alert test evidence, and incident drill results. Affected controls: EUAIA-4 (eu\_ai\_act), NIS2-REPORTING (nis2).

###### Update risk-treatment controls

Re-assess identified risks, define treatment owners/due dates, and verify residual-risk acceptance through formal review. Attach risk register updates and governance approval evidence. Affected controls: EUAIA-7 (eu\_ai\_act), EUAIA-8 (eu\_ai\_act), EUAIA-9 (eu\_ai\_act), ISO14971-4 (iso\_14971).

###### Reinforce lifecycle validation evidence

Execute targeted verification and validation for affected components before rerun. Attach test protocol, execution results, and release readiness decision. Affected controls: BSI-TR03185-SDLC-1 (bsi\_tr\_03185), BSI-TR03185-SDLC-2 (bsi\_tr\_03185), EUAIA-2 (eu\_ai\_act), IEC62304-5 (iec\_62304) (+1 more).

###### Close governance and evidence traceability gaps

Update SOP/policy artifacts and map each control to concrete implementation evidence. Attach revised documents, traceability matrix, and review records. Affected controls: BSI-GS-ORP (bsi\_grundschutz), CRA-SECURE-BY-DESIGN (cra\_cyber\_resilience\_act), EUAIA-6 (eu\_ai\_act).

#### DATA PRIVACY RISK MITIGATION ACTIONS

##### Apply deterministic PHI/PII redaction before model invocation

PROPOSED

Mask names, addresses, age/sex markers, and hospital identifiers before any LLM/GenAI step.

Planned: enforce pre-inference redaction stage across all sensitive bridge paths.

##### Enforce local-only sandbox execution for all bridge agent steps

IMPLEMENTED

Run inspection, compliance, research, and quality-gate agents in separate local sandboxes with external egress denied.

Implemented: bridge runtime enforces local ollama-only execution with deny\_external egress checks.

##### Block persistence of raw prompt/output containing sensitive health context

PROPOSED

Store only redacted, schema-validated artifacts and retain full traces only in short-lived restricted stores.

Planned: stricter persistence minimization and retention-tier controls for prompt/output artifacts.

##### Require human approval for repeated-risk incidents

IMPLEMENTED

Automatically route bridge runs with repeated mitigation failure to mandatory reviewer rejection/approval workflow.

Implemented: bridge runs require mandatory human HITL approval/rejection workflow with auditable decisions.

Bridge workflow — run step 5

BRIDGE / WORKFLOW



**07\_bridge\_gdpr\_security\_violation\_xray\_complaint.pdf** ⓘ

LIVE  
SESSION

EXIT  
WORKFLOW

EXECUTE  
BRIDGE  
RUN

Document compliance session ID: 3ff1f39b-052b-4ec7-8a10-55a9a3ef0d37

Bridge run completed. Human HITL review is required.

Backend mode: multi-framework compliance checks are executed via API and persisted with run evidence.

MANDATORY HITL REVIEW

Human approval is required before final acceptance

PENDING HUMAN ACTION

Automatic recommendation: REJECTED

APPROVE

REJECT

REASON (REQUIRED)

Document your approval/rejection rationale for audit reproducibility.

NEXT TASK PROPOSAL

Another automatic bridge run

TASK INSTRUCTIONS

Optional remediation instructions

SUBMIT HUMAN REVIEW DECISION



Admin — governance & access control

ADMIN / GOVERNANCE

Compliance Controls & Policies

Operational control baseline for policy lifecycle, evidence completeness, and framework accountability.

Auth bootstrap healthy

2 account(s) configured, admin login active.

CONTROL COVERAGE

92%

Compliant

EVIDENCE FRESHNESS

81%

Needs Attention

OPEN REMEDIATION ACTIONS

4

Needs Attention

CRITICAL CONTROL GAPS

0

Compliant

Policy Registry

Policy ownership and review cadence tracking for controlled admin processes.

| Policy                                            | Owner                     | Review                        | Status          |
|---------------------------------------------------|---------------------------|-------------------------------|-----------------|
| Access Control and Role Governance<br>v1.8        | Security Governance Board | Quarterly<br>Next: 2026-07-15 | Compliant       |
| AI Quality and Hallucination Management<br>v1.4   | QM Lead Office            | Monthly<br>Next: 2026-06-05   | Needs Attention |
| Audit Traceability and Evidence Retention<br>v2.1 | Compliance Operations     | Quarterly<br>Next: 2026-08-01 | Compliant       |
| Incident Response and Escalation<br>v0.9          | Platform Reliability Team | Monthly<br>Next: 2026-05-28   | Draft           |

Control Implementation Matrix

End-to-end mapping from framework objective to implementation evidence.

ADD CONTROL ITEM (APP ADMIN / QM LEAD)

Control name

Framework label (e.g. GDPR Art. 32)

Framework id (e.g. gdpr)

Directive

Context

medical

eu

Draft

Objective

Implementation

Evidence

ADD CONTROL ITEM

Human-in-the-loop approval gate

EU AI Act Art. 14 - baseline - directive

Objective

Require accountable human review before regulated release decisions.

Compliant

ACTIVE PROJECT

All Projects

Search Doc ID / Title

demo@quality-station.ai

ADMIN / ACCESS GOVERNANCE

Stakeholder Profiles & Authorization Rights

Configure role templates used for controlled access in compliance workflows.

Auth bootstrap healthy

2 account(s) configured, admin login active.

Role Profiles

Model Policy

PROFILES

App Admin

Architect

Auditor

QM Lead

Risk Manager

Service Client

App Admin

Maintains user-role mapping and model/runtime policy configuration.

TITLE

App Admin

DESCRIPTION

Maintains user-role mapping and model/runtime policy configuration.

Active profile

Inactive profiles remain stored but can be excluded by admin queries.

Compliance Check Read

Compliance Check Write

Model Policy Read

Model Policy Write

Audit View

Risk Assessment Read

Risk Assessment Write

Bridge Run Write

Architecture Read

Stakeholder Profiles Write

ASSIGNED EMPLOYEES

AI Privacy Capstone - May 2026

41

Compliance standards — mandatory & optional

GOVERNANCE & STANDARDS

Compliance Standards ⓘ

This page lists the regulatory standards and mappings used for governance checks. The framework-agnostic bridge execution layer supports compliance frameworks with intelligent domain-based conditional activation.

Always-On Frameworks

Baseline governance applied across all product domains and business contexts.

7 FRAMEWORKS

EU AI Act ⓘ ⓘ

Primary regulatory baseline for AI system classification, obligations, and conformity expectations in the EU market.

Agent Verified ⓘ

ISO/IEC 9001 ⓘ

Quality management system baseline for documented processes, traceability, and continuous improvement.

Agent Verified ⓘ

ISO/IEC 27001:2022 ⓘ

Information security management baseline for controls, asset protection, and risk-driven safeguard verification.

Agent Verified ⓘ

ISO 31000 ⓘ

Risk management framework for identifying, evaluating, and treating operational and product-level risks.

Agent Verified ⓘ

PERPLEXITY RESEARCH WATCH ACTIVE

Recent Compliance Alerts ⓘ

No active alerts.

VIEW ALERT ARCHIVE ⓘ

Conditionally Activated Frameworks

Additional regulatory requirements activated based on product domain, market, or business context.

OPTIONAL

Frameworks enabled for specific operational or contractual contexts.

HIPAA ⓘ ⓘ

Healthcare privacy and security obligations activated for protected health information and US healthcare operations.

Agent Verified ⓘ

MEDICINE

Standards activated for medical device, clinical, and healthcare software delivery contexts.

ISO/IEC 13485 ⓘ ⓘ

Medical device quality management standard for controlled development, validation, and lifecycle evidence.

Agent Verified ⓘ

ISO/IEC 14971 ⓘ ⓘ

Medical device risk management standard for hazard analysis, residual risk evaluation, and safety evidence.

Agent Verified ⓘ

AI Privacy Capstone - May 2026

42