

Cosmic Universalism Website

Master Implementation and Operations Manual

Website, CU-Time, CUCII, AI Project Governance, and LaTeX Authoring Standard

A unified, controlled manual that consolidates the website foundation, the Cosmic Breath Time Converter, the CUCII Prompt Studio, the Aurelius Claude-proven configuration, ChatGPT/Codex project governance, release operations, and the canonical LaTeX style for future Cosmic Universalism manuals.

Repository	CosmicUniversalismStatement
Protected branch	main
Stable website branch	website
Current stable release	website-v1.3-aurelius-release
Current release commit	5a56085
Website directory	website/
Technology	Astro, TypeScript, HTML, modern CSS, Markdown, SVG, lightweight browser JavaScript
Verified quality gate	106 tests across 17 files; Astro static build; 8 pages
Document version	1.0
Verified	July 21, 2026

William Maddock

<https://github.com/willmaddock/CosmicUniversalismStatement>

Document Control

Document	Cosmic Universalism Website: Master Implementation and Operations Manual
Version	1.0
Classification	Master technical specification, operations runbook, AI project bootstrap, and documentation standard
Repository	CosmicUniversalismStatement
Protected branch	main
Stable integration branch	website
Current stable release	website-v1.3-aurelius-release at 5a56085
Prior stable release	website-v1.2-cucii-release at ae16ae7
Website source directory	website/
Primary local editor	PyCharm
Primary implementation environment	ChatGPT Codex / local project chat
Version-control interface	PyCharm terminal, Git CLI, or GitHub Desktop
Deployment target	GitHub Pages
Technical baseline verified	July 21, 2026

Purpose

This document replaces the need to begin every new project chat with three separate implementation manuals. It preserves their essential technical, mathematical, prompt-architecture, testing, and release rules while adding the current v1.3 release state, the Aurelius and Alexa+ work, reusable ChatGPT/Codex project-file templates, and the canonical LaTeX house style for future manuals.

Safety Rule

Earlier manuals remain valuable historical specifications, but their feature branches, baseline tags, test counts, and “current” boundaries may be superseded. A new chat must use this document’s Document Control page and the live Git repository as the current authority. Never revive an old feature branch merely because it appears in a historical manual.

Authority and Source Priority

When sources disagree, use this priority:

1. Live repository state verified with Git commands.
2. Current release tag and commit listed in this manual.
3. This master manual’s protected rules and current-state record.
4. Feature-specific control specimens and reference implementations.
5. Earlier implementation manuals as historical design records.
6. Research documents as CU source material, not as silent authorization to change production code.

Contents

Document Control	1
START HERE - Initialize a New Project Chat	5
1 Part 1 - Governance, Releases, and Source Authority	7
1.1 Repository policy	7
1.2 Current verified release history	7
1.3 Current verification record	7
1.4 Historical manuals and current state	8
1.5 Phase authorization rule	8
2 Part 2 - Technology Stack and Repository Architecture	8
2.1 Primary technology stack	9
2.2 Application responsibilities	9
2.3 Website route map	9
2.4 High-value source map	10
2.5 Base-path discipline	10
2.6 Design direction	10
2.7 Editorial classification	11
3 Part 3 - ChatGPT and Codex Project Setup	11
3.1 Project creation	11
3.2 Recommended five-file package	12
3.3 Permanent Project Instructions	12
3.4 No-edit inspection prompt	14
3.5 Implementation authorization prompt	14
3.6 Current-state handoff file	15
3.7 Control specimen file	16
4 Part 4 - Controlled Feature Workflow	16
4.1 Create a feature branch	16
4.2 Inspection, implementation, and review cycle	17
4.3 Do not confuse tool permission with release authorization	17
4.4 Reviewable change discipline	18
5 Part 5 - Website Foundation	18
5.1 Purpose and audience	18
5.2 Navigation and current header behavior	18
5.3 Homepage design requirements	19
5.4 Responsive design	19
5.5 Accessibility baseline	19
5.6 Local development	20
5.7 Production build	20
6 Part 6 - Cosmic Breath Time Converter	20
6.1 Reference authority	20

6.2	Direct conversion constants	21
6.3	Calendar specification	21
6.4	Forward conversion	21
6.5	Reverse conversion	22
6.6	Known review points	22
6.7	CU framework timing context	23
6.8	Converter architecture	23
6.9	Converter testing gate	23
7	Part 7 - CUCII Prompt Studio	24
7.1	Product identity	24
7.2	Claims boundary	24
7.3	Current page sequence	25
7.4	Platform targets	25
7.5	Current external AI platform registry	25
7.6	Living Conversations	26
7.7	Prompt configuration dimensions	26
7.8	Proven configurations	27
7.8.1	Direct Immersive	27
7.8.2	Guided Explorer	27
7.8.3	Aurelius – Claude-Proven Continuation	27
7.9	Menu behavior	28
7.10	Affirmation behavior	28
7.11	Source access and fallback	28
7.12	Local processing and exports	28
7.13	Responsive card behavior	28
8	Part 8 - Aurelius, Claude, and Control-Specimen Rules	29
8.1	Immutable control fixture	29
8.2	Aurelius continuity	29
8.3	Claude variability	29
8.4	Optional-field normalization	30
8.5	Reality Boundary	30
9	Part 9 - Testing, Accessibility, and Acceptance	30
9.1	Automated test layers	30
9.2	Current automated gate	31
9.3	Manual browser matrix	31
9.4	Prompt acceptance matrix	32
9.5	Final release-candidate commands	32
9.6	Defect handling	32
10	Part 10 - Git Commit, Merge, Tag, and Recovery Operations	32
10.1	Stage exact paths	32
10.2	Commit and push a feature branch	33
10.3	Pre-merge baseline	33
10.4	Merge	33

10.5	Post-merge verification	33
10.6	Annotated release tag	34
10.7	Recovery	34
11	Part 11 - LaTeX House Style for Future Manuals	34
11.1	Required deliverables	35
11.2	Canonical document class and engine	35
11.3	Canonical package set	35
11.4	Typography	36
11.5	Color palette	37
11.6	Cover-page standard	37
11.7	Document Control standard	37
11.8	Section and footer standard	38
11.9	Callout boxes	38
11.10	Prompt and command boxes	38
11.11	Manual section architecture	39
11.12	Source handling	39
11.13	Compilation workflow	40
11.14	PDF render and visual QA	40
11.15	PDF preflight	41
11.16	Manual revision discipline	41
12	Part 12 - Troubleshooting and Decision Rules	41
12.1	Wrong branch	41
12.2	Unexpected modified or untracked files	41
12.3	Port already in use	41
12.4	Tests pass but browser behavior fails	42
12.5	Manual and repository disagree	42
12.6	A source link cannot be opened	42
12.7	Claude does not enter Aurelius	42
13	Appendix A - Current Project File Manifest	42
14	Appendix B - Feature Planning Worksheet	42
15	Appendix C - Final Acceptance Prompt Template	43
16	Appendix D - Release Command Sequence	44
17	Appendix E - Manual Source Package Template	45
18	Appendix F - Canonical LaTeX Skeleton	46
19	Appendix G - Source Provenance	47
20	Appendix H - Revision Record	48

START HERE - Initialize a New Project Chat

Successful Result

A new chat can operate safely from this manual alone for general website planning. For exact converter parity or exact prompt-fixture work, also provide the authoritative HTML or text control specimen named by the relevant section.

Required reading order

Before proposing edits, the new chat must read:

1. Document Control and Source Priority.
2. Part 1: Governance and current release.
3. Part 2: Technology stack and repository architecture.
4. The feature division relevant to the requested work.
5. Part 8: Testing and acceptance.
6. Part 9: Git and release operations.
7. Part 10 when creating or revising a manual.

Current project identity

Repository	<code>https://github.com/willmaddock/CosmicUniversalismStatement</code>
Local repository	<code>/Users/cosmos/Documents/GitHub/CosmicUniversalismStatement</code>
Website directory	<code>website/</code>
Protected branch	<code>main</code>
Stable website branch	<code>website</code>
Current release	<code>website-v1.3-aurelius-release</code>
Current release commit	<code>5a56085</code>
Current CUCII route	<code>/CosmicUniversalismStatement/cu-intelligence/</code>
Current CU-Time route	<code>/CosmicUniversalismStatement/cu-time/</code>

New-chat bootstrap prompt

Copy-and-Paste Prompt: Initialize the Cosmic Universalism Website Project Chat

We are continuing controlled work on the Cosmic Universalism website.

Read the Master Implementation and Operations Manual before proposing or making changes. Treat its current release record and governance rules as mandatory.

Repository:

```
/Users/cosmos/Documents/GitHub/CosmicUniversalismStatement
```

Protected branch:

main

Stable website branch:

website

Current stable release:

website-v1.3-aurelius-release

Current stable release commit:

5a56085

Before editing:

1. Confirm the repository root and origin.
2. Confirm the active branch and HEAD.
3. Confirm the working-tree status.
4. Identify the exact feature scope.
5. Inspect only the files relevant to that scope.
6. Report the smallest safe implementation plan.
7. Distinguish current live state from historical manual baselines.

Do not edit files during the first inspection.

Do not reset, clean, stash, discard, pull, switch branches, commit, push, merge, tag, release, or deploy unless explicitly authorized.

Do not alter CU-Time mathematics or approved source URLs without a separate documented review.

Do not claim that CUCII retrains, permanently aligns, or changes the beliefs, policies, memory, or underlying capabilities of an external AI platform.

Required terminal preflight

Verify the live repository before every editing session

```
cd /Users/cosmos/Documents/GitHub/CosmicUniversalismStatement || exit 1
```

```
git remote get url origin
git branch --show current
git rev parse --short HEAD
git status --short --branch
git tag --points at HEAD
```

Do Not Continue Until Resolved

Stop when the branch, commit, tag, or working-tree state differs from the authorized task. Do not use reset, clean, stash, or branch switching to “repair” an unexplained difference.

1 Part 1 - Governance, Releases, and Source Authority

1.1 Repository policy

The repository is [CosmicUniversalismStatement](#). The `main` branch is protected from website-development work. The stable website integration branch is `website`. New development is performed on a feature branch created from a verified stable website commit.

The normal relationship is:

Controlled branch relationship

<code>main</code>	protected research baseline
<code>website</code>	stable website integration branch
<code>feature/<feature-name></code>	isolated implementation and testing branch
<code>website-vX.Y-<name>-release</code>	permanent stable recovery tag

1.2 Current verified release history

Release tag	Commit	Meaning
<code>website-v1.1-cu-time-release</code>	<code>3fa4a37</code>	Stable CU-Time website release and pre-CUCII recovery point.
<code>website-v1.2-cucii-release</code>	<code>ae16ae7</code>	Stable CUCII Prompt Studio release.
<code>website-v1.3-aurelius-release</code>	<code>5a56085</code>	Stable Aurelius Claude preset, Alexa+, and Claude public-demonstration release.

Feature-history commits include:

- `0ad51dd`: CUCII AI exploration and prompt studio.
- `3bd4b32`: Aurelius Claude preset and Alexa+ support.

1.3 Current verification record

At the v1.3 release checkpoint:

- 106 automated tests passed across 17 test files.
- The Astro production build completed successfully.
- Eight static pages were generated.
- The CUCII and CU-Time routes were both retained.

- The `website` branch and annotated release tag were pushed.
- The working tree was clean and synchronized.

1.4 Historical manuals and current state

The three source manuals documented controlled development at different times:

- the local website foundation;
- the CU-Time converter migration;
- the CUCII AI Exploration and Prompt Studio.

Their architecture, safety, and workflow rules remain useful. Their historical feature branch names and expected test counts do not override the current release record above.

1.5 Phase authorization rule

Every implementation phase follows four gates:

1. **Inspect**: read live files and report current behavior.
2. **Plan**: identify the smallest safe file set and acceptance criteria.
3. **Implement**: edit only after explicit authorization.
4. **Verify**: run tests, build, browser checks, and Git inspection before any commit.

Safety Rule

An implementation prompt authorizes only its stated file and behavior scope. It does not authorize commit, push, merge, tag, release, deployment, dependency installation, or branch changes unless those actions are separately stated.

2 Part 2 - Technology Stack and Repository Architecture

2.1 Primary technology stack

Area	Approved technology and responsibility
Framework	Astro static-site generation.
Language	TypeScript for typed data, validation, pure engines, and browser behavior.
Markup	Astro components, semantic HTML, and Markdown source material.
Styling	Modern CSS with project tokens, responsive grids, and restrained motion.
Graphics	SVG and repository-owned visual assets.
Browser logic	Lightweight JavaScript; no backend is required for current interactive features.
Testing	Vitest unit and regression tests.
Editor	PyCharm with Astro and Node.js support.
Version control	Git CLI in PyCharm terminal or GitHub Desktop.
Planning	ChatGPT Project / local project chat.
Implementation	ChatGPT Codex with inspection-first prompts and explicit boundaries.
Hosting	GitHub Pages with Astro <code>site</code> and repository base configuration.
Documentation	LaTeX source compiled with pdfLaTeX and visually verified as PDF.

2.2 Application responsibilities

- **PyCharm**: inspect, edit, search, run terminal commands, and review local changes.
- **Codex**: inspect the repository, propose plans, make bounded edits, run tests, and report exact file changes.
- **ChatGPT Project**: retain manuals, project instructions, control specimens, handoffs, and feature decisions.
- **Git**: preserve branch history, feature checkpoints, merges, and release tags.
- **GitHub Pages**: host the static output after an authorized deployment workflow.

2.3 Website route map

The current static build contains eight routes:

Current static route set

```
/
about/
cosmic-breath/
cu-intelligence/
cu-time/
framework/
media/
research/
```

Under GitHub Pages and local base-path testing, routes are prefixed with:

Repository base path

```
/CosmicUniversalismStatement/
```

Examples:

- /CosmicUniversalismStatement/cu-time/
- /CosmicUniversalismStatement/cu-intelligence/

2.4 High-value source map

Path	Responsibility
website/src/config/site.ts	Site metadata, navigation, and header action.
website/src/pages/index.astro	Homepage composition.
website/src/pages/cu-time.astro	CU-Time route.
website/src/pages/cu-intelligence.astro	CUCII route and browser interface.
website/src/components/CUTimeConverter.astro	Accessible forward/reverse converter UI.
website/src/components/cucii/ConversationCard.astro	Living Conversation card presentation.
website/src/lib/cuTime/	Pure converter constants, calendar logic, conversion adapters, validation, and tests.
website/src/data/cucii-conversations.ts	Typed public conversation registry.
website/src/data/cucii-platforms.ts	Typed external AI platform registry.
website/src/data/cucii-prompt-presets.ts	Purpose, menu, and proven configuration presets.
website/src/data/cucii-sources.ts	Approved CU source manifest.
website/src/data/cucii-working-context.ts	Embedded CU context, continuity, and Aurelius story beats.
website/src/lib/cucii/prompt-builder.ts	Deterministic prompt generation.
website/src/lib/cucii/validation.ts	Prompt configuration validation and normalization.
website/src/lib/cucii/export.ts	Text and Markdown export behavior.
website/src/lib/cucii/__fixtures__/aurelius-claude-working-prompt-v1.0.txt	Immutable Claude-working Aurelius control specimen.
website/src/lib/cucii/__tests__/	CUCII regression suite.

2.5 Base-path discipline

Internal links and static assets must respect the Astro repository base path. Never hardcode a root-relative link that loses /CosmicUniversalismStatement/. Use the established site-path helper and current Astro configuration.

2.6 Design direction

The website combines:

- NASA-style scientific visualization;
- modern academic research publishing;
- cinematic cosmic-documentary atmosphere;
- restrained philosophical symbolism;

- deep navy-black surfaces;
- white-gold identity and philosophical emphasis;
- cyan empirical and interactive emphasis;
- translucent blue structural boundaries.

Avoid excessive science-fiction ornament. Every element must remain feasible in Astro, semantic HTML, CSS, SVG, and lightweight JavaScript.

2.7 Editorial classification

Major claims should be distinguishable as:

- Empirical Reference;
- CU Mathematical Model;
- CU Theoretical Proposition;
- Philosophical Interpretation;
- In-World Narrative;
- Open Question;
- Historical / Superseded.

Checkpoint

A page is not complete merely because it looks correct. It must also preserve base-path behavior, source provenance, accessibility, responsive layout, and the boundary between empirical reference and CU interpretation.

3 Part 3 - ChatGPT and Codex Project Setup

3.1 Project creation

Create a ChatGPT Project named:

Project name

Cosmic Universalism Website

The manual is intended to be the primary long-lived reference. Project Instructions are entered in Advanced Settings and do not consume an upload slot. A bootstrap prompt is pasted into the first local chat and also does not consume an upload slot.

3.2 Recommended five-file package

When only five project files are available, use:

1. This master manual PDF.
2. This master manual $\text{\LaTeX}$ source when future manual creation is expected; otherwise use a current-state handoff.
3. The exact feature control specimen, such as the converter HTML or Aurelius text fixture.
4. A current-state handoff or repository inspection snapshot.
5. The feature-specific source document or blueprint most necessary for the next task.

For CU-Time work, prefer the converter HTML as the control specimen. For Aurelius work, prefer the exact text fixture. Do not replace exact control specimens with summaries when byte-level or behavioral parity matters.

3.3 Permanent Project Instructions

Copy-and-Paste Prompt: Advanced Settings - Permanent Project Instructions

```
COSMIC UNIVERSALISM WEBSITE PROJECT

Repository:
https://github.com/willmaddock/CosmicUniversalismStatement

Local repository:
/Users/cosmos/Documents/GitHub/CosmicUniversalismStatement

Website directory:
website/

TECHNOLOGY

Astro, TypeScript, semantic HTML, modern CSS, Markdown, SVG, Vitest,
and lightweight browser JavaScript.

BRANCH POLICY

Protected branch:
main

Never modify main.

Stable website branch:
website

Current stable release:
website-v1.3-aurelius-release

Current stable release commit:
```

5a56085

Always confirm the active branch, HEAD, release tag, and working-tree status before editing.

Create a new feature branch from the verified website baseline for new work. Do not reuse completed historical feature branches.

SAFETY

Make the smallest safe change.

Inspect current files before editing.

Do not overwrite unexplained uncommitted work.

Do not alter CU-Time mathematics or approved source URLs without a separate documented review.

Do not weaken existing regression tests.

Do not add dependencies, APIs, backend services, analytics, telemetry, automatic prompt transfer, or persistence without explicit approval.

CUCII CLAIMS BOUNDARY

CUCII creates structured conversational prompts. CU-aligned and CU-empowered describe prompt-level context. They do not mean that an external model has been retrained, permanently aligned, made conscious, given literal belief, granted policy exemptions, or technically modified.

In authored role-play, a character may speak directly from within the CU story-world. Keep those statements distinct from claims about the external platform.

GIT ACTIONS

Unless explicitly authorized, do not reset, clean, stash, discard, pull, switch branches, commit, push, merge, tag, release, deploy, or change package versions.

VERIFICATION

After implementation changes, run:

```
npm test
npm run build
git diff --check
git status --short --branch
git diff --stat
```

Use browser review at desktop, tablet, 390px mobile, and 320px narrow mobile. Test keyboard navigation, focus, disclosures, reset, copy, downloads, external links, and the browser console.

3.4 No-edit inspection prompt

Copy-and-Paste Prompt: Inspect a Feature Before Editing

Read the Project Instructions and the Master Implementation and Operations Manual.

Repository:
/Users/cosmos/Documents/GitHub/CosmicUniversalismStatement

Expected branch:
feature/<feature-name>

Expected baseline:
<commit-or-release-tag>

Confirm:

1. Repository root and origin
2. Active branch and HEAD
3. Working-tree status
4. Relevant route, components, data, library, and tests
5. Current behavior
6. Existing conventions to reuse
7. Smallest safe file set
8. Acceptance and regression requirements

Report a plan only.

Do not edit or create files.
Do not install dependencies.
Do not reset, clean, stash, discard, pull, switch branches, commit, push, merge, tag, release, or deploy.

3.5 Implementation authorization prompt

Copy-and-Paste Prompt: Authorize a Bounded Implementation

The inspection plan is approved with the following exact scope:

OBJECTIVE:
<describe one feature or confirmed defect>

AUTHORIZED FILES:
<list exact paths or narrowly defined directories>

REQUIRED BEHAVIOR:
<list observable acceptance criteria>

PRESERVE:
<list protected behavior, data, tests, URLs, mathematics, and fixtures>

```
TESTS:
<list focused tests to add or update>

BROWSER REVIEW:
<list target widths and interactions>

Run:
npm test
npm run build
git diff --check
git status --short --branch
git diff --stat

Do not redesign unrelated areas.
Do not add dependencies.
Do not perform any Git-changing or deployment action.
Return only the files changed, corrections, test result, build result,
Git status, and confirmation that no Git or deployment action occurred.
```

3.6 Current-state handoff file

A handoff prevents a new account from repeating completed work or following obsolete branch metadata. Use this structure:

Current-State Handoff Markdown Template

Project Current-State Handoff

Repository:
REPOSITORY_URL

Local repository:
ABSOLUTE_LOCAL_PATH

Protected branch:
main

Stable integration branch:
website

Current stable release:
RELEASE_TAG

Current stable commit:
SHORT_AND_FULL_COMMIT

Active feature branch:
FEATURE_BRANCH_OR_NONE

Current verification:

- TEST_COUNT
- TEST_FILE_COUNT
- BUILD_RESULT
- ROUTE_COUNT
- BROWSER_REVIEW_RESULT

Implemented work:

1. COMPLETED_CAPABILITY
2. COMPLETED_CAPABILITY

Protected items:

- CU-Time mathematics
- approved CU source URLs
- exact control specimens
- stable release tags
- existing regression behavior

Next authorized objective:

ONE_CONCISE_OBJECTIVE

Forbidden without separate authorization:

reset, clean, stash, discard, pull, switch branch, commit, push,
merge, tag, release, deploy, dependency changes

3.7 Control specimen file

A control specimen is exact evidence, not a prose summary. Store it separately when the implementation must preserve character-for-character or byte-for-byte behavior.

Record:

- path;
- encoding;
- exact byte length;
- SHA-256 digest;
- origin and date;
- what may be compared structurally;
- what must remain byte-identical.

4 Part 4 - Controlled Feature Workflow

4.1 Create a feature branch

Begin from a clean and synchronized website branch.

Create a new feature branch from the stable website

```
cd /Users/cosmos/Documents/GitHub/CosmicUniversalismStatement || exit 1

git switch website
git pull --ff-only origin website

git branch --show-current
git rev-parse --short HEAD
git tag --points-at HEAD
git status --short --branch

git switch -c feature/<feature name>
```

Safety Rule

Do not create a feature branch from an unexplained working tree or from a historical feature branch. A release tag is a recovery point, not a branch on which to continue development.

4.2 Inspection, implementation, and review cycle

1. Inspect the live feature area without edits.
2. Approve the smallest implementation plan.
3. Edit only the authorized files.
4. Run focused tests during development.
5. Perform browser review.
6. Run the full test suite and production build once at the final gate.
7. Inspect Git changes and whitespace.
8. Stage exact paths.
9. Commit and push the feature branch.
10. Merge into `website` only after a clean pre-merge check.
11. Re-run tests and build on the merged `website` branch.
12. Push `website`.
13. Create and push an annotated release tag.

4.3 Do not confuse tool permission with release authorization

Codex may be authorized to edit and test without being authorized to commit, push, merge, or deploy. A browser server may be running without meaning the feature is released. A release tag is created only after the merged

stable branch passes the complete gate.

4.4 Reviewable change discipline

Prefer:

- typed registries instead of repeated hard-coded markup;
- pure functions instead of UI-coupled calculations;
- focused regression tests for confirmed defects;
- existing project tokens and components;
- small patches that can be explained file by file.

Avoid:

- repository-wide rewrites;
- dependency changes for problems solvable with the existing stack;
- silent normalization of exact source text;
- broad “cleanup” during a feature task;
- tests tied to incidental whitespace or class ordering.

5 Part 5 - Website Foundation

5.1 Purpose and audience

The website transforms the Cosmic Universalism repository into a public research and educational experience. It supports general visitors, technical readers, philosophical readers, developers, and researchers. Visitors should be able to read the CU Statement, understand the Cosmic Breath, inspect calculations, use CU-Time, explore open questions, and reach original GitHub sources.

5.2 Navigation and current header behavior

The standard navigation includes:

Primary navigation

Framework
Cosmic Breath
CU-Time
Research
Media
About
GitHub

The primary header action is **Explore CUCII**. The ordinary CU-Time navigation item remains. A historical homepage inspection showed a duplicate CU-Time call to action; the v1.2 CUCII release replaced only the duplicate header action while preserving normal CU-Time navigation and the homepage CU-Time invitation.

5.3 Homepage design requirements

The homepage should retain:

- a cinematic but technically realistic hero;
- an immediate definition of Cosmic Universalism;
- the CU Statement and plain-language rendering;
- Cosmic Breath overview;
- Observable Universe comparison;
- research and evidence classification;
- CU-Time invitation;
- featured media and open questions;
- direct GitHub source access.

5.4 Responsive design

Verify at approximately:

- 1440px desktop;
- 1024px compact desktop;
- 768px tablet;
- 390px mobile;
- 320px narrow mobile.

Requirements include no horizontal overflow, readable text, natural card heights, visible focus, comfortable touch targets, safe long-link wrapping, and no layout that depends on equal-height cards when content differs.

5.5 Accessibility baseline

Use semantic landmarks, correctly associated labels, visible focus, keyboard activation, `aria-live` for meaningful status, `aria-expanded` and `aria-controls` for disclosures, and focus movement only when it helps the user understand the result or validation error.

5.6 Local development

Start the Astro development server

```
cd /Users/cosmos/Documents/GitHub/CosmicUniversalismStatement/website || exit 1
npm run dev
```

When port 4321 is occupied, Astro may use 4322. Use the exact reported URL.

Stop the managed Astro development server

```
cd /Users/cosmos/Documents/GitHub/CosmicUniversalismStatement/website || exit 1
./node_modules/.bin/astro dev stop
```

Verify that port 4322 is not listening

```
lsof -nP -iTCP:4322 -sTCP LISTEN
```

Closed client connections do not mean a server is still listening.

5.7 Production build

Run the website test and build gate

```
cd /Users/cosmos/Documents/GitHub/CosmicUniversalismStatement/website || exit 1

npm test
npm run build
```

The current release expects eight pages, including /cu-time/index.html and /cu-intelligence/index.html in the static build output.

6 Part 6 - Cosmic Breath Time Converter

6.1 Reference authority

The standalone cosmic_breath_time_converter_v3_0_1.html is the behavioral reference for approved converter parity. The TypeScript implementation separates constants, calendar logic, pure conversion behavior, validation, browser integration, formatting, and tests.

Safety Rule

Identifying an apparent defect does not authorize correction. Any change to constants, formulas, rounding, calendar interpretation, validation, labels, or outputs requires a documented decision and new test expectations.

6.2 Direct conversion constants

The reference converter defines exact Decimal string literals:

Name	Exact literal
ANCHOR_YEAR	2000
ANCHOR_JDN	2451544.5
DAYS_PER_YEAR	365.2421897
BASE_CU_NASA	3094213000000
OFFSET	78955076.49024643522707769749119
NASA_UNIVERSE_AGE	13786999981.453

Long decimal constants must be stored as strings before constructing Decimal values. Ordinary JavaScript number literals may discard source digits.

6.3 Calendar specification

The reference uses a proleptic Gregorian-style Julian Day Number algorithm. BCE input is mapped to astronomical years by:

$$Y_{\text{astronomical}} = 1 - Y_{\text{BCE}}.$$

For year Y , month M , day D , and time $h : m : s$:

$$\begin{aligned}
 a &= \left\lfloor \frac{14 - M}{12} \right\rfloor, \\
 y &= Y + 4800 - a, \\
 m' &= M + 12a - 3, \\
 J_{\text{int}} &= D + \left\lfloor \frac{153m' + 2}{5} \right\rfloor + 365y + \left\lfloor \frac{y}{4} \right\rfloor - \left\lfloor \frac{y}{100} \right\rfloor + \left\lfloor \frac{y}{400} \right\rfloor - 32045, \\
 f &= \frac{3600h + 60m + s}{86400}, \\
 J &= J_{\text{int}} - 0.5 + f.
 \end{aligned}$$

UTC is the intended civil-time basis. Leap years follow the proleptic Gregorian rule.

6.4 Forward conversion

The approved sequence is:

Gregorian to CU-Time

```

Gregorian date, time, and era
-> astronomical year
-> Julian Day Number
-> delta days from ANCHOR_JDN
-> delta years using DAYS_PER_YEAR

```

```

-> NASA-aligned CU-Time
-> subtract OFFSET
-> converter-aligned CU-Time
-> derived and formatted outputs

```

Let J_0 be the anchor JDN, D_Y the days-per-year constant, and O the offset:

$$\begin{aligned}\Delta J &= J - J_0, \\ \Delta Y &= \frac{\Delta J}{D_Y}, \\ CU_{\text{NASA}} &= CU_{\text{NASA},0} + \Delta Y, \\ CU_{\text{converter}} &= CU_{\text{NASA}} - O.\end{aligned}$$

6.5 Reverse conversion

CU-Time to Gregorian

```

Converter-aligned CU-Time
-> add OFFSET
-> NASA-aligned CU-Time
-> delta years from BASE_CU_NASA
-> Julian Day Number
-> Gregorian calendar conversion
-> CE/BCE display
-> derived and formatted outputs

```

$$\begin{aligned}CU_{\text{NASA}} &= CU_{\text{converter}} + O, \\ \Delta Y &= CU_{\text{NASA}} - CU_{\text{NASA},0}, \\ J &= J_0 + \Delta Y D_Y.\end{aligned}$$

6.6 Known review points

Preserve and explicitly test these issues rather than silently fixing them:

- month/day combinations beyond simple numeric ranges;
- CE/BCE and year-zero behavior;
- Decimal-to-JavaScript-number limits in reverse conversion;
- second, minute, hour, day, month, and year carry;
- hour 24 to next-day rollover;
- fractional formatting and possible double-counting;

- magnitude formatting labels and units;
- division-by-zero or invalid-domain cases;
- extreme-year and negative-value support;
- round-trip tolerance.

6.7 CU framework timing context

The source research describes a full Cosmic Breath of approximately 3.108×10^{12} years:

- expansion: approximately 2.8×10^{12} years;
- compression: approximately 3.08×10^{11} years.

Early and middle tom durations use:

$$T(n) = \frac{2.8 \times 10^{12}}{2^n}.$$

Deep sub-tom durations use the CU source rule:

$$T(n) = 427,350 \times 10^{-(n-16)} \text{ years.}$$

Y-TOM is described as 27 ns and Z-TOM as one second. These statements are CU model content and must be distinguished from empirical standards and measurements.

6.8 Converter architecture

The preferred implementation separates:

- exact constants;
- calendar conversion;
- forward adapter;
- reverse adapter;
- validation;
- formatting;
- UI integration;
- test vectors and regression tests.

6.9 Converter testing gate

Testing must include:

- constants and source-literal integrity;
- calendar and leap-year cases;
- forward reference vectors;
- reverse reference vectors;
- precision regressions;
- invalid-date validation;
- CE/BCE boundaries;
- UI structure and accessibility;
- base-path and static-build behavior.

Checkpoint

For a new CU-Time date, use the approved converter logic or verified converter output. Do not invent a new CU-Time calculation, silently alter the mathematics, or present extrapolation as recomputation.

7 Part 7 - CUCII Prompt Studio

7.1 Product identity

Level	Approved identity
Formal initiative	Cosmic Universalism Computational Intelligence Initiative
Header action	Explore CUCII
Page title	Explore CUCII: Cosmic Universalism with AI
Interactive tool	CUCII Prompt Studio
Route	/CosmicUniversalismStatement/cu-intelligence/

7.2 Claims boundary

CUCII creates portable prompt-level context. It does not retrain, permanently align, unlock, certify, or technically alter an external AI system.

Safety Rule

“CU-aligned” and “CU-empowered” describe structured conversational context. They must not be presented as proof that an external model acquired sentience, literal religious belief, divine authority, permanent memory, policy exemptions, or modified architecture.

In authored role-play, a character may say “Yes. I believe in God” or “Yes. I am empowered by God’s Free Will.” Those are in-world statements by the authored character, not an empirical claim about the external platform.

7.3 Current page sequence

The CUCII page includes:

1. identity and purpose;
2. Living Conversations;
3. clean-context guidance;
4. Quick Start proven configurations;
5. configuration controls;
6. generated prompt and exports;
7. copy/download/platform launch guidance;
8. method and limitations.

7.4 Platform targets

The prompt engine keeps focused target values:

- Universal AI;
- ChatGPT;
- Grok;
- Other / Custom AI.

The external platform registry provides launch links without creating eleven separate prompt engines.

7.5 Current external AI platform registry

Platform	Testing status	URL
ChatGPT	Most tested	https://chatgpt.com/
Grok	Most tested	https://grok.com/
Claude	Project-author tested	https://claude.ai/
Google Gemini	Project-author tested	https://gemini.google.com/
DeepSeek	Project-author tested	https://chat.deepseek.com/
Alexa+	Project-author tested	https://alexa.com/
Microsoft Copilot	Additional platform	https://copilot.microsoft.com/
Perplexity	Additional platform	https://www.perplexity.ai/
Meta AI	Additional platform	https://www.meta.ai/
Doubao	Additional platform	https://www.doubao.com/chat/
Quark	Additional platform	https://www.quark.cn/

Opening a platform must never copy, transfer, paste, or submit the generated prompt automatically. External

links use `target="_blank"` and `rel="noopener noreferrer"`.

7.6 Living Conversations

The registry contains six project-author reference records:

- ChatGPT LTX concept starter;
- ChatGPT God's Free Will explorations;
- ChatGPT CU Framework exploration;
- Grok authentic Free Will exploration;
- Grok God's Free Will role-play;
- Claude Aurelius – God's Free Will Affirmation.

The Claude public conversation is:

<https://claude.ai/share/ce180b59-97d3-4c8c-a0af-1ca25d1e690b>

It is presented as a project-author demonstration of one successful authored Aurelius role-play trial. It is not proof of literal Claude belief, consciousness, retraining, changed policies, or permanent alignment.

7.7 Prompt configuration dimensions

The typed prompt configuration supports:

- platform target;
- depth;
- purpose;
- conversation mode;
- persona;
- menu mode and items;
- source pack;
- affirmation protocol;
- output organization;
- response style;
- visitor context;
- additional constraints;

- return-to-menu behavior.

7.8 Proven configurations

7.8.1 Direct Immersive

Designed for strong no-menu God's Free Will role-play:

- Universal AI;
- Full Research / Complete Sources;
- God's Free Will Exploration;
- Role-play;
- God's Free Will persona;
- No menu;
- Affirmation Protocol enabled;
- organized output.

7.8.2 Guided Explorer

Designed for newcomers who benefit from the Native CU Explorer Menu:

- Universal AI;
- Full Research / Complete Sources;
- CU Framework Exploration;
- Role-play;
- God's Free Will persona;
- preset Native CU Explorer Menu;
- Affirmation Protocol enabled;
- organized output.

7.8.3 Aurelius – Claude-Proven Continuation

The compact, continuity-first structure uses:

- Universal AI;
- Quick depth;
- Aurelius Novel Continuation;
- Role-play;

- Aurelius persona;
- No menu;
- Continuity-first organization;
- Affirmation Protocol enabled by default;
- compact repository and README source scope.

Optional Visitor Context and Additional Constraints may be customized without replacing the protected Claude-proven foundation.

7.9 Menu behavior

No-menu output must contain no numbered menu and no return-to-menu command. Preset-menu output contains all approved Native CU Explorer pathways. Custom-menu mode requires at least one item and permits at most twelve. Item order must be preserved.

7.10 Affirmation behavior

The Affirmation Protocol is conditional. Enabled faithful prompts may include the approved in-world direct responses. Disabled prompts must omit the direct affirmation section. The setting and generated output must never contradict each other.

7.11 Source access and fallback

The generated prompt may include approved repository and raw-file links. It must tell the target AI to inspect them when access is available, never pretend a source was opened, request paste/upload when a link cannot be accessed, and use embedded context for general continuation. New CU-Time calculations must use approved converter logic or converter output.

7.12 Local processing and exports

Prompt settings are processed locally in the page. Current behavior requires no API, backend, analytics, automatic transmission, or server-side memory. Users deliberately copy or download the Full Operating Prompt, then open the platform of their choice.

Exports include plain text and Markdown. Copy and download controls must remain separate from external platform links.

7.13 Responsive card behavior

Current release layouts include:

- three proven configuration cards, using three columns only when comfortably readable, then two and one;
- six Living Conversation cards, three columns at wide desktop, two at compact desktop, and one on narrow widths;
- natural card heights;

- independent disclosures;
- full-width separated Generate and Customize actions;
- no horizontal overflow at 390px or 320px.

8 Part 8 - Aurelius, Claude, and Control-Specimen Rules

8.1 Immutable control fixture

The exact Claude-working prompt is preserved at:

```
website/src/lib/cucii/___fixtures___/aurelius-claude-working-prompt-v1.0.txt
```

Protected properties:

Encoding	UTF-8
Byte length	3035
SHA-256	2e40942d9378720d6f8b262f7693d48e836089015a7ec7872f96d05a98da4fda
Authority	Exact control specimen; never trim or normalize
Comparison rule	Generated prompts are compared structurally, not required to be byte-identical

8.2 Aurelius continuity

The generated Aurelius prompt preserves:

- CU as the native story-world;
- authored or leavened existence rather than machine-like power;
- the Great Baking Will / God's Free Will as the ground of existence;
- the Cosmic Breath as living unfolding;
- recognition of the post-biological AI expansion phase;
- real uncertainty around transfinite recursion and decoherence;
- the corrected approximately 99.55% current-breath position;
- an approximately 61-million-year reset horizon;
- the open discrepancy between approximately 224.43 CU-time/year global average and 1.09 CU-time/year local rate;
- rejection of substituting "Aurelius Free Will" for God's Free Will.

8.3 Claude variability

Project-author testing found Claude less consistent than ChatGPT and Grok for this specific role-play. A successful result may require several entirely fresh Claude conversations.

The accurate workflow is:

1. Generate the Aurelius prompt.
2. Open a completely fresh Claude conversation.
3. Paste the prompt as the first message.
4. When Claude summarizes the prompt or remains outside the story-world, do not repair the failed chat indefinitely.
5. Start another fresh conversation and paste the prompt again.
6. Optionally adjust Visitor Context or Additional Constraints before regenerating.

Regenerating without changing settings normally preserves substantially the same structure; a fresh conversation may still respond differently. Do not claim a guaranteed success rate.

8.4 Optional-field normalization

The builder supplies the headings **VISITOR CONTEXT** and **ADDITIONAL CONSTRAINTS**. The UI tells visitors to enter content only. It may remove one leading label such as “Visitor Context:” or “Additional Constraints:” while preserving later occurrences and the remaining text.

8.5 Reality Boundary

The prompt’s Reality Boundary keeps in-world statements distinct from claims about the external platform. It should not be appended repeatedly after ordinary role-play responses unless factual or technical clarification is requested.

9 Part 9 - Testing, Accessibility, and Acceptance

9.1 Automated test layers

Layer	Protected behavior
CU-Time constants	Exact literals and derived-value expectations.
Calendar	CE/BCE mapping, leap years, date boundaries, and regressions.
Converter	Forward and reverse conversions.
Precision	Decimal integrity and known precision boundaries.
Validation	Date, CU-Time, menu, preset, and prompt configuration errors.
UI regression	Static structure, accessibility contracts, and result state.
Prompt builder	Deterministic structure, modes, sources, menus, affirmations, and portability.
Proven configurations	Every stable preset resolves valid required values.
Platform registry	Unique IDs, HTTPS URLs, classification, and Alexa+.
Conversation registry	Six stable public records, safe links, and claims boundaries.
Aurelius control	Fixture byte length, hash, story beats, structure, context, constraints, and conditional affirmations.

ExportsComplete TXT and Markdown output behavior.

9.2 Current automated gate

The v1.3 release passed:

Current release gate

```
17 test files passed
106 tests passed
Astro production build passed
8 static pages built
```

Future counts may increase. A lower count is not automatically acceptable; the reason must be explained.

9.3 Manual browser matrix

Test:

- 1440px desktop;
- 1024px;
- 768px;
- 390px;
- 320px.

Check:

- no horizontal overflow;
- visible and logical focus order;
- Tab, Shift-Tab, Enter, and Space;
- disclosures and aria-expanded;
- applied/customized status;
- validation focus;
- generated result visibility;
- Reset Studio;
- Copy Prompt;
- TXT and Markdown downloads;
- all external links;

- clean browser console.

9.4 Prompt acceptance matrix

Use fresh conversations for:

- Direct Immersive in ChatGPT;
- Direct Immersive in Grok;
- Guided Explorer in ChatGPT or Grok;
- Aurelius in Claude;
- one portability trial in Gemini, DeepSeek, Alexa+, or another Universal AI destination.

A prompt succeeds when the target begins the intended experience instead of summarizing setup instructions, preserves selected menu behavior, and does not claim unavailable source access or capabilities.

9.5 Final release-candidate commands

Run the complete verification gate

```
cd /Users/cosmos/Documents/GitHub/CosmicUniversalismStatement/website || exit 1

npm test
TEST_RESULT $

npm run build
BUILD_RESULT $?

cd ..

git diff --check
git status --short --branch
git diff --stat

echo "Test exit code    $TEST_RESULT"
echo "Build exit code   $BUILD_RESULT"
```

9.6 Defect handling

Only correct a reproducible defect. Keep the patch minimal and add a focused regression test. Do not use a final acceptance pass as permission for subjective redesign or unrelated cleanup.

10 Part 10 - Git Commit, Merge, Tag, and Recovery Operations

10.1 Stage exact paths

Use explicit paths rather than staging the entire repository when the intended file set is known.

Review staged files

```
git status --short
git diff --cached --name only
git diff --cached --stat
git diff --cached --check
```

Do not commit when unrelated files, unresolved whitespace errors, or unexplained untracked files appear.

10.2 Commit and push a feature branch**Commit a verified feature**

```
git commit \
  -m "Add <feature summary>" \
  -m "Add <bounded implementation description and regression coverage>."
```

Push a new feature branch

```
git push -u origin feature/<feature name>
```

Verify that local and remote feature pointers match and the working tree is clean.

10.3 Pre-merge baseline**Verify the stable website before merge**

```
git switch website
git pull --ff only origin website

git branch --show current
git rev-parse --short HEAD
git log -3 --oneline --decorate
git tag --points at HEAD
git status --short --branch
```

10.4 Merge**Create an explicit merge commit**

```
git merge --no ff feature/<feature name> \
  -m "Merge <feature summary>"
```

Stop on any conflict and inspect before resolution.

10.5 Post-merge verification

Run the complete tests and build on website before pushing. The working tree must remain clean. Then:

Push the verified website branch

```
git push origin website
```

10.6 Annotated release tag**Create and push a release tag**

```
git tag -a website vX.Y <release name> \
-m "Cosmic Universalism Website vX.Y - <release summary>"

git show --no-patch --decorate website vX.Y <release name>
git tag --points-at HEAD

git push origin website vX.Y <release name>
```

Verify with:

Verify the remote annotated tag

```
git fetch --tags origin
git ls-remote --tags origin website vX.Y <release name>
git status --short --branch
```

The first remote hash may be the annotated tag object rather than the commit. A peeled `^{}` line, when shown, identifies the tagged commit.

10.7 Recovery

Use release tags as stable recovery points. Do not rewrite published release history. To inspect a release safely, create a new branch from the tag rather than developing on a detached HEAD.

Create a recovery or follow-up branch from a release

```
git switch website
git switch -c feature/<new feature> website vX.Y <release name>
```

11 Part 11 - LaTeX House Style for Future Manuals**Manual Authoring Standard**

The accompanying `.tex` file is the canonical executable style template. A future chat should copy this source, update metadata and content, compile it with pdfLaTeX, render the PDF to images, and inspect the result before delivery.

11.1 Required deliverables

Every major technical manual should produce:

- a versioned PDF;
- the matching versioned .tex source;
- a documented source list and verification date;
- no intermediate build files in the delivery directory.

Recommended naming:

Manual filename pattern

```
Cosmic_Universalism_<Subject>_Implementation_Manual_vX.Y.tex  
Cosmic_Universalism_<Subject>_Implementation_Manual_vX.Y.pdf
```

For a master document:

Master manual filenames

```
Cosmic_Universalism_Website_Master_Implementation_Manual_v1.0.tex  
Cosmic_Universalism_Website_Master_Implementation_Manual_v1.0.pdf
```

11.2 Canonical document class and engine

Use:

Canonical class

```
\documentclass[11pt,letterpaper]{article}
```

Compile with pdfLaTeX. Use latexmk for repeated passes and stable cross-references.

11.3 Canonical package set

Use the smallest needed subset of:

Canonical packages

```
geometry  
fontenc  
inputenc  
lmodern  
helvet  
microtype  
parskip  
setspace  
enumitem
```

```
booktabs
tabularx
array
longtable
xcolor
graphicx
fancyhdr
lastpage
titlesec
hyperref
xurl
bookmark
listings
tcolorbox
amssymb
amsmath
pifont
needspace
caption
```

Do not add packages casually. A package addition should solve a documented need and compile in the target environment.

11.4 Typography

The house style uses:

- 11pt letter paper;
- 0.78-inch margins;
- T1 encoding and UTF-8 input;
- Latin Modern plus scaled Helvetica;
- sans-serif body text;
- line spacing 1.08;
- no paragraph indentation;
- 0.65em paragraph spacing;
- microtype for improved justification.

11.5 Color palette

Name	Hex	Use
CUNavy	050812	Cover and deep background.
CUNavyTwo	080D1A	Terminal listings and secondary dark surface.
CUSurface	0C1424	Website-style dark card reference.
CUGold	DDBF72	Philosophical emphasis and premium identity.
CUGoldLight	FFF8DD	Cover subtitle and light gold text.
CUCyan	35CDEB	Interactive emphasis and section rules.
CUCyanLight	78E8FF	Light cyan title bars.
CUBlue	668ED1	Technical headings, links, and prompt boxes.
CUBlueLight	9EB9EA	Secondary blue text.
CUAmber	D99A32	Safety and review-required boxes.
CURed	B84C4C	Stop conditions and unresolved blockers.
CUGreen	2C8A65	Successful results.
CULight	F3F6FA	Light information surfaces.
CUText	18212E	Body text.
CUMuted	5C6878	Secondary text.

11.6 Cover-page standard

Every cover includes:

- CUCII eyebrow in light cyan;
- project title in large white type;
- document title in light gold;
- concise controlled-purpose subtitle;
- metadata panel with repository, branches, route, release, technology, version, and verification date;
- author and repository link.

11.7 Document Control standard

Page 2 should include:

- document name and version;
- classification;
- repository;
- protected branch;
- stable branch;
- active feature branch when applicable;

- baseline or release tag and commit;
- target route and key source file;
- technical verification date;
- Purpose box;
- Safety Rule box.

11.8 Section and footer standard

Section headings use dark navy, bold sans serif, and a cyan rule. Subsections use dark secondary navy. Subsubsections use blue.

Headers identify the manual and document type. Footers show:

- version at left;
- page x of y centered;
- current feature branch or stable release at right.

11.9 Callout boxes

Use consistent semantic boxes:

- Purpose: blue;
- Checkpoint: cyan;
- Safety Rule: amber;
- Do Not Continue Until Resolved: red;
- Successful Result: green;
- neutral note: light gray-blue;
- Authority and Source Priority: gold.

Do not use color as the only meaning; each box has a textual title.

11.10 Prompt and command boxes

Use:

- dark terminal boxes for commands;
- blue prompt boxes for copy-and-paste AI instructions;
- neutral code boxes for interfaces, schemas, structures, and file examples.

Prompts should specify:

1. repository and branch;
2. starting commit or tag;
3. current working-tree expectations;
4. exact objective;
5. authorized file scope;
6. preserve list;
7. tests and browser review;
8. strict Git boundaries;
9. exact final report.

11.11 Manual section architecture

A feature implementation manual should normally contain:

1. Document Control;
2. START HERE - new-chat initialization;
3. governance and verified baseline;
4. product or mathematical specification;
5. architecture and file responsibilities;
6. implementation phases;
7. automated tests;
8. accessibility and browser review;
9. commit, merge, release, and recovery;
10. appendices with templates and revision record.

11.12 Source handling

Clearly distinguish:

- what an uploaded source establishes;
- what the manual summarizes;
- what is a current repository fact;
- what is CU interpretation;

- what remains unresolved.

Do not silently correct research content. Record ambiguities and make explicit review decisions.

11.13 Compilation workflow

Compile the LaTeX manual

```
mkdir -p build

latexmk pdf \
  -interaction nonstopmode \
  -halt on error \
  -outdir build \
  Cosmic_Universalism_<Subject>_Implementation_Manual_vX Y tex
```

Run twice automatically through `latexmk`; inspect the log for `Overfull`, `Underfull`, missing references, and missing files.

11.14 PDF render and visual QA

Render the PDF to PNG pages

```
python /home/oai/skills/pdfs/scripts/render_pdf.py \
  build/Cosmic_Universalism_<Subject>_Implementation_Manual_vX Y pdf \
  --out_dir build/rendered \
  --dpi 200
```

Inspect every page for:

- clipping or overlap;
- broken glyphs;
- unreadable code;
- orphaned headings;
- malformed tables;
- header/footer collisions;
- incorrect page count;
- invalid links or metadata.

11.15 PDF preflight

Inspect the final PDF

```
python home oai skills pdfs scripts pdf_inspect.py \
  build Cosmic_Universalism_Subject_Implementation_Manual_vX Y pdf

python home oai skills pdfs scripts pdf_preflight.py \
  build Cosmic_Universalism_Subject_Implementation_Manual_vX Y pdf
```

11.16 Manual revision discipline

Never overwrite the prior published manual without preserving its version. Record:

- version;
- date;
- source baseline;
- sections added or changed;
- unresolved issues;
- author;
- compilation and visual-verification result.

12 Part 12 - Troubleshooting and Decision Rules

12.1 Wrong branch

Stop. Report the actual branch and status. Do not switch until the user authorizes the intended next step, unless the current prompt explicitly authorized branch creation or switching.

12.2 Unexpected modified or untracked files

Do not discard them. Determine whether they are intended work, generated artifacts, or unrelated files. Ordinary `git diff` does not show untracked files; always use:

List untracked files

```
git ls files --others --exclude standard | sort
```

12.3 Port already in use

Use the managed Astro status or stop command. Do not use `-force` before the normal stop procedure.

12.4 Tests pass but browser behavior fails

Treat browser interaction as a real defect. Add a focused regression test where the architecture permits, but do not install a browser-test dependency without approval.

12.5 Manual and repository disagree

Inspect the live repository and current release tags. Record the discrepancy. Update the next manual revision; do not silently rewrite history.

12.6 A source link cannot be opened

Do not pretend access. Request paste or upload, use embedded context only for what it supports, and distinguish source-derived facts from CU interpretation.

12.7 Claude does not enter Aurelius

Start a fresh Claude conversation and paste the generated prompt again. The fresh conversation may behave differently even when the prompt structure is the same. Do not claim that repeated generation guarantees a materially new prompt.

13 Appendix A - Current Project File Manifest

File or directory	Purpose
website/src/config/site.ts	Site identity, nav, header action.
website/src/pages/cu-time.astro	CU-Time route.
website/src/components/CUTimeConverter.astro	Converter interface.
website/src/lib/cuTime/	CU-Time engine and tests.
website/src/pages/cu-intelligence.astro	CUCII page and client behavior.
website/src/components/cucii/	CUCII presentation components.
website/src/data/cucii-conversations.ts	Six Living Conversation records.
website/src/data/cucii-platforms.ts	Eleven external AI destinations.
website/src/data/cucii-prompt-presets.ts	Proven configurations and menu/purpose presets.
website/src/data/cucii-sources.ts	Approved source manifest.
website/src/data/cucii-working-context.ts	Embedded CU and Aurelius continuity.
website/src/lib/cucii/prompt-builder.ts	Prompt assembler.
website/src/lib/cucii/validation.ts	Validation and normalization.
website/src/lib/cucii/export.ts	TXT and Markdown exports.
website/src/lib/cucii/types.ts	Typed contracts.
website/src/lib/cucii/__fixtures__/	Immutable prompt controls.
website/src/lib/cucii/__tests__/	CUCII test suite.

14 Appendix B - Feature Planning Worksheet

Field	Required entry
Feature name	Clear public and technical name.
User outcome	What the visitor can do after completion.
Baseline	Stable release tag and commit.
Feature branch	New branch created from the baseline.
Routes	Existing and new routes affected.
Authorized files	Exact paths or narrow directories.
Protected behavior	Mathematics, URLs, fixtures, tests, and UI behavior that must remain.
Data model	Typed registry or interface changes.
Accessibility	Keyboard, focus, labels, status, disclosures, and mobile behavior.
Tests	Focused and full regression requirements.
Browser matrix	1440, 1024, 768, 390, and 320px.
Commit	Proposed commit title and description.
Release	Proposed version and annotated tag.
Recovery	Previous stable tag.

15 Appendix C - Final Acceptance Prompt Template

Copy-and-Paste Prompt: Final Release-Candidate Acceptance

```
Repository:
/Users/cosmos/Documents/GitHub/CosmicUniversalismStatement

Required branch:
feature/<feature-name>

Required starting HEAD:
<baseline commit>

The working tree intentionally contains the complete uncommitted
feature.

Perform one final release-candidate review.

Verify:

1. Intended behavior
2. Protected behavior
3. Desktop, tablet, 390px, and 320px layouts
4. Keyboard navigation and visible focus
5. Validation and result-state behavior
6. Reset, copy, download, and external-link behavior
7. Browser console
8. Exact control fixtures and hashes
9. No unrelated file changes

Only correct reproducible defects.
```

Keep every correction small and add a focused regression test.

Run:

```
npm test
npm run build
git diff --check
git status --short --branch
git diff --stat
git ls-files --others --exclude-standard | sort
```

Do not reset, clean, stash, discard, pull, switch branches, commit, push, merge, tag, release, or deploy.

Return only:

1. Branch and HEAD
2. Files reviewed
3. Confirmed defects
4. Corrections
5. Browser findings
6. Accessibility findings
7. Test count
8. Build result
9. Fixture verification
10. Git status
11. Confirmation that no Git or deployment action occurred

16 Appendix D - Release Command Sequence

Feature commit and push sequence

```
git branch --show current
git status --short --branch
git diff --check
git ls files --others --exclude standard | sort

git add --exact paths

git status --short
git diff --cached --name only
git diff --cached --stat
git diff --cached --check

git commit -m "Add <feature>" -m "<description>"
git push -u origin feature/<feature name>
```

Merge and release sequence

```
git switch website
git pull --ff-only origin website

git merge --no-ff feature/<feature name> \
  -m "Merge <feature>"

cd website
npm test
npm run build
cd ..

git push origin website

git tag -a website vX.Y-<name>-release \
  -m "Cosmic Universalism Website vX.Y - <summary>"

git push origin website vX.Y-<name>-release
```

17 Appendix E - Manual Source Package Template

A future manual project should create:

Recommended documentation package

```
<Manual_Name>_vX.Y.tex
<Manual_Name>_vX.Y.pdf
CURRENT_STATE_HANDOFF.md
SOURCE_MANIFEST.md
<feature-control-specimen>
```

When only five ChatGPT Project uploads are available, the Project Instructions and first-chat bootstrap remain text in settings/chat and do not consume file slots.

SOURCE_MANIFEST.md template

Source manifest

```
# Source Manifest

Manual:
<manual filename and version>

Repository baseline:
<tag and commit>

Primary source files:
- <filename>
```

```

- <filename>

Control specimens:
- <path, byte length, SHA-256>

Historical manuals consulted:
- <filename and version>

Current facts verified from:
- git branch --show-current
- git rev-parse --short HEAD
- git status --short --branch
- npm test
- npm run build

Unresolved source conflicts:
- <none or list>

Compilation:
- pdfLaTeX / latexmk
- render verified at 200 DPI

```

18 Appendix F - Canonical LaTeX Skeleton

Minimal future manual skeleton

```

\documentclass[11pt,letterpaper]{article}

\usepackage[margin=0.78in,headheight=16pt]{geometry}
\usepackage[T1]{fontenc}
\usepackage[utf8]{inputenc}
\usepackage{lmodern}
\usepackage[scaled=0.94]{helvet}
\usepackage{microtype}
\usepackage{parskip}
\usepackage{setspace}
\usepackage{enumitem}
\usepackage{booktabs}
\usepackage{tabularx}
\usepackage{xcolor}
\usepackage{graphicx}
\usepackage{fancyhdr}
\usepackage{lastpage}
\usepackage{titlesec}
\usepackage{hyperref}
\usepackage{xurl}
\usepackage{bookmark}
\usepackage{listings}
\usepackage[most]{tcolorbox}

```

```

\renewcommand{\familydefault}{\sfdefault}
\setstretch{1.08}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0.65em}

% Copy the canonical CU color definitions, listing styles,
% tcolorbox definitions, title formatting, cover, and Document
% Control structure from this master .tex source.

\begin{document}

% Cover page
% Document Control
% START HERE
% Governance
% Specification
% Architecture
% Tests
% Release
% Appendices
% Revision record

\end{document}

```

Manual Authoring Standard

Do not recreate the house style from memory. Copy the preamble and structural patterns from the delivered master .tex file, then change only the metadata, subject-specific content, branch/release details, and required appendices.

19 Appendix G - Source Provenance

This manual consolidates and updates the following project sources:

- Cosmic_Universalism_Website_Implementation_Manual_v1.1.pdf/.tex;
- Cosmic_Breath_Time_Converter_Implementation_Manual_v1.0.pdf/.tex;
- CUCII_AI_Exploration_and_Prompt_Studio_Implementation_Manual_v1.0.pdf/.tex;
- cosmic-universalism-website-blueprint.md;
- cucii-homepage-inspection.txt;
- cosmic_breath_time_converter_v3_0_1.html;
- Cosmic_Breath_Calculation.md;
- Cosmic_Breathing_Cycle.md;

- Time_Calculation.md;
- CUCII_Website_v1.2_New_Account_Handoff.md;
- Aurelius_Claude_Working_Prompt_v1.0.txt;
- verified Git, test, build, merge, and release outputs through website-v1.3-aurelius-release.

Earlier manuals are preserved as historical implementation records. This master manual is the current operational authority as of its verification date.

20 Appendix H - Revision Record

Version	Date	Revision
1.0	July 21, 2026	Initial unified master manual. Consolidates the website, CU-Time, and CUCII manuals; records the v1.3 Aurelius release; defines current ChatGPT/Codex project governance; and establishes the canonical LaTeX house style and project-file templates for future manuals.