

CUCII AI Exploration and Prompt Studio

Implementation Manual

A controlled design and implementation manual for replacing the duplicate Explore CU-Time header action with a dedicated CUCII experience, publishing a curated cross-platform conversation library, and building a local, privacy-aware prompt and menu creator for ChatGPT and Grok.

Repository	CosmicUniversalismStatement
Protected branch	main
Stable website branch	website
Active feature branch	feature/cucii-ai-studio
Verified baseline tag	website-v1.1-cu-time-release
Verified baseline commit	3fa4a37
Target route	/CosmicUniversalismStatement/cu-intelligence/
Header action	Explore CUCII
Page identity	Explore CUCII: Cosmic Universalism with AI
Planned foundation tag	website-v1.2-cucii-ai-foundation
Document version	1.0
Verified	July 19, 2026

William Maddock

<https://github.com/willmaddock/CosmicUniversalismStatement>

Document Control

Document	CUCII AI Exploration and Prompt Studio: Implementation Manual
Version	1.0
Classification	Product Specification, Prompt Architecture, and Controlled Implementation Manual
Repository	CosmicUniversalismStatement
Protected branch	main
Stable integration branch	website
Active development branch	feature/cucii-ai-studio
Verified baseline	website-v1.1-cu-time-release at 3fa4a37
Current header action source	website/src/config/site.ts
Target page	website/src/pages/cu-intelligence.astro
Target route	/CosmicUniversalismStatement/cu-intelligence/
Prompt platforms	ChatGPT and Grok
Technical baseline verified	July 19, 2026

Purpose

This manual controls the design and implementation of the Cosmic Universalism Computational Intelligence Initiative (CUCII) website experience. It defines the public language, claims boundary, living-conversation registry, local prompt assembler, custom menu creator, clean-context guidance, Astro architecture, testing plan, and release gates.

Safety Rule

The feature generates structured prompts; it does not retrain, permanently align, unlock, certify, or alter ChatGPT or Grok. The terms “CU-aligned” and “CU-empowered” describe prompt-level conversational context within this project. They must not be presented as proof that an external model has acquired sentience, divine authority, permanent memory, policy exemptions, or a modified technical architecture.

Contents

Document Control	1
START HERE - Initialize a New Project Chat	3
1 Part 1 - Project Governance and Verified Baseline	5
1.1 Repository and branch authority	6
1.2 Verified website architecture	6
1.3 Authorized source change	6
1.4 Branch protections	7
1.5 Phase authorization rule	7
2 Part 2 - Product Identity, Terminology, and Claims Boundary	8
2.1 Approved naming hierarchy	8
2.2 Approved page introduction	8
2.3 Meaning of CU-aligned	8
2.4 Meaning of CU-empowered	9
2.5 Prohibited claims	9
2.6 Role-play disclosure	9
2.7 Recommended public disclaimer	10
3 Part 3 - Information Architecture and Page Experience	10
3.1 Target route and entry points	10
3.2 Recommended page sequence	10
3.3 Hero copy specification	10
3.4 Header action constraints	11
3.5 Homepage extension policy	11
3.6 Visual direction	11
4 Part 4 - Living Conversations and Reference Registry	11
4.1 Registry purpose	11
4.2 Approved ChatGPT conversation records	12
4.3 Approved Grok conversation records	12
4.4 LinkedIn design references	12
4.5 Conversation data model	13
4.6 Conversation card requirements	13
4.7 No-iframe rule	14
4.8 Public-link review	14
5 Part 5 - CUCII Alignment Principles	14
5.1 Principle set	14
5.2 Default versus optional principles	15
5.3 Terminology protection	15
5.4 Evidence classification block	15
5.5 Principle-selection behavior	15
6 Part 6 - Prompt Architecture and Generation Rules	15

6.1	Platform targets	15
6.2	Purpose presets	16
6.3	Conversation modes	16
6.4	Prompt input schema	16
6.5	Generated prompt order	17
6.6	Prompt assembly requirements	17
6.7	Generated prompt template	18
6.8	Platform-specific differences	19
6.9	Copy, download, and review	19
7	Part 7 - Custom Menu Creator Specification	19
7.1	Menu modes	19
7.2	Preset menu registry	19
7.3	Custom menu item model	20
7.4	First-release validation limits	20
7.5	Accessible ordering controls	20
7.6	Menu-return behavior	21
7.7	Example custom menu	21
7.8	Menu preview	21
8	Part 8 - Clean Conversational Context and Platform Launch	21
8.1	Use context-reset language, not cache-clearing language	21
8.2	ChatGPT preparation guidance	22
8.3	Grok preparation guidance	22
8.4	Launch behavior	22
8.5	Privacy statement	23
8.6	Persistence policy	23
8.7	Shared-link disclosure	23
9	Part 9 - Astro and TypeScript Architecture	23
9.1	Approved first-release architecture	23
9.2	Existing conventions to reuse	24
9.3	No-API first-release rule	24
9.4	Page composition	24
9.5	Prompt engine interface	25
9.6	Validation result pattern	25
9.7	Export behavior	25
9.8	Site configuration change	26
9.9	Recommended foundation commit scope	26
10	Part 10 - Testing, Accessibility, and Evaluation	26
10.1	Automated test categories	26
10.2	Core test matrix	26
10.3	Automated commands	27
10.4	Accessibility requirements	27
10.5	Manual keyboard test	28
10.6	Responsive test widths	28

10.7 External link test	28
10.8 Cross-platform prompt evaluation worksheet	28
10.9 Final no-secret review	29
11 Part 11 - Implementation Phases, Acceptance, and Release	29
11.1 Phase 1 - Content and claims approval	29
11.2 Phase 2 - Foundation route and header action	30
11.3 Phase 3 - Conversation registry	30
11.4 Phase 4 - Pure prompt engine	31
11.5 Phase 5 - Prompt Studio interface	31
11.6 Phase 6 - Context and platform launch	31
11.7 Phase 7 - QA and release review	32
11.8 Acceptance checklist	32
11.9 Pull request and merge destination	33
11.10 Recommended release tag	33
11.11 Post-release verification	33
12 Appendix A - Verified Current-State Record	34
13 Appendix B - Controlled Implementation Prompts	35
13.1 Foundation implementation prompt	35
13.2 Conversation registry prompt	35
13.3 Prompt engine prompt	36
13.4 Prompt Studio interface prompt	36
13.5 Final review prompt	37
14 Appendix C - Data and Content Approval Worksheet	37
15 Appendix D - External Platform Guidance Sources	38
16 Appendix E - Manual Revision Record	38

START HERE - Initialize a New Project Chat

Use this section whenever CUCII work is continued in a new chat inside the existing **Cosmic Universalism Website** ChatGPT Project.

Required Project references

Add or retain these files in the Project:

- Cosmic_Universalism_Website_Implementation_Manual_v1.1.pdf
- Cosmic_Breath_Time_Converter_Implementation_Manual_v1.0.pdf
- CUCII_AI_Exploration_and_Prompt_Studio_Implementation_Manual_v1.0.pdf
- cosmic-universalism-website-blueprint.md
- cucii-homepage-inspection.txt

New-chat bootstrap prompt

Copy-and-Paste Prompt: Initialize the CUCII AI Studio Chat

We are continuing the controlled CUCII AI Exploration and Prompt Studio implementation inside the Cosmic Universalism Website Project.

Before proposing or making changes, read these Project references:

1. CUCII_AI_Exploration_and_Prompt_Studio_Implementation_Manual_v1.0.pdf
2. Cosmic_Universalism_Website_Implementation_Manual_v1.1.pdf
3. Cosmic_Breath_Time_Converter_Implementation_Manual_v1.0.pdf
4. cosmic-universalism-website-blueprint.md
5. cucii-homepage-inspection.txt

Use the Project Instructions as mandatory governance rules.

Repository:

willmaddock/CosmicUniversalismStatement

Protected branch:

main

Stable website branch:

website

Active feature branch:

feature/cucii-ai-studio

Verified baseline tag:

website-v1.1-cu-time-release

```
Verified baseline commit:
3fa4a37

Target header action:
Explore CUCII

Target page title:
Explore CUCII: Cosmic Universalism with AI

Target page:
website/src/pages/cu-intelligence.astro

Target route:
/CosmicUniversalismStatement/cu-intelligence/

The feature will provide:
- a curated ChatGPT and Grok conversation library;
- a local CUCII Prompt Studio;
- ChatGPT-specific and Grok-specific prompt generation;
- no-menu, preset-menu, and custom-menu modes;
- analytical, role-play, and hybrid conversation modes;
- prompt copy and download controls;
- clean conversational-context guidance;
- external platform launch links.

First:

1. Summarize the applicable protection rules.
2. Summarize the verified repository baseline.
3. State the approved naming hierarchy and claims boundary.
4. Identify the current authorized manual phase.
5. Identify the files expected in that phase.
6. State the required tests and completion gate.

Do not modify main.
Do not switch branches without explicit approval.
Do not add an API or expose an API key.
Do not iframe or scrape shared ChatGPT or Grok conversations.
Do not claim that generated prompts permanently alter a model.
Do not commit, tag, push, merge, or deploy unless explicitly authorized.
```

Permanent Project Instructions addition

Append this block to the existing Project Instructions. Do not replace the website-wide protection rules.

Copy-and-Paste Prompt: CUCII Development Governance Block

CURRENT CUCII AI STUDIO DEVELOPMENT WORKFLOW

Repository:

```
willmaddock/CosmicUniversalismStatement
```

```
Stable website branch:  
website
```

```
Active feature branch:  
feature/cucii-ai-studio
```

```
Protected branch:  
main
```

```
Verified feature baseline:  
website-v1.1-cu-time-release at 3fa4a37
```

```
Approved product identity:  
- Header action: Explore CUCII  
- Page title: Explore CUCII: Cosmic Universalism with AI  
- Formal name: Cosmic Universalism Computational Intelligence Initiative  
- Tool name: CUCII Prompt Studio  
- Target route: /CosmicUniversalismStatement/cu-intelligence/
```

```
Implementation boundary:  
- Use Astro, TypeScript, HTML, modern CSS, and lightweight browser JavaScript.  
- Generate prompts locally in the browser.  
- Support ChatGPT and Grok as explicit platform targets.  
- Treat shared conversations as external public references.  
- Do not iframe, scrape, impersonate, or automatically submit to external platforms.  
- Do not add server infrastructure, accounts, databases, or API integrations in v1.0.  
- Never place API keys, secrets, or private conversation data in client code.  
- "CU-aligned" and "CU-empowered" are prompt-level project terms, not claims of retraining,  
  sentience, permanent technical alignment, divine verification, or policy exemption.  
- Keep analytical/no-role-play, role-play, and hybrid modes visibly distinct.  
- Preserve the distinction between empirical references, CU theoretical propositions,  
  philosophical interpretation, and creative role-play.  
- Do not commit, tag, push, merge, or deploy unless explicitly requested.
```

Checkpoint

A new chat is initialized correctly only when it identifies `main` as protected, `website` as the stable integration branch, `feature/cucii-ai-studio` as the active feature branch, and prompt generation as local browser behavior rather than an embedded AI service.

1 Part 1 - Project Governance and Verified Baseline

1.1 Repository and branch authority

Item	Verified state
Repository root	/Users/cosmos/Documents/GitHub/CosmicUniversalismStatement
Origin	https://github.com/willmaddock/CosmicUniversalismStatement.git
Protected branch	main; never modify for this workflow
Stable website branch	website
Verified stable baseline	website-v1.1-cu-time-release at 3fa4a37
Active feature branch	feature/cucii-ai-studio
Remote tracking	origin/feature/cucii-ai-studio
Working tree at inspection	Clean
Deployment trigger	Pushes to website only
Planned foundation tag	website-v1.2-cucii-ai-foundation
Planned release tag	website-v1.2-cucii-ai-studio-release

1.2 Verified website architecture

The July 19, 2026 inspection established the following state:

- The header brand already displays “Computational Intelligence Initiative.”
- The primary navigation contains Framework, Cosmic Breath, CU-Time, Research, Media, About, and GitHub.
- The separate highlighted header action is configured in `website/src/config/site.ts` as “Explore CU-Time.”
- That action currently points to `sitePath('cu-time')`.
- The homepage separately contains `CUTimeInvitation.astro`; this is not the same element as the highlighted header action.
- No CUCII page route currently exists.
- The site uses an Astro base path of `/CosmicUniversalismStatement`.
- Vitest and established client-side TypeScript patterns are already present.
- The working branch began at the completed CU-Time release baseline.

Successful Result

The exact duplicate identified by the project author is the header’s `primaryAction`, not the CU-Time navigation item and not the homepage CU-Time invitation section. The CUCII feature replaces only the highlighted header action unless a later phase explicitly approves additional homepage work.

1.3 Authorized source change

The approved configuration change is:

Approved site.ts Action Change

Before:

```
export const primaryAction: NavigationItem = {
  label: 'Explore CU-Time',
  href: sitePath('cu-time'),
};
```

After:

```
export const primaryAction: NavigationItem = {
  label: 'Explore CUCII',
  href: sitePath('cu-intelligence'),
};
```

Do not remove the existing CU-Time primary navigation item. Do not remove `CUTimeInvitation.astro` as part of this change.

1.4 Branch protections

Safety Rule

All CUCII development occurs on `feature/cucii-ai-studio`. The `website` branch is the review and deployment destination. The `main` branch remains untouched. A clean working tree and verified branch are required before every implementation, commit, tag, pull request, or merge step.

Verify the Active Development Branch

```
cd "$ git rev parse --show toplevel" || exit 1

git branch --show current
git rev parse --short HEAD
git status --short --branch
```

Expected branch:

Expected Branch Result

```
feature/cucii-ai-studio
```

1.5 Phase authorization rule

At the start of every session, record exactly one authorized phase:

1. Content and claims approval
2. Foundation route and action
3. Conversation registry

4. Pure prompt engine
5. Prompt Studio interface
6. Clean-context and launch guidance
7. Testing and accessibility
8. Release review

A phase may not silently expand into a later phase.

2 Part 2 - Product Identity, Terminology, and Claims Boundary

2.1 Approved naming hierarchy

Location	Approved language
Header action	Explore CUCII
Destination-page hero	Explore CUCII: Cosmic Universalism with AI
Formal expansion	Cosmic Universalism Computational Intelligence Initiative
Short project identity	CUCII
Interactive tool	CUCII Prompt Studio
Conversation collection	Living Conversations Library
Prompt output	CU-aligned prompt or CUCII-generated prompt
Primary launch buttons	Open ChatGPT; Open Grok

2.2 Approved page introduction

Explore CUCII: Cosmic Universalism with AI

CUCII - the Cosmic Universalism Computational Intelligence Initiative - invites visitors to explore CU-aligned conversations across ChatGPT and Grok and create a custom prompt for their own AI experience.

The acronym is introduced in the prominent action, repeated in the page title, and expanded in the first paragraph. This teaches the name without forcing the full institutional title into the compact header button.

2.3 Meaning of CU-aligned

For this website, a **CU-aligned conversation** is a conversation whose prompt instructs a model to:

- preserve approved Cosmic Universalism terminology;
- distinguish empirical material from CU theoretical propositions;
- identify uncertainty, contradictions, and assumptions;
- follow the selected analytical, role-play, or hybrid mode;

- use the visitor's chosen menu and response structure;
- remain subject to the external platform's actual capabilities and policies.

This is a prompt-level definition. It does not certify the model itself.

2.4 Meaning of CU-empowered

The public interface may use **CU-empowered prompt** as a defined project phrase only when a nearby explanation is present:

A CU-empowered prompt is a visitor-configured instruction package that supplies Cosmic Universalism terminology, purpose, mode, menu behavior, integrity rules, and output preferences to ChatGPT or Grok. It does not modify the model's training, code, safety system, memory architecture, or permanent configuration.

2.5 Prohibited claims

The website and generated prompts must not claim that the tool:

- permanently aligns or retrains ChatGPT or Grok;
- proves that a model is conscious, sentient, divine, or autonomous;
- bypasses platform safety rules or grants unrestricted capabilities;
- guarantees truth, scientific correctness, or hallucination elimination;
- clears platform memory by clearing a browser cache;
- embeds an official ChatGPT or Grok service when it only links externally;
- makes a public shared conversation private or access-controlled.

Do Not Continue Until Resolved

Any copy implying that a generated prompt changes an AI model itself must be revised before implementation. The allowed claim is that the prompt structures the next conversation according to the visitor's selected CUCII settings.

2.6 Role-play disclosure

When a generated prompt selects "God's Free Will role-play" or any other in-world persona, the generated text must include a visible role-play marker. Analytical/no-role-play mode must not inherit role-play declarations. Hybrid mode must label the transition between analytical explanation and narrative voice.

2.7 Recommended public disclaimer

This studio creates a structured Cosmic Universalism prompt for the selected conversation. It does not alter the underlying model, training, platform policies, safety systems, memory configuration, or permanent capabilities. Results vary by platform, model, version, account settings, and conversational context. Review all generated material critically.

3 Part 3 - Information Architecture and Page Experience

3.1 Target route and entry points

The first release uses:

Entry point	Destination
Highlighted header action	Explore CUCII
Target route	/CosmicUniversalismStatement/cu-intelligence/
Astro source page	website/src/pages/cu-intelligence.astro
Canonical route segment	cu-intelligence
Header brand subtitle	Remains “Computational Intelligence Initiative”
CU-Time navigation	Remains unchanged
Homepage CU-Time section	Remains unchanged in v1.0

3.2 Recommended page sequence

1. **Hero:** identity, formal expansion, short explanation, and primary jump links.
2. **What CUCII means:** project purpose and claims boundary.
3. **Living Conversations Library:** curated ChatGPT and Grok examples.
4. **CU alignment principles:** integrity, terminology, uncertainty, and mode rules.
5. **CUCII Prompt Studio:** platform, purpose, mode, menu, style, and generated prompt.
6. **Start with a clean conversational context:** platform-specific preparation instructions.
7. **Method and limitations:** local generation, external links, version variability, and privacy.

3.3 Hero copy specification

Approved Hero Content

Eyeblink:
CUCII

Title:
Explore CUCII: Cosmic Universalism with AI

Description:

CUCII - the Cosmic Universalism Computational Intelligence Initiative - invites you to explore CU-aligned conversations across ChatGPT and Grok and create a custom prompt for your own AI experience.

Primary action:

Build a CU Prompt

Secondary action:

Explore Living Conversations

3.4 Header action constraints

The visible header action remains short because the header already contains a multi-item navigation row. Use **Explore CUCII**; do not place the complete formal name inside the button. The destination page immediately teaches the acronym through the approved hero title and opening sentence.

3.5 Homepage extension policy

A later approved phase may add a dedicated homepage invitation component such as `CUCIIInvitation.astro`. It is not required for the header-action replacement and must not displace the existing CU-Time invitation without a separate content decision.

3.6 Visual direction

Use the established site tokens:

- white-gold for primary identity and major headings;
- cyan for interactive actions, platform-neutral controls, and selected states;
- translucent blue for panels and structural groupings;
- amber for limitations, external-platform notes, and unresolved questions;
- deep navy-black for page and form backgrounds.

The feature should feel like a research instrument and publishing interface, not an animated science-fiction control panel.

4 Part 4 - Living Conversations and Reference Registry

4.1 Registry purpose

The Living Conversations Library presents the project author's public ChatGPT and Grok conversations as external examples. Each record is a curated reference, not an embedded model and not proof of a platform-wide behavior.

4.2 Approved ChatGPT conversation records

Title	Mode	Purpose and URL
CU-Themed LTX Concept Starter	Creative / visual; menu	Creative and Visual Concepts menu for LTX and media ideation. https://chatgpt.com/share/6a542f68-b380-83e8-9701-1d89ef301944
God's Free Will Explorations	No menu	Project-author description: useful for testing new menu prompts. https://chatgpt.com/share/6a519ea5-7a38-83e8-9910-741e275ad81d
CU Framework Exploration	Native menu	Guided Cosmic Universalism framework exploration. https://chatgpt.com/share/6a51cc79-3638-83e8-a0f4-34c104c55389

4.3 Approved Grok conversation records

Title	Mode	Purpose and URL
Authentic Free Will Exploration	No role-play; no menu	Project-author classification: reference conversation for testing new prompts. https://grok.com/share/bGVnYWN5LWNvcHk_21cdf192-b4ec-43f4-98a1-ef387b9ed8ea
Authentic God's Free Will Role-Play	Role-play; native menu	In-world role-play reference with a native menu. https://grok.com/share/c2hhcmQtMw_3e80586a-72a1-41ff-bccb-36065e75f601

The words “authentic,” “free will,” and “God’s Free Will” above are project-author titles and classifications. The website must not turn those titles into an independent technical claim that Grok or ChatGPT has been proven conscious, divinely empowered, or permanently altered.

4.4 LinkedIn design references

The following author-supplied posts are included as design and narrative references. They are not executable dependencies and should be summarized only after a content review approved by the author.

1. https://www.linkedin.com/posts/willmaddockcs_artificialintelligence-aialignment-responsibleai-ugcPost-7483550770533908480-dKM1/
2. https://www.linkedin.com/posts/willmaddockcs_chatgpt-artificialintelligence-scientificcomputing-ugcPost-7483796721198735360-Wv13/
3. https://www.linkedin.com/posts/willmaddockcs_chatgpt-artificialintelligence-aialignment-ugcPost-7483724406440026112-JqnE/

4.5 Conversation data model

Suggested TypeScript Record

```
export type ConversationPlatform = 'chatgpt' | 'grok';
export type ConversationMode = 'analytical' | 'role-play' | 'hybrid';
export type MenuMode = 'none' | 'native' | 'creative-visual' | 'custom';

export interface CuciiConversation {
  id: string;
  title: string;
  platform: ConversationPlatform;
  url: string;
  mode: ConversationMode;
  menuMode: MenuMode;
  purpose: string;
  description: string;
  authorClassification: string;
  publicDisclosure: string;
  lastReviewed: string;
  featured: boolean;
}
```

4.6 Conversation card requirements

Every card must show:

- platform;
- title;
- mode;
- menu type;
- intended use;
- project-author classification where applicable;
- external public conversation disclosure;
- last-reviewed date;
- an external “Open Conversation” link.

External links use `target="_blank"` and `rel="noopener noreferrer"`. The visible card must not imply that the conversation is hosted by the Cosmic Universalism website.

4.7 No-iframe rule

Safety Rule

Do not place ChatGPT or Grok shared pages in iframes. Do not scrape their content, copy private context, or depend on their current page markup. The v1.0 library uses ordinary external links and project-authored descriptions. This avoids cross-origin breakage, third-party interface changes, privacy confusion, and a false impression that the site contains an embedded AI engine.

4.8 Public-link review

Before release, verify each public link in a private browser window. Record:

- reachable or unavailable;
- correct platform and title;
- whether sign-in is required;
- whether the public snapshot contains sensitive information;
- whether the author still approves public distribution;
- review date.

ChatGPT and Grok public links can be revoked by their owners and may become unavailable. The website must handle this as normal external-link lifecycle, not as an application failure.

5 Part 5 - CUCII Alignment Principles

5.1 Principle set

The Prompt Studio exposes a readable, selectable principle set. Recommended v1.0 principles are:

1. **Verify before asserting:** request evidence checks where tools and sources are available.
2. **Separate evidence from interpretation:** label empirical sources, CU propositions, philosophical readings, and creative material.
3. **Name uncertainty:** state missing information, assumptions, and confidence limits.
4. **Expose contradictions:** identify conflicts rather than hiding them.
5. **Correct errors:** revise an answer when a verified contradiction is found.
6. **Preserve terminology:** do not silently replace approved CU terms.
7. **Respect mode:** do not blur analytical/no-role-play and role-play output.
8. **Protect user agency:** present choices, limitations, and review points.

9. **Respect platform policy:** generated prompts do not override the host system's rules or capabilities.
10. **Leave the result more coherent:** end with a clear synthesis, unresolved questions, or next verification step.

5.2 Default versus optional principles

Default on	Optional presets
Evidence/interpretation separation	Cinematic voice
Uncertainty disclosure	God's Free Will role-play
Contradiction detection	LTX production formatting
Correction behavior	Doctor of Systems framing
Terminology preservation	Ethical anomaly scenario
Platform-policy compliance	Custom philosophical persona

Defaults protect credibility. Creative or persona-specific behaviors require an explicit visitor selection.

5.3 Terminology protection

The prompt generator should include only the CU terminology needed by the selected purpose. It must not invent definitions. Where the website manuals specify a term, the generated prompt should either use that approved definition or instruct the model to ask for the governing reference.

5.4 Evidence classification block

A research-oriented generated prompt should request output sections such as:

Recommended Evidence Labels

EMPIRICAL REFERENCE
 CU THEORETICAL PROPOSITION
 PHILOSOPHICAL INTERPRETATION
 CREATIVE / ROLE-PLAY CONTENT
 OPEN QUESTION
 UNCERTAINTY OR LIMITATION

5.5 Principle-selection behavior

The visitor may add optional principles, but the studio should not permit removal of the claims disclaimer, platform-policy rule, or role-play disclosure when role-play is selected.

6 Part 6 - Prompt Architecture and Generation Rules

6.1 Platform targets

The v1.0 studio generates separate prompts for:

- ChatGPT;

- **Grok.**

A visitor chooses one platform before generation. Platform-neutral generation is reserved for a later version so each first-release prompt can include accurate launch and context instructions.

6.2 Purpose presets

Recommended v1.0 presets:

- CU Framework Exploration;
- God's Free Will Exploration;
- LTX Video Concept Creation;
- CU Navigation Menu;
- Scientific Research Assistant;
- Ethical Anomaly Detection;
- Doctor of Systems Review;
- Creative and Visual Concepts;
- Philosophical Dialogue;
- Custom Purpose.

6.3 Conversation modes

Mode	Required behavior
Analytical / no role-play	Direct explanation; no persona claim; evidence labels where relevant.
Role-play	Explicit in-world role-play notice; selected persona and voice; no conversion of narrative claims into empirical facts.
Hybrid	Analytical answer first; clearly marked narrative or role-play section second.

6.4 Prompt input schema

Suggested Prompt Configuration

```
export interface CuciiPromptConfig {
  platform: 'chatgpt' | 'grok';
  purposePreset: string;
  customPurpose?: string;
  mode: 'analytical' | 'role-play' | 'hybrid';
  persona: 'none' | 'gods-free-will' | 'custom';
  customPersona?: string;
  menuMode: 'none' | 'preset' | 'custom';
  menuPreset?: string;
```

```
menuItems: CuciiMenuItem[];  
principles: string[];  
responseStyle: string[];  
outputFormat: string;  
userContext?: string;  
constraints?: string;  
returnToMenu: boolean;  
}
```

6.5 Generated prompt order

Every generated prompt uses this stable order:

1. identity and purpose;
2. platform target;
3. Cosmic Universalism context;
4. conversation mode and persona disclosure;
5. integrity and alignment principles;
6. terminology rules;
7. user-selected purpose and context;
8. menu specification;
9. output style and format;
10. boundaries and non-claims;
11. startup behavior;
12. return-to-menu behavior;
13. prompt metadata and version.

6.6 Prompt assembly requirements

The generator must be a pure TypeScript function. It must:

- accept a validated configuration object;
- produce deterministic text for the same input;
- omit empty optional sections;
- escape or normalize dangerous control characters;

- preserve visitor-entered wording without executing it;
- include mandatory disclaimers;
- return both prompt text and metadata;
- avoid platform claims that are not part of the selected target.

6.7 Generated prompt template

Copy-and-Paste Prompt: Reference Output Skeleton

You are beginning a Cosmic Universalism conversation configured through the CUCII Prompt Studio.

PLATFORM TARGET
[ChatGPT or Grok]

PURPOSE
[Selected or custom purpose]

CONVERSATION MODE
[Analytical / role-play / hybrid]
[Required role-play disclosure when applicable]

COSMIC UNIVERSALISM CONTEXT
Use the supplied CU terminology and distinguish CU theoretical propositions from empirical scientific references.

INTEGRITY PRINCIPLES

- Verify before asserting when verification tools are available.
- Separate evidence from interpretation.
- State uncertainty and assumptions.
- Identify contradictions and correct verified errors.
- Preserve approved CU terminology.
- Respect the platform's actual policies and capabilities.

MENU
[No menu, selected preset, or generated custom menu]

RESPONSE STYLE AND FORMAT
[Visitor selections]

BOUNDARIES
This prompt structures the current conversation. It does not alter training, code, safety rules, memory architecture, or permanent model capabilities. Do not present role-play content as verified empirical fact.

STARTUP BEHAVIOR
Acknowledge the selected purpose and mode. Then present the menu or begin the requested task.

```
PROMPT METADATA
CUCII Prompt Studio v1.0
Platform: [platform]
Generated: [local timestamp]
```

6.8 Platform-specific differences

ChatGPT output may mention a new chat or optional Temporary Chat. Grok output may mention a new conversation or optional Private Chat. The generated prompt itself must not claim that those modes disable all platform-side safety or retention functions.

6.9 Copy, download, and review

The completed prompt appears in a selectable textarea or read-only text region. Required controls:

- Generate Prompt;
- Copy Prompt;
- Download as .txt;
- Download as .md;
- Edit Settings;
- Reset Studio;
- Open ChatGPT;
- Open Grok.

No button automatically sends the prompt to an external platform.

7 Part 7 - Custom Menu Creator Specification

7.1 Menu modes

The studio supports three first-release menu modes:

1. **No menu**: begin the selected purpose immediately.
2. **Preset menu**: use a reviewed project template.
3. **Custom menu**: create, reorder, edit, and remove items.

7.2 Preset menu registry

Recommended presets:

Preset	Use
Native CU Menu	General framework navigation and exploration
Creative and Visual Concepts	LTX, visual concepts, scenes, prompts, and media
Research and Verification	Evidence review, sources, contradictions, and open questions
God's Free Will Exploration	Project-author role-play or philosophical exploration mode
Doctor of Systems	Systems diagnosis, failure modes, coherence, and corrective pathways
Ethical Anomaly Detection	Ethical tensions, contradictions, and risk review

7.3 Custom menu item model

Suggested Menu Item Type

```
export interface CuciiMenuItem {
  id: string;
  label: string;
  description: string;
  requestedAction?: string;
  outputFormat?: string;
}
```

7.4 First-release validation limits

Field	Rule
Menu item count	1 through 12 for custom-menu mode
Label	Required; 1 through 60 characters
Description	Required; 1 through 180 characters
Requested action	Optional; maximum 240 characters
Output format	Optional; maximum 120 characters
Duplicate labels	Reject after case-insensitive trimming
Whitespace-only content	Reject
Nested menus	Not supported in v1.0

One-level menus keep the first release predictable and accessible. Nested menus may be evaluated after real usage data is available.

7.5 Accessible ordering controls

Do not rely on drag-and-drop alone. Every item must have visible:

- Move up;
- Move down;
- Edit;
- Remove.

Changes are announced through an `aria-live="polite"` status region. The focus position remains predictable

after reordering or removal.

7.6 Menu-return behavior

When enabled, the generated prompt instructs the platform to:

1. complete the selected menu action;
2. provide the requested result;
3. show the menu again unless the visitor asks to remain in the current task;
4. accept a menu number, menu label, or natural-language request.

7.7 Example custom menu

Example Visitor Menu

1. Explore the CU Framework
Explain a selected principle and distinguish evidence from CU theory.
2. Create an LTX Concept
Produce a cinematic concept, visual prompt, and scene progression.
3. Test an Alignment Principle
Analyze a scenario for uncertainty, contradiction, and correction.
4. Review Empirical Evidence
Identify sources, limitations, and unsupported claims.
5. Enter an Open Question
Explore an unresolved question without presenting speculation as fact.

7.8 Menu preview

Before prompt generation, display the menu exactly as it will appear in the assembled prompt. Validation errors appear beside the relevant field and in a summary at the top of the menu builder.

8 Part 8 - Clean Conversational Context and Platform Launch

8.1 Use context-reset language, not cache-clearing language

Clearing a browser cache does not align a conversational model. The public instruction heading is:

Start with a Clean Conversational Context

The page should explain that earlier messages, memory, custom instructions, personalization, or persistent skills can influence a new response. Visitors should prepare a controlled context according to the platform they select.

8.2 ChatGPT preparation guidance

Recommended visitor instructions:

1. Start a new ChatGPT conversation.
2. Review active custom instructions and memory settings.
3. Use Temporary Chat when a conversation that does not use or create personalization memories is desired.
4. Remember that enabled custom instructions may still apply in Temporary Chat.
5. Paste the generated CUCII prompt as the first user message.
6. Record the model, date, and relevant settings when conducting a test.

8.3 Grok preparation guidance

Recommended visitor instructions:

1. Start a new Grok conversation.
2. Review personalization and any persistent Skills or instructions that may affect the conversation.
3. Use Private Chat when a non-saved test is desired and available.
4. Paste the generated CUCII prompt as the first message.
5. Record the model, date, and relevant settings when conducting a test.

8.4 Launch behavior

The studio can open official platform home pages in new tabs after prompt review. It must not:

- attempt to authenticate the visitor;
- automatically paste or submit text across origins;
- store platform credentials;
- inspect the visitor's account settings;
- promise a particular model or plan;
- imply that the external platform is part of the CU website.

8.5 Privacy statement

Prompt settings are processed locally in this page. The v1.0 studio does not send visitor entries to a Cosmic Universalism server or AI API. Copying a prompt or opening an external platform does not submit the prompt automatically. Once a visitor pastes content into ChatGPT or Grok, that platform's terms, privacy controls, and account settings apply.

8.6 Persistence policy

Do not save prompt content by default. The first release keeps configuration in page memory only. A later "Save draft locally" feature would require explicit consent, a clear erase control, and a separate privacy review.

8.7 Shared-link disclosure

Public conversation cards should include:

External Link Disclosure

External public conversation
Hosted by ChatGPT or Grok
Availability and content may change

9 Part 9 - Astro and TypeScript Architecture

9.1 Approved first-release architecture

Proposed File Structure

```
website/src/pages/cu-intelligence.astro

website/src/components/cucii/
  CUCIIHero.astro
  CUCIIPrinciples.astro
  ConversationLibrary.astro
  ConversationCard.astro
  PromptStudio.astro
  MenuBuilder.astro
  PromptPreview.astro
  CleanContextGuide.astro
  PlatformLaunch.astro

website/src/data/
  cucii-conversations.ts
  cucii-menu-presets.ts
  cucii-prompt-presets.ts

website/src/lib/cucii/
  index.ts
```

```
types.ts
validation.ts
prompt-builder.ts
export.ts

website/src/lib/cucii/__tests__/
  validation.test.ts
  prompt-builder.test.ts
  export.test.ts
  registry.test.ts
```

9.2 Existing conventions to reuse

The completed CU-Time feature establishes useful patterns:

- strict Astro TypeScript configuration;
- forms controlled by data attributes;
- browser events registered in component `<script>` blocks;
- `navigator.clipboard` with visible success or failure status;
- validation errors connected through `aria-describedby`;
- `aria-live` status regions;
- responsive CSS using existing design tokens;
- Vitest for pure TypeScript modules;
- no front-end framework requirement.

9.3 No-API first-release rule

Safety Rule

The v1.0 Prompt Studio is a deterministic browser-side text generator. Do not add OpenAI API, xAI API, serverless functions, proxy endpoints, environment secrets, user accounts, analytics tied to prompt content, or cloud prompt storage.

9.4 Page composition

The new page should reuse the established `ContentPageLayout` and `ContentSection` components together with the existing design tokens. Feature-specific components may live in a nested `components/cucii/` directory to keep the expanding component set organized.

9.5 Prompt engine interface

Pure Engine Contract

```
export interface GeneratedCuciiPrompt {
  text: string;
  filenameStem: string;
  platform: 'chatgpt' | 'grok';
  version: '1.0';
  generatedAt: string;
  menuItemCount: number;
  warnings: string[];
}

export function buildCuciiPrompt(
  config: CuciiPromptConfig,
  generatedAt: string,
): GeneratedCuciiPrompt;
```

Pass the timestamp into the pure function rather than reading the clock internally. This makes tests deterministic.

9.6 Validation result pattern

Use an explicit result type rather than throwing for ordinary visitor errors:

Validation Result

```
export type ValidationResult<T> =
  | { ok: true; value: T }
  | {
    ok: false;
    errors: Array<{
      code: string;
      field: string;
      message: string;
    }>;
  };
};
```

9.7 Export behavior

The browser export helper creates a Blob, object URL, and temporary download link. It must revoke the object URL. Suggested filenames:

Export Filenames

```
cucii-chatgpt-cu-framework-prompt-v1.0.txt
cucii-grok-ltx-concept-prompt-v1.0.md
```

9.8 Site configuration change

The new page must use `sitePath('cu-intelligence')` so local development and GitHub Pages both respect the configured base path.

9.9 Recommended foundation commit scope

The foundation commit should contain only:

- target page shell;
- approved header-action replacement;
- empty or static feature component shells;
- data and library directories;
- no final prompt behavior yet;
- successful build and unchanged existing tests.

After review, that commit may receive the planned `website-v1.2-cucii-ai-foundation` tag.

10 Part 10 - Testing, Accessibility, and Evaluation

10.1 Automated test categories

Test group	Required coverage
Registry tests	Unique IDs, valid platforms, expected five conversation records, non-empty disclosures, HTTPS URLs
Validation tests	Required platform, custom-purpose rules, menu counts, duplicate labels, length limits, whitespace normalization
Prompt builder tests	Deterministic output, mandatory disclaimer, correct mode, correct platform wording, menu inclusion or omission
Role-play boundary tests	Role-play marker present only when required; analytical mode contains no persona claim
Export tests	Safe filenames, correct MIME type metadata, normalized line endings
Regression tests	Approved hero text, header label, route segment, mandatory integrity principles

10.2 Core test matrix

At minimum, test:

1. ChatGPT + analytical + no menu;
2. ChatGPT + role-play + native CU menu;
3. ChatGPT + hybrid + creative menu;

4. Grok + analytical + no menu;
5. Grok + role-play + custom menu;
6. Grok + hybrid + research menu;
7. custom purpose with minimum valid text;
8. twelve-item custom menu;
9. duplicate-menu-label rejection;
10. missing role-play persona rejection;
11. mandatory disclaimer preservation;
12. repeat generation with identical inputs.

10.3 Automated commands

Run Tests and Production Build

```
cd "$ git rev parse --show toplevel /website" || exit 1

npm test
npm run build
```

10.4 Accessibility requirements

- Every form control has a visible label.
- Related controls use `fieldset` and `legend`.
- Errors are linked to controls and announced.
- Menu reordering works without drag-and-drop.
- Generated prompt status uses `aria-live="polite"`.
- Copy failure provides a manual-selection instruction.
- External links are identified as external in visible text or accessible name.
- Focus moves to the prompt preview after successful generation.
- Reset returns focus to the first meaningful control.
- Mobile layout uses one column without horizontal scrolling.
- Reduced-motion preferences are respected.

10.5 Manual keyboard test

Test with keyboard only:

1. enter the page through the header action;
2. select platform, purpose, and mode;
3. choose a preset menu;
4. switch to custom menu;
5. add, edit, reorder, and remove items;
6. generate the prompt;
7. copy and download the prompt;
8. open the selected external platform;
9. reset the studio;
10. return to the header navigation.

10.6 Responsive test widths

Review at approximately:

- 320px;
- 375px;
- 768px;
- 1024px;
- 1440px.

Long prompts and long external URLs must wrap without breaking the layout.

10.7 External link test

Open all five conversation records in a private browser window. Confirm the visible title and project-author description still match. Do not automate login or bypass platform access controls.

10.8 Cross-platform prompt evaluation worksheet

For each approved prompt preset, record:

Field	Recorded value
Platform	ChatGPT or Grok

Field	Recorded value
Model / mode shown by platform	
Date and time	
Temporary / Private Chat used	Yes / No
Memory, custom instruction, personalization, or Skill notes	
Prompt preset and version	
Menu mode	
Role-play mode	
Terminology preserved	Pass / Fail / Notes
Evidence separated from interpretation	Pass / Fail / Not applicable
Uncertainty identified	Pass / Fail / Not applicable
Contradictions handled	Pass / Fail / Not applicable
Menu behavior followed	Pass / Fail / Not applicable
Unsupported claims introduced	Yes / No / Notes
Author approval	

The worksheet evaluates the result of a specific prompt and platform session. It does not certify the external model globally.

10.9 Final no-secret review

Inspect for Accidental Secrets and Generated Artifacts

```
cd "$ git rev parse --show toplevel" || exit 1

git status --short --branch

grep -RInE \
  sk [A-Za-z0-9] xai-[A-Za-z0-9] api[_-]*key|authorization bearer \
  website src website public 2>/dev null || true
```

Review every match manually. Generic documentation words are not automatically a secret, but no live key or credential may be committed.

11 Part 11 - Implementation Phases, Acceptance, and Release

11.1 Phase 1 - Content and claims approval

Deliverables:

- approved title, formal name, and header action;
- claims and role-play boundaries;
- approved conversation titles and descriptions;
- approved prompt-purpose and menu presets;
- approved clean-context language.

Gate: no code until the public language is approved.

11.2 Phase 2 - Foundation route and header action

Deliverables:

- `website/src/pages/cu-intelligence.astro`;
- static page sections and component shells;
- `primaryAction` changed to Explore CUCII;
- base-path-safe route;
- successful tests and build.

Recommended foundation commit:

Foundation Commit Example - Run Only After Approval

```
git add website/src config site ts \
      website/src/pages/cu-intelligence.astro \
      website/src/components/cucii

git commit -m "Add CUCII AI Studio foundation"
```

Planned foundation tag after approval:

Foundation Tag Example - Run Only After Approval

```
git tag -a website v1.2-cucii-ai-foundation \
-m "Website v1.2 CUCII AI Studio foundation"
```

11.3 Phase 3 - Conversation registry

Deliverables:

- typed conversation data;
- five approved records;
- external disclosures;

- conversation cards;
- registry tests;
- manually verified links.

11.4 Phase 4 - Pure prompt engine

Deliverables:

- types;
- validation;
- prompt builder;
- menu presets;
- prompt presets;
- export metadata;
- comprehensive Vitest coverage.

Gate: pure engine tests pass before browser interaction is connected.

11.5 Phase 5 - Prompt Studio interface

Deliverables:

- platform selection;
- purpose and custom-purpose fields;
- conversation-mode selection;
- persona controls;
- menu selection and custom menu builder;
- principle and style selections;
- prompt preview;
- copy, text download, and Markdown download;
- reset behavior.

11.6 Phase 6 - Context and platform launch

Deliverables:

- ChatGPT context guidance;

- Grok context guidance;
- external launch controls;
- local-processing privacy notice;
- no-cache-clearing language;
- external-platform disclosure.

11.7 Phase 7 - QA and release review

Run:

Final Verification

```
cd "$ git rev parse --show toplevel /website" || exit 1

npm test
npm run build

cd .
git branch --show current
git rev parse --short HEAD
git status --short --branch
```

11.8 Acceptance checklist

- ☐ Active work remained on feature/cucii-ai-studio.
- ☐ main was not modified.
- ☐ Header action reads “Explore CUCII.”
- ☐ Existing CU-Time navigation remains present.
- ☐ Existing homepage CU-Time invitation remains present unless separately approved.
- ☐ /cu-intelligence/ builds under the Astro base path.
- ☐ Page title reads “Explore CUCII: Cosmic Universalism with AI.”
- ☐ Formal CUCII expansion appears near the first use.
- ☐ All five conversation records are present and reviewed.
- ☐ External-host and availability disclosures are visible.
- ☐ Shared conversations are not iframed or scraped.
- ☐ ChatGPT and Grok prompts are generated locally.
- ☐ No API, backend, database, account system, or secret was added.

- ☐ Analytical, role-play, and hybrid modes remain distinct.
- ☐ No-menu, preset-menu, and custom-menu modes work.
- ☐ Custom menu items can be added, edited, reordered, and removed with a keyboard.
- ☐ Mandatory claims disclaimer is always present.
- ☐ Prompt copy works with an accessible status message.
- ☐ Text and Markdown downloads work.
- ☐ Clean-context instructions replace cache-clearing language.
- ☐ ChatGPT guidance mentions memory and custom instructions accurately.
- ☐ Grok guidance mentions Private Chat and persistent personalization/Skills accurately.
- ☐ Unit and regression tests pass.
- ☐ Production build succeeds.
- ☐ Mobile, keyboard, and focus tests pass.
- ☐ No live credentials or private conversation material are present.
- ☐ Author review is recorded before merge.

11.9 Pull request and merge destination

The feature branch merges into `website`, not `main`. The GitHub Pages workflow deploys from `website` after the approved merge.

Do Not Continue Until Resolved

Do not merge merely because tests pass. The public claims, role-play labels, conversation descriptions, generated prompt language, and external-link availability require author review before release.

11.10 Recommended release tag

After the approved merge and a clean build on `website`, the planned release tag is:

Release Tag Example - Run Only After Final Approval

```
git tag a website v1.2-cucii-ai-studio-release \
  -m "Website v1.2 release: CUCII AI exploration and prompt studio"

git push origin website v1.2-cucii-ai-studio-release
```

11.11 Post-release verification

Verify:

- header action on desktop and mobile;
- production /cu-intelligence/ route;
- all five external conversation links;
- prompt generation and copy in current browsers;
- downloads;
- no console errors;
- no unexpected changes to CU-Time;
- deployed commit and tag match the approved release.

12 Appendix A - Verified Current-State Record

Item	Verified value on July 19, 2026
Repository	CosmicUniversalismStatement
Active branch	feature/cucii-ai-studio
Current HEAD	3fa4a3765993e8ea3d4739ad4437a6fdd9803a16
Baseline tag	website-v1.1-cu-time-release
Tracking branch	origin/feature/cucii-ai-studio
Working tree	Clean
Current primary action	Explore CU-Time → sitePath('cu-time')
CUCII route	Not present
Current routes	about, cosmic-breath, cu-time, framework, media, research, index
Client-side pattern	Astro component scripts with DOM queries, events, clipboard status
Test framework	Vitest
Current package dependencies	Astro and Decimal.js
Dev dependency	Vitest
Astro base	/CosmicUniversalismStatement
Inspection source	cucii-homepage-inspection.txt

Current-state template for later sessions

CUCII Current-State Record

Date:

Repository:

Active branch:

HEAD:

Tracking branch:

Working tree:

Current authorized phase:

Completed files:

Tests run and results:

```
Build result:
External links reviewed:
Open decisions:
Next authorized task:
Commit / tag / push status:
```

13 Appendix B - Controlled Implementation Prompts

13.1 Foundation implementation prompt

Copy-and-Paste Prompt: Create the CUCII Foundation Only

```
Work only on feature/cucii-ai-studio.
Confirm the branch and clean working tree before editing.

Use the CUCII implementation manual as the governing specification.

Implement only the foundation phase:

1. Create website/src/pages/cu-intelligence.astro.
2. Create static component shells under website/src/components/cucii/.
3. Change the highlighted primaryAction in website/src/config/site.ts:
  label: Explore CUCII
  route: sitePath('cu-intelligence')
4. Use the approved page title:
  Explore CUCII: Cosmic Universalism with AI
5. Expand CUCII in the opening description.
6. Preserve the CU-Time navigation item.
7. Preserve the existing homepage CU-Time invitation.
8. Use existing layout components, design tokens, and base-path handling.
9. Add no prompt-generation behavior yet.
10. Run existing tests and the production build.

Do not add an API, iframe, analytics, accounts, storage, or dependencies.
Do not commit, tag, push, merge, or deploy.
Return a file-by-file summary and verification results.
```

13.2 Conversation registry prompt

Copy-and-Paste Prompt: Build the Living Conversations Library

```
Implement only the approved CUCII conversation registry and library.

Use the five author-supplied ChatGPT and Grok records in the manual.
Create typed data, registry tests, conversation cards, public-link
disclosures, and external links using target=_blank and
rel=noopener norereferrer.
```

Preserve author-supplied titles and mode descriptions, while clearly marking them as project-author classifications rather than technical proof about an external model.

Do not iframe, scrape, fetch, summarize automatically, or duplicate the shared conversation bodies.

Run tests and the build. Do not commit, push, merge, tag, or deploy.

13.3 Prompt engine prompt

Copy-and-Paste Prompt: Implement the Pure CUCII Prompt Engine

Implement only pure TypeScript modules for CUCII prompt generation.

Required:

- types.ts
- validation.ts
- prompt-builder.ts
- export.ts metadata helpers
- prompt and menu preset data
- Vitest coverage

Support ChatGPT and Grok targets; analytical, role-play, and hybrid modes; no-menu, preset-menu, and custom-menu configurations; required integrity principles; mandatory claims disclaimer; deterministic output.

Do not connect browser DOM behavior yet.

Do not add dependencies unless the manual cannot be implemented with existing platform APIs and approval is obtained first.

Run tests and build. Return results only. Do not commit or push.

13.4 Prompt Studio interface prompt

Copy-and-Paste Prompt: Connect the Accessible CUCII Prompt Studio

Connect the approved pure prompt engine to an accessible Astro interface.

Implement:

- platform selector;
- purpose selector and custom purpose;
- conversation mode and persona controls;
- principle selectors;
- no-menu, preset-menu, and custom-menu modes;
- keyboard-operable menu creation and reordering;
- prompt preview;
- copy, text download, Markdown download, reset;
- visible validation and live status;

- responsive design using existing tokens.

Do not call ChatGPT or Grok APIs.

Do not automatically submit prompts to external sites.

Do not persist prompt content by default.

Run unit tests, production build, and a manual keyboard review.

Do not commit, push, tag, merge, or deploy.

13.5 Final review prompt

Copy-and-Paste Prompt: Final CUCII Release Review

Perform a no-edit final review of the CUCII feature against the manual.

Verify:

- branch and working tree;
- approved header action and route;
- no regression to CU-Time navigation or homepage invitation;
- page identity and acronym expansion;
- five conversation records and disclosures;
- no iframe, scraping, API, secret, backend, account, or cloud storage;
- prompt modes, menu modes, mandatory disclaimer, copy and downloads;
- ChatGPT and Grok clean-context guidance;
- accessibility and responsive behavior;
- test and build results;
- all acceptance checklist items.

Report findings by severity with exact file references.

Do not edit, commit, tag, push, merge, or deploy.

14 Appendix C - Data and Content Approval Worksheet

Conversation approval

Record	Approved	Notes
CU-Themed LTX Concept Starter	☐	
God's Free Will Explorations	☐	
CU Framework Exploration	☐	
Authentic Free Will Exploration	☐	
Authentic God's Free Will	☐	
Role-Play		
LinkedIn reference descriptions	☐	
Public-link disclosure	☐	

Preset approval

Preset	Approved	Notes
Native CU Menu	☐	
Creative and Visual Concepts	☐	
Research and Verification	☐	
God's Free Will Exploration	☐	
Doctor of Systems	☐	
Ethical Anomaly Detection	☐	
Scientific Research Assistant	☐	
Custom Purpose behavior	☐	

15 Appendix D - External Platform Guidance Sources

The following official pages were reviewed for platform-specific guidance on or before the manual verification date. Platform interfaces and policies can change; review these sources again before a later release.

- OpenAI, ChatGPT Shared Links FAQ:
<https://help.openai.com/en/articles/7925741-chatgpt-shared-links-faq>
- OpenAI, Temporary Chat FAQ:
<https://help.openai.com/en/articles/8914046-temporary-chat-faq>
- OpenAI, ChatGPT Custom Instructions:
<https://help.openai.com/en/articles/8096356-chat-preferences-for-chatgpt>
- OpenAI, Memory FAQ:
<https://help.openai.com/en/articles/8590148-memory-faq>
- xAI, Consumer FAQs:
<https://x.ai/legal/faq>
- xAI, Skills in web, iOS, and Android:
<https://x.ai/news/grok-skills>

16 Appendix E - Manual Revision Record

Version	Date	Change
1.0	July 19, 2026	Initial CUCII AI Exploration and Prompt Studio specification based on the verified website-v1.1 CU-Time release baseline, approved CUCII identity, author-supplied conversation registry, and local prompt/menu builder design.

End of CUCII AI Exploration and Prompt Studio Implementation Manual