ISSUE NO. 01

DATA PORTFOLIO · MANAUS, BRAZIL · OCTOBER 2026

Data.

from the chemistry bench to the algorithm

COVER STORY

The algorithm linking the Amazon to 384 universities worldwide

Sentence-BERT + OpenAlex across 58,084 research connections



MACHINE LEARNING

Chemistry meets XAI: SVR, SHAP and DFT on one screen

DATA ENGINEERING

Amazonas Fire Department: from shift PDFs to a map dashboard

INSTITUTIONAL BI

A university's internationalization in 6 public dashboards

William Pinheiro

PHD IN MATERIALS CHEMISTRY · AI-ASSISTED DATA ANALYSIS

github.com/willpine1992

williampinheiro1992@gmail.com

PROFILE

A chemist who learned to make data speak

From the catalysis lab to a university research office: real projects, real data, published and in use.

William Pinheiro holds a PhD in Chemistry from the Federal University of Amazonas (UFAM), including a sandwich doctorate at the University of Pisa, Italy. He spent years generating data at the bench — XRD, FTIR, HPLC, GC-MS, ICP-OES. That routine of spreadsheets, calibration curves and model fitting sparked his interest in the other half of the job: cleaning, modeling, explaining and communicating.

He is now a postdoctoral researcher at the Office of Research and Graduate Studies of Amazonas State University (PROPESP/UEA), where he builds the dashboards and data pipelines behind the university's internationalization — from scraping and APIs to semantic matching with language models. At the Amazon Bio-business Center (CBA), he developed semi-automated Power BI reports and Python data flows.

His specialty is chemistry; data analysis is the tool. The systems in this issue were built with **generative AI assistance** (Claude Code) for writing code: the questions, the choice of methods, the validation of results and the chemical interpretation are his own.

The common thread is the same as in experimental chemistry: **methodological rigor and honesty about limitations**. Small datasets are treated as small, correlation is not sold as causation, and every dashboard states what the data *cannot* support.

Every dashboard starts with a decision-maker's question — and is done when that person can answer it on their own.

35
projects · 17 with interactive dashboards, 10 online

58k
research connections generated with NLP

288
incidents extracted from operational PDFs

7
journal articles · 184 citations

IN THIS ISSUE

03 **AI-powered academic matchmaking**
NLP · Sentence-BERT · OpenAlex

05 **Chemometrics with Machine Learning**
SVR/XGBoost · SHAP · RSM · DFT

07 **Fire Department incident dashboard**
PDF ETL · geospatial · data privacy

08 **UEA in the CAPES Global networks**
Excel + PDF → self-contained HTML

09 **Internationalization dashboards**
Star schema · daily ETL · React

10 **Three generations of one algorithm**
GERBRAS → FAAP → Agreements

11 **Executive reports by code**
HTML → Word/PDF · flow maps

12 **Data science for science itself**
Bibliometrics · knowledge graph

13 **Independent projects**
Scraping · scoring · automation

14 **Systems and skills**
Django · PostgreSQL · Power BI

15 **Full index: 35 projects**
everything built, by area

17 **Insert: résumé**
data analysis applied to chemistry



William Pinheiro
PHD IN CHEMISTRY · MANAUS, BRAZIL

How to read: every image is a screenshot of the real system (interfaces in Portuguese). Public dashboards have QR codes on the back cover — open them and explore.



COVER STORY · APPLIED NLP

The algorithm that finds partners for the Amazon

Turning research lines into vectors to discover, among millions of publications, who in the world studies the same topics as UEA's graduate programs.

Before every international mission, UEA's research office faced a hard question: *who is worth talking to?* The answer came from manual searches, personal contacts and intuition. **FAAP — Find a Academic Partner** replaced that process with a reproducible pipeline.

The starting point is the official research lines of each graduate program. On the other side, the **OpenAlex** API returns researchers and publications from the target universities. Texts are translated from Portuguese to English, stripped of stopwords and lemmatized with **spaCy**.

The leap in quality came from replacing exact keyword counting with **semantic similarity**: a **Sentence-BERT** model (all-MiniLM-L6-v2) embeds each research line and each publication title, and cosine similarity ranks the candidates. Synonyms and equivalent technical terms are now recognized, and batch ranking processes an entire country in one run.

The same model classifies UEA's 166 research lines into up to three UN **Sustainable Development Goals** — making it possible to cross foreign universities and SDGs in a single matrix.

29
graduate programs

323
UEA faculty members

384
foreign institutions

58,084
ranked connections

10
countries, from Ghana to Singapore and the US

THE PIPELINE

01 · ACQUISITION
OpenAlex API with caching and daily quota control; ORCID for real publications

→


02 · STANDARDIZATION
PT→EN translation, stopwords and lemmatization (spaCy)

→

03 · MATCHING
Sentence-BERT embeddings + cosine, batch re-ranking per country

→

04 · PUBLISHING
Static JSON → dashboard on GitHub Pages, no server



Main dashboard. Cascading filter program → research line, Sankey of research line × foreign institution, country map and SDG panel. Every faculty member and researcher opens a profile with real publications.



2030 Agenda. Research lines classified into SDGs by semantic similarity, plus a university × SDG matrix.

WHY IT MATTERS

- It underpins the **prospecting reports** for UEA's international missions (United States and United Kingdom).
- Generic architecture: adding a country is a configuration entry, not new code.
- Researcher "seeds" fill OpenAlex gaps without biasing the ranking.
- The same method was replicated for **institutions already under agreement**.

`Python` `Sentence-BERT` `spaCy` `OpenAlex API` `ORCID` `SQLite` `D3.js` `GitHub Pages`

EXPERIMENTAL DATA SCIENCE

When chemistry calls for machine learning

A study on dye removal with Amazonian plant fibers became a modeling lab: explainable ML, response surfaces, nonlinear fitting and quantum chemistry — in a single dashboard.

Palm and pod fibers — untreated, acid-treated or base-treated — were tested as adsorbents for methylene blue dye. The data lived in a lab spreadsheet on Google Drive, so the first task was engineering: an **ETL** that pulls the latest version through the API, validates the structure of each tab and only then replaces the **SQLite** database. If the spreadsheet layout changes, the process fails loudly instead of silently writing bad data.

Validation exposed formula errors in the original adsorption capacity (Q_e) column; values were recomputed from the standard equation.

On the 49 experimental runs, three algorithms — **Random Forest, XGBoost and SVR** — were tuned with `GridSearchCV` and 5-fold cross-validation. SVR performed best on the test set. **SHAP** values show adsorbent mass as the most influential variable, consistent with the physics of the process.

The dashboard also includes a simulator: users move the parameters and a Flask backend returns predictions in real time.


0.859
test R^2 (SVR, Q_e) · n test = 13

5.09
test RMSE, in mg/g


49
real runs · 5 process variables

METHOD NOTE


With 49 points, the test R^2 is treated as an exploratory estimate — and the dashboard says so up front.



Parity and SHAP. Left, predicted × observed for training and test sets; right, the SHAP beeswarm showing each variable's impact on the prediction.




Response surface. Quadratic model with terms selected by VIF; R^2 = 0.959.




Pareto of effects. Type II ANOVA (statsmodels), α = 0.05.



Equilibrium isotherms. Langmuir, Freundlich, Temkin and Redlich-Peterson fitted by nonlinear regression, with residuals and χ^2, ARE, HYBRID and R^2_{NL} error functions.



Kinetics. Pseudo-second order with R^2_{NL} = 0.995 and residual analysis.



DFT B3LYP/6-31G* (pyscf + RDKit, structures from PubChem). The HOMO of the alkoxide in the base treatment rises to −0.645 eV — an electronic explanation for the higher adsorption observed.

RIGOR BEFORE R^2

- **OFAT is not DoE.** The data vary one factor at a time; RSM was applied retrospectively and the full 21-term model was singular. VIF-based selection kept the 13 terms with real support in the data.
- **Linearization misleads.** On the same data block, linearized Langmuir gave R^2 = 0.03; direct nonlinear fitting gave R^2 = 0.87. The problem was the method, not the data.
- **An optimum is a hypothesis.** The desirability optimum (differential evolution) is presented as a suggestion to be confirmed in the lab.

`scikit-learn` `XGBoost` `SHAP` `statsmodels` `SciPy` `Plotly` `Flask` `pyscf` `RDKit` `SQLite` `Google Drive API`

DATA ENGINEERING · PUBLIC SECTOR

From shift-report PDFs to an incident map


Shift reports from the Amazonas State Fire Department became a dashboard with KPIs, a map and peak-hour patterns.

288
unique incidents

46%
are fires

2h42
median duration

29
vehicles dispatched



CBMAM incident dashboard. Incident type, battalion and shift are clickable and filter everything; Leaflet map colored by type; incidents per service day and a day × hour heatmap.


The source was PDFs exported from the dispatch system — one per shift, with summary tables and free-text blocks for each incident. The ETL uses **pdftotext** and regular expressions to extract status, address, coordinates, dispatched vehicles and outcome.

Open incidents reappear in the next shift's report; **deduplication by ID** prevents double counting. Burned area and liters of water have no dedicated field: they were extracted from the narrative text, with rules to discard implausible values.

The narratives contain victims' personal data. Hence **privacy by design** under Brazil's LGPD: PDFs never enter the repository and no personal data reaches the dashboard. The documentation also lists what the data *cannot* measure — such as response time — and what to request from the agency to measure it.

Three networks, fourteen universities, one dashboard

UEA's participation in the CAPES Global program — previously scattered across proposal annexes and spreadsheets — brought together in a single HTML file any manager can open in a browser.



Overview. The Conecta Mundi (UNESP), INTER-NÓS (UFMG) and SustentNET (UNICAMP) networks, with funding planned for UEA and programs per institution; each network has its own tab with a map and a thematic area × university matrix.

A Python script (**build_dashboard.py**) reads the macro-enabled workbook with **openpyxl**, extracts planned scholarship amounts from the budget PDF and cross-references everything with the committee registry in the research office's management system. The output is a single self-contained HTML file, with embedded logos and CSV export.

The “Explore programs” tab filters and sorts all 738 links from the annexes, and a committee × annex check automatically flags registry mismatches.

738
program × network links

14
universities

16
thematic areas

20
UEA graduate programs


3
CAPES Global networks

1
HTML file, no server

`Python` `openpyxl` `pdftotext` `HTML/CSS/JS` `CSV export`

Internationalization, dashboard by dashboard


One visual identity, one database and several audiences: managers, program coordinators and international students.




Academic mobility. International students hosted: 66 records, 15 countries, 14 programs. Data in a **star schema** (fact + dimensions) with a data dictionary and DAX measures.



International agreements. 42 agreements in 24 countries, a validity timeline and a flow globe from Manaus. Fed by a daily Google Drive → SQLite ETL (launchd).



International partnerships. First generation of the matching: 158 researchers, 199 institutions and 15,644 connections in a three-level Sankey.



GCUB-MOB call. Application review funnel in React + Recharts. The public version uses **synthetic data** with the real distribution; real data only loads locally.

SHARED ARCHITECTURE

SOURCES
Spreadsheets on Google Drive (agreements, mobility, calls) and system exports

→

DAILY ETL
Python reads the sheets via API and consolidates fact and dimension tables

→

SQLITE
Single internationalization database, refreshed automatically once a day via launchd

→

DASHBOARDS
JSON per dashboard → static HTML/JS; PDF reports generated in the browser

A single source of truth

Shared spreadsheets on Drive are read through the API and consolidated into a SQLite database refreshed automatically every day.

Privacy by default

No national IDs, passports or e-mails on dashboards: anonymous keys, abbreviated names and synthetic data wherever it is public.

Zero infrastructure cost

Static sites on GitHub Pages, with bundled libraries and PDF reports generated by the dashboard itself.

Three generations of the same algorithm

Partnership matching was not born finished: it was rewritten with every new management question — from one professor and one country to every program and every agreement.


V1 · GERBRAS
Professor × foreign researcher via OpenAlex keywords. One country at a time (Germany).

→


V2 · FAAP
Official research line × publications, with Sentence-BERT. 10 countries plus SDG classification.

→

V3 · AGREEMENTS
Same method applied to every institution with an active agreement, Brazilian ones included.



GERBRAS — first version. Sankey of research lines × German institutions: 158 researchers, 207 institutions and 1,306 connections, with foreign researchers ranked by number of links.



FAAP Agreements. 19 of the 42 partner institutions match UEA's research lines, totaling 27,304 connections. The indicator is compared directly with the agreements dashboard, showing where an agreement exists on paper but there is no shared research yet.

1,306
connections in V1 (1 country)

58,084
connections in V2 (10 countries)

27,304
connections with partners (V3)

19/42
partners with shared research

PRODUCT LESSON

The unit of analysis moved from "professor" to "official research line": results became stable, explainable and aligned with how the university is actually organized.

FROM DASHBOARD TO EXECUTIVE DOCUMENT

When leadership asks for a PDF

Interactive dashboards are for exploring; meetings with the rector and foreign partners call for a document. The same data becomes executive reports generated by code.



Cover. United States report.



Overview. Summary by institution and program.

For each international mission, a script reads the numbers straight from the dashboard's data, builds the report in HTML, generates an editable Word version and exports the PDF with headless Chrome. No number is typed by hand.

In the US edition, programs from the UFMG cooperation network appear first for each institution, as requested by management — a business-rule change, not a layout change.

13,445
connections in the US report


8,239
foreign researchers

10
US institutions

3
missions: US, Italy and UK




Mobility flow map. Students' origins and destinations, with line width proportional to volume.




CAPES Global network panel. Meeting edition, with budget per thematic area and a map of partner universities — plus PDF export.

`python-docx` `HTML → PDF` `headless Chrome` `reproducible reports`

Measuring research and organizing knowledge



Bibliometrics: levulinic acid in Brazil. Output per year, institutions, compounds, researchers and journals.



Second Brain. Interactive knowledge graph with hundreds of literature notes, colored by topic.

Mapping Brazilian biorefinery research

DOIs collected through ScienceDirect advanced search were enriched with **OpenAlex** and **Semantic Scholar** metadata (authors, affiliations, citations, abstracts). Regex-based rules grouped papers by chemical derivative and synthesis route, and manual curation kept only the truly relevant ones.

56
curated papers (of 85)

197
researchers

32%
with international collaboration

1,937
total citations


A home-built “Obsidian”, from scratch

A knowledge-management web app: a dependency-free Python server, a REST API over Markdown files, a backlink index, full-text search and a **D3.js** force graph with topic and tag filters. Google Scholar alerts turn into reading notes automatically, and a read-only copy is published on the web.


`OpenAlex` `Semantic Scholar` `regex` `pandas` `D3.js` `REST` `Markdown`

Collect, filter, decide

Outside institutions, the same toolbox solves everyday problems: scraping, scoring rules and an HTML page that fits on a phone.



Bank-owned properties in Amazonas. Scraping of the official Caixa sales list, discount over appraised value and a filter for financing eligibility: 132 properties in a sortable table, with a mobile version.



Job radar. Collects public job postings across several cities and applies a weighted term score (title × description) that rates fit with the résumé as high, medium or low.

Water Quality Index (WQI) system

First dashboard: water quality index per river basin and sampling point, with scikit-learn/XGBoost models, Prophet forecasting, Folium maps and PDF reports (Streamlit).

UEA course catalog

Concurrent scraping of the university's course portal: 900+ undergraduate, specialization and graduate offerings, with caching and counts by level for internationalization demand.

Funding-call monitor

Routine that searches international calls, checks them against what is already published, flags expired deadlines and generates ready-to-use blocks for the research office website.

Research lines and Lattes

Canonical base of 166 research lines from 19 programs, linked to faculty Lattes and ORCID IDs — the matching's source of truth.

Social media agent

Workflow that drafts the post, prepares the image and publishes to Instagram and Facebook via the Graph API, always with manual approval.

Dashboards on the official site

Embedding of the dashboards in the research office's institutional pages, with corrected embed code.

ALSO IN THE PORTFOLIO

Data inside real-world systems

PROPESP · UEA

Scholarship and budget manager

Django + PostgreSQL rewrite of the scholarship planning system. Imports the official spreadsheet from Google Drive with a preview before writing and reconciles it row by row against the source (191/191). Dashboard with a **Sankey** of networks → themes → programs, a Gantt of validity periods and a reallocation simulator.

RETAIL

Optical store management, from POS to finance

Django system with work orders, cash register, store credit, accounts payable and customer follow-up lists. Role-based access: costs and margins visible only to the owner, enforced by **automated tests**. Two-factor authentication and encrypted backups.

CBA

Project reporting in Power BI

At the Amazon Bio-business Center, supported multi-sector project management with **semi-automated Power BI reports** and Python data flows, reducing manual consolidation work.

TOOLBOX

Languages	Python · SQL · JavaScript · DAX · HTML/CSS
Data & ETL	pandas · SQLite · PostgreSQL · openpyxl · PDF extraction (pdftotext + regex) · Google Drive API · schema validation · scheduling (launchd/cron)
APIs	OpenAlex · ORCID · Semantic Scholar · PubChem PUG REST · Google Sheets/Drive · Meta Graph API
Statistics & ML	scikit-learn · XGBoost · SVR · Random Forest · GridSearchCV · SHAP · statsmodels (ANOVA, VIF) · SciPy (nonlinear regression, differential evolution) · RSM/DoE
NLP	Sentence-BERT (embeddings, cosine similarity) · spaCy (lemmatization) · semantic classification (SDGs)
Visualization	Power BI · D3.js · Plotly · Leaflet · Recharts · Sankey diagrams, flow globes, heatmaps · light/dark design
Engineering	Git/GitHub · GitHub Pages · Django · Flask · React + Vite · Docker · automated testing (pytest) · AI-assisted development (Claude Code)
Scientific domain	Chemometrics · DFT (pyscf, RDKit) · analytical techniques (HPLC, GC-MS, ICP-OES, XRD, FTIR) · catalysis and biorefining
Governance	Data privacy (LGPD) by default · documented KPIs and limitations · synthetic data for public releases

35 projects, 17 dashboards

Everything built in 2026, grouped by area. ● interactive dashboard · ◆ published online

INTERNATIONALIZATION · PROPESP/UEA

1 **FAAP — program × university prospecting ●◆**
Sentence-BERT, OpenAlex, SDGs · 58,084 connections

2 **FAAP Agreements ●**
matching with the 42 partner institutions

3 **GERBRAS — partnerships v1 ●◆**
professor × researcher by keyword

4 **International partnerships (general) ●◆**
7 countries, 15,644 connections

5 **International agreements ●◆**
42 agreements, flow globe, validity periods

6 **Academic mobility ●◆**
star schema, DAX, flow map

7 **GCUB-MOB ●◆**
React + Recharts, synthetic public data

8 **UEA in the CAPES Global networks ●◆**
Excel + PDF → self-contained HTML

9 **Network panel for meetings ●**
budget per thematic area, PDF export

10 **Executive prospecting reports**
US, Italy and UK · HTML → DOCX/PDF

11 **Google Drive → SQLite ETL**
service account, daily refresh (launchd)

12 **Research lines + Lattes/ORCID base**
166 lines, 19 programs

13 **UEA course catalog scraping**
900+ offerings, concurrent with cache

14 **International funding-call monitor**
duplicate and deadline control

15 **Dashboards embedded in the official site**
institutional page embeds

16 **Scholarship and budget manager ●**
Django + PostgreSQL, Sankey, Gantt

SCIENCE AND RESEARCH

17 **Chemometrics (pod/palm fibers) ●◆**
ML/SHAP, RSM, isotherms, DFT

18 **Water Quality Index system ●**
Streamlit, XGBoost, Prophet, Folium

19 **Levulinic acid bibliometrics ●**
ScienceDirect + OpenAlex + Semantic Scholar

20 **Second Brain ●◆**
knowledge app with D3 graph

21 **Research vault + reading agent**
Scholar alerts → literature notes

22 **AI automation library**
versioned skills for recurring workflows

PUBLIC SECTOR

23 **Fire Department incidents ●◆**
PDF ETL, Leaflet map, data privacy

BUSINESS

24 **Optical store management system ●**
Django, POS, finance, lens catalog

25 **Social media posting agent**
Graph API, per-post approval

26 **Google Business Profile audit**
local digital presence analysis

27 **Digital product launch guide**
market research and web sources

28 **Power BI reporting · CBA**
multi-sector project management

INDEPENDENT

29 **Bank-owned properties in Amazonas ●**
scraping, discount, financing filter

30 **Job radar ●**
collection + fit score

31 **Digital footprint audit**
OSINT on one's own online presence

32 **Documentary genealogy research**
historical records, evidence grading

33 **Commemorative brochure (HTML → PDF)**
editorial layout by code

34 **Generative AI explorations**
3D modeling and model reverse engineering

35 **This portfolio**
HTML → PDF, PT and EN

BACK COVER

Shall we talk about your data?

Point your camera and explore the live dashboards — the same systems featured in this issue.

FAAP · AI matching
International partnership prospecting

Chemometrics & ML
ML/XAI, RSM, isotherms and DFT

CBMAM incidents
PDF ETL and geospatial dashboard

CAPES Global
UEA in the 3 networks

GitHub
github.com/willpine1992 — code and other dashboards

Lattes CV
Brazil's official academic CV: education, publications, projects

EDUCATION

PhD in Chemistry — Materials and Interfaces — Federal University of Amazonas (UFAM), 2021–2026, with a CAPES sandwich doctorate at the University of Pisa, Italy
MSc in Biotechnology and Amazonian Natural Resources — Amazonas State University (UEA), 2019–2021
BSc in Chemistry — UEA, 2015–2018
Chemistry Technician — IFAM · **Associate degree in Oil and Gas** — UNINORTE

PUBLICATIONS

7 journal articles (Bioresource Technology, Renewable Energy, Environmental Science and Pollution Research, among others) · 2 book chapters (Elsevier, Wiley) · 184 citations on Google Scholar

CONTACT

William Pinheiro

CHEMIST · AI-ASSISTED DATA ANALYSIS

williampinheiro1992@gmail.com
+55 92 99455-4280 · Manaus, Brazil
ORCID 0000-0003-0758-8292
lattes.cnpq.br/9111919283952655

LANGUAGES

Portuguese (native) · English B1 · Italian A2 · French A2

INSERT · RÉSUMÉ

William Pinheiro

PhD in Materials Chemistry · AI-assisted Data Analysis

Manaus, Brazil · +55 92 99455-4280
williampinheiro1992@gmail.com
github.com/willpine1992
orcid.org/0000-0003-0758-8292

SUMMARY

Chemist with a PhD in Materials and Interfaces Chemistry (UFAM, with a sandwich period at the University of Pisa), experienced in heterogeneous catalysis, biomass and analytical techniques. My specialty is chemistry; I do data analysis using generative AI tools to help write code — I define the questions, choose the methods, validate the results and provide the chemical interpretation. I apply this to chemometrics and explainable machine learning, and to data dashboards for university management (17 dashboards built, 10 published online).

OBJECTIVE

To work in **data analysis applied to chemistry** — R&D, laboratories, quality control, materials, bioeconomy and the chemical industry — combining domain expertise with statistical modeling, machine learning and visualization.

SKILLS

Chemistry (specialty)	Materials and heterogeneous catalysis, biomass and biorefining, adsorption; XRD, XRF, FTIR, SEM, TGA, HPLC, GC-MS, ICP-OES; DFT (pyscf)
Chemometrics	DoE/RSM, ANOVA, VIF, nonlinear regression (isotherms and kinetics), error functions, explainable ML (SHAP)
Analytics & BI	Power BI (star schema, DAX), KPI design, interactive dashboards, automated executive reporting
Programming	Python (pandas, NumPy, SciPy), SQL (SQLite, PostgreSQL), JavaScript (D3.js, Plotly, Leaflet), Git
Data & ETL	REST APIs, web scraping, regex-based PDF extraction, Google Drive/Sheets API, schema validation, scheduled jobs
Machine learning	scikit-learn, XGBoost, SVR, Random Forest, cross-validation, GridSearchCV
NLP	Sentence-BERT (embeddings, cosine similarity), spaCy, semantic classification
Generative AI	AI-assisted development (Claude Code) with critical review, testing and verification of results

EXPERIENCE

Postdoctoral Researcher — Data & Internationalization 2026 – present
Office of Research and Graduate Studies (PROPESP) · Amazonas State University (UEA)

- Built FAAP, a partnership-matching system using Sentence-BERT and OpenAlex: 29 graduate programs, 323 faculty, 384 foreign institutions and 58,084 ranked connections.
- Built and maintains 10 public dashboards (agreements, mobility, funding calls, CAPES Global networks) on a SQLite database fed by a daily Google Drive ETL.
- Automated executive reports for international missions (US, Italy, UK): dashboard data → HTML → Word/PDF, with no manual data entry.
- Rewrote the scholarship planning system in Django + PostgreSQL, with imports reconciled row by row against the official spreadsheet (191/191).

Research Fellow — Project Management & Reporting 2025 – 2026
Amazon Bio-business Center (CBA)

- Developed semi-automated Power BI reports for multi-sector project management and Python data flows for consolidation.

PhD Candidate in Materials Chemistry — Analytical Center 2021 – 2025
Federal University of Amazonas (UFAM) · sandwich doctorate at the University of Pisa, Italy

- Developed sulfated kaolin and niobium-based heterogeneous catalysts to convert Amazonian biomass waste into value-added products.
- Characterized materials and quantified products by XRD, XRF, FTIR, SEM, TGA, HPLC and GC-MS, processing the data with chemometrics.
- Co-author of 7 international journal articles (184 citations) and 2 book chapters (Elsevier, Wiley).

Sales Consultant — health insurance 2021 – 2022

- Managed sales funnel and lead portfolio in a CRM; lead generation through paid social media.

Petrochemical Process Operator 2012 – 2015
Videolar S/A · polystyrene production

SELECTED PROJECTS

Incident Dashboard — Amazonas State Fire Department

Python · regex · Leaflet

- ETL of shift-report PDFs with ID-based deduplication and metric extraction from free text; 288 incidents, documented KPIs and no personal data exposed.

Bioadsorption chemometrics with explainable ML

scikit-learn · SHAP · statsmodels

- ETL with lab-spreadsheet validation, RF/XGBoost/SVR comparison (test R^2 0.859), ANOVA and RSM with VIF-based selection, nonlinear isotherm fitting and DFT calculations.

UEA in the CAPES Global networks

openpyxl · pdftotext

- Consolidated a macro-enabled workbook and a budget PDF into a self-contained HTML dashboard: 738 links, 14 universities and automatic mismatch checks.

Bibliometrics and scraping

OpenAlex · Semantic Scholar

- Map of Brazilian levulinic acid research (56 curated papers, 1,937 citations); scraping of 900+ university courses; bank-owned property monitor with financing filter.

EDUCATION

PhD in Chemistry — Materials and Interfaces

2021 – 2026

Federal University of Amazonas (UFAM) · CAPES sandwich doctorate at the University of Pisa (2024–2025) · thesis: sulfated kaolin and niobium heterogeneous catalysts for waste valorization

MSc in Biotechnology and Amazonian Natural Resources

2019 – 2021

Amazonas State University (UEA)

BSc in Chemistry

2015 – 2018

Amazonas State University (UEA)

Chemistry Technician · Associate degree in Oil and Gas

2013 – 2015 · 2010 – 2012

IFAM · UNINORTE

LANGUAGES

Portuguese (native) · English B1 · Italian A2 · French A2

STRENGTHS

- A chemist first: understands where lab data come from, their errors and what they mean chemically.
- End-to-end delivery: from raw source to published dashboard, with documentation and reproducibility.
- Transparent about AI use: code is written with generative AI assistance; methods, validation and interpretation are my own responsibility.