

## 1 Old Town Code

Next to each line, write out in words what you think the code will do when it is run. Assume the `Singer` class exists and that the code below compiles.

```
1 int x = 7;
2 String chorus = "Thank u, next";
3 Singer queen = new Singer("Ariana");
4
5 while (x > 0) {
6     x -= 1;
7     queen.sing(chorus);
8 }
9
10 String[] phrases = {"love", "patience", "pain", "what does the fox say?"};
11
12 for (int i = 0; i < 3; i += 1) {
13     System.out.println("One taught me " + phrases[i]);
14 }
15
16 System.out.println(phrases[phrases.length - 1]);
```

*Hint:* For reference, here is an equivalent Python program.

```
1 x = 7
2 chorus = "Thank u, next"
3 queen = Singer("Ariana")
4
5 while (x > 0):
6     x -= 1
7     queen.sing(chorus)
8
9
10 phrases = ["love", "patience", "pain", "what does the fox say?"]
11
12 for i in range(3):
13     print("One taught me " + phrases[i])
14
15
16 print(phrases[len(phrases) - 1])
```

## 2 Reading Code: A Mystery

---

Below is a function (or method) called `mystery1`. It takes in two arguments and returns an integer, `answer`. The first argument it takes in is an array of integers called `inputArray`, and the second argument it takes in is an integer, `k`.

```
1 public static int mystery1(int[] inputArray, int k) {
2     int x = inputArray[k];
3     int answer = k;
4     int index = k + 1;
5     while (index < inputArray.length) {
6         if (inputArray[index] < x) {
7             x = inputArray[index];
8             answer = index;
9         }
10        index = index + 1;
11    }
12    return answer;
13 }
```

Write the return value of `mystery1` if `inputArray` is the array `{3, 0, 4, 6, 3}` and `k` is 2. What is the significance of the value returned by `mystery1` (what is the significance of `answer`)?

*Extra:* Below is another function called `mystery2`. It takes a single array of integers called `inputArray` as an argument and returns nothing.

```
1 public static void mystery2(int[] inputArray) {
2     int index = 0;
3     while (index < inputArray.length) {
4         int targetIndex = mystery1(inputArray, index);
5         int temp = inputArray[targetIndex];
6         inputArray[targetIndex] = inputArray[index];
7         inputArray[index] = temp;
8         index = index + 1;
9     }
10 }
```

Describe what `mystery2` will do and return if `inputArray` is the array `{3, 0, 4, 6, 3}`. Then, explain in English what the method `mystery2` does.

### 3 Recursion Practice: Fibonacci

---

Implement `fib1` recursively. `fib1` takes in an integer `N` and returns an integer representing the  $N$ th Fibonacci number. The Fibonacci sequence is 0, 1, 1, 2, 3, 5, 8, 13, 21, ..., where 0 is the 0th Fibonacci number. As a reminder, the  $N$ th Fibonacci number is calculated as follows:

$$\text{fib}(N) = \text{fib}(N - 1) + \text{fib}(N - 2)$$

```
public static int fib1(int N) {
```

```
}
```

*Extra:* Implement `fib2` in 5 lines or fewer that avoids redundant computation. `fib2` takes in an integer `N` and helper arguments `k`, `f0`, and `f1` and returns an integer representing the  $N$ th Fibonacci number. If you're stuck, try implementing `fib1` iteratively and then see how you can transform your iterative approach to implement `fib2`.

```
public static int fib2(int N, int k, int f0, int f1) {
```

```
}
```

*Hint:* To compute the  $N$ th fibonacci number, call `fib2(N, 0, 0, 1)`.