







SS JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS



W3Schools Certification Course (

CHECK IT OUT!

HTML Element Reference





HTML Tags Ordered Alphabetically

Q Search..

Tag	Description
<u><!-- --></u>	Defines a comment
	Defines the document type
<u><a></u>	Defines a hyperlink
<abbr></abbr>	Defines an abbreviation or an acronym
<acronym></acronym>	Not supported in HTML5. Use <abbr> instead. Defines an acronym</abbr>
<address></address>	Defines contact information for the author/owner of a document
<u><applet></applet></u>	Not supported in HTML5. Use <embed/>< or <object></object> instead. Defines an embedded applet
<area/>	Defines an area inside an image map
















= . CSS JAVASCRIPT	SQL PYTHON JAVA PHP HOW TO W3.CSS C							
ADVERTISEMENT	Defines embedded sound content							
<u></u>	Defines bold text							
<base/>	Specifies the base URL/target for all relative URLs in a document							
<u><basefont/></u>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document							
<bd><bdi><</bdi></bd>	Isolates a part of text that might be formatted in a different direction from other text outside it							
<u><bdo></bdo></u>	Overrides the current text direction							
 <u> big></u>	Not supported in HTML5. Use CSS instead. Defines big text							
 	Defines a section that is quoted from another source							
<body></body>	Defines the document's body							
<u> </u>	Defines a single line break							
<button></button>	Defines a clickable button							
<canvas></canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)							
<caption></caption>	Defines a table caption							
<center></center>	Not supported in HTML5. Use CSS instead. Defines centered text							
<cite></cite>	Defines the title of a work							
<code></code>	Defines a piece of computer code							
<col/>	Specifies column properties for each column within a <colgroup> element</colgroup>							















CSS JAVASCRIPT	SQL PYTHON JAVA PHP HOW TO W3.CSS	С							
ADVERTISEMENT <datalist></datalist>	Specifies a list of pre-defined options for input controls								
<u><dd></dd></u>	Defines a description/value of a term in a description list								
	Defines text that has been deleted from a document								
<details></details>	Defines additional details that the user can view or hide								
<dfn></dfn>	Specifies a term that is going to be defined within the content								
<dialog></dialog>	Defines a dialog box or window								
<u><dir></dir></u>	Not supported in HTML5. Use ul>instead.Defines a directory list								
<div></div>	Defines a section in a document								
<u><dl></dl></u>	Defines a description list								
<u><dt></dt></u>	Defines a term/name in a description list								
<u></u>	Defines emphasized text								
<embed/>	Defines a container for an external application								
<fieldset></fieldset>	Groups related elements in a form								
<figcaption></figcaption>	Defines a caption for a <figure> element</figure>								
<u><figure></figure></u>	Specifies self-contained content								
	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text								
<footer></footer>	Defines a footer for a document or section								
<form></form>	Defines an HTML form for user input								
<frame/>	Not supported in HTML5. Defines a window (a frame) in a frameset								















CSS .	JAVASCRIPT	SQL	PYTHON	JAVA	PHP	ноw то	W3.CSS	С		
ADVERTISEMENT 		Contains	metadata/ir	nformatio	on for th	e document				
<header></header>	-	Defines a	Defines a header for a document or section							
<hgroup></hgroup>	_	Defines a	Defines a header and related content							
<u><hr/></u>		Defines a	Defines a thematic change in the content							
<html></html>		Defines tl	Defines the root of an HTML document							
<u><i>></i></u>		Defines a	Defines a part of text in an alternate voice or mood							
<iframe></iframe>		Defines a	n inline frar	ne						
		Defines a	n image							
<input/>		Defines a	n input con	trol						
<ins></ins>		Defines a	text that h	as been i	inserted	into a docu	ment			
<kbd></kbd>		Defines k	eyboard inp	ut						
<label></label>		Defines a	label for ar	<input/>	> eleme	nt				
<legend></legend>		Defines a	caption for	a <field:< td=""><td>set> ele</td><td>ment</td><td></td><td></td></field:<>	set> ele	ment				
<u>></u>		Defines a	list item							
				•		ocument and to style shee				
<main></main>		Specifies	the main co	ntent of	a docur	nent				
<map></map>		Defines a	n image ma	ıp						
<mark></mark>		Defines n	narked/high	lighted to	ext					
<menu></menu>		Defines a	n unordered	d list						
<meta/>		Defines n	netadata ab	out an H	TML doc	cument				
<meter></meter>		Defines a gauge)	scalar mea	suremen	t within	a known ra	nge (a			















	. CSS JAV	ASCRIPT	SQL	PYTHON	JAVA	PHP	HOW TO	W3.CSS	С		
AD	VERTISEMENT		frames					.,			
	<noscript></noscript>			Defines an alternate content for users that do not support lient-side scripts							
	<object></object>		Defines a	a container i	for an ext	ternal ap	plication				
	<u><0 ></u>		Defines a	an ordered l	ist						
	<optgroup></optgroup>		Defines a	a group of re	elated op	tions in a	a drop-dow	n list			
	<option></option>		Defines a	an option in	a drop-d	own list					
	<output></output>		Defines t	he result of	a calcula	ition					
	<u></u>		Defines a	a paragraph							
	<param/>		Defines a	a parameter	for an ol	oject					
	<picture></picture>		Defines a	a container	for multip	ole image	e resources				
	<pre><</pre>		Defines p	oreformatte	d text						
	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		Represer	nts the prog	ress of a	task					
	<u><q></q></u>		Defines a	short quot	ation						
	<u><rp></rp></u>		Defines what to show in browsers that do not support ruby annotations								
	<u><rt></rt></u>		Defines an explanation/pronunciation of characters (for East Asian typography)								
	<ruby></ruby>		Defines a ruby annotation (for East Asian typography)								
	<u><\$></u>		Defines text that is no longer correct								
	<samp></samp>		Defines sample output from a computer program								
	<script></td><td></td><td>Defines a</td><td>a client-side</td><td>script</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td><search></td><td></td><td>Defines a</td><td>search sec</td><td>tion</td><td></td><td></td><td></td><td></td></tr></tbody></table></script>										
















= AD	. CSS JAVASCRIPT VERTISEMENT	SQL PYTHON JAVA PHP HOW TO W3.CSS C Defines smaller text							
	<source/>	Defines multiple media resources for media elements (<video> and <audio>)</audio></video>							
		Defines a section in a document							
	<strike></strike>	Not supported in HTML5. Use or <s> instead. Defines strikethrough text</s>							
		Defines important text							
	<style></td><td>Defines style information for a document</td></tr><tr><td></td><td><sub></td><td>Defines subscripted text</td></tr><tr><td></td><td><summary></td><td>Defines a visible heading for a <details> element</td></tr><tr><td></td><td><sup></td><td>Defines superscripted text</td></tr><tr><td></td><td><svg></td><td colspan=8>Defines a container for SVG graphics</td></tr><tr><td></td><td></td><td colspan=8>Defines a table</td></tr><tr><td></td><td></td><td colspan=8>Groups the body content in a table</td></tr><tr><td></td><td><u></u></td><td colspan=9>Defines a cell in a table</td></tr><tr><td></td><td><template></td><td>Defines a container for content that should be hidden when the page loads</td></tr><tr><td></td><td><textarea></td><td>Defines a multiline input control (text area)</td></tr><tr><td></td><td><tfoot></td><td>Groups the footer content in a table</td></tr><tr><td></td><td><u>></u></td><td>Defines a header cell in a table</td></tr><tr><td></td><td><thead></td><td colspan=7>Groups the header content in a table</td></tr><tr><td></td><td><time></td><td>Defines a specific time (or datetime)</td></tr><tr><td></td><td><title></td><td>Defines a title for the document</td></tr><tr><td></td><td><u></u></td><td>Defines a row in a table</td></tr><tr><td></td><td></td><td></td></tr></tbody></table></style>								















=	. CSS	JAVASCRIPT	SQL	PYTHON	JAVA	PHP	ноw то	W3.CSS	С
Αſ	ADVERTISEMENT Defines teletype text								
	<u><u></u></u>			some text tl ly from nori		articulate	ed and style	d	
	User								
	<var></var>								
	<video></video>	I	Defines 6	embedded v	video con	tent			
	<wbr/>	I	Defines a	a possible li	ne-break				

< Home

Next >



ADVERTISEMENT



COLOR PICKER



Menu **▼**











= .

CSS JAVASCRIPT

SQL

PYTHON

JAVA


PHP


HOW TO

W3.CSS

ADVERTISEMENT











jQuery Tutorial

Top References

HTML Reference CSS Reference JavaScript Reference SQL Reference Python Reference W3.CSS Reference Bootstrap Reference PHP Reference HTML Colors Java Reference **Angular Reference** jQuery Reference

Top Examples

HTML Examples CSS Examples JavaScript Examples **How To Examples SQL Examples Python Examples W3.CSS Examples Bootstrap Examples** PHP_Examples Java Examples **XML Examples** jQuery Examples

Get Certified

HTML Certificate CSS Certificate JavaScript Certificate Front End Certificate SQL Certificate Python Certificate PHP Certificate jQuery Certificate **Java Certificate** C++ Certificate **C# Certificate XML Certificate**



FORUM ABOUT **ACADEMY**

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.