



# W3Schools Certification Course

[CHECK IT OUT!](#)

## Palabras clave de Java

[< Anterior](#)[Próximo >](#)

### Palabras clave reservadas de Java

Java tiene un conjunto de palabras clave que son palabras reservadas que no se pueden utilizar como variables, métodos, clases o cualquier otro identificador:

Keyword	Description
<u><a href="#">abstract</a></u>	A non-access modifier. Used for classes and methods: An abstract class cannot be used to create objects (to access it, it must be inherited from another class). An abstract method can only be used in an abstract class, and it does not have a body. The body is provided by the subclass (inherited from)
<u><a href="#">assert</a></u>	For debugging
<u><a href="#">boolean</a></u>	A data type that can only store true or false values
<u><a href="#">break</a></u>	Breaks out of a loop or a switch block
<u><a href="#">byte</a></u>	A data type that can store whole numbers from -128 and 127
<u><a href="#">case</a></u>	Marks a block of code in switch statements
<u><a href="#">catch</a></u>	Catches exceptions generated by try statements
<u><a href="#">char</a></u>	A data type that is used to store a single character



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

<u>const</u>	Defines a constant. <b>Not in use</b> - use <u>final</u> instead
<u>default</u>	Specifies the default block of code in a switch statement
<u>do</u>	Used together with while to create a do-while loop
<u>double</u>	A data type that can store fractional numbers from 1.7e−308 to 1.7e+308
<u>else</u>	Used in conditional statements
<u>enum</u>	Declares an enumerated (unchangeable) type
<u>exports</u>	Exports a package with a module. New in Java 9
<u>extends</u>	Extends a class (indicates that a class is inherited from another class)
<u>final</u>	A non-access modifier used for classes, attributes and methods, which makes them non-changeable (impossible to inherit or override)
<u>finally</u>	Used with exceptions, a block of code that will be executed no matter if there is an exception or not
<u>float</u>	A data type that can store fractional numbers from 3.4e−038 to 3.4e+038
<u>for</u>	Create a for loop
<u>goto</u>	<b>Not in use, and has no function</b>
<u>if</u>	Makes a conditional statement
<u>implements</u>	Implements an interface
<u>import</u>	Used to import a package, class or interface
<u>instanceof</u>	Checks whether an object is an instance of a specific class or an interface
<u>int</u>	A data type that can store whole numbers from -2147483648 to 2147483647

-9223372036854775808 to 9223372036854775808

<u>module</u>	Declares a module. New in Java 9
<u>native</u>	Specifies that a method is not implemented in the same Java source file (but in another language)
<u>new</u>	Creates new objects
<u>package</u>	Declares a package
<u>private</u>	An access modifier used for attributes, methods and constructors, making them only accessible within the declared class
<u>protected</u>	An access modifier used for attributes, methods and constructors, making them accessible in the same package and subclasses
<u>public</u>	An access modifier used for classes, attributes, methods and constructors, making them accessible by any other class
<u>requires</u>	Specifies required libraries inside a module. New in Java 9
<u>return</u>	Finished the execution of a method, and can be used to return a value from a method
<u>short</u>	A data type that can store whole numbers from -32768 to 32767
<u>static</u>	A non-access modifier used for methods and attributes. Static methods/attributes can be accessed without creating an object of a class
strictfp	<b>Obsolete.</b> Restrict the precision and rounding of floating point calculations
<u>super</u>	Refers to superclass (parent) objects
<u>switch</u>	Selects one of many code blocks to be executed
<u>synchronized</u>	A non-access modifier, which specifies that methods can only be accessed by one thread at a time
<u>this</u>	Refers to the current object in a method or constructor



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

<u>transient</u>	Used to ignore an attribute when serializing an object
<u>try</u>	Creates a try...catch statement
<u>var</u>	Declares a variable. New in Java 10
<u>void</u>	Specifies that a method should not have a return value
<u>volatile</u>	Indicates that an attribute is not cached thread-locally, and is always read from the "main memory"
<u>while</u>	Creates a while loop

**Nota:** `true` , `false` , y `null` no son palabras clave, sino literales y palabras reservadas que no se pueden usar como identificadores.

&lt; Anterior

Próximo &gt;




TODAY'S  
DEAL

UP TO  
**75%  
OFF**

On **courses**,  
**certifications**  
and **programs**

[Check it out!](#)

  
schools

  
schools

**Full  
Access**

Unlimited Learning

[Get the deal!](#)



**SAVE:  
75% OFF**



✦ MÁS

ESPACIOS

CERTIFICACIÓN

PARA PROFESORES

PARA EMPRESAS

CONTÁCTENOS

## Los mejores tutoriales

Tutorial de HTML  
Tutorial de CSS Tutorial  
de JavaScript Tutorial  
de procedimientos  
Tutorial de SQL  
Tutorial de Python Tutorial de  
W3.CSS Tutorial  
de Bootstrap Tutorial de  
•PHP Tutorial  
de Java Tutorial  
de C++  
• Tutorial de jQuery

## Referencias principales

Referencia HTML  
Referencia CSS  
Referencia JavaScript Referencia  
SQL Referencia  
Python Referencia



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

Referencia jQuery

## Ejemplos principales

Ejemplos de HTML

Ejemplos de CSS Ejemplos de

JavaScript Ejemplos de

procedimientos

Ejemplos de SQL

Ejemplos de Python Ejemplos de

W3.CSS Ejemplos

de Bootstrap Ejemplos de

PHP

Ejemplos de Java Ejemplos

de XML

Ejemplos de jQuery

## Obtenga la certificación

Certificado HTML

Certificado CSS

Certificado JavaScript

Certificado Front End Certificado

SQL

Certificado Python

Certificado PHP

Certificado jQuery

Certificado Java Certificado

C++ Certificado

C#

Certificado XML



## FORO SOBRE LA ACADEMIA

W3Schools está optimizado para el aprendizaje y la formación. Los ejemplos pueden simplificarse para facilitar la lectura y el aprendizaje.

Los tutoriales, las referencias y los ejemplos se revisan constantemente para evitar errores, pero no podemos garantizar la exactitud total

de todo el contenido. Al utilizar W3Schools, acepta haber leído y aceptado nuestros [términos de uso](#) , [cookies](#) y [política de privacidad](#) .

Copyright 1999-2025 de Refsnes Data. Todos los derechos reservados. [W3Schools funciona con W3.CSS](#) .