



W3Schools Certification Course

[CHECK IT OUT!](#)

Referencia de elementos HTML

[< Hogar](#)[Próximo >](#)

Etiquetas HTML ordenadas alfabéticamente

Tag	Description
<u><!--...--></u>	Defines a comment
<u><!DOCTYPE></u>	Defines the document type
<u><a></u>	Defines a hyperlink
<u><abbr></u>	Defines an abbreviation or an acronym
<u><acronym></u>	Not supported in HTML5. Use <u><abbr></u> instead. Defines an acronym
<u><address></u>	Defines contact information for the author/owner of a document
<u><applet></u>	Not supported in HTML5. Use <u><embed></u> or <u><object></u> instead. Defines an embedded applet
<u><area></u>	Defines an area inside an image map



<u><audio></u>	Defines embedded sound content
<u></u>	Defines bold text
<u><base></u>	Specifies the base URL/target for all relative URLs in a document
<u><basefont></u>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document
<u><bdi></u>	Isolates a part of text that might be formatted in a different direction from other text outside it
<u><bdo></u>	Overrides the current text direction
<u><big></u>	Not supported in HTML5. Use CSS instead. Defines big text
<u><blockquote></u>	Defines a section that is quoted from another source
<u><body></u>	Defines the document's body
<u>
</u>	Defines a single line break
<u><button></u>	Defines a clickable button
<u><canvas></u>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<u><caption></u>	Defines a table caption
<u><center></u>	Not supported in HTML5. Use CSS instead. Defines centered text
<u><cite></u>	Defines the title of a work
<u><code></u>	Defines a piece of computer code
<u><col></u>	Specifies column properties for each column within a <colgroup> element



<u><datalist></u>	Specifies a list of pre-defined options for input controls
<u><dd></u>	Defines a description/value of a term in a description list
<u></u>	Defines text that has been deleted from a document
<u><details></u>	Defines additional details that the user can view or hide
<u><dfn></u>	Specifies a term that is going to be defined within the content
<u><dialog></u>	Defines a dialog box or window
<u><dir></u>	Not supported in HTML5. Use <u></u> instead. Defines a directory list
<u><div></u>	Defines a section in a document
<u><dl></u>	Defines a description list
<u><dt></u>	Defines a term/name in a description list
<u></u>	Defines emphasized text
<u><embed></u>	Defines a container for an external application
<u><fieldset></u>	Groups related elements in a form
<u><figcaption></u>	Defines a caption for a <figure> element
<u><figure></u>	Specifies self-contained content
<u></u>	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<u><footer></u>	Defines a footer for a document or section
<u><form></u>	Defines an HTML form for user input
<u><frame></u>	Not supported in HTML5. Defines a window (a frame) in a frameset



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

<u><head></u>	Contains metadata/information for the document
<u><header></u>	Defines a header for a document or section
<u><hgroup></u>	Defines a header and related content
<u><hr></u>	Defines a thematic change in the content
<u><html></u>	Defines the root of an HTML document
<u><i></u>	Defines a part of text in an alternate voice or mood
<u><iframe></u>	Defines an inline frame
<u></u>	Defines an image
<u><input></u>	Defines an input control
<u><ins></u>	Defines a text that has been inserted into a document
<u><kbd></u>	Defines keyboard input
<u><label></u>	Defines a label for an <input> element
<u><legend></u>	Defines a caption for a <fieldset> element
<u></u>	Defines a list item
<u><link></u>	Defines the relationship between a document and an external resource (most used to link to style sheets)
<u><main></u>	Specifies the main content of a document
<u><map></u>	Defines an image map
<u><mark></u>	Defines marked/highlighted text
<u><menu></u>	Defines an unordered list
<u><meta></u>	Defines metadata about an HTML document
<u><meter></u>	Defines a scalar measurement within a known range (a gauge)



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

frames

<noscript>

Defines an alternate content for users that do not support client-side scripts

<object>

Defines a container for an external application

Defines an ordered list

<optgroup>

Defines a group of related options in a drop-down list

<option>

Defines an option in a drop-down list

<output>

Defines the result of a calculation

<p>

Defines a paragraph

<param>

Defines a parameter for an object

<picture>

Defines a container for multiple image resources

<pre>

Defines preformatted text

<progress>

Represents the progress of a task

<q>

Defines a short quotation

<rp>

Defines what to show in browsers that do not support ruby annotations

<rt>

Defines an explanation/pronunciation of characters (for East Asian typography)

<ruby>

Defines a ruby annotation (for East Asian typography)

<s>

Defines text that is no longer correct

<samp>

Defines sample output from a computer program

<script>

Defines a client-side script

<search>

Defines a search section



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

<small>

Defines smaller text

<source>

Defines multiple media resources for media elements (<video> and <audio>)

Defines a section in a document

<strike>**Not supported in HTML5. Use or <s> instead.**
Defines strikethrough text

Defines important text

<style>

Defines style information for a document

<sub>

Defines subscripted text

<summary>

Defines a visible heading for a <details> element

<sup>

Defines superscripted text

<svg>

Defines a container for SVG graphics

<table>

Defines a table

<tbody>

Groups the body content in a table

<td>

Defines a cell in a table

<template>

Defines a container for content that should be hidden when the page loads

<textarea>

Defines a multiline input control (text area)

<tfoot>

Groups the footer content in a table

<th>

Defines a header cell in a table

<thead>

Groups the header content in a table

<time>

Defines a specific time (or datetime)

<title>

Defines a title for the document

<tr>

Defines a row in a table



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

Defines teletype text

<u>

Defines some text that is unarticulated and styled differently from normal text

Defines an unordered list

<var>

Defines a variable

<video>

Defines embedded video content

<wbr>

Defines a possible line-break

< Home

Next >





Menu ▾



 For Teachers

 Get Certified



 [CSS](#) [JAVASCRIPT](#) [SQL](#) [PITÓN](#) [JAVA](#) [PHP](#) [CÓMO](#) [W3.CSS](#) [do](#) [C](#)

**FULL
ACCESS**

— SAVE —
75% OFF

SHOP NOW!



**HTML
Learning
Resources**

For Teachers

CHECK IT OUT!





W3Schools Certification Courses

[Check it out!](#)



[GET CERTIFIED](#)[FOR TEACHERS](#)[FOR BUSINESS](#)[CONTACT US](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)



CSS

JAVASCRIPT

SQL

PITÓN

JAVA

PHP

CÓMO

W3.CSS

do

C

Certificado CSS
Certificado JavaScript
Certificado Front End Certificado
SQL
Certificado Python
Certificado PHP
Certificado jQuery
Certificado Java Certificado
C++ Certificado
C#
Certificado XML



FORO SOBRE LA ACADEMIA

W3Schools está optimizado para el aprendizaje y la formación. Los ejemplos pueden simplificarse para facilitar la lectura y el aprendizaje. Los tutoriales, las referencias y los ejemplos se revisan constantemente para evitar errores, pero no podemos garantizar la exactitud total de todo el contenido. Al utilizar W3Schools, acepta haber leído y aceptado nuestros [términos de uso](#) , [cookies](#) y [política de privacidad](#) .

[Copyright 1999-2025](#) de Refsnes Data. Todos los derechos reservados. [W3Schools funciona con W3.CSS](#) .