

AWS Certified Solutions Architect - Associate SAA-C03

question 0601-0700

Last Update: 2024.11

【題號】question 601

【題目】

A company runs its critical database on an Amazon RDS for PostgreSQL DB instance. The company wants to migrate to Amazon Aurora PostgreSQL with minimal downtime and data loss.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 Amazon RDS for PostgreSQL 資料庫執行個體上運行其關鍵資料庫。該公司希望遷移到 Amazon Aurora PostgreSQL，同時最大限度地減少停機時間和資料遺失。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create a DB snapshot of the RDS for PostgreSQL DB instance to populate a new Aurora PostgreSQL DB cluster.

B.Create an Aurora read replica of the RDS for PostgreSQL DB instance. Promote the Aurora read replicate to a new Aurora PostgreSQL DB cluster.

C.Use data import from Amazon S3 to migrate the database to an Aurora PostgreSQL DB cluster.

D.Use the pg_dump utility to back up the RDS for PostgreSQL database. Restore the backup to a new Aurora PostgreSQL DB cluster.

【參考答案】B

【題號】question 602

【題目】

A company's infrastructure consists of hundreds of Amazon EC2 instances that use Amazon Elastic Block Store (Amazon EBS) storage. A solutions architect must ensure that every EC2 instance can be recovered after a disaster.

What should the solutions architect do to meet this requirement with the LEAST amount of effort?

該公司的基礎設施由數百個使用 Amazon Elastic Block Store (Amazon EBS) 儲存的 Amazon EC2 執行個體組成。解決方案架構師必須確保每個 EC2 執行個體都可以在災難後復原。

解決方案架構師應該如何做才能以最少的努力滿足此要求？

【選項】

A.Take a snapshot of the EBS storage that is attached to each EC2 instance. Create an AWS CloudFormation template to launch new EC2 instances from the EBS storage.

B.Take a snapshot of the EBS storage that is attached to each EC2 instance. Use AWS Elastic Beanstalk to set the environment based on the EC2 template and attach the EBS storage.

C.Use AWS Backup to set up a backup plan for the entire group of EC2 instances. Use the AWS Backup API or the AWS CLI to speed up the restore process for multiple EC2 instances.

D.Create an AWS Lambda function to take a snapshot of the EBS storage that is attached to each EC2 instance and copy the Amazon Machine Images (AMIs). Create another Lambda function to perform the restores with the copied AMIs and attach the EBS storage.

【參考答案】C

【題號】question 603

【題目】

A company recently migrated to the AWS Cloud. The company wants a serverless solution for large-scale parallel on-demand processing of a semistructured dataset. The data consists of logs, media files, sales transactions, and IoT sensor data that is stored in Amazon S3. The company wants the solution to process thousands of items in the dataset in parallel.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司最近遷移到 AWS 雲端。該公司希望有一個無伺服器解決方案來大規模並行按需處理半結構化資料集。這些數據包括儲存在 Amazon S3 中的日誌、媒體檔案、銷售交易和 IoT 感測器資料。該公司希望該解決方案能夠並行處理資料集中的數千個項目。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

- A. Use the AWS Step Functions Map state in Inline mode to process the data in parallel.
- B. Use the AWS Step Functions Map state in Distributed mode to process the data in parallel.
- C. Use AWS Glue to process the data in parallel.
- D. Use several AWS Lambda functions to process the data in parallel.

【參考答案】B

【題號】question 604

【題目】

A company will migrate 10 PB of data to Amazon S3 in 6 weeks. The current data center has a 500 Mbps uplink to the internet. Other on-premises applications share the uplink. The company can use 80% of the internet bandwidth for this one-time migration task.

Which solution will meet these requirements?

一家公司將在 6 週內將 10 PB 資料遷移到 Amazon S3。目前的資料中心具有 500 Mbps 的互聯網上行鏈路。其他本機應用程式共享上行鏈路。該公司可以使用 80% 的網路頻寬來完成這項一次性遷移任務。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure AWS DataSync to migrate the data to Amazon S3 and to automatically verify the data.
- B. Use rsync to transfer the data directly to Amazon S3.
- C. Use the AWS CLI and multiple copy processes to send the data directly to Amazon S3.
- D. Order multiple AWS Snowball devices. Copy the data to the devices. Send the devices to AWS to copy the data to Amazon S3.

【參考答案】D

【題號】question 605

【題目】

A company has several on-premises Internet Small Computer Systems Interface (iSCSI) network storage servers. The company wants to reduce the number of these servers by moving to the AWS Cloud. A solutions architect must provide low-latency access to frequently used data and reduce the dependency on on-premises servers with a minimal number of infrastructure changes.

Which solution will meet these requirements?

一家公司擁有多個本地 Internet 小型電腦系統介面 (iSCSI) 網路儲存伺服器。該公司希望透過遷移到 AWS 雲端來減少這些伺服器的數量。解決方案架構師必須提供對常用資料的低延遲訪問，並透過最少的基礎設施變更來減少對本地伺服器的依賴。

哪種解決方案可以滿足這些要求？

【選項】

- A. Deploy an Amazon S3 File Gateway.
- B. Deploy Amazon Elastic Block Store (Amazon EBS) storage with backups to Amazon S3.

C. Deploy an AWS Storage Gateway volume gateway that is configured with stored volumes.

D. Deploy an AWS Storage Gateway volume gateway that is configured with cached volumes.

【參考答案】D

【題號】question 606

【題目】

A solutions architect is designing an application that will allow business users to upload objects to Amazon S3. The solution needs to maximize object durability. Objects also must be readily available at any time and for any length of time. Users will access objects frequently within the first 30 days after the objects are uploaded, but users are much less likely to access objects that are older than 30 days.

Which solution meets these requirements MOST cost-effectively?

解決方案架構師正在設計一個應用程式，允許業務用戶將物件上傳到 Amazon S3。此解決方案需要最大限度地提高物件的耐用性。物件也必須在任何時間、任何時間長度內都可以隨時使用。對像上傳後的前30天內，使用者會頻繁存取對象，但使用者存取超過30天的對象的可能性要小得多。

哪種解決方案最經濟有效率地滿足這些要求？

【選項】

A. Store all the objects in S3 Standard with an S3 Lifecycle rule to transition the objects to S3 Glacier after 30 days.

B. Store all the objects in S3 Standard with an S3 Lifecycle rule to transition the objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 30 days.

C. Store all the objects in S3 Standard with an S3 Lifecycle rule to transition the objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 30 days.

D. Store all the objects in S3 Intelligent-Tiering with an S3 Lifecycle rule to transition the objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 30 days.

【參考答案】B

【題號】question 607

【題目】

A company has migrated a two-tier application from its on-premises data center to the AWS Cloud. The data tier is a Multi-AZ deployment of Amazon RDS for Oracle with 12 TB of General Purpose SSD Amazon Elastic Block Store (Amazon EBS) storage. The application is designed to process and store documents in the database as binary large objects (blobs) with an average document size of 6 MB.

The database size has grown over time, reducing the performance and increasing the cost of storage. The company must improve the database performance and needs a solution that is highly available and resilient.

Which solution will meet these requirements MOST cost-effectively?

一家公司已將兩層應用程式從其本地資料中心遷移到 AWS 雲端。資料層是 Amazon RDS for Oracle 的多可用區部署，具有 12 TB 通用 SSD Amazon Elastic Block Store (Amazon EBS) 儲存。該應用程式旨在將資料庫中的文件作為平均文檔大小為 6 MB 的二進位大物件 (blob) 進行處理和儲存。

資料庫大小隨著時間的推移而增長，從而降低了效能並增加了儲存成本。該公司必須提高資料庫效能，並需要一個高可用性和彈性的解決方案。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Reduce the RDS DB instance size. Increase the storage capacity to 24 TiB. Change the storage type to Magnetic.

B.Increase the RDS DB instance size. Increase the storage capacity to 24 TiChange the storage type to Provisioned IOPS.

C.Create an Amazon S3 bucket. Update the application to store documents in the S3 bucket. Store the object metadata in the existing database.

D.Create an Amazon DynamoDB table. Update the application to use DynamoDB. Use AWS Database Migration Service (AWS DMS) to migrate data from the Oracle database to DynamoDB.

【參考答案】C

【題號】question 608

【題目】

A company has an application that serves clients that are deployed in more than 20,000 retail storefront locations around the world. The application consists of backend web services that are exposed over HTTPS on port 443. The application is hosted on Amazon EC2 instances behind an Application Load Balancer (ALB). The retail locations communicate with the web application over the public internet. The company allows each retail location to register the IP address that the retail location has been allocated by its local ISP.

The company's security team recommends to increase the security of the application endpoint by restricting access to only the IP addresses registered by the retail locations.

What should a solutions architect do to meet these requirements?

一家公司擁有一個為部署在全球 20,000 多個零售店面地點的客戶提供服務的應用程式。該應用程式由透過連接埠 443 上的 HTTPS 公開的後端 Web 服務組成。該應用程式託管在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上。零售地點透過公共互聯網與 Web 應用程式進行通訊。該公司允許每個零售點註冊由其本地 ISP 分配的 IP 位址。

該公司的安全團隊建議透過限制僅存取零售地點註冊的 IP 位址來提高應用程式端點的安全性。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Associate an AWS WAF web ACL with the ALB. Use IP rule sets on the ALB to filter traffic. Update the IP addresses in the rule to include the registered IP addresses.

B. Deploy AWS Firewall Manager to manage the ALB firewall rules to restrict traffic to the ALB. Modify the firewall rules to include the registered IP addresses.

C. Store the IP addresses in an Amazon DynamoDB table. Configure an AWS Lambda authorization function on the ALB to validate that incoming requests are from the registered IP addresses.

D. Configure the network ACL on the subnet that contains the public interface of the ALB. Update the ingress rules on the network ACL with entries for each of the registered IP addresses.

【參考答案】A

【題號】question 609

【題目】

A company is building a data analysis platform on AWS by using AWS Lake Formation. The platform will ingest data from different sources such as Amazon S3 and Amazon RDS. The company needs a secure solution to prevent access to portions of the data that contain sensitive information.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在使用 AWS Lake Formation 在 AWS 上建立資料分析平台。該平台將從不同來源（例如 Amazon S3 和 Amazon RDS）獲取資料。該公司需要一個安全的解決方案來防止存取包含敏感資訊的部分資料。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Create an IAM role that includes permissions to access Lake Formation tables.

B. Create data filters to implement row-level security and cell-level security.

C. Create an AWS Lambda function that removes sensitive information before Lake Formation ingests the data.

D.Create an AWS Lambda function that periodically queries and removes sensitive information from Lake Formation tables.

【參考答案】B

【題號】question 610

【題目】

A company deploys Amazon EC2 instances that run in a VPC. The EC2 instances load source data into Amazon S3 buckets so that the data can be processed in the future. According to compliance laws, the data must not be transmitted over the public internet. Servers in the company's on-premises data center will consume the output from an application that runs on the EC2 instances.

Which solution will meet these requirements?

一家公司部署在 VPC 中執行的 Amazon EC2 執行個體。EC2 執行個體將來源資料載入至 Amazon S3 儲存桶中，以便日後處理這些資料。根據合規法律，資料不得透過公共網路傳輸。公司本地資料中心的伺服器將使用在 EC2 執行個體上執行的應用程式的輸出。

哪種解決方案可以滿足這些要求？

【選項】

A.Deploy an interface VPC endpoint for Amazon EC2. Create an AWS Site-to-Site VPN connection between the company and the VPC.

B.Deploy a gateway VPC endpoint for Amazon S3. Set up an AWS Direct Connect connection between the on-premises network and the VPC.

C.Set up an AWS Transit Gateway connection from the VPC to the S3 buckets. Create an AWS Site-to-Site VPN connection between the company and the VPC.

D.Set up proxy EC2 instances that have routes to NAT gateways. Configure the proxy EC2 instances to fetch S3 data and feed the application instances.

【參考答案】B

【題號】question 611

【題目】

A company has an application with a REST-based interface that allows data to be received in near-real time from a third-party vendor. Once received, the application processes and stores the data for further analysis. The application is running on Amazon EC2 instances.

The third-party vendor has received many 503 Service Unavailable Errors when sending data to the application. When the data volume spikes, the compute capacity reaches its maximum limit and the application is unable to process all requests.

Which design should a solutions architect recommend to provide a more scalable solution?

一家公司有一個具有基於 REST 的介面的應用程序，允許從第三方供應商近乎即時地接收資料。一旦收到，應用程式就會處理並儲存資料以供進一步分析。該應用程式在 Amazon EC2 執行個體上執行。

第三方供應商在向應用程式發送資料時收到許多 503 服務不可用錯誤。當資料量激增時，運算能力達到最大限制，應用程式無法處理所有請求。

解決方案架構師應該推薦哪種設計來提供更具可擴展性的解決方案？

【選項】

A. Use Amazon Kinesis Data Streams to ingest the data. Process the data using AWS Lambda functions.

B. Use Amazon API Gateway on top of the existing application. Create a usage plan with a quota limit for the third-party vendor.

C. Use Amazon Simple Notification Service (Amazon SNS) to ingest the data. Put the EC2 instances in an Auto Scaling group behind an Application Load Balancer.

D. Repackage the application as a container. Deploy the application using Amazon Elastic Container Service (Amazon ECS) using the EC2 launch type with an Auto Scaling group.

【參考答案】A

【題號】question 612

【題目】

A company has an application that runs on Amazon EC2 instances in a private subnet. The application needs to process sensitive information from an Amazon S3 bucket. The application must not use the internet to connect to the S3 bucket.

Which solution will meet these requirements?

一家公司有一個在私有子網路中的 Amazon EC2 執行個體上執行的應用程式。應用程式需要處理來自 Amazon S3 儲存桶的敏感資訊。應用程式不得使用網路連接到 S3 儲存桶。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure an internet gateway. Update the S3 bucket policy to allow access from the internet gateway. Update the application to use the new internet gateway.

B. Configure a VPN connection. Update the S3 bucket policy to allow access from the VPN connection. Update the application to use the new VPN connection.

C. Configure a NAT gateway. Update the S3 bucket policy to allow access from the NAT gateway. Update the application to use the new NAT gateway.

D. Configure a VPC endpoint. Update the S3 bucket policy to allow access from the VPC endpoint. Update the application to use the new VPC endpoint.

【參考答案】D

【題號】question 613

【題目】

A company uses Amazon Elastic Kubernetes Service (Amazon EKS) to run a container application. The EKS cluster stores sensitive information in the Kubernetes secrets object. The company wants to ensure that the information is encrypted.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司使用 Amazon Elastic Kubernetes Service (Amazon EKS) 來運行容器應用程式。EKS 叢集將敏感資訊儲存在 Kubernetes 機密物件中。該公司希望確保訊息是加密的。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use the container application to encrypt the information by using AWS Key Management Service (AWS KMS).
- B. Enable secrets encryption in the EKS cluster by using AWS Key Management Service (AWS KMS).
- C. Implement an AWS Lambda function to encrypt the information by using AWS Key Management Service (AWS KMS).
- D. Use AWS Systems Manager Parameter Store to encrypt the information by using AWS Key Management Service (AWS KMS).

【參考答案】B

【題號】question 614

【題目】

A company is designing a new multi-tier web application that consists of the following components:

- Web and application servers that run on Amazon EC2 instances as part of Auto Scaling groups
- An Amazon RDS DB instance for data storage

A solutions architect needs to limit access to the application servers so that only the web servers can access them.

Which solution will meet these requirements?

一家公司正在設計一個新的多層 Web 應用程式，該應用程式由以下元件組成：

- 作為 Auto Scaling 群組的一部分在 Amazon EC2 執行個體上執行的 Web 和應用程式伺服器
- 用於資料儲存的 Amazon RDS 資料庫實例

解決方案架構師需要限制對應用程式伺服器的訪問，以便只有 Web 伺服器可以存取它們。

哪種解決方案可以滿足這些要求？

【選項】

A. Deploy AWS PrivateLink in front of the application servers. Configure the network ACL to allow only the web servers to access the application servers.

B. Deploy a VPC endpoint in front of the application servers. Configure the security group to allow only the web servers to access the application servers.

C. Deploy a Network Load Balancer with a target group that contains the application servers' Auto Scaling group. Configure the network ACL to allow only the web servers to access the application servers.

D. Deploy an Application Load Balancer with a target group that contains the application servers' Auto Scaling group. Configure the security group to allow only the web servers to access the application servers.

【參考答案】D

【題號】question 615

【題目】

A company runs a critical, customer-facing application on Amazon Elastic Kubernetes Service (Amazon EKS). The application has a microservices architecture. The company needs to implement a solution that collects, aggregates, and summarizes metrics and logs from the application in a centralized location.

Which solution meets these requirements?

一家公司在 Amazon Elastic Kubernetes Service (Amazon EKS) 上運行面向客戶的關鍵應用程式。該應用程式具有微服務架構。該公司需要實施一個解決方案，在一個集中位置收集、聚合和匯總來自應用程式的指標和日誌。

哪種解決方案滿足這些要求？

【選項】

A.Run the Amazon CloudWatch agent in the existing EKS cluster. View the metrics and logs in the CloudWatch console.

B.Run AWS App Mesh in the existing EKS cluster. View the metrics and logs in the App Mesh console.

C.Configure AWS CloudTrail to capture data events. Query CloudTrail by using Amazon OpenSearch Service.

D.Configure Amazon CloudWatch Container Insights in the existing EKS cluster. View the metrics and logs in the CloudWatch console.

【參考答案】D

【題號】question 616

【題目】

A company has deployed its newest product on AWS. The product runs in an Auto Scaling group behind a Network Load Balancer. The company stores the product's objects in an Amazon S3 bucket.

The company recently experienced malicious attacks against its systems. The company needs a solution that continuously monitors for malicious activity in the AWS account, workloads, and access patterns to the S3 bucket. The solution must also report suspicious activity and display the information on a dashboard.

Which solution will meet these requirements?

一家公司已在 AWS 上部署其最新產品。本產品在網路負載平衡器後面的 Auto Scaling 群組中運作。該公司將產品的物件儲存在 Amazon S3 儲存桶中。

該公司最近遭遇了針對其係統的惡意攻擊。該公司需要一種解決方案來持續監控 AWS 帳戶、工作負載和 S3 儲存桶的存取模式中的惡意活動。該解決方案還必須報告可疑活動並在儀表板上顯示資訊。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure Amazon Macie to monitor and report findings to AWS Config.
- B. Configure Amazon Inspector to monitor and report findings to AWS CloudTrail.
- C. Configure Amazon GuardDuty to monitor and report findings to AWS Security Hub.
- D. Configure AWS Config to monitor and report findings to Amazon EventBridge.

【參考答案】C

【題號】question 617

【題目】

A company wants to migrate an on-premises data center to AWS. The data center hosts a storage server that stores data in an NFS-based file system. The storage server holds 200 GB of data. The company needs to migrate the data without interruption to existing services. Multiple resources in AWS must be able to access the data by using the NFS protocol.

Which combination of steps will meet these requirements MOST cost-effectively?
(Choose two.)

一家公司希望將本地資料中心遷移到 AWS。資料中心託管一個儲存伺服器，將資料儲存在基於 NFS 的檔案系統中。儲存伺服器可保存 200 GB 資料。該公司需要在不中斷現有服務的情況下遷移資料。AWS 中的多個資源必須能夠使用 NFS 協定存取資料。

哪一種步驟組合能夠最經濟有效地滿足這些要求？（選兩個。）

【選項】

- A. Create an Amazon FSx for Lustre file system.
- B. Create an Amazon Elastic File System (Amazon EFS) file system.
- C. Create an Amazon S3 bucket to receive the data.
- D. Manually use an operating system copy command to push the data into the AWS destination.
- E. Install an AWS DataSync agent in the on-premises data center. Use a DataSync task between the on-premises location and AWS.

【參考答案】BE

【題號】question 618

【題目】

A company wants to use Amazon FSx for Windows File Server for its Amazon EC2 instances that have an SMB file share mounted as a volume in the us-east-1 Region. The company has a recovery point objective (RPO) of 5 minutes for planned system maintenance or unplanned service disruptions. The company needs to replicate the file system to the us-west-2 Region. The replicated data must not be deleted by any user for 5 years.

Which solution will meet these requirements?

一家公司希望將 Amazon FSx for Windows File Server 用於其 Amazon EC2 實例，該執行個體在 us-east-1 區域中將 SMB 檔案共用掛載為磁碟區。該公司針對計劃內系統維護或計劃外服務中斷制定了 5 分鐘的恢復點目標 (RPO)。該公司需要將檔案系統複製到 us-west-2 區域。複製的資料五年內不得被任何用戶刪除。

哪種解決方案可以滿足這些要求？

【選項】

A. Create an FSx for Windows File Server file system in us-east-1 that has a Single-AZ 2 deployment type. Use AWS Backup to create a daily backup plan that includes a backup rule that copies the backup to us-west-2. Configure AWS Backup Vault Lock in

compliance mode for a target vault in us-west-2. Configure a minimum duration of 5 years.

B.Create an FSx for Windows File Server file system in us-east-1 that has a Multi-AZ deployment type. Use AWS Backup to create a daily backup plan that includes a backup rule that copies the backup to us-west-2. Configure AWS Backup Vault Lock in governance mode for a target vault in us-west-2. Configure a minimum duration of 5 years.

C.Create an FSx for Windows File Server file system in us-east-1 that has a Multi-AZ deployment type. Use AWS Backup to create a daily backup plan that includes a backup rule that copies the backup to us-west-2. Configure AWS Backup Vault Lock in compliance mode for a target vault in us-west-2. Configure a minimum duration of 5 years.

D.Create an FSx for Windows File Server file system in us-east-1 that has a Single-AZ 2 deployment type. Use AWS Backup to create a daily backup plan that includes a backup rule that copies the backup to us-west-2. Configure AWS Backup Vault Lock in governance mode for a target vault in us-west-2. Configure a minimum duration of 5 years.

【參考答案】C

【題號】question 619

【題目】

A solutions architect is designing a security solution for a company that wants to provide developers with individual AWS accounts through AWS Organizations, while also maintaining standard security controls. Because the individual developers will have AWS account root user-level access to their own accounts, the solutions architect wants to ensure that the mandatory AWS CloudTrail configuration that is applied to new developer accounts is not modified.

Which action meets these requirements?

解決方案架構師正在為一家公司設計安全解決方案，該公司希望透過 AWS Organizations 為開發人員提供個人 AWS 帳戶，同時維護標準安全控制。由於各個開發人員將擁有對其自己帳戶的 AWS 帳戶根用戶級存取權限，因此解決方案架構師希望確保應用於新開發人員帳戶的強制 AWS CloudTrail 配置不會被修改。

哪項行動符合這些要求？

【選項】

- A.Create an IAM policy that prohibits changes to CloudTrail. and attach it to the root user.
- B.Create a new trail in CloudTrail from within the developer accounts with the organization trails option enabled.
- C.Create a service control policy (SCP) that prohibits changes to CloudTrail, and attach it the developer accounts.
- D.Create a service-linked role for CloudTrail with a policy condition that allows changes only from an Amazon Resource Name (ARN) in the management account.

【參考答案】C

【題號】question 620

【題目】

A company is planning to deploy a business-critical application in the AWS Cloud. The application requires durable storage with consistent, low-latency performance.

Which type of storage should a solutions architect recommend to meet these requirements?

一家公司計劃在 AWS 雲端中部署關鍵業務應用程式。該應用程式需要具有一致、低延遲效能的持久性儲存。

解決方案架構師應該推薦哪種類型的儲存空間來滿足這些要求？

【選項】

- A.Instance store volume
- B.Amazon ElastiCache for Memcached cluster
- C.Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume

D.Throughput Optimized HDD Amazon Elastic Block Store (Amazon EBS) volume

【參考答案】C

【題號】question 621

【題目】

An online photo-sharing company stores its photos in an Amazon S3 bucket that exists in the us-west-1 Region. The company needs to store a copy of all new photos in the us-east-1 Region.

Which solution will meet this requirement with the LEAST operational effort?

一家線上照片分享公司將其照片儲存在 us-west-1 區域中的 Amazon S3 儲存桶中。該公司需要在 us-east-1 區域儲存所有新照片的副本。

哪一種解決方案能夠以最少的操作工作量滿足此要求？

【選項】

A.Create a second S3 bucket in us-east-1. Use S3 Cross-Region Replication to copy photos from the existing S3 bucket to the second S3 bucket.

B.Create a cross-origin resource sharing (CORS) configuration of the existing S3 bucket. Specify us-east-1 in the CORS rule's AllowedOrigin element.

C.Create a second S3 bucket in us-east-1 across multiple Availability Zones. Create an S3 Lifecycle rule to save photos into the second S3 bucket.

D.Create a second S3 bucket in us-east-1. Configure S3 event notifications on object creation and update events to invoke an AWS Lambda function to copy photos from the existing S3 bucket to the second S3 bucket.

【參考答案】A

【題號】question 622

【題目】

A company is creating a new web application for its subscribers. The application will consist of a static single page and a persistent database layer. The application will have millions of users for 4 hours in the morning, but the application will have only a few thousand users during the rest of the day. The company's data architects have requested the ability to rapidly evolve their schema.

Which solutions will meet these requirements and provide the MOST scalability? (Choose two.)

一家公司正在為其訂閱者創建一個新的 Web 應用程式。該應用程式將由靜態單頁面和持久性資料庫層組成。該應用程式在早上 4 小時內將擁有數百萬用戶，但該應用程式在一天的其餘時間將只有幾千個用戶。該公司的資料架構師要求能夠快速發展其架構。

哪些解決方案將滿足這些要求並提供最大的可擴展性？（選兩個。）

【選項】

- A. Deploy Amazon DynamoDB as the database solution. Provision on-demand capacity.
- B. Deploy Amazon Aurora as the database solution. Choose the serverless DB engine mode.
- C. Deploy Amazon DynamoDB as the database solution. Ensure that DynamoDB auto scaling is enabled.
- D. Deploy the static content into an Amazon S3 bucket. Provision an Amazon CloudFront distribution with the S3 bucket as the origin.
- E. Deploy the web servers for static content across a fleet of Amazon EC2 instances in Auto Scaling groups. Configure the instances to periodically refresh the content from an Amazon Elastic File System (Amazon EFS) volume.

【參考答案】AD

【題號】question 623

【題目】

A company uses Amazon API Gateway to manage its REST APIs that third-party service providers access. The company must protect the REST APIs from SQL injection and cross-site scripting attacks.

What is the MOST operationally efficient solution that meets these requirements?

一家公司使用 Amazon API Gateway 來管理第三方服務提供者存取的 REST API。公司必須保護 REST API 免受 SQL 注入和跨網站腳本攻擊。

滿足這些要求的最高效的營運解決方案是什麼？

【選項】

A.Configure AWS Shield.

B.Configure AWS WAF.

C.Set up API Gateway with an Amazon CloudFront distribution. Configure AWS Shield in CloudFront.

D.Set up API Gateway with an Amazon CloudFront distribution. Configure AWS WAF in CloudFront.

【參考答案】B

【題號】question 624

【題目】

A company wants to provide users with access to AWS resources. The company has 1,500 users and manages their access to on-premises resources through Active Directory user groups on the corporate network. However, the company does not want users to have to maintain another identity to access the resources. A solutions architect must manage user access to the AWS resources while preserving access to the on-premises resources.

What should the solutions architect do to meet these requirements?

一家公司希望為使用者提供對 AWS 資源的存取權。該公司擁有 1,500 名用戶，並透過公司網路上的 Active Directory 用戶群組管理他們對本地資源的存取。然而，該公司不希望用戶必須維護另一個身分才能存取資源。解決方案架構師必須管理使用者對 AWS 資源的訪問，同時保留對本機資源的存取。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Create an IAM user for each user in the company. Attach the appropriate policies to each user.

B.Use Amazon Cognito with an Active Directory user pool. Create roles with the appropriate policies attached.

C.Define cross-account roles with the appropriate policies attached. Map the roles to the Active Directory groups.

D.Configure Security Assertion Markup Language (SAML) 2.0-based federation. Create roles with the appropriate policies attached. Map the roles to the Active Directory groups.

【參考答案】D

【題號】question 625

【題目】

A company is hosting a website behind multiple Application Load Balancers. The company has different distribution rights for its content around the world. A solutions architect needs to ensure that users are served the correct content without violating distribution rights.

Which configuration should the solutions architect choose to meet these requirements?

一家公司在多個應用程式負載平衡器後面託管一個網站。該公司在全球擁有不同的內容發行權。解決方案架構師需要確保為使用者提供正確的內容而不侵犯分發權。

解決方案架構師應該選擇哪種配置來滿足這些要求？

【選項】

- A.Configure Amazon CloudFront with AWS WAF.
- B.Configure Application Load Balancers with AWS WAF
- C.Configure Amazon Route 53 with a geolocation policy
- D.Configure Amazon Route 53 with a geoproximity routing policy

【參考答案】C

【題號】question 626

【題目】

A company stores its data on premises. The amount of data is growing beyond the company's available capacity.

The company wants to migrate its data from the on-premises location to an Amazon S3 bucket. The company needs a solution that will automatically validate the integrity of the data after the transfer.

Which solution will meet these requirements?

公司將其資料儲存在本地。數據量的成長超出了公司的可用容量。

該公司希望將其資料從本地位置遷移到 Amazon S3 儲存桶。該公司需要一種能夠在傳輸後自動驗證資料完整性的解決方案。

哪種解決方案可以滿足這些要求？

【選項】

- A.Order an AWS Snowball Edge device. Configure the Snowball Edge device to perform the online data transfer to an S3 bucket
- B.Deploy an AWS DataSync agent on premises. Configure the DataSync agent to perform the online data transfer to an S3 bucket.

C.Create an Amazon S3 File Gateway on premises Configure the S3 File Gateway to perform the online data transfer to an S3 bucket

D.Configure an accelerator in Amazon S3 Transfer Acceleration on premises. Configure the accelerator to perform the online data transfer to an S3 bucket.

【參考答案】B

【題號】question 627

【題目】

A company wants to migrate two DNS servers to AWS. The servers host a total of approximately 200 zones and receive 1 million requests each day on average. The company wants to maximize availability while minimizing the operational overhead that is related to the management of the two servers.

What should a solutions architect recommend to meet these requirements?

一家公司想要將兩台 DNS 伺服器遷移到 AWS。這些伺服器總共託管約 200 個區域，平均每天接收 100 萬個請求。該公司希望最大限度地提高可用性，同時最大限度地減少與兩台伺服器管理相關的營運開銷。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

A.Create 200 new hosted zones in the Amazon Route 53 console Import zone files.

B.Launch a single large Amazon EC2 instance Import zone files. Configure Amazon CloudWatch alarms and notifications to alert the company about any downtime.

C.Migrate the servers to AWS by using AWS Server Migration Service (AWS SMS). Configure Amazon CloudWatch alarms and notifications to alert the company about any downtime.

D.Launch an Amazon EC2 instance in an Auto Scaling group across two Availability Zones. Import zone files. Set the desired capacity to 1 and the maximum capacity to 3 for the Auto Scaling group. Configure scaling alarms to scale based on CPU utilization.

【參考答案】A

【題號】question 628

【題目】

A global company runs its applications in multiple AWS accounts in AWS Organizations. The company's applications use multipart uploads to upload data to multiple Amazon S3 buckets across AWS Regions. The company wants to report on incomplete multipart uploads for cost compliance purposes.

Which solution will meet these requirements with the LEAST operational overhead?

一家跨國公司在 AWS Organizations 的多個 AWS 帳戶中執行其應用程式。該公司的應用程式使用分段上傳將資料上傳到跨 AWS 區域的多個 Amazon S3 儲存桶。該公司希望報告不完整的分段上傳，以達到成本合規目的。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Configure AWS Config with a rule to report the incomplete multipart upload object count.

B. Create a service control policy (SCP) to report the incomplete multipart upload object count.

C. Configure S3 Storage Lens to report the incomplete multipart upload object count.

D. Create an S3 Multi-Region Access Point to report the incomplete multipart upload object count.

【參考答案】C

【題號】question 629

【題目】

A company runs a production database on Amazon RDS for MySQL. The company wants to upgrade the database version for security compliance reasons. Because the database contains critical data, the company wants a quick solution to upgrade and test functionality without losing any data.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 Amazon RDS for MySQL 上運行生產資料庫。出於安全合規原因，該公司希望升級資料庫版本。由於資料庫包含關鍵數據，該公司希望有一個快速的解決方案來升級和測試功能而不丟失任何數據。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an RDS manual snapshot. Upgrade to the new version of Amazon RDS for MySQL.

B.Use native backup and restore. Restore the data to the upgraded new version of Amazon RDS for MySQL.

C.Use AWS Database Migration Service (AWS DMS) to replicate the data to the upgraded new version of Amazon RDS for MySQL.

D.Use Amazon RDS Blue/Green Deployments to deploy and test production changes.

【參考答案】D

【題號】question 630

【題目】

A solutions architect is creating a data processing job that runs once daily and can take up to 2 hours to complete. If the job is interrupted, it has to restart from the beginning.

How should the solutions architect address this issue in the MOST cost-effective manner?

解決方案架構師正在創建每天執行一次的資料處理作業，最多可能需要 2 小時才能完成。如果作業中斷，則必須從頭開始。

解決方案架構師應如何以最具成本效益的方式解決這個問題？

【選項】

- A.Create a script that runs locally on an Amazon EC2 Reserved Instance that is triggered by a cron job.
- B.Create an AWS Lambda function triggered by an Amazon EventBridge scheduled event.
- C.Use an Amazon Elastic Container Service (Amazon ECS) Fargate task triggered by an Amazon EventBridge scheduled event.
- D.Use an Amazon Elastic Container Service (Amazon ECS) task running on Amazon EC2 triggered by an Amazon EventBridge scheduled event.

【參考答案】C

【題號】question 631

【題目】

A social media company wants to store its database of user profiles, relationships, and interactions in the AWS Cloud. The company needs an application to monitor any changes in the database. The application needs to analyze the relationships between the data entities and to provide recommendations to users.

Which solution will meet these requirements with the LEAST operational overhead?

一家社群媒體公司希望將其用戶個人資料、關係和互動的資料庫儲存在 AWS 雲端。該公司需要一個應用程式來監視資料庫中的任何變更。應用程式需要分析資料實體之間的關係並向使用者提供建議。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use Amazon Neptune to store the information. Use Amazon Kinesis Data Streams to process changes in the database.

B. Use Amazon Neptune to store the information. Use Neptune Streams to process changes in the database.

C. Use Amazon Quantum Ledger Database (Amazon QLDB) to store the information. Use Amazon Kinesis Data Streams to process changes in the database.

D. Use Amazon Quantum Ledger Database (Amazon QLDB) to store the information. Use Neptune Streams to process changes in the database.

【參考答案】B

【題號】question 632

【題目】

A company is creating a new application that will store a large amount of data. The data will be analyzed hourly and will be modified by several Amazon EC2 Linux instances that are deployed across multiple Availability Zones. The needed amount of storage space will continue to grow for the next 6 months.

Which storage solution should a solutions architect recommend to meet these requirements?

一家公司正在創建一個將儲存大量資料的新應用程式。資料將每小時進行一次分析，並由跨多個可用區部署的多個 Amazon EC2 Linux 執行個體進行修改。未來 6 個月所需的儲存空間量將持續成長。

解決方案架構師應該推薦哪種儲存解決方案來滿足這些要求？

【選項】

A. Store the data in Amazon S3 Glacier. Update the S3 Glacier vault policy to allow access to the application instances.

B. Store the data in an Amazon Elastic Block Store (Amazon EBS) volume. Mount the EBS volume on the application instances.

C.Store the data in an Amazon Elastic File System (Amazon EFS) file system. Mount the file system on the application instances.

D.Store the data in an Amazon Elastic Block Store (Amazon EBS) Provisioned IOPS volume shared between the application instances.

【參考答案】C

【題號】question 633

【題目】

A company manages an application that stores data on an Amazon RDS for PostgreSQL Multi-AZ DB instance. Increases in traffic are causing performance problems. The company determines that database queries are the primary reason for the slow performance.

What should a solutions architect do to improve the application's performance?

一家公司管理一個在 Amazon RDS for PostgreSQL 多可用區資料庫執行個體上儲存資料的應用程式。流量的增加導致效能問題。該公司確定資料庫查詢是效能緩慢的主要原因。

解決方案架構師應該做什麼來提高應用程式的效能？

【選項】

A.Serve read traffic from the Multi-AZ standby replica.

B.Configure the DB instance to use Transfer Acceleration.

C.Create a read replica from the source DB instance. Serve read traffic from the read replica.

D.Use Amazon Kinesis Data Firehose between the application and Amazon RDS to increase the concurrency of database requests.

【參考答案】C

【題號】question 634

【題目】

A company collects 10 GB of telemetry data daily from various machines. The company stores the data in an Amazon S3 bucket in a source data account.

The company has hired several consulting agencies to use this data for analysis. Each agency needs read access to the data for its analysts. The company must share the data from the source data account by choosing a solution that maximizes security and operational efficiency.

Which solution will meet these requirements?

一家公司每天從各種機器收集 10 GB 的遙測數據。該公司將資料儲存在來源資料帳戶的 Amazon S3 儲存桶中。

該公司已聘請多家諮詢機構使用這些數據進行分析。每個機構都需要其分析師讀取資料。公司必須透過選擇能夠最大限度提高安全性和營運效率的解決方案來共享來源資料帳戶中的資料。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure S3 global tables to replicate data for each agency.

B. Make the S3 bucket public for a limited time. Inform only the agencies.

C. Configure cross-account access for the S3 bucket to the accounts that the agencies own.

D. Set up an IAM user for each analyst in the source data account. Grant each user access to the S3 bucket.

【參考答案】C

【題號】question 635

【題目】

A company uses Amazon FSx for NetApp ONTAP in its primary AWS Region for CIFS and NFS file shares. Applications that run on Amazon EC2 instances access the file shares. The company needs a storage disaster recovery (DR) solution in a secondary Region. The data that is replicated in the secondary Region needs to be accessed by using the same protocols as the primary Region.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在其主要 AWS 區域中使用 Amazon FSx for NetApp ONTAP 來實現 CIFS 和 NFS 檔案共用。在 Amazon EC2 執行個體上執行的應用程式存取檔案共用。該公司需要在次要區域提供儲存災難復原 (DR) 解決方案。需要使用與主 Region 相同的協定來存取輔助 Region 中複製的資料。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Create an AWS Lambda function to copy the data to an Amazon S3 bucket. Replicate the S3 bucket to the secondary Region.
- B.Create a backup of the FSx for ONTAP volumes by using AWS Backup. Copy the volumes to the secondary Region. Create a new FSx for ONTAP instance from the backup.
- C.Create an FSx for ONTAP instance in the secondary Region. Use NetApp SnapMirror to replicate data from the primary Region to the secondary Region.
- D.Create an Amazon Elastic File System (Amazon EFS) volume. Migrate the current data to the volume. Replicate the volume to the secondary Region.

【參考答案】C

【題號】question 636

【題目】

A development team is creating an event-based application that uses AWS Lambda functions. Events will be generated when files are added to an Amazon S3 bucket. The development team currently has Amazon Simple Notification Service (Amazon SNS) configured as the event target from Amazon S3.

What should a solutions architect do to process the events from Amazon S3 in a scalable way?

開發團隊正在建立一個使用 AWS Lambda 函數的基於事件的应用程式。將檔案新增至 Amazon S3 儲存桶時將產生事件。開發團隊目前已將 Amazon Simple Notification Service (Amazon SNS) 設定為 Amazon S3 的事件目標。

解決方案架構師應該怎麼做才能以可擴展的方式處理來自 Amazon S3 的事件？

【選項】

- A. Create an SNS subscription that processes the event in Amazon Elastic Container Service (Amazon ECS) before the event runs in Lambda.
- B. Create an SNS subscription that processes the event in Amazon Elastic Kubernetes Service (Amazon EKS) before the event runs in Lambda
- C. Create an SNS subscription that sends the event to Amazon Simple Queue Service (Amazon SQS). Configure the SQS queue to trigger a Lambda function.
- D. Create an SNS subscription that sends the event to AWS Server Migration Service (AWS SMS). Configure the Lambda function to poll from the SMS event.

【參考答案】C

【題號】question 637

【題目】

A solutions architect is designing a new service behind Amazon API Gateway. The request patterns for the service will be unpredictable and can change suddenly from 0 requests to over 500 per second. The total size of the data that needs to be persisted in a backend database is currently less than 1 GB with unpredictable future growth. Data can be queried using simple key-value requests.

Which combination of AWS services would meet these requirements? (Choose two.)

解決方案架構師正在設計 Amazon API Gateway 背後的新服務。服務的請求模式將是不可預測的，並且可能會突然從每秒 0 個請求變為超過 500 個請求。目前後端資料庫需要持久化的資料總大小不到1GB，且未來成長無法預測。可以使用簡單的鍵值請求來查詢資料。

哪種 AWS 服務組合可以滿足這些要求？（選兩個。）

【選項】

A.AWS Fargate

B.AWS Lambda

C.Amazon DynamoDB

D.Amazon EC2 Auto Scaling

E.MySQL-compatible Amazon Aurora

【參考答案】BC

【題號】question 638

【題目】

A company collects and shares research data with the company's employees all over the world. The company wants to collect and store the data in an Amazon S3 bucket and process the data in the AWS Cloud. The company will share the data with the company's employees. The company needs a secure solution in the AWS Cloud that minimizes operational overhead.

Which solution will meet these requirements?

一家公司收集研究數據並與該公司世界各地的員工分享。該公司希望收集資料並將其儲存在 Amazon S3 儲存桶中，並在 AWS 雲端中處理資料。公司將與公司員工分享數據。該公司需要 AWS 雲端中的安全解決方案來最大限度地減少營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use an AWS Lambda function to create an S3 presigned URL. Instruct employees to use the URL.
- B. Create an IAM user for each employee. Create an IAM policy for each employee to allow S3 access. Instruct employees to use the AWS Management Console.
- C. Create an S3 File Gateway. Create a share for uploading and a share for downloading. Allow employees to mount shares on their local computers to use S3 File Gateway.
- D. Configure AWS Transfer Family SFTP endpoints. Select the custom identity provider options. Use AWS Secrets Manager to manage the user credentials. Instruct employees to use Transfer Family.

【參考答案】D

【題號】question 639

【題目】

A company is building a new furniture inventory application. The company has deployed the application on a fleet of Amazon EC2 instances across multiple Availability Zones. The EC2 instances run behind an Application Load Balancer (ALB) in their VPC.

A solutions architect has observed that incoming traffic seems to favor one EC2 instance, resulting in latency for some requests.

What should the solutions architect do to resolve this issue?

一家公司正在建立新的家具庫存應用程式。該公司已將該應用程式部署在跨多個可用區的一組 Amazon EC2 執行個體上。EC2 執行個體在其 VPC 中的應用程式負載平衡器 (ALB) 後面執行。

一位解決方案架構師觀察到，傳入流量似乎有利於一個 EC2 實例，從而導致某些請求出現延遲。

解決方案架構師應該做什麼來解決這個問題？

【選項】

- A.Disable session affinity (sticky sessions) on the ALB
- B.Replace the ALB with a Network Load Balancer
- C.Increase the number of EC2 instances in each Availability Zone
- D.Adjust the frequency of the health checks on the ALB's target group

【參考答案】A

【題號】question 640

【題目】

A company has an application workflow that uses an AWS Lambda function to download and decrypt files from Amazon S3. These files are encrypted using AWS Key Management Service (AWS KMS) keys. A solutions architect needs to design a solution that will ensure the required permissions are set correctly.

Which combination of actions accomplish this? (Choose two.)

一家公司的應用程式工作流程使用 AWS Lambda 函數從 Amazon S3 下載和解密檔案。這些檔案使用 AWS Key Management Service (AWS KMS) 金鑰進行加密。解決方案架構師需要設計一個解決方案，以確保正確設定所需的權限。

哪種行動組合可以實現這個目標？（選兩個。）

【選項】

- A.Attach the kms:decrypt permission to the Lambda function's resource policy
- B.Grant the decrypt permission for the Lambda IAM role in the KMS key's policy
- C.Grant the decrypt permission for the Lambda resource policy in the KMS key's policy.
- D.Create a new IAM policy with the kms:decrypt permission and attach the policy to the Lambda function.
- E.Create a new IAM role with the kms:decrypt permission and attach the execution role to the Lambda function.

【參考答案】BE

【題號】question 641

【題目】

A company wants to monitor its AWS costs for financial review. The cloud operations team is designing an architecture in the AWS Organizations management account to query AWS Cost and Usage Reports for all member accounts. The team must run this query once a month and provide a detailed analysis of the bill.

Which solution is the MOST scalable and cost-effective way to meet these requirements?

一家公司希望監控其 AWS 成本以進行財務審查。雲端營運團隊正在 AWS Organizations 管理帳戶中設計一個架構，以查詢所有成員帳戶的 AWS 成本和使用情況報告。團隊必須每月執行此查詢並提供帳單的詳細分析。

哪一種解決方案是滿足這些要求的最具可擴展性和成本效益的方式？

【選項】

A.Enable Cost and Usage Reports in the management account. Deliver reports to Amazon Kinesis. Use Amazon EMR for analysis.

B.Enable Cost and Usage Reports in the management account. Deliver the reports to Amazon S3 Use Amazon Athena for analysis.

C.Enable Cost and Usage Reports for member accounts. Deliver the reports to Amazon S3 Use Amazon Redshift for analysis.

D.Enable Cost and Usage Reports for member accounts. Deliver the reports to Amazon Kinesis. Use Amazon QuickSight for analysis.

【參考答案】B

【題號】question 642

【題目】

A company wants to run a gaming application on Amazon EC2 instances that are part of an Auto Scaling group in the AWS Cloud. The application will transmit data by using UDP packets. The company wants to ensure that the application can scale out and in as traffic increases and decreases.

What should a solutions architect do to meet these requirements?

一家公司希望在屬於 AWS 雲端中 Auto Scaling 群組的 Amazon EC2 執行個體上執行遊戲應用程式。應用程式將使用UDP資料包傳輸資料。該公司希望確保應用程式可以隨著流量的增加和減少而橫向擴展和收縮。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A.Attach a Network Load Balancer to the Auto Scaling group.
- B.Attach an Application Load Balancer to the Auto Scaling group.
- C.Deploy an Amazon Route 53 record set with a weighted policy to route traffic appropriately.
- D.Deploy a NAT instance that is configured with port forwarding to the EC2 instances in the Auto Scaling group.

【參考答案】A

【題號】question 643

【題目】

A company runs several websites on AWS for its different brands. Each website generates tens of gigabytes of web traffic logs each day. A solutions architect needs to design a scalable solution to give the company's developers the ability to analyze traffic patterns across all the company's websites. This analysis by the developers will occur on demand

once a week over the course of several months. The solution must support queries with standard SQL.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 AWS 上為其不同品牌經營多個網站。每個網站每天都會產生數十 GB 的網路流量日誌。解決方案架構師需要設計一個可擴展的解決方案，使公司的開發人員能夠分析公司所有網站的流量模式。開發人員將在幾個月內根據需要每週進行一次分析。此解決方案必須支援使用標準 SQL 的查詢。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Store the logs in Amazon S3. Use Amazon Athena for analysis.

B.Store the logs in Amazon RDS. Use a database client for analysis.

C.Store the logs in Amazon OpenSearch Service. Use OpenSearch Service for analysis.

D.Store the logs in an Amazon EMR cluster Use a supported open-source framework for SQL-based analysis.

【參考答案】A

【題號】question 644

【題目】

An international company has a subdomain for each country that the company operates in. The subdomains are formatted as example.com, country1.example.com, and country2.example.com. The company's workloads are behind an Application Load Balancer. The company wants to encrypt the website data that is in transit.

Which combination of steps will meet these requirements? (Choose two.)

國際公司對於公司營運所在的每個國家/地區都有一個子網域。子網域的格式為 example.com、country1.example.com 和 country2.example.com。該公司的工作負載由應用程式負載平衡器支援。該公司希望對傳輸中的網站資料進行加密。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

- A. Use the AWS Certificate Manager (ACM) console to request a public certificate for the apex top domain example.com and a wildcard certificate for *.example.com.
- B. Use the AWS Certificate Manager (ACM) console to request a private certificate for the apex top domain example.com and a wildcard certificate for *.example.com.
- C. Use the AWS Certificate Manager (ACM) console to request a public and private certificate for the apex top domain example.com.
- D. Validate domain ownership by email address. Switch to DNS validation by adding the required DNS records to the DNS provider.
- E. Validate domain ownership for the domain by adding the required DNS records to the DNS provider.

【參考答案】AE

【題號】question 645

【題目】

A company is required to use cryptographic keys in its on-premises key manager. The key manager is outside of the AWS Cloud because of regulatory and compliance requirements. The company wants to manage encryption and decryption by using cryptographic keys that are retained outside of the AWS Cloud and that support a variety of external key managers from different vendors.

Which solution will meet these requirements with the LEAST operational overhead?

公司需要在其本地密鑰管理器中使用加密密鑰。由於監管和合規性要求，金鑰管理器位於 AWS 雲端之外。該公司希望使用保留在 AWS 雲端外部並支援來自不同供應商的各種外部金鑰管理器的加密金鑰來管理加密和解密。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use AWS CloudHSM key store backed by a CloudHSM cluster.
- B. Use an AWS Key Management Service (AWS KMS) external key store backed by an external key manager.
- C. Use the default AWS Key Management Service (AWS KMS) managed key store.
- D. Use a custom key store backed by an AWS CloudHSM cluster.

【參考答案】B

【題號】question 646

【題目】

A solutions architect needs to host a high performance computing (HPC) workload in the AWS Cloud. The workload will run on hundreds of Amazon EC2 instances and will require parallel access to a shared file system to enable distributed processing of large datasets. Datasets will be accessed across multiple instances simultaneously. The workload requires access latency within 1 ms. After processing has completed, engineers will need access to the dataset for manual postprocessing.

Which solution will meet these requirements?

解決方案架構師需要在 AWS 雲端中託管高效能運算 (HPC) 工作負載。此工作負載將在數百個 Amazon EC2 執行個體上運行，並且需要並行存取共用檔案系統以實現大型資料集的分散式處理。將同時跨多個實例存取資料集。工作負載要求訪問時延在1ms以內。處理完成後，工程師將需要存取資料集進行手動後處理。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use Amazon Elastic File System (Amazon EFS) as a shared file system. Access the dataset from Amazon EFS.
- B. Mount an Amazon S3 bucket to serve as the shared file system. Perform postprocessing directly from the S3 bucket.

C. Use Amazon FSx for Lustre as a shared file system. Link the file system to an Amazon S3 bucket for postprocessing.

D. Configure AWS Resource Access Manager to share an Amazon S3 bucket so that it can be mounted to all instances for processing and postprocessing.

【參考答案】C

【題號】question 647

【題目】

A gaming company is building an application with Voice over IP capabilities. The application will serve traffic to users across the world. The application needs to be highly available with an automated failover across AWS Regions. The company wants to minimize the latency of users without relying on IP address caching on user devices.

What should a solutions architect do to meet these requirements?

一家遊戲公司正在建立具有 IP 語音功能的應用程式。該應用程式將為世界各地的用戶提供流量。該應用程式需要具有跨 AWS 區域的自動故障轉移的高可用性。該公司希望在不依賴用戶設備上的 IP 位址快取的情況下最大限度地減少用戶的延遲。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Use AWS Global Accelerator with health checks.

B. Use Amazon Route 53 with a geolocation routing policy.

C. Create an Amazon CloudFront distribution that includes multiple origins.

D. Create an Application Load Balancer that uses path-based routing.

【參考答案】A

【題號】question 648

【題目】

A weather forecasting company needs to process hundreds of gigabytes of data with sub-millisecond latency. The company has a high performance computing (HPC) environment in its data center and wants to expand its forecasting capabilities.

A solutions architect must identify a highly available cloud storage solution that can handle large amounts of sustained throughput. Files that are stored in the solution should be accessible to thousands of compute instances that will simultaneously access and process the entire dataset.

What should the solutions architect do to meet these requirements?

天氣預報公司需要以亞毫秒延遲處理數百 GB 的資料。該公司的資料中心擁有高效能運算 (HPC) 環境，並希望擴展其預測能力。

解決方案架構師必須確定一個高度可用的雲端儲存解決方案，可以處理大量的持續吞吐量。儲存在解決方案中的檔案應該可供數千個同時存取和處理整個資料集的運算實例存取。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A. Use Amazon FSx for Lustre scratch file systems.
- B. Use Amazon FSx for Lustre persistent file systems.
- C. Use Amazon Elastic File System (Amazon EFS) with Bursting Throughput mode.
- D. Use Amazon Elastic File System (Amazon EFS) with Provisioned Throughput mode.

【參考答案】B

【題號】question 649

【題目】

An ecommerce company runs a PostgreSQL database on premises. The database stores data by using high IOPS Amazon Elastic Block Store (Amazon EBS) block storage. The daily

peak I/O transactions per second do not exceed 15,000 IOPS. The company wants to migrate the database to Amazon RDS for PostgreSQL and provision disk IOPS performance independent of disk storage capacity.

Which solution will meet these requirements MOST cost-effectively?

一家電子商務公司在本地運行 PostgreSQL 資料庫。資料庫使用高 IOPS Amazon Elastic Block Store (Amazon EBS) 區塊儲存來儲存資料。每日每秒峰值 I/O 交易不超過 15,000 IOPS。該公司希望將資料庫遷移到 Amazon RDS for PostgreSQL，並提供獨立於磁碟儲存容量的磁碟 IOPS 效能。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Configure the General Purpose SSD (gp2) EBS volume storage type and provision 15,000 IOPS.

B. Configure the Provisioned IOPS SSD (io1) EBS volume storage type and provision 15,000 IOPS.

C. Configure the General Purpose SSD (gp3) EBS volume storage type and provision 15,000 IOPS.

D. Configure the EBS magnetic volume type to achieve maximum IOPS.

【參考答案】C

【題號】question 650

【題目】

A company wants to migrate its on-premises Microsoft SQL Server Enterprise edition database to AWS. The company's online application uses the database to process transactions. The data analysis team uses the same production database to run reports for analytical processing. The company wants to reduce operational overhead by moving to managed services wherever possible.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望將其本地 Microsoft SQL Server Enterprise 版資料庫遷移到 AWS。該公司的線上應用程式使用資料庫來處理交易。數據分析團隊使用相同的生產資料庫來執行報告進行分析處理。該公司希望透過盡可能轉向託管服務來減少營運開銷。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Migrate to Amazon RDS for Microsoft SQL Server. Use read replicas for reporting purposes
- B.Migrate to Microsoft SQL Server on Amazon EC2. Use Always On read replicas for reporting purposes
- C.Migrate to Amazon DynamoDB. Use DynamoDB on-demand replicas for reporting purposes
- D.Migrate to Amazon Aurora MySQL. Use Aurora read replicas for reporting purposes

【參考答案】A

【題號】question 651

【題目】

A company stores a large volume of image files in an Amazon S3 bucket. The images need to be readily available for the first 180 days. The images are infrequently accessed for the next 180 days. After 360 days, the images need to be archived but must be available instantly upon request. After 5 years, only auditors can access the images. The auditors must be able to retrieve the images within 12 hours. The images cannot be lost during this process.

A developer will use S3 Standard storage for the first 180 days. The developer needs to configure an S3 Lifecycle rule.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 Amazon S3 儲存桶中儲存大量圖像檔案。圖像需要在前 180 天內隨時可用。在接下來的 180 天內，這些圖像很少被訪問。360 天后，圖像需要存檔，但必須根據請求立即可

用。5 年後，只有審核員才能存取影像。審核員必須能夠在 12 小時內檢索影像。在此過程中影像不會遺失。

開發人員將在前 180 天使用 S3 標準儲存。開發者需要配置 S3 生命週期規則。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Transition the objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 180 days, S3 Glacier Instant Retrieval after 360 days, and S3 Glacier Deep Archive after 5 years.

B. Transition the objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 180 days, S3 Glacier Flexible Retrieval after 360 days, and S3 Glacier Deep Archive after 5 years.

C. Transition the objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 180 days, S3 Glacier Instant Retrieval after 360 days, and S3 Glacier Deep Archive after 5 years.

D. Transition the objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 180 days, S3 Glacier Flexible Retrieval after 360 days, and S3 Glacier Deep Archive after 5 years.

【參考答案】C

【題號】question 652

【題目】

A company has a large data workload that runs for 6 hours each day. The company cannot lose any data while the process is running. A solutions architect is designing an Amazon EMR cluster configuration to support this critical data workload.

Which solution will meet these requirements MOST cost-effectively?

某公司有大量資料工作負載，每天運作 6 小時。流程運行時公司不會遺失任何資料。解決方案架構師正在設計 Amazon EMR 叢集配置來支援此關鍵資料工作負載。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A. Configure a long-running cluster that runs the primary node and core nodes on On-Demand Instances and the task nodes on Spot Instances.
- B. Configure a transient cluster that runs the primary node and core nodes on On-Demand Instances and the task nodes on Spot Instances.
- C. Configure a transient cluster that runs the primary node on an On-Demand Instance and the core nodes and task nodes on Spot Instances.
- D. Configure a long-running cluster that runs the primary node on an On-Demand Instance, the core nodes on Spot Instances, and the task nodes on Spot Instances.

【參考答案】B

【題號】question 653

【題目】

A company maintains an Amazon RDS database that maps users to cost centers. The company has accounts in an organization in AWS Organizations. The company needs a solution that will tag all resources that are created in a specific AWS account in the organization. The solution must tag each resource with the cost center ID of the user who created the resource.

Which solution will meet these requirements?

一家公司維護一個將使用者對應到成本中心的 Amazon RDS 資料庫。該公司在 AWS Organizations 的一個組織中擁有帳戶。該公司需要一種解決方案來標記在組織中的特定 AWS 帳戶中建立的所有資源。解決方案必須使用建立該資源的使用者的成本中心 ID 來標記每個資源。

哪種解決方案可以滿足這些要求？

【選項】

A.Move the specific AWS account to a new organizational unit (OU) in Organizations from the management account. Create a service control policy (SCP) that requires all existing resources to have the correct cost center tag before the resources are created. Apply the SCP to the new OU.

B.Create an AWS Lambda function to tag the resources after the Lambda function looks up the appropriate cost center from the RDS database. Configure an Amazon EventBridge rule that reacts to AWS CloudTrail events to invoke the Lambda function.

C.Create an AWS CloudFormation stack to deploy an AWS Lambda function. Configure the Lambda function to look up the appropriate cost center from the RDS database and to tag resources. Create an Amazon EventBridge scheduled rule to invoke the CloudFormation stack.

D.Create an AWS Lambda function to tag the resources with a default value. Configure an Amazon EventBridge rule that reacts to AWS CloudTrail events to invoke the Lambda function when a resource is missing the cost center tag.

【參考答案】B

【題號】question 654

【題目】

A company recently migrated its web application to the AWS Cloud. The company uses an Amazon EC2 instance to run multiple processes to host the application. The processes include an Apache web server that serves static content. The Apache web server makes requests to a PHP application that uses a local Redis server for user sessions.

The company wants to redesign the architecture to be highly available and to use AWS managed solutions.

Which solution will meet these requirements?

一家公司最近將其 Web 應用程式遷移到 AWS 雲端。該公司使用 Amazon EC2 執行個體執行多個進程來託管應用程式。這些進程包含一個提供靜態內容的 Apache Web 伺服器。Apache Web 伺服器向使用本機 Redis 伺服器進行使用者會話的 PHP 應用程式發出請求。

該公司希望重新設計架構，使其具有高可用性並使用 AWS 託管解決方案。

哪種解決方案可以滿足這些要求？

【選項】

A. Use AWS Elastic Beanstalk to host the static content and the PHP application. Configure Elastic Beanstalk to deploy its EC2 instance into a public subnet. Assign a public IP address.

B. Use AWS Lambda to host the static content and the PHP application. Use an Amazon API Gateway REST API to proxy requests to the Lambda function. Set the API Gateway CORS configuration to respond to the domain name. Configure Amazon ElastiCache for Redis to handle session information.

C. Keep the backend code on the EC2 instance. Create an Amazon ElastiCache for Redis cluster that has Multi-AZ enabled. Configure the ElastiCache for Redis cluster in cluster mode. Copy the frontend resources to Amazon S3. Configure the backend code to reference the EC2 instance.

D. Configure an Amazon CloudFront distribution with an Amazon S3 endpoint to an S3 bucket that is configured to host the static content. Configure an Application Load Balancer that targets an Amazon Elastic Container Service (Amazon ECS) service that runs AWS Fargate tasks for the PHP application. Configure the PHP application to use an Amazon ElastiCache for Redis cluster that runs in multiple Availability Zones.

【參考答案】D

【題號】question 655

【題目】

A company runs a web application on Amazon EC2 instances in an Auto Scaling group that has a target group. The company designed the application to work with session affinity (sticky sessions) for a better user experience.

The application must be available publicly over the internet as an endpoint. A WAF must be applied to the endpoint for additional security. Session affinity (sticky sessions) must be configured on the endpoint.

Which combination of steps will meet these requirements? (Choose two.)

一家公司在具有目標群組的 Auto Scaling 群組中的 Amazon EC2 執行個體上執行 Web 應用程式。該公司將該應用程式設計為與會話親和性(粘性會話)配合使用，以獲得更好的用戶體驗。

該應用程式必須作為端點透過網路公開可用。必須將 WAF 應用於端點以提高安全性。必須在端點上配置會話親和性(黏性會話)。

哪一種步驟組合可以滿足這些要求？(選兩個。)

【選項】

- A.Create a public Network Load Balancer. Specify the application target group.
- B.Create a Gateway Load Balancer. Specify the application target group.
- C.Create a public Application Load Balancer. Specify the application target group.
- D.Create a second target group. Add Elastic IP addresses to the EC2 instances.
- E.Create a web ACL in AWS WAF. Associate the web ACL with the endpoint

【參考答案】CE

【題號】question 656

【題目】

A company runs a website that stores images of historical events. Website users need the ability to search and view images based on the year that the event in the image occurred. On average, users request each image only once or twice a year. The company wants a highly available solution to store and deliver the images to users.

Which solution will meet these requirements MOST cost-effectively?

一家公司經營一個儲存歷史事件圖像的網站。網站使用者需要能夠根據圖像中事件發生的年份搜尋和查看圖像。平均而言，用戶每年僅請求每張圖像一到兩次。該公司希望有一個高度可用的解決方案來儲存圖像並將其傳遞給用戶。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Store images in Amazon Elastic Block Store (Amazon EBS). Use a web server that runs on Amazon EC2.

B.Store images in Amazon Elastic File System (Amazon EFS). Use a web server that runs on Amazon EC2.

C.Store images in Amazon S3 Standard. Use S3 Standard to directly deliver images by using a static website.

D.Store images in Amazon S3 Standard-Infrequent Access (S3 Standard-IA). Use S3 Standard-IA to directly deliver images by using a static website.

【參考答案】D

【題號】question 657

【題目】

A company has multiple AWS accounts in an organization in AWS Organizations that different business units use. The company has multiple offices around the world. The company needs to update security group rules to allow new office CIDR ranges or to remove old CIDR ranges across the organization. The company wants to centralize the management of security group rules to minimize the administrative overhead that updating CIDR ranges requires.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 AWS Organizations 的一個組織中擁有多個可供不同業務部門使用的 AWS 帳戶。該公司在全球設有多個辦事處。本公司需要更新安全群組規則以允許新的辦公室 CIDR 範圍或刪除整個組織中的舊 CIDR 範圍。該公司希望集中管理安全群組規則，以最大限度地減少更新 CIDR 範圍所需的管理開銷。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create VPC security groups in the organization's management account. Update the security groups when a CIDR range update is necessary.

B.Create a VPC customer managed prefix list that contains the list of CIDRs. Use AWS Resource Access Manager (AWS RAM) to share the prefix list across the organization. Use the prefix list in the security groups across the organization.

C.Create an AWS managed prefix list. Use an AWS Security Hub policy to enforce the security group update across the organization. Use an AWS Lambda function to update the prefix list automatically when the CIDR ranges change.

D.Create security groups in a central administrative AWS account. Create an AWS Firewall Manager common security group policy for the whole organization. Select the previously created security groups as primary groups in the policy.

【參考答案】B

【題號】question 658

【題目】

A company uses an on-premises network-attached storage (NAS) system to provide file shares to its high performance computing (HPC) workloads. The company wants to migrate its latency-sensitive HPC workloads and its storage to the AWS Cloud. The company must be able to provide NFS and SMB multi-protocol access from the file system.

Which solution will meet these requirements with the LEAST latency? (Choose two.)

一家公司使用本地網路附加儲存 (NAS) 系統為其高效能運算 (HPC) 工作負載提供檔案共用。該公司希望將其對延遲敏感的 HPC 工作負載及其儲存空間遷移到 AWS 雲端。公司必須能夠從檔案系統提供 NFS 和 SMB 多協定存取。

哪種解決方案能夠以最少的延遲滿足這些要求？（選兩個。）

【選項】

A.Deploy compute optimized EC2 instances into a cluster placement group.

B.Deploy compute optimized EC2 instances into a partition placement group.

C.Attach the EC2 instances to an Amazon FSx for Lustre file system.

D.Attach the EC2 instances to an Amazon FSx for OpenZFS file system.

E.Attach the EC2 instances to an Amazon FSx for NetApp ONTAP file system.

【參考答案】AE

【題號】question 659

【題目】

A company is relocating its data center and wants to securely transfer 50 TB of data to AWS within 2 weeks. The existing data center has a Site-to-Site VPN connection to AWS that is 90% utilized.

Which AWS service should a solutions architect use to meet these requirements?

一家公司正在搬遷其資料中心，並希望在 2 週內將 50 TB 的資料安全地傳輸到 AWS。現有資料中心具有與 AWS 的站點到站點 VPN 連接，利用率為 90%。

解決方案架構師應該使用哪種 AWS 服務來滿足這些要求？

【選項】

A.AWS DataSync with a VPC endpoint

B.AWS Direct Connect

C.AWS Snowball Edge Storage Optimized

D.AWS Storage Gateway

【參考答案】C

【題號】question 660

【題目】

A company hosts an application on Amazon EC2 On-Demand Instances in an Auto Scaling group. Application peak hours occur at the same time each day. Application users report slow application performance at the start of peak hours. The application performs normally 2-3 hours after peak hours begin. The company wants to ensure that the application works properly at the start of peak hours.

Which solution will meet these requirements?

一家公司在 Auto Scaling 群組中的 Amazon EC2 隨選執行個體上託管應用程式。申請高峰時間出現在每天的同一時間。應用程式使用者報告在高峰時段開始時應用程式效能緩慢。該應用程式在高峰時段開始後 2-3 小時內正常運作。該公司希望確保該應用程式在高峰時段開始時正常運作。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure an Application Load Balancer to distribute traffic properly to the instances.
- B. Configure a dynamic scaling policy for the Auto Scaling group to launch new instances based on memory utilization.
- C. Configure a dynamic scaling policy for the Auto Scaling group to launch new instances based on CPU utilization.
- D. Configure a scheduled scaling policy for the Auto Scaling group to launch new instances before peak hours.

【參考答案】D

【題號】question 661

【題目】

A company runs applications on AWS that connect to the company's Amazon RDS database. The applications scale on weekends and at peak times of the year. The company wants to scale the database more effectively for its applications that connect to the database.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 AWS 上執行連接到該公司的 Amazon RDS 資料庫的應用程式。應用程式會在週末和一年中的高峰時間擴展。該公司希望為其連接到資料庫的應用程式更有效地擴展資料庫。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use Amazon DynamoDB with connection pooling with a target group configuration for the database. Change the applications to use the DynamoDB endpoint.

B. Use Amazon RDS Proxy with a target group for the database. Change the applications to use the RDS Proxy endpoint.

C. Use a custom proxy that runs on Amazon EC2 as an intermediary to the database. Change the applications to use the custom proxy endpoint.

D. Use an AWS Lambda function to provide connection pooling with a target group configuration for the database. Change the applications to use the Lambda function.

【參考答案】B

【題號】question 662

【題目】

A company uses AWS Cost Explorer to monitor its AWS costs. The company notices that Amazon Elastic Block Store (Amazon EBS) storage and snapshot costs increase every month. However, the company does not purchase additional EBS storage every month. The company wants to optimize monthly costs for its current storage usage.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司使用 AWS Cost Explorer 來監控其 AWS 成本。該公司注意到 Amazon Elastic Block Store (Amazon EBS) 儲存和快照成本每月都在增加。但是，該公司不會每月購買額外的 EBS 儲存。該公司希望優化目前儲存使用的每月成本。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use logs in Amazon CloudWatch Logs to monitor the storage utilization of Amazon EBS. Use Amazon EBS Elastic Volumes to reduce the size of the EBS volumes.
- B. Use a custom script to monitor space usage. Use Amazon EBS Elastic Volumes to reduce the size of the EBS volumes.
- C. Delete all expired and unused snapshots to reduce snapshot costs.
- D. Delete all nonessential snapshots. Use Amazon Data Lifecycle Manager to create and manage the snapshots according to the company's snapshot policy requirements.

【參考答案】D

【題號】question 663

【題目】

A company is developing a new application on AWS. The application consists of an Amazon Elastic Container Service (Amazon ECS) cluster, an Amazon S3 bucket that contains assets for the application, and an Amazon RDS for MySQL database that contains the dataset for the application. The dataset contains sensitive information. The company wants to ensure that only the ECS cluster can access the data in the RDS for MySQL database and the data in the S3 bucket.

Which solution will meet these requirements?

一家公司正在 AWS 上開發新應用程式。該應用程式由 Amazon Elastic Container Service (Amazon ECS) 叢集、包含應用程式資產的 Amazon S3 儲存桶以及包含應用程式資料集的 Amazon RDS for MySQL 資料庫組成。資料集包含敏感資訊。公司希望確保只有 ECS 叢集可以存取 RDS for MySQL 資料庫中的資料以及 S3 儲存桶中的資料。

哪種解決方案可以滿足這些要求？

【選項】

- A. Create a new AWS Key Management Service (AWS KMS) customer managed key to encrypt both the S3 bucket and the RDS for MySQL database. Ensure that the KMS key policy includes encrypt and decrypt permissions for the ECS task execution role.

B.Create an AWS Key Management Service (AWS KMS) AWS managed key to encrypt both the S3 bucket and the RDS for MySQL database. Ensure that the S3 bucket policy specifies the ECS task execution role as a user.

C.Create an S3 bucket policy that restricts bucket access to the ECS task execution role. Create a VPC endpoint for Amazon RDS for MySQL. Update the RDS for MySQL security group to allow access from only the subnets that the ECS cluster will generate tasks in.

D.Create a VPC endpoint for Amazon RDS for MySQL. Update the RDS for MySQL security group to allow access from only the subnets that the ECS cluster will generate tasks in. Create a VPC endpoint for Amazon S3. Update the S3 bucket policy to allow access from only the S3 VPC endpoint.

【參考答案】A

【題號】question 664

【題目】

A company has a web application that runs on premises. The application experiences latency issues during peak hours. The latency issues occur twice each month. At the start of a latency issue, the application's CPU utilization immediately increases to 10 times its normal amount.

The company wants to migrate the application to AWS to improve latency. The company also wants to scale the application automatically when application demand increases. The company will use AWS Elastic Beanstalk for application deployment.

Which solution will meet these requirements?

一家公司有一個在本地運行的 Web 應用程式。應用程式在高峰時段遇到延遲問題。延遲問題每月發生兩次。當出現延遲問題時，應用程式的 CPU 使用率立即增加到正常值的 10 倍。

該公司希望將應用程式遷移到 AWS 以改善延遲。該公司還希望在應用程式需求增加時自動擴展應用程式。該公司將使用 AWS Elastic Beanstalk 進行應用程式部署。

哪種解決方案可以滿足這些要求？

【選項】

A.Configure an Elastic Beanstalk environment to use burstable performance instances in unlimited mode. Configure the environment to scale based on requests.

B.Configure an Elastic Beanstalk environment to use compute optimized instances. Configure the environment to scale based on requests.

C.Configure an Elastic Beanstalk environment to use compute optimized instances. Configure the environment to scale on a schedule.

D.Configure an Elastic Beanstalk environment to use burstable performance instances in unlimited mode. Configure the environment to scale on predictive metrics.

【參考答案】D

【題號】question 665

【題目】

A company has customers located across the world. The company wants to use automation to secure its systems and network infrastructure. The company's security team must be able to track and audit all incremental changes to the infrastructure.

Which solution will meet these requirements?

一家公司的客戶遍布世界各地。該公司希望利用自動化來保護其系統和網路基礎設施。公司的安全團隊必須能夠追蹤和審核基礎設施的所有增量變更。

哪種解決方案可以滿足這些要求？

【選項】

A.Use AWS Organizations to set up the infrastructure. Use AWS Config to track changes.

B.Use AWS CloudFormation to set up the infrastructure. Use AWS Config to track changes.

C.Use AWS Organizations to set up the infrastructure. Use AWS Service Catalog to track changes.

D.Use AWS CloudFormation to set up the infrastructure. Use AWS Service Catalog to track changes.

【參考答案】B

【題號】question 666

【題目】

A startup company is hosting a website for its customers on an Amazon EC2 instance. The website consists of a stateless Python application and a MySQL database. The website serves only a small amount of traffic. The company is concerned about the reliability of the instance and needs to migrate to a highly available architecture. The company cannot modify the application code.

Which combination of actions should a solutions architect take to achieve high availability for the website? (Choose two.)

一家新創公司正在 Amazon EC2 執行個體上為其客戶託管一個網站。該網站由無狀態 Python 應用程式和 MySQL 資料庫組成。網站僅提供少量流量。公司關心實例的可靠性，需要遷移到高可用的架構。公司不能修改應用程式代碼。

解決方案架構師應該採取哪些操作組合來實現網站的高可用性？（選兩個。）

【選項】

- A. Provision an internet gateway in each Availability Zone in use.
- B. Migrate the database to an Amazon RDS for MySQL Multi-AZ DB instance.
- C. Migrate the database to Amazon DynamoDB, and enable DynamoDB auto scaling.
- D. Use AWS DataSync to synchronize the database data across multiple EC2 instances.
- E. Create an Application Load Balancer to distribute traffic to an Auto Scaling group of EC2 instances that are distributed across two Availability Zones.

【參考答案】BE

【題號】question 667

【題目】

A company is moving its data and applications to AWS during a multiyear migration project. The company wants to securely access data on Amazon S3 from the company's AWS Region and from the company's on-premises location. The data must not traverse the internet. The company has established an AWS Direct Connect connection between its Region and its on-premises location.

Which solution will meet these requirements?

一家公司在一個多年遷移專案中將資料和應用程式遷移到 AWS。該公司希望從公司的 AWS 區域和公司的本地位置安全地存取 Amazon S3 上的資料。數據不得穿越網路。該公司已在其區域與其本地位置之間建立了 AWS Direct Connect 連線。

哪種解決方案可以滿足這些要求？

【選項】

A.Create gateway endpoints for Amazon S3. Use the gateway endpoints to securely access the data from the Region and the on-premises location.

B.Create a gateway in AWS Transit Gateway to access Amazon S3 securely from the Region and the on-premises location.

C.Create interface endpoints for Amazon S3. Use the interface endpoints to securely access the data from the Region and the on-premises location.

D.Use an AWS Key Management Service (AWS KMS) key to access the data securely from the Region and the on-premises location.

【參考答案】C

【題號】question 668

【題目】

A company created a new organization in AWS Organizations. The organization has multiple accounts for the company's development teams. The development team

members use AWS IAM Identity Center (AWS Single Sign-On) to access the accounts. For each of the company's applications, the development teams must use a predefined application name to tag resources that are created.

A solutions architect needs to design a solution that gives the development team the ability to create resources only if the application name tag has an approved value.

Which solution will meet these requirements?

一家公司在 AWS Organizations 中建立了一個新組織。該組織為公司的開發團隊擁有多個帳戶。開發團隊成員使用 AWS IAM Identity Center (AWS Single Sign-On) 存取帳戶。對於公司的每個應用程序，開發團隊必須使用預先定義的應用程式名稱來標記已建立的資源。

解決方案架構師需要設計一個解決方案，使開發團隊能夠僅在應用程式名稱標籤具有批准的值時建立資源。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an IAM group that has a conditional Allow policy that requires the application name tag to be specified for resources to be created.

B.Create a cross-account role that has a Deny policy for any resource that has the application name tag.

C.Create a resource group in AWS Resource Groups to validate that the tags are applied to all resources in all accounts.

D.Create a tag policy in Organizations that has a list of allowed application names.

【參考答案】D

【題號】question 669

【題目】

A company runs its databases on Amazon RDS for PostgreSQL. The company wants a secure solution to manage the master user password by rotating the password every 30 days.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 Amazon RDS for PostgreSQL 上運行其資料庫。該公司希望有一個安全的解決方案，透過每 30 天輪換一次密碼來管理主用戶密碼。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use Amazon EventBridge to schedule a custom AWS Lambda function to rotate the password every 30 days.

B. Use the modify-db-instance command in the AWS CLI to change the password.

C. Integrate AWS Secrets Manager with Amazon RDS for PostgreSQL to automate password rotation.

D. Integrate AWS Systems Manager Parameter Store with Amazon RDS for PostgreSQL to automate password rotation.

【參考答案】C

【題號】question 670

【題目】

A company performs tests on an application that uses an Amazon DynamoDB table. The tests run for 4 hours once a week. The company knows how many read and write operations the application performs to the table each second during the tests. The company does not currently use DynamoDB for any other use case. A solutions architect needs to optimize the costs for the table.

Which solution will meet these requirements?

一家公司對使用 Amazon DynamoDB 表的應用程式執行測試。測試每週運行一次，每次 4 小時。該公司知道測試期間應用程式每秒對錶執行多少次讀寫操作。該公司目前沒有將 DynamoDB 用於任何其他用例。解決方案架構師需要優化表的成本。

哪種解決方案可以滿足這些要求？

【選項】

- A.Choose on-demand mode. Update the read and write capacity units appropriately.
- B.Choose provisioned mode. Update the read and write capacity units appropriately.
- C.Purchase DynamoDB reserved capacity for a 1-year term.
- D.Purchase DynamoDB reserved capacity for a 3-year term.

【參考答案】B

【題號】question 671

【題目】

A company runs its applications on Amazon EC2 instances. The company performs periodic financial assessments of its AWS costs. The company recently identified unusual spending.

The company needs a solution to prevent unusual spending. The solution must monitor costs and notify responsible stakeholders in the event of unusual spending.

Which solution will meet these requirements?

一家公司在 Amazon EC2 執行個體上執行其應用程式。該公司定期對其 AWS 成本進行財務評估。該公司最近發現了異常支出。

該公司需要一個解決方案來防止異常支出。此解決方案必須監控成本並在出現異常支出時通知負責的利害關係人。

哪種解決方案可以滿足這些要求？

【選項】

- A.Use an AWS Budgets template to create a zero spend budget.
- B.Create an AWS Cost Anomaly Detection monitor in the AWS Billing and Cost Management console.
- C.Create AWS Pricing Calculator estimates for the current running workload pricing details.

D.Use Amazon CloudWatch to monitor costs and to identify unusual spending.

【參考答案】B

【題號】question 672

【題目】

A marketing company receives a large amount of new clickstream data in Amazon S3 from a marketing campaign. The company needs to analyze the clickstream data in Amazon S3 quickly. Then the company needs to determine whether to process the data further in the data pipeline.

Which solution will meet these requirements with the LEAST operational overhead?

一家行銷公司從行銷活動中收到 Amazon S3 中大量的新點擊流資料。該公司需要快速分析 Amazon S3 中的點擊流資料。然後公司需要確定是否在資料管道中進一步處理資料。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create external tables in a Spark catalog. Configure jobs in AWS Glue to query the data.

B.Configure an AWS Glue crawler to crawl the data. Configure Amazon Athena to query the data.

C.Create external tables in a Hive metastore. Configure Spark jobs in Amazon EMR to query the data.

D.Configure an AWS Glue crawler to crawl the data. Configure Amazon Kinesis Data Analytics to use SQL to query the data.

【參考答案】B

【題號】question 673

【題目】

A company runs an SMB file server in its data center. The file server stores large files that the company frequently accesses for up to 7 days after the file creation date. After 7 days, the company needs to be able to access the files with a maximum retrieval time of 24 hours.

Which solution will meet these requirements?

一家公司在其資料中心運行 SMB 檔案伺服器。文件伺服器將公司經常訪問的大型文件儲存在文件創建日期後最多 7 天內。7 天后，該公司需要能夠存取文件，最長檢索時間為 24 小時。

哪種解決方案可以滿足這些要求？

【選項】

A. Use AWS DataSync to copy data that is older than 7 days from the SMB file server to AWS.

B. Create an Amazon S3 File Gateway to increase the company's storage space. Create an S3 Lifecycle policy to transition the data to S3 Glacier Deep Archive after 7 days.

C. Create an Amazon FSx File Gateway to increase the company's storage space. Create an Amazon S3 Lifecycle policy to transition the data after 7 days.

D. Configure access to Amazon S3 for each user. Create an S3 Lifecycle policy to transition the data to S3 Glacier Flexible Retrieval after 7 days.

【參考答案】B

【題號】question 674

【題目】

A company runs a web application on Amazon EC2 instances in an Auto Scaling group. The application uses a database that runs on an Amazon RDS for PostgreSQL DB instance. The application performs slowly when traffic increases. The database experiences a heavy read load during periods of high traffic.

Which actions should a solutions architect take to resolve these performance issues?
(Choose two.)

一家公司在 Auto Scaling 群組中的 Amazon EC2 執行個體上執行 Web 應用程式。該應用程式使用在 Amazon RDS for PostgreSQL 資料庫執行個體上執行的資料庫。當流量增加時，應用程式執行緩慢。在高流量期間，資料庫會經歷繁重的讀取負載。

解決方案架構師應該採取哪些措施來解決這些效能問題？（選兩個。）

【選項】

- A. Turn on auto scaling for the DB instance.
- B. Create a read replica for the DB instance. Configure the application to send read traffic to the read replica.
- C. Convert the DB instance to a Multi-AZ DB instance deployment. Configure the application to send read traffic to the standby DB instance.
- D. Create an Amazon ElastiCache cluster. Configure the application to cache query results in the ElastiCache cluster.
- E. Configure the Auto Scaling group subnets to ensure that the EC2 instances are provisioned in the same Availability Zone as the DB instance.

【參考答案】BD

【題號】question 675

【題目】

A company uses Amazon EC2 instances and Amazon Elastic Block Store (Amazon EBS) volumes to run an application. The company creates one snapshot of each EBS volume every day to meet compliance requirements. The company wants to implement an architecture that prevents the accidental deletion of EBS volume snapshots. The solution must not change the administrative rights of the storage administrator user.

Which solution will meet these requirements with the LEAST administrative effort?

一家公司使用 Amazon EC2 執行個體和 Amazon Elastic Block Store (Amazon EBS) 磁碟區來執行應用程式。該公司每天為每個 EBS 磁碟區創建一個快照，以滿足合規性要求。該公司希望實現一種能夠防止 EBS 磁碟區快照意外刪除的架構。此解決方案不得更改儲存管理員使用者的管理權限。

哪一種解決方案能夠以最少的管理工作來滿足這些要求？

【選項】

A.Create an IAM role that has permission to delete snapshots. Attach the role to a new EC2 instance. Use the AWS CLI from the new EC2 instance to delete snapshots.

B.Create an IAM policy that denies snapshot deletion. Attach the policy to the storage administrator user.

C.Add tags to the snapshots. Create retention rules in Recycle Bin for EBS snapshots that have the tags.

D.Lock the EBS snapshots to prevent deletion.

【參考答案】D

【題號】question 676

【題目】

A company's application uses Network Load Balancers, Auto Scaling groups, Amazon EC2 instances, and databases that are deployed in an Amazon VPC. The company wants to capture information about traffic to and from the network interfaces in near real time in its Amazon VPC. The company wants to send the information to Amazon OpenSearch Service for analysis.

Which solution will meet these requirements?

本公司的應用程式使用部署在 Amazon VPC 中的網路負載平衡器、Auto Scaling 群組、Amazon EC2 執行個體和資料庫。該公司希望在其 Amazon VPC 中近乎即時地捕獲進出網路介面的流量資訊。該公司希望將資訊傳送到 Amazon OpenSearch Service 進行分析。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a log group in Amazon CloudWatch Logs. Configure VPC Flow Logs to send the log data to the log group. Use Amazon Kinesis Data Streams to stream the logs from the log group to OpenSearch Service.

B.Create a log group in Amazon CloudWatch Logs. Configure VPC Flow Logs to send the log data to the log group. Use Amazon Kinesis Data Firehose to stream the logs from the log group to OpenSearch Service.

C.Create a trail in AWS CloudTrail. Configure VPC Flow Logs to send the log data to the trail. Use Amazon Kinesis Data Streams to stream the logs from the trail to OpenSearch Service.

D.Create a trail in AWS CloudTrail. Configure VPC Flow Logs to send the log data to the trail. Use Amazon Kinesis Data Firehose to stream the logs from the trail to OpenSearch Service.

【參考答案】B

【題號】question 677

【題目】

A company is developing an application that will run on a production Amazon Elastic Kubernetes Service (Amazon EKS) cluster. The EKS cluster has managed node groups that are provisioned with On-Demand Instances.

The company needs a dedicated EKS cluster for development work. The company will use the development cluster infrequently to test the resiliency of the application. The EKS cluster must manage all the nodes.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在開發一個將在生產 Amazon Elastic Kubernetes Service (Amazon EKS) 叢集上執行的應用程式。EKS 叢集具有使用按需實例調配的託管節點群組。

該公司需要一個專用的 EKS 叢集來進行開發工作。該公司將不經常使用開發集群來測試應用程式的彈性。EKS 叢集必須管理所有節點。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A.Create a managed node group that contains only Spot Instances.
- B.Create two managed node groups. Provision one node group with On-Demand Instances. Provision the second node group with Spot Instances.
- C.Create an Auto Scaling group that has a launch configuration that uses Spot Instances. Configure the user data to add the nodes to the EKS cluster.
- D.Create a managed node group that contains only On-Demand Instances.

【參考答案】B

【題號】question 678

【題目】

A company stores sensitive data in Amazon S3. A solutions architect needs to create an encryption solution. The company needs to fully control the ability of users to create, rotate, and disable encryption keys with minimal effort for any data that must be encrypted.

Which solution will meet these requirements?

一家公司將敏感資料儲存在 Amazon S3 中。解決方案架構師需要建立加密解決方案。公司需要完全控制用戶以最少的努力創建、輪換和禁用加密密鑰的能力，以處理任何必須加密的資料。

哪種解決方案可以滿足這些要求？

【選項】

- A.Use default server-side encryption with Amazon S3 managed encryption keys (SSE-S3) to store the sensitive data.

B.Create a customer managed key by using AWS Key Management Service (AWS KMS). Use the new key to encrypt the S3 objects by using server-side encryption with AWS KMS keys (SSE-KMS).

C.Create an AWS managed key by using AWS Key Management Service (AWS KMS). Use the new key to encrypt the S3 objects by using server-side encryption with AWS KMS keys (SSE-KMS).

D.Download S3 objects to an Amazon EC2 instance. Encrypt the objects by using customer managed keys. Upload the encrypted objects back into Amazon S3.

【參考答案】B

【題號】question 679

【題目】

A company wants to back up its on-premises virtual machines (VMs) to AWS. The company's backup solution exports on-premises backups to an Amazon S3 bucket as objects. The S3 backups must be retained for 30 days and must be automatically deleted after 30 days.

Which combination of steps will meet these requirements? (Choose three.)

一家公司希望將其本地虛擬機器 (VM) 備份到 AWS。該公司的備份解決方案將本地備份作為物件匯出到 Amazon S3 儲存桶。S3 備份必須保留 30 天，並且必須在 30 天後自動刪除。

哪一種步驟組合可以滿足這些要求？（選擇三項。）

【選項】

A.Create an S3 bucket that has S3 Object Lock enabled.

B.Create an S3 bucket that has object versioning enabled.

C.Configure a default retention period of 30 days for the objects.

D.Configure an S3 Lifecycle policy to protect the objects for 30 days.

E.Configure an S3 Lifecycle policy to expire the objects after 30 days.

F.Configure the backup solution to tag the objects with a 30-day retention period

【參考答案】ACE

【題號】question 680

【題目】

A solutions architect needs to copy files from an Amazon S3 bucket to an Amazon Elastic File System (Amazon EFS) file system and another S3 bucket. The files must be copied continuously. New files are added to the original S3 bucket consistently. The copied files should be overwritten only if the source file changes.

Which solution will meet these requirements with the LEAST operational overhead?

解決方案架構師需要將檔案從 Amazon S3 儲存桶複製到 Amazon Elastic File System (Amazon EFS) 檔案系統和另一個 S3 儲存桶。必須連續複製文件。新檔案會一致加入到原始 S3 儲存桶中。僅當來源檔案發生變更時，才應覆蓋複製的檔案。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an AWS DataSync location for both the destination S3 bucket and the EFS file system. Create a task for the destination S3 bucket and the EFS file system. Set the transfer mode to transfer only data that has changed.

B.Create an AWS Lambda function. Mount the file system to the function. Set up an S3 event notification to invoke the function when files are created and changed in Amazon S3. Configure the function to copy files to the file system and the destination S3 bucket.

C.Create an AWS DataSync location for both the destination S3 bucket and the EFS file system. Create a task for the destination S3 bucket and the EFS file system. Set the transfer mode to transfer all data.

D.Launch an Amazon EC2 instance in the same VPC as the file system. Mount the file system. Create a script to routinely synchronize all objects that changed in the origin S3 bucket to the destination S3 bucket and the mounted file system.

【參考答案】A

【題號】question 681

【題目】

A company uses Amazon EC2 instances and stores data on Amazon Elastic Block Store (Amazon EBS) volumes. The company must ensure that all data is encrypted at rest by using AWS Key Management Service (AWS KMS). The company must be able to control rotation of the encryption keys.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司使用 Amazon EC2 執行個體並將資料儲存在 Amazon Elastic Block Store (Amazon EBS) 磁碟區上。本公司必須確保使用 AWS Key Management Service (AWS KMS) 對所有靜態資料進行加密。公司必須能夠控制加密金鑰的輪換。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create a customer managed key. Use the key to encrypt the EBS volumes.

B.Use an AWS managed key to encrypt the EBS volumes. Use the key to configure automatic key rotation.

C.Create an external KMS key with imported key material. Use the key to encrypt the EBS volumes.

D.Use an AWS owned key to encrypt the EBS volumes.

【參考答案】A

【題號】question 682

【題目】

A company needs a solution to enforce data encryption at rest on Amazon EC2 instances. The solution must automatically identify noncompliant resources and enforce compliance policies on findings.

Which solution will meet these requirements with the LEAST administrative overhead?

公司需要一種解決方案來對 Amazon EC2 執行個體執行靜態資料加密。此解決方案必須自動識別不合規的資源並根據結果強制執行合規策略。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A. Use an IAM policy that allows users to create only encrypted Amazon Elastic Block Store (Amazon EBS) volumes. Use AWS Config and AWS Systems Manager to automate the detection and remediation of unencrypted EBS volumes.

B. Use AWS Key Management Service (AWS KMS) to manage access to encrypted Amazon Elastic Block Store (Amazon EBS) volumes. Use AWS Lambda and Amazon EventBridge to automate the detection and remediation of unencrypted EBS volumes.

C. Use Amazon Macie to detect unencrypted Amazon Elastic Block Store (Amazon EBS) volumes. Use AWS Systems Manager Automation rules to automatically encrypt existing and new EBS volumes.

D. Use Amazon Inspector to detect unencrypted Amazon Elastic Block Store (Amazon EBS) volumes. Use AWS Systems Manager Automation rules to automatically encrypt existing and new EBS volumes.

【參考答案】A

【題號】question 683

【題目】

A company is migrating its multi-tier on-premises application to AWS. The application consists of a single-node MySQL database and a multi-node web tier. The company must minimize changes to the application during the migration. The company wants to improve application resiliency after the migration.

Which combination of steps will meet these requirements? (Choose two.)

一家公司正在將其多層本地應用程式遷移到 AWS。該應用程式由單節點 MySQL 資料庫和多節點 Web 層組成。公司必須盡量減少遷移期間對應用程式的變更。該公司希望在遷移後提高應用程式的彈性。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

A.Migrate the web tier to Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer.

B.Migrate the database to Amazon EC2 instances in an Auto Scaling group behind a Network Load Balancer.

C.Migrate the database to an Amazon RDS Multi-AZ deployment.

D.Migrate the web tier to an AWS Lambda function.

E.Migrate the database to an Amazon DynamoDB table.

【參考答案】AC

【題號】question 684

【題目】

A company wants to migrate its web applications from on premises to AWS. The company is located close to the eu-central-1 Region. Because of regulations, the company cannot launch some of its applications in eu-central-1. The company wants to achieve single-digit millisecond latency.

Which solution will meet these requirements?

一家公司希望將其 Web 應用程式從本地遷移到 AWS。該公司位於 eu-central-1 地區附近。由於法規原因，該公司無法在 eu-central-1 中啟動其部分應用程式。該公司希望實現個位數毫秒的延遲。

哪種解決方案可以滿足這些要求？

【選項】

- A. Deploy the applications in eu-central-1. Extend the company's VPC from eu-central-1 to an edge location in Amazon CloudFront.
- B. Deploy the applications in AWS Local Zones by extending the company's VPC from eu-central-1 to the chosen Local Zone.
- C. Deploy the applications in eu-central-1. Extend the company's VPC from eu-central-1 to the regional edge caches in Amazon CloudFront.
- D. Deploy the applications in AWS Wavelength Zones by extending the company's VPC from eu-central-1 to the chosen Wavelength Zone.

【參考答案】B

【題號】question 685

【題目】

A company's ecommerce website has unpredictable traffic and uses AWS Lambda functions to directly access a private Amazon RDS for PostgreSQL DB instance. The company wants to maintain predictable database performance and ensure that the Lambda invocations do not overload the database with too many connections.

What should a solutions architect do to meet these requirements?

某公司的電子商務網站的流量無法預測，並使用 AWS Lambda 函數直接存取私有 Amazon RDS for PostgreSQL 資料庫執行個體。該公司希望維持可預測的資料庫效能，並確保 Lambda 呼叫不會因連接過多而導致資料庫過載。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A. Point the client driver at an RDS custom endpoint. Deploy the Lambda functions inside a VPC.

B.Point the client driver at an RDS proxy endpoint. Deploy the Lambda functions inside a VPC.

C.Point the client driver at an RDS custom endpoint. Deploy the Lambda functions outside a VPC.

D.Point the client driver at an RDS proxy endpoint. Deploy the Lambda functions outside a VPC.

【參考答案】B

【題號】question 686

【題目】

A company is creating an application. The company stores data from tests of the application in multiple on-premises locations.

The company needs to connect the on-premises locations to VPCs in an AWS Region in the AWS Cloud. The number of accounts and VPCs will increase during the next year. The network architecture must simplify the administration of new connections and must provide the ability to scale.

Which solution will meet these requirements with the LEAST administrative overhead?

一家公司正在創建一個應用程式。該公司將應用程式測試的資料儲存在多個本地位置。

該公司需要將本地位置連接到 AWS 雲端中 AWS 區域中的 VPC。明年帳戶和 VPC 的數量將會增加。網路架構必須簡化新連接的管理，並且必須提供擴展能力。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A.Create a peering connection between the VPCs. Create a VPN connection between the VPCs and the on-premises locations.

B.Launch an Amazon EC2 instance. On the instance, include VPN software that uses a VPN connection to connect all VPCs and on-premises locations.

C.Create a transit gateway. Create VPC attachments for the VPC connections. Create VPN attachments for the on-premises connections.

D.Create an AWS Direct Connect connection between the on-premises locations and a central VPC. Connect the central VPC to other VPCs by using peering connections.

【參考答案】C

【題號】question 687

【題目】

A company that uses AWS needs a solution to predict the resources needed for manufacturing processes each month. The solution must use historical values that are currently stored in an Amazon S3 bucket. The company has no machine learning (ML) experience and wants to use a managed service for the training and predictions.

Which combination of steps will meet these requirements? (Choose two.)

使用 AWS 的公司需要一個解決方案來預測每月製造流程所需的資源。此解決方案必須使用目前儲存在 Amazon S3 儲存桶中的歷史值。該公司沒有機器學習 (ML) 經驗, 希望使用託管服務進行培訓和預測。

哪一種步驟組合可以滿足這些要求? (選兩個。)

【選項】

A.Deploy an Amazon SageMaker model. Create a SageMaker endpoint for inference.

B.Use Amazon SageMaker to train a model by using the historical data in the S3 bucket.

C.Configure an AWS Lambda function with a function URL that uses Amazon SageMaker endpoints to create predictions based on the inputs.

D.Configure an AWS Lambda function with a function URL that uses an Amazon Forecast predictor to create a prediction based on the inputs.

E.Train an Amazon Forecast predictor by using the historical data in the S3 bucket.

【參考答案】DE

【題號】question 688

【題目】

A company manages AWS accounts in AWS Organizations. AWS IAM Identity Center (AWS Single Sign-On) and AWS Control Tower are configured for the accounts. The company wants to manage multiple user permissions across all the accounts.

The permissions will be used by multiple IAM users and must be split between the developer and administrator teams. Each team requires different permissions. The company wants a solution that includes new users that are hired on both teams.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司管理 AWS Organizations 中的 AWS 帳戶。為帳戶配置 AWS IAM Identity Center (AWS Single Sign-On) 和 AWS Control Tower。該公司希望管理所有帳戶的多個使用者權限。

這些權限將由多個 IAM 使用者使用，並且必須在開發人員和管理員團隊之間分配。每個團隊需要不同的權限。該公司想要一個包含兩個團隊都僱用的新用戶的解決方案。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create individual users in IAM Identity Center for each account. Create separate developer and administrator groups in IAM Identity Center. Assign the users to the appropriate groups. Create a custom IAM policy for each group to set fine-grained permissions.

B.Create individual users in IAM Identity Center for each account. Create separate developer and administrator groups in IAM Identity Center. Assign the users to the appropriate groups. Attach AWS managed IAM policies to each user as needed for fine-grained permissions.

C.Create individual users in IAM Identity Center. Create new developer and administrator groups in IAM Identity Center. Create new permission sets that include the appropriate IAM policies for each group. Assign the new groups to the appropriate accounts. Assign the new permission sets to the new groups. When new users are hired, add them to the appropriate group.

D.Create individual users in IAM Identity Center. Create new permission sets that include the appropriate IAM policies for each user. Assign the users to the appropriate accounts. Grant additional IAM permissions to the users from within specific accounts. When new users are hired, add them to IAM Identity Center and assign them to the accounts.

【參考答案】C

【題號】question 689

【題目】

A company wants to standardize its Amazon Elastic Block Store (Amazon EBS) volume encryption strategy. The company also wants to minimize the cost and configuration effort required to operate the volume encryption check.

Which solution will meet these requirements?

一家公司希望標準化其 Amazon Elastic Block Store (Amazon EBS) 磁碟區加密策略。該公司還希望最大限度地減少操作卷加密檢查所需的成本和配置工作。

哪種解決方案可以滿足這些要求？

【選項】

A.Write API calls to describe the EBS volumes and to confirm the EBS volumes are encrypted. Use Amazon EventBridge to schedule an AWS Lambda function to run the API calls.

B.Write API calls to describe the EBS volumes and to confirm the EBS volumes are encrypted. Run the API calls on an AWS Fargate task.

C.Create an AWS Identity and Access Management (IAM) policy that requires the use of tags on EBS volumes. Use AWS Cost Explorer to display resources that are not properly tagged. Encrypt the untagged resources manually.

D.Create an AWS Config rule for Amazon EBS to evaluate if a volume is encrypted and to flag the volume if it is not encrypted.

【參考答案】D

【題號】question 690

【題目】

A company regularly uploads GB-sized files to Amazon S3. After the company uploads the files, the company uses a fleet of Amazon EC2 Spot Instances to transcode the file format. The company needs to scale throughput when the company uploads data from the on-premises data center to Amazon S3 and when the company downloads data from Amazon S3 to the EC2 instances.

Which solutions will meet these requirements? (Choose two.)

一家公司定期將 GB 大小的檔案上傳到 Amazon S3。該公司上傳文件後，使用一組 Amazon EC2 Spot 執行個體對文件格式進行轉碼。當公司將資料從本機資料中心上傳到 Amazon S3 以及公司將資料從 Amazon S3 下載到 EC2 執行個體時，公司需要擴展吞吐量。

哪些解決方案可以滿足這些要求？（選兩個。）

【選項】

- A. Use the S3 bucket access point instead of accessing the S3 bucket directly.
- B. Upload the files into multiple S3 buckets.
- C. Use S3 multipart uploads.
- D. Fetch multiple byte-ranges of an object in parallel.
- E. Add a random prefix to each object when uploading the files.

【參考答案】CD

【題號】question 691

【題目】

A solutions architect is designing a shared storage solution for a web application that is deployed across multiple Availability Zones. The web application runs on Amazon EC2 instances that are in an Auto Scaling group. The company plans to make frequent changes to the content. The solution must have strong consistency in returning the new content as soon as the changes occur.

Which solutions meet these requirements? (Choose two.)

解決方案架構師正在為跨多個可用區部署的 Web 應用程式設計共用儲存解決方案。Web 應用程式在 Auto Scaling 群組中的 Amazon EC2 執行個體上執行。該公司計劃經常更改內容。解決方案必須具有強一致性，一旦發生變更就返回新內容。

哪些解決方案滿足這些要求？（選兩個。）

【選項】

- A. Use AWS Storage Gateway Volume Gateway Internet Small Computer Systems Interface (iSCSI) block storage that is mounted to the individual EC2 instances.
- B. Create an Amazon Elastic File System (Amazon EFS) file system. Mount the EFS file system on the individual EC2 instances.
- C. Create a shared Amazon Elastic Block Store (Amazon EBS) volume. Mount the EBS volume on the individual EC2 instances.
- D. Use AWS DataSync to perform continuous synchronization of data between EC2 hosts in the Auto Scaling group.
- E. Create an Amazon S3 bucket to store the web content. Set the metadata for the Cache-Control header to no-cache. Use Amazon CloudFront to deliver the content.

【參考答案】BE

【題號】question 692

【題目】

A company is deploying an application in three AWS Regions using an Application Load Balancer. Amazon Route 53 will be used to distribute traffic between these Regions.

Which Route 53 configuration should a solutions architect use to provide the MOST high-performing experience?

一家公司正在使用 Application Load Balancer 在三個 AWS 區域中部署應用程式。Amazon Route 53 將用於在這些區域之間分配流量。

解決方案架構師應使用哪一種 Route 53 配置來提供最高效能的體驗？

【選項】

- A.Create an A record with a latency policy.
- B.Create an A record with a geolocation policy.
- C.Create a CNAME record with a failover policy.
- D.Create a CNAME record with a geoproximity policy.

【參考答案】A

【題號】question 693

【題目】

A company has a web application that includes an embedded NoSQL database. The application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an Amazon EC2 Auto Scaling group in a single Availability Zone.

A recent increase in traffic requires the application to be highly available and for the database to be eventually consistent.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司有一個包含嵌入式 NoSQL 資料庫的 Web 應用程式。該應用程式在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上執行。這些執行個體在單一可用區的 Amazon EC2 Auto Scaling 群組中運作。

最近流量的增加要求應用程式具有高可用性並且資料庫最終保持一致。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Replace the ALB with a Network Load Balancer. Maintain the embedded NoSQL database with its replication service on the EC2 instances.
- B. Replace the ALB with a Network Load Balancer. Migrate the embedded NoSQL database to Amazon DynamoDB by using AWS Database Migration Service (AWS DMS).
- C. Modify the Auto Scaling group to use EC2 instances across three Availability Zones. Maintain the embedded NoSQL database with its replication service on the EC2 instances.
- D. Modify the Auto Scaling group to use EC2 instances across three Availability Zones. Migrate the embedded NoSQL database to Amazon DynamoDB by using AWS Database Migration Service (AWS DMS).

【參考答案】D

【題號】question 694

【題目】

A company is building a shopping application on AWS. The application offers a catalog that changes once each month and needs to scale with traffic volume. The company wants the lowest possible latency from the application. Data from each user's shopping cart needs to be highly available. User session data must be available even if the user is disconnected and reconnects.

What should a solutions architect do to ensure that the shopping cart data is preserved at all times?

一家公司正在 AWS 上建立購物應用程式。該應用程式提供的目錄每月更改一次，並且需要根據流量進行擴展。該公司希望應用程式的延遲盡可能低。來自每個用戶購物車的數據需要具有高可用性。即使用戶斷開連接並重新連接，用戶會話資料也必須可用。

解決方案架構師應該怎麼做才能確保始終保留購物車資料？

【選項】

A. Configure an Application Load Balancer to enable the sticky sessions feature (session affinity) for access to the catalog in Amazon Aurora.

B. Configure Amazon ElastiCache for Redis to cache catalog data from Amazon DynamoDB and shopping cart data from the user's session.

C. Configure Amazon OpenSearch Service to cache catalog data from Amazon DynamoDB and shopping cart data from the user's session.

D. Configure an Amazon EC2 instance with Amazon Elastic Block Store (Amazon EBS) storage for the catalog and shopping cart. Configure automated snapshots.

【參考答案】B

【題號】question 695

【題目】

A company is building a microservices-based application that will be deployed on Amazon Elastic Kubernetes Service (Amazon EKS). The microservices will interact with each other. The company wants to ensure that the application is observable to identify performance issues in the future.

Which solution will meet these requirements?

一家公司正在建立基於微服務的應用程式，該應用程式將部署在 Amazon Elastic Kubernetes Service (Amazon EKS) 上。微服務將相互互動。該公司希望確保應用程式可觀察，以便將來識別效能問題。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure the application to use Amazon ElastiCache to reduce the number of requests that are sent to the microservices.

B. Configure Amazon CloudWatch Container Insights to collect metrics from the EKS clusters. Configure AWS X-Ray to trace the requests between the microservices.

C.Configure AWS CloudTrail to review the API calls. Build an Amazon QuickSight dashboard to observe the microservice interactions.

D.Use AWS Trusted Advisor to understand the performance of the application.

【參考答案】B

【題號】question 696

【題目】

A company needs to provide customers with secure access to its data. The company processes customer data and stores the results in an Amazon S3 bucket.

All the data is subject to strong regulations and security requirements. The data must be encrypted at rest. Each customer must be able to access only their data from their AWS account. Company employees must not be able to access the data.

Which solution will meet these requirements?

公司需要為客戶提供對其資料的安全存取。該公司處理客戶資料並將結果儲存在 Amazon S3 儲存桶中。

所有資料都受到嚴格的法規和安全要求的約束。資料必須靜態加密。每個客戶必須只能從其 AWS 帳戶存取自己的資料。公司員工不得存取資料。

哪種解決方案可以滿足這些要求？

【選項】

A.Provision an AWS Certificate Manager (ACM) certificate for each customer. Encrypt the data client-side. In the private certificate policy, deny access to the certificate for all principals except an IAM role that the customer provides.

B.Provision a separate AWS Key Management Service (AWS KMS) key for each customer. Encrypt the data server-side. In the S3 bucket policy, deny decryption of data for all principals except an IAM role that the customer provides.

C.Provision a separate AWS Key Management Service (AWS KMS) key for each customer. Encrypt the data server-side. In each KMS key policy, deny decryption of data for all principals except an IAM role that the customer provides.

D.Provision an AWS Certificate Manager (ACM) certificate for each customer. Encrypt the data client-side. In the public certificate policy, deny access to the certificate for all principals except an IAM role that the customer provides.

【參考答案】C

【題號】question 697

【題目】

A solutions architect creates a VPC that includes two public subnets and two private subnets. A corporate security mandate requires the solutions architect to launch all Amazon EC2 instances in a private subnet. However, when the solutions architect launches an EC2 instance that runs a web server on ports 80 and 443 in a private subnet, no external internet traffic can connect to the server.

What should the solutions architect do to resolve this issue?

解決方案架構師建立一個包含兩個公有子網路和兩個私有子網路的 VPC。公司安全要求要求解決方案架構師在私有子網路中啟動所有 Amazon EC2 執行個體。但是，當解決方案架構師啟動在私有子網路中的連接埠 80 和 443 上執行 Web 伺服器的 EC2 執行個體時，沒有外部 Internet 流量可以連線到該伺服器。

解決方案架構師應該做什麼來解決這個問題？

【選項】

A.Attach the EC2 instance to an Auto Scaling group in a private subnet. Ensure that the DNS record for the website resolves to the Auto Scaling group identifier.

B.Provision an internet-facing Application Load Balancer (ALB) in a public subnet. Add the EC2 instance to the target group that is associated with the ALB. Ensure that the DNS record for the website resolves to the ALB.

C.Launch a NAT gateway in a private subnet. Update the route table for the private subnets to add a default route to the NAT gateway. Attach a public Elastic IP address to the NAT gateway.

D.Ensure that the security group that is attached to the EC2 instance allows HTTP traffic on port 80 and HTTPS traffic on port 443. Ensure that the DNS record for the website resolves to the public IP address of the EC2 instance.

【參考答案】B

【題號】question 698

【題目】

A company is deploying a new application to Amazon Elastic Kubernetes Service (Amazon EKS) with an AWS Fargate cluster. The application needs a storage solution for data persistence. The solution must be highly available and fault tolerant. The solution also must be shared between multiple application containers.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在使用 AWS Fargate 叢集將新應用程式部署到 Amazon Elastic Kubernetes Service (Amazon EKS)。應用程式需要一個儲存解決方案來實現資料持久化。此解決方案必須具有高可用性和容錯能力。該解決方案還必須在多個應用程式容器之間共用。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create Amazon Elastic Block Store (Amazon EBS) volumes in the same Availability Zones where EKS worker nodes are placed. Register the volumes in a StorageClass object on an EKS cluster. Use EBS Multi-Attach to share the data between containers.

B.Create an Amazon Elastic File System (Amazon EFS) file system. Register the file system in a StorageClass object on an EKS cluster. Use the same file system for all containers.

C.Create an Amazon Elastic Block Store (Amazon EBS) volume. Register the volume in a StorageClass object on an EKS cluster. Use the same volume for all containers.

D.Create Amazon Elastic File System (Amazon EFS) file systems in the same Availability Zones where EKS worker nodes are placed. Register the file systems in a StorageClass object on an EKS cluster. Create an AWS Lambda function to synchronize the data between file systems.

【參考答案】B

【題號】question 699

【題目】

A company has an application that uses Docker containers in its local data center. The application runs on a container host that stores persistent data in a volume on the host. The container instances use the stored persistent data.

The company wants to move the application to a fully managed service because the company does not want to manage any servers or storage infrastructure.

Which solution will meet these requirements?

一家公司有一個在其本地資料中心使用 Docker 容器的應用程式。該應用程式在容器主機上運行，該容器主機將持久性資料儲存在主機上的磁碟區中。容器實例使用儲存的持久性資料。

該公司希望將應用程式轉移到完全託管的服務，因為該公司不想管理任何伺服器或儲存基礎設施。

哪種解決方案可以滿足這些要求？

【選項】

A.Use Amazon Elastic Kubernetes Service (Amazon EKS) with self-managed nodes. Create an Amazon Elastic Block Store (Amazon EBS) volume attached to an Amazon EC2 instance. Use the EBS volume as a persistent volume mounted in the containers.

B.Use Amazon Elastic Container Service (Amazon ECS) with an AWS Fargate launch type. Create an Amazon Elastic File System (Amazon EFS) volume. Add the EFS volume as a persistent storage volume mounted in the containers.

C. Use Amazon Elastic Container Service (Amazon ECS) with an AWS Fargate launch type. Create an Amazon S3 bucket. Map the S3 bucket as a persistent storage volume mounted in the containers.

D. Use Amazon Elastic Container Service (Amazon ECS) with an Amazon EC2 launch type. Create an Amazon Elastic File System (Amazon EFS) volume. Add the EFS volume as a persistent storage volume mounted in the containers.

【參考答案】B

【題號】question 700

【題目】

A gaming company wants to launch a new internet-facing application in multiple AWS Regions. The application will use the TCP and UDP protocols for communication. The company needs to provide high availability and minimum latency for global users.

Which combination of actions should a solutions architect take to meet these requirements? (Choose two.)

一家遊戲公司希望在多個 AWS 區域推出新的面向互聯網的應用程式。應用程式將使用 TCP 和 UDP 協定進行通訊。公司需要為全球用戶提供高可用性和最小延遲。

解決方案架構師應該採取哪些操作組合來滿足這些要求？（選兩個。）

【選項】

A. Create internal Network Load Balancers in front of the application in each Region.

B. Create external Application Load Balancers in front of the application in each Region.

C. Create an AWS Global Accelerator accelerator to route traffic to the load balancers in each Region.

D. Configure Amazon Route 53 to use a geolocation routing policy to distribute the traffic.

E. Configure Amazon CloudFront to handle the traffic and route requests to the application in each Region

【參考答案】AC

領先創服務