

AWS Certified Solutions Architect - Associate SAA-C03

question 0701-0800

Last Update: 2024.11

【題號】question 701

【題目】

A city has deployed a web application running on Amazon EC2 instances behind an Application Load Balancer (ALB). The application's users have reported sporadic performance, which appears to be related to DDoS attacks originating from random IP addresses. The city needs a solution that requires minimal configuration changes and provides an audit trail for the DDoS sources.

Which solution meets these requirements?

某個城市部署了一個在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上執行的 Web 應用程式。該應用程式的用戶報告了零星的效能問題，這似乎與源自隨機 IP 位址的 DDoS 攻擊有關。該城市需要一種需要最少配置更改並為 DDoS 來源提供審核追蹤的解決方案。

哪種解決方案滿足這些要求？

【選項】

A.Enable an AWS WAF web ACL on the ALB, and configure rules to block traffic from unknown sources.

B.Subscribe to Amazon Inspector. Engage the AWS DDoS Response Team (DRT) to integrate mitigating controls into the service.

C.Subscribe to AWS Shield Advanced. Engage the AWS DDoS Response Team (DRT) to integrate mitigating controls into the service.

D.Create an Amazon CloudFront distribution for the application, and set the ALB as the origin. Enable an AWS WAF web ACL on the distribution, and configure rules to block traffic from unknown sources

【參考答案】C

【題號】question 702

【題目】

A company copies 200 TB of data from a recent ocean survey onto AWS Snowball Edge Storage Optimized devices. The company has a high performance computing (HPC) cluster that is hosted on AWS to look for oil and gas deposits. A solutions architect must provide the cluster with consistent sub-millisecond latency and high-throughput access to the data on the Snowball Edge Storage Optimized devices. The company is sending the devices back to AWS.

Which solution will meet these requirements?

一家公司將最近一次海洋調查中的 200 TB 資料複製到 AWS Snowball Edge Storage Optimized 設備上。該公司擁有託管在 AWS 上的高效能運算 (HPC) 集群，用於尋找石油和天然氣礦藏。解決方案架構師必須為叢集提供一致的亞毫秒延遲以及對 Snowball Edge Storage Optimized 裝置上資料的高吞吐量存取。該公司正在將設備送回 AWS。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon S3 bucket. Import the data into the S3 bucket. Configure an AWS Storage Gateway file gateway to use the S3 bucket. Access the file gateway from the HPC cluster instances.

B.Create an Amazon S3 bucket. Import the data into the S3 bucket. Configure an Amazon FSx for Lustre file system, and integrate it with the S3 bucket. Access the FSx for Lustre file system from the HPC cluster instances.

C.Create an Amazon S3 bucket and an Amazon Elastic File System (Amazon EFS) file system. Import the data into the S3 bucket. Copy the data from the S3 bucket to the EFS file system. Access the EFS file system from the HPC cluster instances.

D.Create an Amazon FSx for Lustre file system. Import the data directly into the FSx for Lustre file system. Access the FSx for Lustre file system from the HPC cluster instances.

【參考答案】D

【題號】question 703

【題目】

A company has NFS servers in an on-premises data center that need to periodically back up small amounts of data to Amazon S3.

Which solution meets these requirements and is MOST cost-effective?

某公司在本地資料中心設有 NFS 伺服器，需要定期將少量資料備份到 Amazon S3。

哪種解決方案滿足這些要求並且最具成本效益？

【選項】

A.Set up AWS Glue to copy the data from the on-premises servers to Amazon S3.

B.Set up an AWS DataSync agent on the on-premises servers, and sync the data to Amazon S3.

C.Set up an SFTP sync using AWS Transfer for SFTP to sync data from on premises to Amazon S3.

D.Set up an AWS Direct Connect connection between the on-premises data center and a VPC, and copy the data to Amazon S3.

【參考答案】B

【題號】question 704

【題目】

An online video game company must maintain ultra-low latency for its game servers. The game servers run on Amazon EC2 instances. The company needs a solution that can handle millions of UDP internet traffic requests each second.

Which solution will meet these requirements MOST cost-effectively?

線上視訊遊戲公司必須保持其遊戲伺服器的超低延遲。遊戲伺服器在 Amazon EC2 執行個體上執行。該公司需要一個能夠每秒處理數百萬個 UDP 網路流量請求的解決方案。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Configure an Application Load Balancer with the required protocol and ports for the internet traffic. Specify the EC2 instances as the targets.

B. Configure a Gateway Load Balancer for the internet traffic. Specify the EC2 instances as the targets.

C. Configure a Network Load Balancer with the required protocol and ports for the internet traffic. Specify the EC2 instances as the targets.

D. Launch an identical set of game servers on EC2 instances in separate AWS Regions. Route internet traffic to both sets of EC2 instances.

【參考答案】C

【題號】question 705

【題目】

A company runs a three-tier application in a VPC. The database tier uses an Amazon RDS for MySQL DB instance.

The company plans to migrate the RDS for MySQL DB instance to an Amazon Aurora PostgreSQL DB cluster. The company needs a solution that replicates the data changes that happen during the migration to the new database.

Which combination of steps will meet these requirements? (Choose two.)

一家公司在 VPC 中運行三層應用程式。資料庫層使用 Amazon RDS for MySQL 資料庫執行個體。

該公司計劃將 RDS for MySQL 資料庫執行個體遷移到 Amazon Aurora PostgreSQL 資料庫叢集。該公司需要一個解決方案來複製遷移到新資料庫期間發生的資料變更。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

A. Use AWS Database Migration Service (AWS DMS) Schema Conversion to transform the database objects.

B. Use AWS Database Migration Service (AWS DMS) Schema Conversion to create an Aurora PostgreSQL read replica on the RDS for MySQL DB instance.

C. Configure an Aurora MySQL read replica for the RDS for MySQL DB instance.

D. Define an AWS Database Migration Service (AWS DMS) task with change data capture (CDC) to migrate the data.

E. Promote the Aurora PostgreSQL read replica to a standalone Aurora PostgreSQL DB cluster when the replica lag is zero.

【參考答案】AD

【題號】question 706

【題目】

A company hosts a database that runs on an Amazon RDS instance that is deployed to multiple Availability Zones. The company periodically runs a script against the database to report new entries that are added to the database. The script that runs against the database negatively affects the performance of a critical application. The company needs to improve application performance with minimal costs.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司託管在部署到多個可用區的 Amazon RDS 執行個體上執行的資料庫。該公司定期針對資料庫運行腳本以報告添加到資料庫中的新條目。針對資料庫運行的腳本會對關鍵應用程式的效能產生負面影響。該公司需要以最小的成本提高應用程式效能。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Add functionality to the script to identify the instance that has the fewest active connections. Configure the script to read from that instance to report the total new entries.
- B.Create a read replica of the database. Configure the script to query only the read replica to report the total new entries.
- C.Instruct the development team to manually export the new entries for the day in the database at the end of each day.
- D.Use Amazon ElastiCache to cache the common queries that the script runs against the database.

【參考答案】B

【題號】question 707

【題目】

A company is using an Application Load Balancer (ALB) to present its application to the internet. The company finds abnormal traffic access patterns across the application. A solutions architect needs to improve visibility into the infrastructure to help the company understand these abnormalities better.

What is the MOST operationally efficient solution that meets these requirements?

一家公司正在使用應用程式負載平衡器 (ALB) 向互聯網展示其應用程式。該公司發現整個應用程式中存在異常流量存取模式。解決方案架構師需要提高基礎架構的可見性，以幫助公司更了解這些異常情況。

滿足這些要求的最高效的營運解決方案是什麼？

【選項】

- A.Create a table in Amazon Athena for AWS CloudTrail logs. Create a query for the relevant information.
- B.Enable ALB access logging to Amazon S3. Create a table in Amazon Athena, and query the logs.

C.Enable ALB access logging to Amazon S3. Open each file in a text editor, and search each line for the relevant information.

D.Use Amazon EMR on a dedicated Amazon EC2 instance to directly query the ALB to acquire traffic access log information.

【參考答案】B

【題號】question 708

【題目】

A company wants to use NAT gateways in its AWS environment. The company's Amazon EC2 instances in private subnets must be able to connect to the public internet through the NAT gateways.

Which solution will meet these requirements?

一家公司希望在其 AWS 環境中使用 NAT 網關。公司私有子網路中的 Amazon EC2 執行個體必須能夠透過 NAT 閘道連接到公用網際網路。

哪種解決方案可以滿足這些要求？

【選項】

A.Create public NAT gateways in the same private subnets as the EC2 instances.

B.Create private NAT gateways in the same private subnets as the EC2 instances.

C.Create public NAT gateways in public subnets in the same VPCs as the EC2 instances.

D.Create private NAT gateways in public subnets in the same VPCs as the EC2 instances.

【參考答案】C

【題號】question 709

【題目】

A company has an organization in AWS Organizations. The company runs Amazon EC2 instances across four AWS accounts in the root organizational unit (OU). There are three nonproduction accounts and one production account. The company wants to prohibit users from launching EC2 instances of a certain size in the nonproduction accounts. The company has created a service control policy (SCP) to deny access to launch instances that use the prohibited types.

Which solutions to deploy the SCP will meet these requirements? (Choose two.)

一家公司在 AWS Organizations 中擁有一個組織。該公司在根組織單位 (OU) 的四個 AWS 帳戶中執行 Amazon EC2 執行個體。有 3 個非生產帳戶和 1 個生產帳戶。該公司希望禁止用戶在非生產帳戶中啟動一定規模的 EC2 執行個體。該公司創建了一項服務控制策略 (SCP)，以拒絕存取使用禁止類型的啟動實例。

哪些部署 SCP 的解決方案可以滿足這些要求？（選兩個。）

【選項】

- A. Attach the SCP to the root OU for the organization.
- B. Attach the SCP to the three nonproduction Organizations member accounts.
- C. Attach the SCP to the Organizations management account.
- D. Create an OU for the production account. Attach the SCP to the OU. Move the production member account into the new OU.
- E. Create an OU for the required accounts. Attach the SCP to the OU. Move the nonproduction member accounts into the new OU.

【參考答案】BE

【題號】question 710

【題目】

A company's website hosted on Amazon EC2 instances processes classified data stored in Amazon S3. Due to security concerns, the company requires a private and secure connection between its EC2 resources and Amazon S3.

Which solution meets these requirements?

託管在 Amazon EC2 執行個體上的公司網站處理儲存在 Amazon S3 中的分類資料。出於安全考慮，該公司需要在其 EC2 資源和 Amazon S3 之間建立私有且安全的連線。

哪種解決方案滿足這些要求？

【選項】

- A.Set up S3 bucket policies to allow access from a VPC endpoint.
- B.Set up an IAM policy to grant read-write access to the S3 bucket.
- C.Set up a NAT gateway to access resources outside the private subnet.
- D.Set up an access key ID and a secret access key to access the S3 bucket.

【參考答案】A

【題號】question 711

【題目】

An ecommerce company runs its application on AWS. The application uses an Amazon Aurora PostgreSQL cluster in Multi-AZ mode for the underlying database. During a recent promotional campaign, the application experienced heavy read load and write load. Users experienced timeout issues when they attempted to access the application.

A solutions architect needs to make the application architecture more scalable and highly available.

Which solution will meet these requirements with the LEAST downtime?

一家電子商務公司在 AWS 上運行其應用程式。該應用程式使用多可用區模式的 Amazon Aurora PostgreSQL 叢集作為底層資料庫。在最近的促銷活動中，該應用程式經歷了繁重的讀取負載和寫入負載。用戶在嘗試存取應用程式時遇到超時問題。

解決方案架構師需要使應用程式架構更具可擴展性和高可用性。

哪種解決方案能夠以最短的停機時間來滿足這些要求？

【選項】

A.Create an Amazon EventBridge rule that has the Aurora cluster as a source. Create an AWS Lambda function to log the state change events of the Aurora cluster. Add the Lambda function as a target for the EventBridge rule. Add additional reader nodes to fail over to.

B.Modify the Aurora cluster and activate the zero-downtime restart (ZDR) feature. Use Database Activity Streams on the cluster to track the cluster status.

C.Add additional reader instances to the Aurora cluster. Create an Amazon RDS Proxy target group for the Aurora cluster.

D.Create an Amazon ElastiCache for Redis cache. Replicate data from the Aurora cluster to Redis by using AWS Database Migration Service (AWS DMS) with a write-around approach.

【參考答案】C

【題號】question 712

【題目】

A company is designing a web application on AWS. The application will use a VPN connection between the company's existing data centers and the company's VPCs.

The company uses Amazon Route 53 as its DNS service. The application must use private DNS records to communicate with the on-premises services from a VPC.

Which solution will meet these requirements in the MOST secure manner?

一家公司正在 AWS 上設計一個 Web 應用程式。該應用程式將在公司現有資料中心和公司 VPC 之間使用 VPN 連線。

該公司使用 Amazon Route 53 作為其 DNS 服務。應用程式必須使用私有 DNS 記錄與 VPC 中的本機服務進行通訊。

哪一種解決方案能夠以最安全的方式滿足這些要求？

【選項】

A.Create a Route 53 Resolver outbound endpoint. Create a resolver rule. Associate the resolver rule with the VPC.

B.Create a Route 53 Resolver inbound endpoint. Create a resolver rule. Associate the resolver rule with the VPC.

C.Create a Route 53 private hosted zone. Associate the private hosted zone with the VPC.

D.Create a Route 53 public hosted zone. Create a record for each service to allow service communication

【參考答案】A

【題號】question 713

【題目】

A company is running a photo hosting service in the us-east-1 Region. The service enables users across multiple countries to upload and view photos. Some photos are heavily viewed for months, and others are viewed for less than a week. The application allows uploads of up to 20 MB for each photo. The service uses the photo metadata to determine which photos to display to each user.

Which solution provides the appropriate user access MOST cost-effectively?

一家公司正在 us-east-1 區域運行照片託管服務。該服務使多個國家/地區的用戶能夠上傳和查看照片。有些照片的瀏覽量持續數月之久，而有些照片的瀏覽時間則不到一週。該應用程式允許每張照片上傳最多 20 MB。該服務使用照片元資料來確定向每個使用者顯示哪些照片。

哪種解決方案以最具成本效益的方式提供適當的使用者存取？

【選項】

A.Store the photos in Amazon DynamoDB. Turn on DynamoDB Accelerator (DAX) to cache frequently viewed items.

B.Store the photos in the Amazon S3 Intelligent-Tiering storage class. Store the photo metadata and its S3 location in DynamoDB.

C.Store the photos in the Amazon S3 Standard storage class. Set up an S3 Lifecycle policy to move photos older than 30 days to the S3 Standard-Infrequent Access (S3 Standard-IA) storage class. Use the object tags to keep track of metadata.

D.Store the photos in the Amazon S3 Glacier storage class. Set up an S3 Lifecycle policy to move photos older than 30 days to the S3 Glacier Deep Archive storage class. Store the photo metadata and its S3 location in Amazon OpenSearch Service.

【參考答案】B

【題號】question 714

【題目】

A company runs a highly available web application on Amazon EC2 instances behind an Application Load Balancer. The company uses Amazon CloudWatch metrics.

As the traffic to the web application increases, some EC2 instances become overloaded with many outstanding requests. The CloudWatch metrics show that the number of requests processed and the time to receive the responses from some EC2 instances are both higher compared to other EC2 instances. The company does not want new requests to be forwarded to the EC2 instances that are already overloaded.

Which solution will meet these requirements?

一家公司在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行高度可用的 Web 應用程式。該公司使用 Amazon CloudWatch 指標。

隨著 Web 應用程式流量的增加，一些 EC2 執行個體會因許多未完成的請求而變得過載。CloudWatch 指標顯示，與其他 EC2 執行個體相比，某些 EC2 執行個體處理的請求數量和接收回應的時間都較高。該公司不希望將新請求轉送到已經超載的 EC2 執行個體。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use the round robin routing algorithm based on the RequestCountPerTarget and ActiveConnectionCount CloudWatch metrics.
- B. Use the least outstanding requests algorithm based on the RequestCountPerTarget and ActiveConnectionCount CloudWatch metrics.
- C. Use the round robin routing algorithm based on the RequestCount and TargetResponseTime CloudWatch metrics.
- D. Use the least outstanding requests algorithm based on the RequestCount and TargetResponseTime CloudWatch metrics.

【參考答案】D

【題號】question 715

【題目】

A company uses Amazon EC2, AWS Fargate, and AWS Lambda to run multiple workloads in the company's AWS account. The company wants to fully make use of its Compute Savings Plans. The company wants to receive notification when coverage of the Compute Savings Plans drops.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司使用 Amazon EC2、AWS Fargate 和 AWS Lambda 在公司的 AWS 帳戶中執行多個工作負載。該公司希望充分利用其計算節省計劃。該公司希望在計算節省計劃的覆蓋範圍下降時收到通知。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

- A. Create a daily budget for the Savings Plans by using AWS Budgets. Configure the budget with a coverage threshold to send notifications to the appropriate email message recipients.
- B. Create a Lambda function that runs a coverage report against the Savings Plans. Use Amazon Simple Email Service (Amazon SES) to email the report to the appropriate email message recipients.

- C.Create an AWS Budgets report for the Savings Plans budget. Set the frequency to daily.
- D.Create a Savings Plans alert subscription. Enable all notification options. Enter an email address to receive notifications.

【參考答案】A

【題號】question 716

【題目】

A company runs a real-time data ingestion solution on AWS. The solution consists of the most recent version of Amazon Managed Streaming for Apache Kafka (Amazon MSK). The solution is deployed in a VPC in private subnets across three Availability Zones.

A solutions architect needs to redesign the data ingestion solution to be publicly available over the internet. The data in transit must also be encrypted.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司在 AWS 上運行即時資料提取解決方案。此解決方案包含最新版本的 Amazon Managed Streaming for Apache Kafka (Amazon MSK)。此解決方案部署在跨三個可用區的私有子網路中的 VPC 中。

解決方案架構師需要重新設計資料攝取解決方案，以便透過網際網路公開可用。傳輸中的資料也必須加密。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A.Configure public subnets in the existing VPC. Deploy an MSK cluster in the public subnets. Update the MSK cluster security settings to enable mutual TLS authentication.

B.Create a new VPC that has public subnets. Deploy an MSK cluster in the public subnets. Update the MSK cluster security settings to enable mutual TLS authentication.

C.Deploy an Application Load Balancer (ALB) that uses private subnets. Configure an ALB security group inbound rule to allow inbound traffic from the VPC CIDR block for HTTPS protocol.

D. Deploy a Network Load Balancer (NLB) that uses private subnets. Configure an NLB listener for HTTPS communication over the internet.

【參考答案】A

【題號】question 717

【題目】

A company wants to migrate an on-premises legacy application to AWS. The application ingests customer order files from an on-premises enterprise resource planning (ERP) system. The application then uploads the files to an SFTP server. The application uses a scheduled job that checks for order files every hour.

The company already has an AWS account that has connectivity to the on-premises network. The new application on AWS must support integration with the existing ERP system. The new application must be secure and resilient and must use the SFTP protocol to process orders from the ERP system immediately.

Which solution will meet these requirements?

一家公司希望將本地舊應用程式遷移到 AWS。該應用程式從本地企業資源規劃 (ERP) 系統取得客戶訂單文件。然後應用程式將檔案上傳到 SFTP 伺服器。該應用程式使用計劃作業每小時檢查一次訂單文件。

該公司已經擁有一個可連接到本地網路的 AWS 帳戶。AWS 上的新應用程式必須支援與現有 ERP 系統的整合。新應用程式必須安全、有彈性，並且必須使用 SFTP 協定立即處理來自 ERP 系統的訂單。

哪種解決方案可以滿足這些要求？

【選項】

A. Create an AWS Transfer Family SFTP internet-facing server in two Availability Zones. Use Amazon S3 storage. Create an AWS Lambda function to process order files. Use S3 Event Notifications to send s3:ObjectCreated:* events to the Lambda function.

B. Create an AWS Transfer Family SFTP internet-facing server in one Availability Zone. Use Amazon Elastic File System (Amazon EFS) storage. Create an AWS Lambda function to

process order files. Use a Transfer Family managed workflow to invoke the Lambda function.

C.Create an AWS Transfer Family SFTP internal server in two Availability Zones. Use Amazon Elastic File System (Amazon EFS) storage. Create an AWS Step Functions state machine to process order files. Use Amazon EventBridge Scheduler to invoke the state machine to periodically check Amazon EFS for order files.

D.Create an AWS Transfer Family SFTP internal server in two Availability Zones. Use Amazon S3 storage. Create an AWS Lambda function to process order files. Use a Transfer Family managed workflow to invoke the Lambda function.

【參考答案】D

【題號】question 718

【題目】

A company's applications use Apache Hadoop and Apache Spark to process data on premises. The existing infrastructure is not scalable and is complex to manage.

A solutions architect must design a scalable solution that reduces operational complexity. The solution must keep the data processing on premises.

Which solution will meet these requirements?

一家公司的應用程式使用 Apache Hadoop 和 Apache Spark 來處理本地資料。現有基礎設施不可擴展且管理複雜。

解決方案架構師必須設計可降低操作複雜性的可擴展解決方案。該解決方案必須在本地進行資料處理。

哪種解決方案可以滿足這些要求？

【選項】

A.Use AWS Site-to-Site VPN to access the on-premises Hadoop Distributed File System (HDFS) data and application. Use an Amazon EMR cluster to process the data.

B. Use AWS DataSync to connect to the on-premises Hadoop Distributed File System (HDFS) cluster. Create an Amazon EMR cluster to process the data.

C. Migrate the Apache Hadoop application and the Apache Spark application to Amazon EMR clusters on AWS Outposts. Use the EMR clusters to process the data.

D. Use an AWS Snowball device to migrate the data to an Amazon S3 bucket. Create an Amazon EMR cluster to process the data.

【參考答案】C

【題號】question 719

【題目】

A company is migrating a large amount of data from on-premises storage to AWS. Windows, Mac, and Linux based Amazon EC2 instances in the same AWS Region will access the data by using SMB and NFS storage protocols. The company will access a portion of the data routinely. The company will access the remaining data infrequently.

The company needs to design a solution to host the data.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在將大量資料從本地儲存遷移到 AWS。同一 AWS 區域中基於 Windows、Mac 和 Linux 的 Amazon EC2 執行個體將使用 SMB 和 NFS 儲存協定存取資料。該公司將定期存取部分數據。該公司將很少存取其餘數據。

該公司需要設計一個解決方案來託管資料。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Create an Amazon Elastic File System (Amazon EFS) volume that uses EFS Intelligent-Tiering. Use AWS DataSync to migrate the data to the EFS volume.

B. Create an Amazon FSx for ONTAP instance. Create an FSx for ONTAP file system with a root volume that uses the auto tiering policy. Migrate the data to the FSx for ONTAP volume.

C.Create an Amazon S3 bucket that uses S3 Intelligent-Tiering. Migrate the data to the S3 bucket by using an AWS Storage Gateway Amazon S3 File Gateway.

D.Create an Amazon FSx for OpenZFS file system. Migrate the data to the new volume.

【參考答案】B

【題號】question 720

【題目】

A manufacturing company runs its report generation application on AWS. The application generates each report in about 20 minutes. The application is built as a monolith that runs on a single Amazon EC2 instance. The application requires frequent updates to its tightly coupled modules. The application becomes complex to maintain as the company adds new features.

Each time the company patches a software module, the application experiences downtime. Report generation must restart from the beginning after any interruptions. The company wants to redesign the application so that the application can be flexible, scalable, and gradually improved. The company wants to minimize application downtime.

Which solution will meet these requirements?

一家製造公司在 AWS 上運行其報告產生應用程式。該應用程式在大約 20 分鐘內產生每個報告。該應用程式建構在單一 Amazon EC2 執行個體上執行的整體應用程式。該應用程式需要頻繁更新其緊密耦合的模組。隨著公司添加新功能，應用程式的維護變得複雜。

每次公司修補軟體模組時，應用程式都會出現停機。報告產生必須在任何中斷後從頭開始。該公司希望重新設計應用程序，使應用程式能夠靈活、可擴展並逐步改進。該公司希望最大限度地減少應用程式停機時間。

哪種解決方案可以滿足這些要求？

【選項】

A.Run the application on AWS Lambda as a single function with maximum provisioned concurrency.

B.Run the application on Amazon EC2 Spot Instances as microservices with a Spot Fleet default allocation strategy.

C.Run the application on Amazon Elastic Container Service (Amazon ECS) as microservices with service auto scaling.

D.Run the application on AWS Elastic Beanstalk as a single application environment with an all-at-once deployment strategy.

【參考答案】C

【題號】question 721

【題目】

A company wants to rearchitect a large-scale web application to a serverless microservices architecture. The application uses Amazon EC2 instances and is written in Python.

The company selected one component of the web application to test as a microservice. The component supports hundreds of requests each second. The company wants to create and test the microservice on an AWS solution that supports Python. The solution must also scale automatically and require minimal infrastructure and minimal operational support.

Which solution will meet these requirements?

一家公司希望將大型 Web 應用程式重新建構為無伺服器微服務架構。該應用程式使用 Amazon EC2 執行個體並用 Python 編寫。

該公司選擇了 Web 應用程式的一個元件作為微服務進行測試。該組件每秒支援數百個請求。該公司希望在支援 Python 的 AWS 解決方案上建立和測試微服務。該解決方案還必須自動擴展，並且需要最少的基礎設施和最少的營運支援。

哪種解決方案可以滿足這些要求？

【選項】

A.Use a Spot Fleet with auto scaling of EC2 instances that run the most recent Amazon Linux operating system.

B. Use an AWS Elastic Beanstalk web server environment that has high availability configured.

C. Use Amazon Elastic Kubernetes Service (Amazon EKS). Launch Auto Scaling groups of self-managed EC2 instances.

D. Use an AWS Lambda function that runs custom developed code.

【參考答案】D

【題號】question 722

【題目】

A company has an AWS Direct Connect connection from its on-premises location to an AWS account. The AWS account has 30 different VPCs in the same AWS Region. The VPCs use private virtual interfaces (VIFs). Each VPC has a CIDR block that does not overlap with other networks under the company's control.

The company wants to centrally manage the networking architecture while still allowing each VPC to communicate with all other VPCs and on-premises networks.

Which solution will meet these requirements with the LEAST amount of operational overhead?

本公司擁有從其本地位置到 AWS 帳戶的 AWS Direct Connect 連線。該 AWS 帳戶在同一 AWS 區域中有 30 個不同的 VPC。VPC 使用私有虛擬介面 (VIF)。每個 VPC 都有一個 CIDR 區塊，不與公司控制下的其他網路重疊。

該公司希望集中管理網路架構，同時仍允許每個 VPC 與所有其他 VPC 和本地網路進行通訊。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Create a transit gateway, and associate the Direct Connect connection with a new transit VIF. Turn on the transit gateway's route propagation feature.

B. Create a Direct Connect gateway. Recreate the private VIFs to use the new gateway. Associate each VPC by creating new virtual private gateways.

C.Create a transit VPCConnect the Direct Connect connection to the transit VPCCreate a peering connection between all other VPCs in the Region. Update the route tables.

D.Create AWS Site-to-Site VPN connections from on premises to each VPC. Ensure that both VPN tunnels are UP for each connection. Turn on the route propagation feature.

【參考答案】A

【題號】question 723

【題目】

A company has applications that run on Amazon EC2 instances. The EC2 instances connect to Amazon RDS databases by using an IAM role that has associated policies. The company wants to use AWS Systems Manager to patch the EC2 instances without disrupting the running applications.

Which solution will meet these requirements?

一家公司擁有在 Amazon EC2 執行個體上執行的應用程式。EC2 執行個體使用具有關聯原則的 IAM 角色連線到 Amazon RDS 資料庫。該公司希望使用 AWS Systems Manager 修補 EC2 執行個體而不中斷正在運行的應用程式。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a new IAM role. Attach the AmazonSSMManagedInstanceCore policy to the new IAM role. Attach the new IAM role to the EC2 instances and the existing IAM role.

B.Create an IAM user. Attach the AmazonSSMManagedInstanceCore policy to the IAM user. Configure Systems Manager to use the IAM user to manage the EC2 instances.

C.Enable Default Host Configuration Management in Systems Manager to manage the EC2 instances.

D.Remove the existing policies from the existing IAM role. Add the AmazonSSMManagedInstanceCore policy to the existing IAM role.

【參考答案】C

【題號】question 724

【題目】

A company runs container applications by using Amazon Elastic Kubernetes Service (Amazon EKS) and the Kubernetes Horizontal Pod Autoscaler. The workload is not consistent throughout the day. A solutions architect notices that the number of nodes does not automatically scale out when the existing nodes have reached maximum capacity in the cluster, which causes performance issues.

Which solution will resolve this issue with the LEAST administrative overhead?

一家公司使用 Amazon Elastic Kubernetes Service (Amazon EKS) 和 Kubernetes Horizontal Pod Autoscaler 運行容器應用程式。全天的工作量並不一致。解決方案架構師注意到，當現有節點達到叢集中的最大容量時，節點數量不會自動擴展，這會導致效能問題。

哪種解決方案能夠以最少的管理開銷解決此問題？

【選項】

- A. Scale out the nodes by tracking the memory usage.
- B. Use the Kubernetes Cluster Autoscaler to manage the number of nodes in the cluster.
- C. Use an AWS Lambda function to resize the EKS cluster automatically.
- D. Use an Amazon EC2 Auto Scaling group to distribute the workload.

【參考答案】B

【題號】question 725

【題目】

A company maintains about 300 TB in Amazon S3 Standard storage month after month. The S3 objects are each typically around 50 GB in size and are frequently replaced with multipart uploads by their global application. The number and size of S3 objects remain constant, but the company's S3 storage costs are increasing each month.

How should a solutions architect reduce costs in this situation?

一家公司每月在 Amazon S3 標準儲存中維護約 300 TB。每個 S3 物件的大小通常約為 50 GB，並且經常被其全域應用程式替換為分段上傳。S3物件的數量和大小保持不變，但該公司的S3儲存成本每個月都在增加。

在這種情況下，解決方案架構師應該如何降低成本？

【選項】

- A.Switch from multipart uploads to Amazon S3 Transfer Acceleration.
- B.Enable an S3 Lifecycle policy that deletes incomplete multipart uploads.
- C.Configure S3 inventory to prevent objects from being archived too quickly.
- D.Configure Amazon CloudFront to reduce the number of objects stored in Amazon S3.

【參考答案】B

【題號】question 726

【題目】

A company has deployed a multiplayer game for mobile devices. The game requires live location tracking of players based on latitude and longitude. The data store for the game must support rapid updates and retrieval of locations.

The game uses an Amazon RDS for PostgreSQL DB instance with read replicas to store the location data. During peak usage periods, the database is unable to maintain the performance that is needed for reading and writing updates. The game's user base is increasing rapidly.

What should a solutions architect do to improve the performance of the data tier?

一家公司為行動裝置部署了一款多人遊戲。遊戲需要根據緯度和經度對玩家進行即時位置追蹤。遊戲的資料儲存必須支援快速更新和位置檢索。

遊戲使用具有唯讀副本的 Amazon RDS for PostgreSQL 資料庫實例來儲存位置資料。在使用高峰期，資料庫無法維持讀寫更新所需的效能。該遊戲的用戶群正在迅速成長。

解決方案架構師應該如何提高資料層的效能？

【選項】

A.Take a snapshot of the existing DB instance. Restore the snapshot with Multi-AZ enabled.

B.Migrate from Amazon RDS to Amazon OpenSearch Service with OpenSearch Dashboards.

C.Deploy Amazon DynamoDB Accelerator (DAX) in front of the existing DB instance. Modify the game to use DAX.

D.Deploy an Amazon ElastiCache for Redis cluster in front of the existing DB instance. Modify the game to use Redis.

【參考答案】D

【題號】question 727

【題目】

A company stores critical data in Amazon DynamoDB tables in the company's AWS account. An IT administrator accidentally deleted a DynamoDB table. The deletion caused a significant loss of data and disrupted the company's operations. The company wants to prevent this type of disruption in the future.

Which solution will meet this requirement with the LEAST operational overhead?

一家公司將關鍵資料儲存在該公司 AWS 帳戶的 Amazon DynamoDB 表中。IT 管理員意外刪除了 DynamoDB 表。此次刪除造成了重大資料遺失並擾亂了公司的營運。該公司希望在未來防止此類破壞。

哪種解決方案能夠以最少的營運開銷滿足這項要求？

【選項】

- A. Configure a trail in AWS CloudTrail. Create an Amazon EventBridge rule for delete actions. Create an AWS Lambda function to automatically restore deleted DynamoDB tables.
- B. Create a backup and restore plan for the DynamoDB tables. Recover the DynamoDB tables manually.
- C. Configure deletion protection on the DynamoDB tables.
- D. Enable point-in-time recovery on the DynamoDB tables.

【參考答案】C

【題號】question 728

【題目】

A company has an on-premises data center that is running out of storage capacity. The company wants to migrate its storage infrastructure to AWS while minimizing bandwidth costs. The solution must allow for immediate retrieval of data at no additional cost.

How can these requirements be met?

一家公司的本地資料中心的儲存容量即將耗盡。該公司希望將其儲存基礎設施遷移到 AWS，同時最大限度地降低頻寬成本。該解決方案必須允許立即檢索資料而無需額外費用。

如何滿足這些要求？

【選項】

- A. Deploy Amazon S3 Glacier Vault and enable expedited retrieval. Enable provisioned retrieval capacity for the workload.
- B. Deploy AWS Storage Gateway using cached volumes. Use Storage Gateway to store data in Amazon S3 while retaining copies of frequently accessed data subsets locally.

C. Deploy AWS Storage Gateway using stored volumes to store data locally. Use Storage Gateway to asynchronously back up point-in-time snapshots of the data to Amazon S3.

D. Deploy AWS Direct Connect to connect with the on-premises data center. Configure AWS Storage Gateway to store data locally. Use Storage Gateway to asynchronously back up point-in-time snapshots of the data to Amazon S3.

【參考答案】C

【題號】question 729

【題目】

A company runs a three-tier web application in a VPC across multiple Availability Zones. Amazon EC2 instances run in an Auto Scaling group for the application tier.

The company needs to make an automated scaling plan that will analyze each resource's daily and weekly historical workload trends. The configuration must scale resources appropriately according to both the forecast and live changes in utilization.

Which scaling strategy should a solutions architect recommend to meet these requirements?

一家公司在跨多個可用區的 VPC 中運行三層 Web 應用程式。Amazon EC2 執行個體在應用程式層的 Auto Scaling 群組中執行。

公司需要製定一個自動擴展計劃來分析每個資源的每日和每週歷史工作負載趨勢。配置必須根據利用率的預測和即時變化適當地擴展資源。

解決方案架構師應該推薦哪種擴充策略來滿足這些要求？

【選項】

A. Implement dynamic scaling with step scaling based on average CPU utilization from the EC2 instances.

B. Enable predictive scaling to forecast and scale. Configure dynamic scaling with target tracking

C.Create an automated scheduled scaling action based on the traffic patterns of the web application.

D.Set up a simple scaling policy. Increase the cooldown period based on the EC2 instance startup time.

【參考答案】B

【題號】question 730

【題目】

A package delivery company has an application that uses Amazon EC2 instances and an Amazon Aurora MySQL DB cluster. As the application becomes more popular, EC2 instance usage increases only slightly. DB cluster usage increases at a much faster rate.

The company adds a read replica, which reduces the DB cluster usage for a short period of time. However, the load continues to increase. The operations that cause the increase in DB cluster usage are all repeated read statements that are related to delivery details. The company needs to alleviate the effect of repeated reads on the DB cluster.

Which solution will meet these requirements MOST cost-effectively?

包裹遞送公司有一個使用 Amazon EC2 執行個體和 Amazon Aurora MySQL 資料庫叢集的應用程式。隨著應用程式變得越來越流行，EC2 執行個體的使用量僅略有增加。資料庫叢集使用率以更快的速度成長。

該公司添加了唯讀副本，從而在短時間內減少了資料庫叢集的使用率。然而，負荷仍在持續增加。導致DB叢集使用率增加的操作都是與投遞細節相關的重複讀取語句。公司需要減輕重複讀取對資料庫叢集的影響。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Implement an Amazon ElastiCache for Redis cluster between the application and the DB cluster.

B.Add an additional read replica to the DB cluster.

C.Configure Aurora Auto Scaling for the Aurora read replicas.

D.Modify the DB cluster to have multiple writer instances.

【參考答案】A

【題號】question 731

【題目】

A company has an application that uses an Amazon DynamoDB table for storage. A solutions architect discovers that many requests to the table are not returning the latest data. The company's users have not reported any other issues with database performance. Latency is in an acceptable range.

Which design change should the solutions architect recommend?

一家公司有一個使用 Amazon DynamoDB 表進行儲存的應用程式。解決方案架構師發現對錶的許多請求沒有傳回最新資料。該公司的用戶尚未報告任何其他資料庫效能問題。延遲在可接受的範圍內。

解決方案架構師應該建議哪種設計變更？

【選項】

A.Add read replicas to the table.

B.Use a global secondary index (GSI).

C.Request strongly consistent reads for the table.

D.Request eventually consistent reads for the table.

【參考答案】C

【題號】question 732

【題目】

A company has deployed its application on Amazon EC2 instances with an Amazon RDS database. The company used the principle of least privilege to configure the database access credentials. The company's security team wants to protect the application and the database from SQL injection and other web-based attacks.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司已將其應用程式部署在具有 Amazon RDS 資料庫的 Amazon EC2 執行個體上。該公司使用最小權限原則來配置資料庫存取憑證。該公司的安全團隊希望保護應用程式和資料庫免受 SQL 注入和其他基於 Web 的攻擊。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use security groups and network ACLs to secure the database and application servers.
- B. Use AWS WAF to protect the application. Use RDS parameter groups to configure the security settings.
- C. Use AWS Network Firewall to protect the application and the database.
- D. Use different database accounts in the application code for different functions. Avoid granting excessive privileges to the database users.

【參考答案】B

【題號】question 733

【題目】

An ecommerce company runs applications in AWS accounts that are part of an organization in AWS Organizations. The applications run on Amazon Aurora PostgreSQL databases across all the accounts. The company needs to prevent malicious activity and must identify abnormal failed and incomplete login attempts to the databases.

Which solution will meet these requirements in the MOST operationally efficient way?

一家電子商務公司在屬於 AWS Organizations 中組織的 AWS 帳戶中執行應用程式。這些應用程式在所有帳戶的 Amazon Aurora PostgreSQL 資料庫上運行。公司需要防止惡意活動，並且必須識別資料庫的異常失敗和不完整登入嘗試。

哪一種解決方案能夠以最高效的方式滿足這些要求？

【選項】

A.Attach service control policies (SCPs) to the root of the organization to identify the failed login attempts.

B.Enable the Amazon RDS Protection feature in Amazon GuardDuty for the member accounts of the organization.

C.Publish the Aurora general logs to a log group in Amazon CloudWatch Logs. Export the log data to a central Amazon S3 bucket.

D.Publish all the Aurora PostgreSQL database events in AWS CloudTrail to a central Amazon S3 bucket.

【參考答案】B

【題號】question 734

【題目】

A company has an AWS Direct Connect connection from its corporate data center to its VPC in the us-east-1 Region. The company recently acquired a corporation that has several VPCs and a Direct Connect connection between its on-premises data center and the eu-west-2 Region. The CIDR blocks for the VPCs of the company and the corporation do not overlap. The company requires connectivity between two Regions and the data centers. The company needs a solution that is scalable while reducing operational overhead.

What should a solutions architect do to meet these requirements?

一家公司擁有從其公司資料中心到 us-east-1 區域中的 VPC 的 AWS Direct Connect 連線。該公司最近收購了一家公司，該公司在其本地資料中心和 eu-west-2 區域之間擁有多個 VPC

和 Direct Connect 連線。公司和企業的VPC的CIDR區塊不重疊。該公司需要兩個區域和資料中心之間的連接。該公司需要一種可擴展的解決方案，同時減少營運開銷。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Set up inter-Region VPC peering between the VPC in us-east-1 and the VPCs in eu-west-2.

B.Create private virtual interfaces from the Direct Connect connection in us-east-1 to the VPCs in eu-west-2.

C.Establish VPN appliances in a fully meshed VPN network hosted by Amazon EC2. Use AWS VPN CloudHub to send and receive data between the data centers and each VPC.

D.Connect the existing Direct Connect connection to a Direct Connect gateway. Route traffic from the virtual private gateways of the VPCs in each Region to the Direct Connect gateway.

【參考答案】D

【題號】question 735

【題目】

A company is developing a mobile game that streams score updates to a backend processor and then posts results on a leaderboard. A solutions architect needs to design a solution that can handle large traffic spikes, process the mobile game updates in order of receipt, and store the processed updates in a highly available database. The company also wants to minimize the management overhead required to maintain the solution.

What should the solutions architect do to meet these requirements?

一家公司正在開發一款手機遊戲，將分數更新傳輸到後端處理器，然後將結果發佈在排行榜上。解決方案架構師需要設計一個解決方案，能夠處理大流量峰值、按接收順序處理行動遊戲更新，並將處理後的更新儲存在高度可用的資料庫中。該公司還希望最大限度地減少維護解決方案所需的管理開銷。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Push score updates to Amazon Kinesis Data Streams. Process the updates in Kinesis Data Streams with AWS Lambda. Store the processed updates in Amazon DynamoDB.

B.Push score updates to Amazon Kinesis Data Streams. Process the updates with a fleet of Amazon EC2 instances set up for Auto Scaling. Store the processed updates in Amazon Redshift.

C.Push score updates to an Amazon Simple Notification Service (Amazon SNS) topic. Subscribe an AWS Lambda function to the SNS topic to process the updates. Store the processed updates in a SQL database running on Amazon EC2.

D.Push score updates to an Amazon Simple Queue Service (Amazon SQS) queue. Use a fleet of Amazon EC2 instances with Auto Scaling to process the updates in the SQS queue. Store the processed updates in an Amazon RDS Multi-AZ DB instance.

【參考答案】A

【題號】question 736

【題目】

A company has multiple AWS accounts with applications deployed in the us-west-2 Region. Application logs are stored within Amazon S3 buckets in each account. The company wants to build a centralized log analysis solution that uses a single S3 bucket. Logs must not leave us-west-2, and the company wants to incur minimal operational overhead.

Which solution meets these requirements and is MOST cost-effective?

一家公司擁有多個 AWS 帳戶，其應用程式部署在 us-west-2 區域。應用程式日誌儲存在每個帳戶的 Amazon S3 儲存桶中。該公司希望建立一個使用單一 S3 儲存桶的集中式日誌分析解決方案。日誌不得離開 us-west-2，且該公司希望將營運開銷降至最低。

哪種解決方案滿足這些要求並且最具成本效益？

【選項】

A.Create an S3 Lifecycle policy that copies the objects from one of the application S3 buckets to the centralized S3 bucket.

B.Use S3 Same-Region Replication to replicate logs from the S3 buckets to another S3 bucket in us-west-2. Use this S3 bucket for log analysis.

C.Write a script that uses the PutObject API operation every day to copy the entire contents of the buckets to another S3 bucket in us-west-2. Use this S3 bucket for log analysis.

D.Write AWS Lambda functions in these accounts that are triggered every time logs are delivered to the S3 buckets (s3:ObjectCreated:* event). Copy the logs to another S3 bucket in us-west-2. Use this S3 bucket for log analysis.

【參考答案】B

【題號】question 737

【題目】

A company has an application that delivers on-demand training videos to students around the world. The application also allows authorized content developers to upload videos. The data is stored in an Amazon S3 bucket in the us-east-2 Region.

The company has created an S3 bucket in the eu-west-2 Region and an S3 bucket in the ap-southeast-1 Region. The company wants to replicate the data to the new S3 buckets. The company needs to minimize latency for developers who upload videos and students who stream videos near eu-west-2 and ap-southeast-1.

Which combination of steps will meet these requirements with the FEWEST changes to the application? (Choose two.)

一家公司有一個應用程式，可以向世界各地的學生提供點播培訓影片。該應用程式還允許授權內容開發者上傳影片。資料儲存在 us-east-2 區域的 Amazon S3 儲存桶中。

該公司已在 eu-west-2 區域創建了一個 S3 儲存桶，並在 ap-southeast-1 區域創建了一個 S3 儲存桶。該公司希望將資料複製到新的 S3 儲存桶。該公司需要最大限度地減少上傳影片的開發人員和在 eu-west-2 和 ap-southeast-1 附近串流影片的學生的延遲。

哪種步驟組合可以透過對應用程式進行最少的更改來滿足這些要求？（選兩個。）

【選項】

- A. Configure one-way replication from the us-east-2 S3 bucket to the eu-west-2 S3 bucket. Configure one-way replication from the us-east-2 S3 bucket to the ap-southeast-1 S3 bucket.
- B. Configure one-way replication from the us-east-2 S3 bucket to the eu-west-2 S3 bucket. Configure one-way replication from the eu-west-2 S3 bucket to the ap-southeast-1 S3 bucket.
- C. Configure two-way (bidirectional) replication among the S3 buckets that are in all three Regions.
- D. Create an S3 Multi-Region Access Point. Modify the application to use the Amazon Resource Name (ARN) of the Multi-Region Access Point for video streaming. Do not modify the application for video uploads.
- E. Create an S3 Multi-Region Access Point. Modify the application to use the Amazon Resource Name (ARN) of the Multi-Region Access Point for video streaming and uploads.

【參考答案】CE

【題號】question 738

【題目】

A company has a new mobile app. Anywhere in the world, users can see local news on topics they choose. Users also can post photos and videos from inside the app.

Users access content often in the first minutes after the content is posted. New content quickly replaces older content, and then the older content disappears. The local nature of the news means that users consume 90% of the content within the AWS Region where it is uploaded.

Which solution will optimize the user experience by providing the LOWEST latency for content uploads?

一家公司有一個新的行動應用程式。在世界任何地方，用戶都可以查看他們選擇的主題的本地新聞。用戶還可以從應用程式內部發布照片和影片。

用戶通常在內容發布後的最初幾分鐘內存取內容。新內容很快就取代舊內容，然後舊內容消失。新聞的本地性質意味著用戶會在其上傳的 AWS 區域內消費 90% 的內容。

哪種解決方案將透過提供最低的內容上傳延遲來優化用戶體驗？

【選項】

- A.Upload and store content in Amazon S3. Use Amazon CloudFront for the uploads.
- B.Upload and store content in Amazon S3. Use S3 Transfer Acceleration for the uploads.
- C.Upload content to Amazon EC2 instances in the Region that is closest to the user. Copy the data to Amazon S3.
- D.Upload and store content in Amazon S3 in the Region that is closest to the user. Use multiple distributions of Amazon CloudFront.

【參考答案】B

【題號】question 739

【題目】

A company is building a new application that uses serverless architecture. The architecture will consist of an Amazon API Gateway REST API and AWS Lambda functions to manage incoming requests.

The company wants to add a service that can send messages received from the API Gateway REST API to multiple target Lambda functions for processing. The service must offer message filtering that gives the target Lambda functions the ability to receive only the messages the functions need.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在建立一個使用無伺服器架構的新應用程式。該架構將包含 Amazon API Gateway REST API 和用於管理傳入請求的 AWS Lambda 函數。

該公司希望添加一項服務，該服務可以將從 API Gateway REST API 收到的訊息發送到多個目標 Lambda 函數進行處理。此服務必須提供訊息過濾，使目標 Lambda 函數能夠僅接收函數所需的訊息。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Send the requests from the API Gateway REST API to an Amazon Simple Notification Service (Amazon SNS) topic. Subscribe Amazon Simple Queue Service (Amazon SQS) queues to the SNS topic. Configure the target Lambda functions to poll the different SQS queues.

B.Send the requests from the API Gateway REST API to Amazon EventBridge. Configure EventBridge to invoke the target Lambda functions.

C.Send the requests from the API Gateway REST API to Amazon Managed Streaming for Apache Kafka (Amazon MSK). Configure Amazon MSK to publish the messages to the target Lambda functions.

D.Send the requests from the API Gateway REST API to multiple Amazon Simple Queue Service (Amazon SQS) queues. Configure the target Lambda functions to poll the different SQS queues.

【參考答案】A

【題號】question 740

【題目】

A company migrated millions of archival files to Amazon S3. A solutions architect needs to implement a solution that will encrypt all the archival data by using a customer-provided key. The solution must encrypt existing unencrypted objects and future objects.

Which solution will meet these requirements?

一家公司將數百萬個存檔檔案移轉到 Amazon S3。解決方案架構師需要實作一個解決方案，使用客戶提供的金鑰對所有存檔資料進行加密。此解決方案必須加密現有的未加密物件和未來的物件。

哪種解決方案可以滿足這些要求？

【選項】

- A.Create a list of unencrypted objects by filtering an Amazon S3 Inventory report. Configure an S3 Batch Operations job to encrypt the objects from the list with a server-side encryption with a customer-provided key (SSE-C). Configure the S3 default encryption feature to use a server-side encryption with a customer-provided key (SSE-C).
- B.Use S3 Storage Lens metrics to identify unencrypted S3 buckets. Configure the S3 default encryption feature to use a server-side encryption with AWS KMS keys (SSE-KMS).
- C.Create a list of unencrypted objects by filtering the AWS usage report for Amazon S3. Configure an AWS Batch job to encrypt the objects from the list with a server-side encryption with AWS KMS keys (SSE-KMS). Configure the S3 default encryption feature to use a server-side encryption with AWS KMS keys (SSE-KMS).
- D.Create a list of unencrypted objects by filtering the AWS usage report for Amazon S3. Configure the S3 default encryption feature to use a server-side encryption with a customer-provided key (SSE-C).

【參考答案】A

【題號】question 741

【題目】

The DNS provider that hosts a company's domain name records is experiencing outages that cause service disruption for a website running on AWS. The company needs to migrate to a more resilient managed DNS service and wants the service to run on AWS.

What should a solutions architect do to rapidly migrate the DNS hosting service?

託管公司網域記錄的 DNS 供應商遇到中斷，導致 AWS 上執行的網站的服務中斷。該公司需要遷移到更具彈性的託管 DNS 服務，並希望該服務在 AWS 上運作。

解決方案架構師應該如何快速遷移 DNS 託管服務？

【選項】

A.Create an Amazon Route 53 public hosted zone for the domain name. Import the zone file containing the domain records hosted by the previous provider.

B.Create an Amazon Route 53 private hosted zone for the domain name. Import the zone file containing the domain records hosted by the previous provider.

C.Create a Simple AD directory in AWS. Enable zone transfer between the DNS provider and AWS Directory Service for Microsoft Active Directory for the domain records.

D.Create an Amazon Route 53 Resolver inbound endpoint in the VPC. Specify the IP addresses that the provider's DNS will forward DNS queries to. Configure the provider's DNS to forward DNS queries for the domain to the IP addresses that are specified in the inbound endpoint.

【參考答案】A

【題號】question 742

【題目】

A company is building an application on AWS that connects to an Amazon RDS database. The company wants to manage the application configuration and to securely store and retrieve credentials for the database and other services.

Which solution will meet these requirements with the LEAST administrative overhead?

一家公司正在 AWS 上建立一個連接到 Amazon RDS 資料庫的應用程式。該公司希望管理應用程式配置並安全地儲存和檢索資料庫和其他服務的憑證。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A.Use AWS AppConfig to store and manage the application configuration. Use AWS Secrets Manager to store and retrieve the credentials.

B.Use AWS Lambda to store and manage the application configuration. Use AWS Systems Manager Parameter Store to store and retrieve the credentials.

C. Use an encrypted application configuration file. Store the file in Amazon S3 for the application configuration. Create another S3 file to store and retrieve the credentials.

D. Use AWS AppConfig to store and manage the application configuration. Use Amazon RDS to store and retrieve the credentials.

【參考答案】A

【題號】question 743

【題目】

To meet security requirements, a company needs to encrypt all of its application data in transit while communicating with an Amazon RDS MySQL DB instance. A recent security audit revealed that encryption at rest is enabled using AWS Key Management Service (AWS KMS), but data in transit is not enabled.

What should a solutions architect do to satisfy the security requirements?

為了滿足安全要求，公司需要在與 Amazon RDS MySQL 資料庫執行個體通訊時加密傳輸中的所有應用程式資料。最近的安全性審核顯示，使用 AWS Key Management Service (AWS KMS) 啟用了靜態加密，但未啟用傳輸中的資料。

解決方案架構師應該怎麼做才能滿足安全要求？

【選項】

A. Enable IAM database authentication on the database.

B. Provide self-signed certificates. Use the certificates in all connections to the RDS instance.

C. Take a snapshot of the RDS instance. Restore the snapshot to a new instance with encryption enabled.

D. Download AWS-provided root certificates. Provide the certificates in all connections to the RDS instance.

【參考答案】D

【題號】question 744

【題目】

A company is designing a new web service that will run on Amazon EC2 instances behind an Elastic Load Balancing (ELB) load balancer. However, many of the web service clients can only reach IP addresses authorized on their firewalls.

What should a solutions architect recommend to meet the clients' needs?

一家公司正在設計一項新的 Web 服務，該服務將在 Elastic Load Balancing (ELB) 負載平衡器後面的 Amazon EC2 執行個體上執行。然而，許多 Web 服務用戶端只能存取其防火牆上授權的 IP 位址。

解決方案架構師應該建議什麼來滿足客戶的需求？

【選項】

- A.A Network Load Balancer with an associated Elastic IP address.
- B.An Application Load Balancer with an associated Elastic IP address.
- C.An A record in an Amazon Route 53 hosted zone pointing to an Elastic IP address.
- D.An EC2 instance with a public IP address running as a proxy in front of the load balancer.

【參考答案】A

【題號】question 745

【題目】

A company has established a new AWS account. The account is newly provisioned and no changes have been made to the default settings. The company is concerned about the security of the AWS account root user.

What should be done to secure the root user?

一家公司建立了一個新的 AWS 帳戶。該帳戶是新配置的，預設設定未進行任何更改。該公司擔心 AWS 帳戶根用戶的安全。

應該採取什麼措施來保護 root 使用者的安全？

【選項】

- A. Create IAM users for daily administrative tasks. Disable the root user.
- B. Create IAM users for daily administrative tasks. Enable multi-factor authentication on the root user.
- C. Generate an access key for the root user. Use the access key for daily administration tasks instead of the AWS Management Console.
- D. Provide the root user credentials to the most senior solutions architect. Have the solutions architect use the root user for daily administration tasks.

【參考答案】B

【題號】question 746

【題目】

A company is deploying an application that processes streaming data in near-real time. The company plans to use Amazon EC2 instances for the workload. The network architecture must be configurable to provide the lowest possible latency between nodes.

Which combination of network solutions will meet these requirements? (Choose two.)

一家公司正在部署一個近即時處理串流資料的應用程式。該公司計劃使用 Amazon EC2 執行個體來處理工作負載。網路架構必須可配置，以提供節點之間盡可能低的延遲。

哪種網路解決方案組合可以滿足這些要求？（選兩個。）

【選項】

- A. Enable and configure enhanced networking on each EC2 instance.
- B. Group the EC2 instances in separate accounts.

- C.Run the EC2 instances in a cluster placement group.
- D.Attach multiple elastic network interfaces to each EC2 instance.
- E.Use Amazon Elastic Block Store (Amazon EBS) optimized instance types.

【參考答案】AC

【題號】question 747

【題目】

A financial services company wants to shut down two data centers and migrate more than 100 TB of data to AWS. The data has an intricate directory structure with millions of small files stored in deep hierarchies of subfolders. Most of the data is unstructured, and the company's file storage consists of SMB-based storage types from multiple vendors. The company does not want to change its applications to access the data after migration.

What should a solutions architect do to meet these requirements with the LEAST operational overhead?

一家金融服務公司希望關閉兩個資料中心並將超過 100 TB 的資料遷移到 AWS。資料具有複雜的目錄結構，數百萬個小檔案儲存在子資料夾的深層層次結構中。大多數資料都是非結構化的，公司的文件儲存由來自多個供應商的基於 SMB 的儲存類型組成。該公司不想在遷移後更改其應用程式來存取資料。

解決方案架構師應該如何做才能以最少的營運開銷來滿足這些要求？

【選項】

- A.Use AWS Direct Connect to migrate the data to Amazon S3.
- B.Use AWS DataSync to migrate the data to Amazon FSx for Lustre.
- C.Use AWS DataSync to migrate the data to Amazon FSx for Windows File Server.
- D.Use AWS Direct Connect to migrate the data on-premises file storage to an AWS Storage Gateway volume gateway.

【參考答案】C

【題號】question 748

【題目】

A company uses an organization in AWS Organizations to manage AWS accounts that contain applications. The company sets up a dedicated monitoring member account in the organization. The company wants to query and visualize observability data across the accounts by using Amazon CloudWatch.

Which solution will meet these requirements?

本公司使用 AWS Organizations 中的組織來管理包含應用程式的 AWS 帳戶。本公司在組織內設立專門的監控會員帳戶。該公司希望使用 Amazon CloudWatch 查詢和視覺化跨帳戶的可觀測性資料。

哪種解決方案可以滿足這些要求？

【選項】

A.Enable CloudWatch cross-account observability for the monitoring account. Deploy an AWS CloudFormation template provided by the monitoring account in each AWS account to share the data with the monitoring account.

B.Set up service control policies (SCPs) to provide access to CloudWatch in the monitoring account under the Organizations root organizational unit (OU).

C.Configure a new IAM user in the monitoring account. In each AWS account, configure an IAM policy to have access to query and visualize the CloudWatch data in the account. Attach the new IAM policy to the new IAM user.

D.Create a new IAM user in the monitoring account. Create cross-account IAM policies in each AWS account. Attach the IAM policies to the new IAM user.

【參考答案】A

【題號】question 749

【題目】

A company's website is used to sell products to the public. The site runs on Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer (ALB). There is also an Amazon CloudFront distribution, and AWS WAF is being used to protect against SQL injection attacks. The ALB is the origin for the CloudFront distribution. A recent review of security logs revealed an external malicious IP that needs to be blocked from accessing the website.

What should a solutions architect do to protect the application?

本公司的網站用於向公眾銷售產品。該網站在應用程式負載平衡器 (ALB) 後面的 Auto Scaling 群組中的 Amazon EC2 執行個體上執行。還有一個 Amazon CloudFront 發行版，並且 AWS WAF 用於防止 SQL 注入攻擊。ALB 是 CloudFront 發行版的起源。最近對安全日誌的審查發現，需要阻止一個外部惡意 IP 存取該網站。

解決方案架構師應該做什麼來保護應用程式？

【選項】

- A. Modify the network ACL on the CloudFront distribution to add a deny rule for the malicious IP address.
- B. Modify the configuration of AWS WAF to add an IP match condition to block the malicious IP address.
- C. Modify the network ACL for the EC2 instances in the target groups behind the ALB to deny the malicious IP address.
- D. Modify the security groups for the EC2 instances in the target groups behind the ALB to deny the malicious IP address.

【參考答案】B

【題號】question 750

【題目】

A company sets up an organization in AWS Organizations that contains 10 AWS accounts. A solutions architect must design a solution to provide access to the accounts for several thousand employees. The company has an existing identity provider (IdP). The company wants to use the existing IdP for authentication to AWS.

Which solution will meet these requirements?

一家公司在 AWS Organizations 中設定了一個組織，其中包含 10 個 AWS 帳戶。解決方案架構師必須設計一個解決方案，為數千名員工提供帳戶存取權限。該公司擁有現有的身份提供者 (IdP)。該公司希望使用現有的 IdP 進行 AWS 驗證。

哪種解決方案可以滿足這些要求？

【選項】

- A.Create IAM users for the employees in the required AWS accounts. Connect IAM users to the existing IdP. Configure federated authentication for the IAM users.
- B.Set up AWS account root users with user email addresses and passwords that are synchronized from the existing IdP.
- C.Configure AWS IAM Identity Center (AWS Single Sign-On). Connect IAM Identity Center to the existing IdP. Provision users and groups from the existing IdP.
- D.Use AWS Resource Access Manager (AWS RAM) to share access to the AWS accounts with the users in the existing IdP.

【參考答案】C

【題號】question 751

【題目】

A solutions architect is designing an AWS Identity and Access Management (IAM) authorization model for a company's AWS account. The company has designated five specific employees to have full access to AWS services and resources in the AWS account.

The solutions architect has created an IAM user for each of the five designated employees and has created an IAM user group.

Which solution will meet these requirements?

解決方案架構師正在為該公司的 AWS 帳戶設計 AWS Identity and Access Management (IAM) 授權模型。該公司已指定五名特定員工擁有對 AWS 帳戶中的 AWS 服務和資源的完全存取權。

解決方案架構師為五名指定員工每人創建了一個 IAM 用戶，並創建了一個 IAM 用戶組。

哪種解決方案可以滿足這些要求？

【選項】

A.Attach the AdministratorAccess resource-based policy to the IAM user group. Place each of the five designated employee IAM users in the IAM user group.

B.Attach the SystemAdministrator identity-based policy to the IAM user group. Place each of the five designated employee IAM users in the IAM user group.

C.Attach the AdministratorAccess identity-based policy to the IAM user group. Place each of the five designated employee IAM users in the IAM user group.

D.Attach the SystemAdministrator resource-based policy to the IAM user group. Place each of the five designated employee IAM users in the IAM user group.

【參考答案】C

【題號】question 752

【題目】

A company has a multi-tier payment processing application that is based on virtual machines (VMs). The communication between the tiers occurs asynchronously through a third-party middleware solution that guarantees exactly-once delivery.

The company needs a solution that requires the least amount of infrastructure management. The solution must guarantee exactly-once delivery for application messaging.

Which combination of actions will meet these requirements? (Choose two.)

一家公司擁有基於虛擬機器 (VM) 的多層支付處理應用程式。各層之間的通訊透過第三方中間件解決方案非同步進行，保證一次性交付。

該公司需要一種需要最少基礎設施管理的解決方案。此解決方案必須保證應用程式訊息傳遞的一次性傳送。

哪一種行動組合可以滿足這些要求？（選兩個。）

【選項】

A. Use AWS Lambda for the compute layers in the architecture.

B. Use Amazon EC2 instances for the compute layers in the architecture.

C. Use Amazon Simple Notification Service (Amazon SNS) as the messaging component between the compute layers.

D. Use Amazon Simple Queue Service (Amazon SQS) FIFO queues as the messaging component between the compute layers.

E. Use containers that are based on Amazon Elastic Kubernetes Service (Amazon EKS) for the compute layers in the architecture.

【參考答案】AD

【題號】question 753

【題目】

A company has a nightly batch processing routine that analyzes report files that an on-premises file system receives daily through SFTP. The company wants to move the solution to the AWS Cloud. The solution must be highly available and resilient. The solution also must minimize operational effort.

Which solution meets these requirements?

一家公司有一個每晚批次例程，用於分析本地檔案系統每天透過 SFTP 接收的報告檔案。該公司希望將解決方案遷移到 AWS 雲端。該解決方案必須具有高可用性和彈性。該解決方案還必須最大限度地減少營運工作量。

哪種解決方案滿足這些要求？

【選項】

- A. Deploy AWS Transfer for SFTP and an Amazon Elastic File System (Amazon EFS) file system for storage. Use an Amazon EC2 instance in an Auto Scaling group with a scheduled scaling policy to run the batch operation.
- B. Deploy an Amazon EC2 instance that runs Linux and an SFTP service. Use an Amazon Elastic Block Store (Amazon EBS) volume for storage. Use an Auto Scaling group with the minimum number of instances and desired number of instances set to 1.
- C. Deploy an Amazon EC2 instance that runs Linux and an SFTP service. Use an Amazon Elastic File System (Amazon EFS) file system for storage. Use an Auto Scaling group with the minimum number of instances and desired number of instances set to 1.
- D. Deploy AWS Transfer for SFTP and an Amazon S3 bucket for storage. Modify the application to pull the batch files from Amazon S3 to an Amazon EC2 instance for processing. Use an EC2 instance in an Auto Scaling group with a scheduled scaling policy to run the batch operation.

【參考答案】D

【題號】question 754

【題目】

A company has users all around the world accessing its HTTP-based application deployed on Amazon EC2 instances in multiple AWS Regions. The company wants to improve the availability and performance of the application. The company also wants to protect the application against common web exploits that may affect availability, compromise security, or consume excessive resources. Static IP addresses are required.

What should a solutions architect recommend to accomplish this?

一家公司在世界各地都有使用者存取其部署在多個 AWS 區域的 Amazon EC2 執行個體上的基於 HTTP 的應用程式。該公司希望提高應用程式的可用性和效能。該公司還希望保護應用程式免受可能影響可用性、損害安全性或消耗過多資源的常見 Web 攻擊。需要靜態 IP 位址。

解決方案架構師應該建議什麼來實現這一目標？

【選項】

- A.Put the EC2 instances behind Network Load Balancers (NLBs) in each Region. Deploy AWS WAF on the NLBs. Create an accelerator using AWS Global Accelerator and register the NLBs as endpoints.
- B.Put the EC2 instances behind Application Load Balancers (ALBs) in each Region. Deploy AWS WAF on the ALBs. Create an accelerator using AWS Global Accelerator and register the ALBs as endpoints.
- C.Put the EC2 instances behind Network Load Balancers (NLBs) in each Region. Deploy AWS WAF on the NLBs. Create an Amazon CloudFront distribution with an origin that uses Amazon Route 53 latency-based routing to route requests to the NLBs.
- D.Put the EC2 instances behind Application Load Balancers (ALBs) in each Region. Create an Amazon CloudFront distribution with an origin that uses Amazon Route 53 latency-based routing to route requests to the ALBs. Deploy AWS WAF on the CloudFront distribution.

【參考答案】B

【題號】question 755

【題目】

A company's data platform uses an Amazon Aurora MySQL database. The database has multiple read replicas and multiple DB instances across different Availability Zones. Users have recently reported errors from the database that indicate that there are too many connections. The company wants to reduce the failover time by 20% when a read replica is promoted to primary writer.

Which solution will meet this requirement?

某公司的資料平台使用Amazon Aurora MySQL資料庫。此資料庫具有跨不同可用區的多個只讀副本和多個資料庫實例。用戶最近報告了資料庫錯誤，表明連接過多。該公司希望將唯讀副本提升為主寫入器時將故障轉移時間減少 20%。

哪種解決方案可以滿足這個要求？

【選項】

- A.Switch from Aurora to Amazon RDS with Multi-AZ cluster deployment.
- B.Use Amazon RDS Proxy in front of the Aurora database.
- C.Switch to Amazon DynamoDB with DynamoDB Accelerator (DAX) for read connections.
- D.Switch to Amazon Redshift with relocation capability.

【參考答案】B

【題號】question 756

【題目】

A company stores text files in Amazon S3. The text files include customer chat messages, date and time information, and customer personally identifiable information (PII).

The company needs a solution to provide samples of the conversations to an external service provider for quality control. The external service provider needs to randomly pick sample conversations up to the most recent conversation. The company must not share the customer PII with the external service provider. The solution must scale when the number of customer conversations increases.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司將文字檔案儲存在 Amazon S3 中。文字檔案包括客戶聊天訊息、日期和時間資訊以及客戶個人識別資訊 (PII)。

該公司需要一個解決方案來向外部服務提供者提供對話樣本以進行品質控制。外部服務提供者需要隨機挑選樣本對話，直到最近的對話。本公司不得與外部服務提供者共享客戶 PII。當客戶對話數量增加時，解決方案必須擴展。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an Object Lambda Access Point. Create an AWS Lambda function that redacts the PII when the function reads the file. Instruct the external service provider to access the Object Lambda Access Point.

B.Create a batch process on an Amazon EC2 instance that regularly reads all new files, redacts the PII from the files, and writes the redacted files to a different S3 bucket. Instruct the external service provider to access the bucket that does not contain the PII.B. Create a web application on an Amazon EC2 instance that presents a list of the files, redacts the PII from the files, and allows the external service provider to download new versions of the files that have the PII redacted.

D.Create an Amazon DynamoDB table. Create an AWS Lambda function that reads only the data in the files that does not contain PII. Configure the Lambda function to store the non-PII data in the DynamoDB table when a new file is written to Amazon S3. Grant the external service provider access to the DynamoDB table.

【參考答案】A

【題號】question 757

【題目】

A company is running a legacy system on an Amazon EC2 instance. The application code cannot be modified, and the system cannot run on more than one instance. A solutions architect must design a resilient solution that can improve the recovery time for the system.

What should the solutions architect recommend to meet these requirements?

一家公司正在 Amazon EC2 執行個體上執行舊系統。應用程式程式碼不能修改，系統不能運行在多個實例上。解決方案架構師必須設計一個有彈性的解決方案，可以縮短系統的復原時間。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

A.Enable termination protection for the EC2 instance.

- B. Configure the EC2 instance for Multi-AZ deployment.
- C. Create an Amazon CloudWatch alarm to recover the EC2 instance in case of failure.
- D. Launch the EC2 instance with two Amazon Elastic Block Store (Amazon EBS) volumes that use RAID configurations for storage redundancy.

【參考答案】D

【題號】question 758

【題目】

A company wants to deploy its containerized application workloads to a VPC across three Availability Zones. The company needs a solution that is highly available across Availability Zones. The solution must require minimal changes to the application.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望將其容器化應用程式工作負載部署到跨三個可用區的 VPC。該公司需要一個跨可用區高度可用的解決方案。該解決方案必須需要對應用程式進行最少的更改。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use Amazon Elastic Container Service (Amazon ECS). Configure Amazon ECS Service Auto Scaling to use target tracking scaling. Set the minimum capacity to 3. Set the task placement strategy type to spread with an Availability Zone attribute.
- B. Use Amazon Elastic Kubernetes Service (Amazon EKS) self-managed nodes. Configure Application Auto Scaling to use target tracking scaling. Set the minimum capacity to 3.
- C. Use Amazon EC2 Reserved Instances. Launch three EC2 instances in a spread placement group. Configure an Auto Scaling group to use target tracking scaling. Set the minimum capacity to 3.
- D. Use an AWS Lambda function. Configure the Lambda function to connect to a VPC. Configure Application Auto Scaling to use Lambda as a scalable target. Set the minimum capacity to 3.

【參考答案】A

【題號】question 759

【題目】

A media company stores movies in Amazon S3. Each movie is stored in a single video file that ranges from 1 GB to 10 GB in size.

The company must be able to provide the streaming content of a movie within 5 minutes of a user purchase. There is higher demand for movies that are less than 20 years old than for movies that are more than 20 years old. The company wants to minimize hosting service costs based on demand.

Which solution will meet these requirements?

一家媒體公司將電影儲存在 Amazon S3 中。每部電影都儲存在一個大小從 1 GB 到 10 GB 的視訊檔案中。

公司必須能夠在用戶購買後 5 分鐘內提供電影的串流內容。20 年以內的電影的需求高於 20 年以上的電影。該公司希望根據需求最大限度地降低託管服務成本。

哪種解決方案可以滿足這些要求？

【選項】

A.Store all media content in Amazon S3. Use S3 Lifecycle policies to move media data into the Infrequent Access tier when the demand for a movie decreases.

B.Store newer movie video files in S3 Standard. Store older movie video files in S3 Standard-infrequent Access (S3 Standard-IA). When a user orders an older movie, retrieve the video file by using standard retrieval.

C.Store newer movie video files in S3 Intelligent-Tiering. Store older movie video files in S3 Glacier Flexible Retrieval. When a user orders an older movie, retrieve the video file by using expedited retrieval.

D.Store newer movie video files in S3 Standard. Store older movie video files in S3 Glacier Flexible Retrieval. When a user orders an older movie, retrieve the video file by using bulk retrieval.

【參考答案】B

【題號】question 760

【題目】

A solutions architect needs to design the architecture for an application that a vendor provides as a Docker container image. The container needs 50 GB of storage available for temporary files. The infrastructure must be serverless.

Which solution meets these requirements with the LEAST operational overhead?

解決方案架構師需要為供應商作為 Docker 容器映像提供的應用程式設計架構。容器需要 50 GB 可用於暫存檔案的儲存空間。基礎設施必須是無伺服器的。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an AWS Lambda function that uses the Docker container image with an Amazon S3 mounted volume that has more than 50 GB of space.

B.Create an AWS Lambda function that uses the Docker container image with an Amazon Elastic Block Store (Amazon EBS) volume that has more than 50 GB of space.

C.Create an Amazon Elastic Container Service (Amazon ECS) cluster that uses the AWS Fargate launch type. Create a task definition for the container image with an Amazon Elastic File System (Amazon EFS) volume. Create a service with that task definition.

D.Create an Amazon Elastic Container Service (Amazon ECS) cluster that uses the Amazon EC2 launch type with an Amazon Elastic Block Store (Amazon EBS) volume that has more than 50 GB of space. Create a task definition for the container image. Create a service with that task definition.

【參考答案】C

【題號】question 761

【題目】

A company needs to use its on-premises LDAP directory service to authenticate its users to the AWS Management Console. The directory service is not compatible with Security Assertion Markup Language (SAML).

Which solution meets these requirements?

本公司需要使用其本機 LDAP 目錄服務向 AWS 管理主控台驗證其使用者身分。目錄服務與安全性斷言標記語言 (SAML) 不相容。

哪種解決方案滿足這些要求？

【選項】

- A.Enable AWS IAM Identity Center (AWS Single Sign-On) between AWS and the on-premises LDAP.
- B.Create an IAM policy that uses AWS credentials, and integrate the policy into LDAP.
- C.Set up a process that rotates the IAM credentials whenever LDAP credentials are updated.
- D.Develop an on-premises custom identity broker application or process that uses AWS Security Token Service (AWS STS) to get short-lived credentials.

【參考答案】D

【題號】question 762

【題目】

A company stores multiple Amazon Machine Images (AMIs) in an AWS account to launch its Amazon EC2 instances. The AMIs contain critical data and configurations that are necessary for the company's operations. The company wants to implement a solution that will recover accidentally deleted AMIs quickly and efficiently.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 AWS 帳戶中儲存多個 Amazon 系統映像 (AMI) 以啟動其 Amazon EC2 執行個體。AMI 包含公司營運所需的關鍵數據和配置。該公司希望實施解決方案，能夠快速且有效率地恢復意外刪除的 AMI。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Create Amazon Elastic Block Store (Amazon EBS) snapshots of the AMIs. Store the snapshots in a separate AWS account.
- B.Copy all AMIs to another AWS account periodically.
- C.Create a retention rule in Recycle Bin.
- D.Upload the AMIs to an Amazon S3 bucket that has Cross-Region Replication.

【參考答案】C

【題號】question 763

【題目】

A company has 150 TB of archived image data stored on-premises that needs to be moved to the AWS Cloud within the next month. The company's current network connection allows up to 100 Mbps uploads for this purpose during the night only.

What is the MOST cost-effective mechanism to move this data and meet the migration deadline?

一家公司在本地儲存了 150 TB 的存檔影像數據，需要在下個月內將其遷移到 AWS 雲端。該公司目前的網路連線僅在夜間允許高達 100 Mbps 的上傳速度。

移動這些數據並滿足遷移期限的最具成本效益的機制是什麼？

【選項】

- A.Use AWS Snowmobile to ship the data to AWS.
- B.Order multiple AWS Snowball devices to ship the data to AWS.

C.Enable Amazon S3 Transfer Acceleration and securely upload the data.

D.Create an Amazon S3 VPC endpoint and establish a VPN to upload the data.

【參考答案】B

【題號】question 764

【題目】

A company wants to migrate its three-tier application from on premises to AWS. The web tier and the application tier are running on third-party virtual machines (VMs). The database tier is running on MySQL.

The company needs to migrate the application by making the fewest possible changes to the architecture. The company also needs a database solution that can restore data to a specific point in time.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望將其三層應用程式從本地遷移到 AWS。Web 層和應用程式層運行在第三方虛擬機器 (VM) 上。資料庫層運行在 MySQL 上。

該公司需要透過對架構進行盡可能少的更改來遷移應用程式。該公司還需要一個可以將資料恢復到特定時間點的資料庫解決方案。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Migrate the web tier and the application tier to Amazon EC2 instances in private subnets. Migrate the database tier to Amazon RDS for MySQL in private subnets.

B.Migrate the web tier to Amazon EC2 instances in public subnets. Migrate the application tier to EC2 instances in private subnets. Migrate the database tier to Amazon Aurora MySQL in private subnets.

C.Migrate the web tier to Amazon EC2 instances in public subnets. Migrate the application tier to EC2 instances in private subnets. Migrate the database tier to Amazon RDS for MySQL in private subnets.

D.Migrate the web tier and the application tier to Amazon EC2 instances in public subnets.
Migrate the database tier to Amazon Aurora MySQL in public subnets.

【參考答案】B

【題號】question 765

【題目】

A development team is collaborating with another company to create an integrated product. The other company needs to access an Amazon Simple Queue Service (Amazon SQS) queue that is contained in the development team's account. The other company wants to poll the queue without giving up its own account permissions to do so.

How should a solutions architect provide access to the SQS queue?

一個開發團隊正在與另一家公司合作創建整合產品。另一家公司需要存取開發團隊帳戶中包含的 Amazon Simple Queue Service (Amazon SQS) 佇列。另一家公司則希望在不放棄自己的帳戶權限的情況下輪詢佇列。

解決方案架構師應如何提供對 SQS 佇列的存取？

【選項】

- A.Create an instance profile that provides the other company access to the SQS queue.
- B.Create an IAM policy that provides the other company access to the SQS queue.
- C.Create an SQS access policy that provides the other company access to the SQS queue.
- D.Create an Amazon Simple Notification Service (Amazon SNS) access policy that provides the other company access to the SQS queue.

【參考答案】C

【題號】question 766

【題目】

A company's developers want a secure way to gain SSH access on the company's Amazon EC2 instances that run the latest version of Amazon Linux. The developers work remotely and in the corporate office.

The company wants to use AWS services as a part of the solution. The EC2 instances are hosted in a VPC private subnet and access the internet through a NAT gateway that is deployed in a public subnet.

What should a solutions architect do to meet these requirements MOST cost-effectively?

該公司的開發人員希望以安全的方式取得對運行最新版本 Amazon Linux 的公司 Amazon EC2 執行個體的 SSH 存取權。開發人員在公司辦公室遠端工作。

該公司希望使用 AWS 服務作為解決方案的一部分。EC2 執行個體託管在 VPC 私人子網路中，並透過部署在公有子網路中的 NAT 閘道存取 Internet。

解決方案架構師應該如何做才能最經濟有效地滿足這些要求？

【選項】

A.Create a bastion host in the same subnet as the EC2 instances. Grant the `ec2:CreateVpnConnection` IAM permission to the developers. Install EC2 Instance Connect so that the developers can connect to the EC2 instances.

B.Create an AWS Site-to-Site VPN connection between the corporate network and the VPC. Instruct the developers to use the Site-to-Site VPN connection to access the EC2 instances when the developers are on the corporate network. Instruct the developers to set up another VPN connection for access when they work remotely.

C.Create a bastion host in the public subnet of the VPC. Configure the security groups and SSH keys of the bastion host to only allow connections and SSH authentication from the developers' corporate and remote networks. Instruct the developers to connect through the bastion host by using SSH to reach the EC2 instances.

D.Attach the `AmazonSSMManagedInstanceCore` IAM policy to an IAM role that is associated with the EC2 instances. Instruct the developers to use AWS Systems Manager Session Manager to access the EC2 instances.

【參考答案】D

【題號】question 767

【題目】

A pharmaceutical company is developing a new drug. The volume of data that the company generates has grown exponentially over the past few months. The company's researchers regularly require a subset of the entire dataset to be immediately available with minimal lag. However, the entire dataset does not need to be accessed on a daily basis. All the data currently resides in on-premises storage arrays, and the company wants to reduce ongoing capital expenses.

Which storage solution should a solutions architect recommend to meet these requirements?

一家製藥公司正在開發一種新藥。過去幾個月，該公司產生的數據量呈指數級增長。該公司的研究人員經常要求以最小的延遲立即提供整個資料集的子集。但是，不需要每天存取整個資料集。目前所有數據都駐留在本地儲存陣列中，該公司希望減少持續的資本支出。

解決方案架構師應該推薦哪種儲存解決方案來滿足這些要求？

【選項】

- A.Run AWS DataSync as a scheduled cron job to migrate the data to an Amazon S3 bucket on an ongoing basis.
- B.Deploy an AWS Storage Gateway file gateway with an Amazon S3 bucket as the target storage. Migrate the data to the Storage Gateway appliance.
- C.Deploy an AWS Storage Gateway volume gateway with cached volumes with an Amazon S3 bucket as the target storage. Migrate the data to the Storage Gateway appliance.
- D.Configure an AWS Site-to-Site VPN connection from the on-premises environment to AWS. Migrate data to an Amazon Elastic File System (Amazon EFS) file system.

【參考答案】C

【題號】question 768

【題目】

A company has a business-critical application that runs on Amazon EC2 instances. The application stores data in an Amazon DynamoDB table. The company must be able to revert the table to any point within the last 24 hours.

Which solution meets these requirements with the LEAST operational overhead?

一家公司有一個在 Amazon EC2 執行個體上運行的關鍵業務應用程式。該應用程式將資料儲存在 Amazon DynamoDB 表中。公司必須能夠將表恢復到過去 24 小時內的任何點。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Configure point-in-time recovery for the table.
- B. Use AWS Backup for the table.
- C. Use an AWS Lambda function to make an on-demand backup of the table every hour.
- D. Turn on streams on the table to capture a log of all changes to the table in the last 24 hours. Store a copy of the stream in an Amazon S3 bucket.

【參考答案】A

【題號】question 769

【題目】

A company hosts an application used to upload files to an Amazon S3 bucket. Once uploaded, the files are processed to extract metadata, which takes less than 5 seconds. The volume and frequency of the uploads varies from a few files each hour to hundreds of concurrent uploads. The company has asked a solutions architect to design a cost-effective architecture that will meet these requirements.

What should the solutions architect recommend?

一家公司託管一個用於將文件上傳到 Amazon S3 儲存桶的應用程式。上傳後，系統會處理檔案以提取元數據，整個過程不到 5 秒。上傳的數量和頻率各不相同，從每小時幾個文件到數百個並發上傳。該公司已要求解決方案架構師設計一種經濟高效的架構來滿足這些要求。

解決方案架構師該推薦什麼？

【選項】

A. Configure AWS CloudTrail trails to log S3 API calls. Use AWS AppSync to process the files.

B. Configure an object-created event notification within the S3 bucket to invoke an AWS Lambda function to process the files.

C. Configure Amazon Kinesis Data Streams to process and send data to Amazon S3. Invoke an AWS Lambda function to process the files.

D. Configure an Amazon Simple Notification Service (Amazon SNS) topic to process the files uploaded to Amazon S3. Invoke an AWS Lambda function to process the files.

【參考答案】B

【題號】question 770

【題目】

A company's application is deployed on Amazon EC2 instances and uses AWS Lambda functions for an event-driven architecture. The company uses nonproduction development environments in a different AWS account to test new features before the company deploys the features to production.

The production instances show constant usage because of customers in different time zones. The company uses nonproduction instances only during business hours on weekdays. The company does not use the nonproduction instances on the weekends. The company wants to optimize the costs to run its application on AWS.

Which solution will meet these requirements MOST cost-effectively?

一家公司的應用程式部署在 Amazon EC2 執行個體上，並使用 AWS Lambda 函數來實現事件驅動的架構。該公司在將功能部署到生產環境之前，使用不同 AWS 帳戶中的非生產開發環境來測試新功能。

由於客戶位於不同時區，生產實例顯示持續的使用情況。該公司僅在工作日的工作時間使用非生產實例。該公司不會在周末使用非生產實例。該公司希望優化在 AWS 上運行其應用程式的成本。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Use On-Demand Instances for the production instances. Use Dedicated Hosts for the nonproduction instances on weekends only.

B. Use Reserved Instances for the production instances and the nonproduction instances. Shut down the nonproduction instances when not in use.

C. Use Compute Savings Plans for the production instances. Use On-Demand Instances for the nonproduction instances. Shut down the nonproduction instances when not in use.

D. Use Dedicated Hosts for the production instances. Use EC2 Instance Savings Plans for the nonproduction instances.

【參考答案】C

【題號】question 771

【題目】

A company stores data in an on-premises Oracle relational database. The company needs to make the data available in Amazon Aurora PostgreSQL for analysis. The company uses an AWS Site-to-Site VPN connection to connect its on-premises network to AWS.

The company must capture the changes that occur to the source database during the migration to Aurora PostgreSQL.

Which solution will meet these requirements?

一家公司將資料儲存在本地 Oracle 關係資料庫中。該公司需要在 Amazon Aurora PostgreSQL 中提供資料以供分析。該公司使用 AWS 站點到站點 VPN 連線將其本地網路連接到 AWS。

公司必須捕獲在遷移到 Aurora PostgreSQL 期間來源資料庫發生的變更。

哪種解決方案可以滿足這些要求？

【選項】

A. Use the AWS Schema Conversion Tool (AWS SCT) to convert the Oracle schema to Aurora PostgreSQL schema. Use the AWS Database Migration Service (AWS DMS) full-load migration task to migrate the data.

B. Use AWS DataSync to migrate the data to an Amazon S3 bucket. Import the S3 data to Aurora PostgreSQL by using the Aurora PostgreSQL `aws_s3` extension.

C. Use the AWS Schema Conversion Tool (AWS SCT) to convert the Oracle schema to Aurora PostgreSQL schema. Use AWS Database Migration Service (AWS DMS) to migrate the existing data and replicate the ongoing changes.

D. Use an AWS Snowball device to migrate the data to an Amazon S3 bucket. Import the S3 data to Aurora PostgreSQL by using the Aurora PostgreSQL `aws_s3` extension.

【參考答案】C

【題號】question 772

【題目】

A company built an application with Docker containers and needs to run the application in the AWS Cloud. The company wants to use a managed service to host the application.

The solution must scale in and out appropriately according to demand on the individual container services. The solution also must not result in additional operational overhead or infrastructure to manage.

Which solutions will meet these requirements? (Choose two.)

一家公司使用 Docker 容器建立了一個應用程式，需要在 AWS 雲端中運行該應用程式。該公司希望使用託管服務來託管該應用程式。

此解決方案必須根據各個容器服務的需求適當地擴展和擴展。該解決方案還不得導致額外的營運開銷或需要管理的基礎設施。

哪些解決方案可以滿足這些要求？（選兩個。）

【選項】

- A. Use Amazon Elastic Container Service (Amazon ECS) with AWS Fargate.
- B. Use Amazon Elastic Kubernetes Service (Amazon EKS) with AWS Fargate.
- C. Provision an Amazon API Gateway API. Connect the API to AWS Lambda to run the containers.
- D. Use Amazon Elastic Container Service (Amazon ECS) with Amazon EC2 worker nodes.
- E. Use Amazon Elastic Kubernetes Service (Amazon EKS) with Amazon EC2 worker nodes.

【參考答案】AB

【題號】question 773

【題目】

An ecommerce company is running a seasonal online sale. The company hosts its website on Amazon EC2 instances spanning multiple Availability Zones. The company wants its website to manage sudden traffic increases during the sale.

Which solution will meet these requirements MOST cost-effectively?

一家電子商務公司正在進行季節性線上銷售。該公司將其網站託管在跨越多個可用區的 Amazon EC2 執行個體上。該公司希望其網站能夠管理銷售期間突然增加的流量。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create an Auto Scaling group that is large enough to handle peak traffic load. Stop half of the Amazon EC2 instances. Configure the Auto Scaling group to use the stopped instances to scale out when traffic increases.

B.Create an Auto Scaling group for the website. Set the minimum size of the Auto Scaling group so that it can handle high traffic volumes without the need to scale out.

C.Use Amazon CloudFront and Amazon ElastiCache to cache dynamic content with an Auto Scaling group set as the origin. Configure the Auto Scaling group with the instances necessary to populate CloudFront and ElastiCache. Scale in after the cache is fully populated.

D.Configure an Auto Scaling group to scale out as traffic increases. Create a launch template to start new instances from a preconfigured Amazon Machine Image (AMI).

【參考答案】D

【題號】question 774

【題目】

A solutions architect must provide an automated solution for a company's compliance policy that states security groups cannot include a rule that allows SSH from 0.0.0.0/0. The company needs to be notified if there is any breach in the policy. A solution is needed as soon as possible.

What should the solutions architect do to meet these requirements with the LEAST operational overhead?

解決方案架構師必須為公司的合規性策略提供自動化解決方案，該策略規定安全群組不能包含允許來自 0.0.0.0/0 的 SSH 的規則。如果有任何違反政策的情況，需要通知公司。需要盡快找到解決方案。

解決方案架構師應該如何做才能以最少的營運開銷來滿足這些要求？

【選項】

A.Write an AWS Lambda script that monitors security groups for SSH being open to 0.0.0.0/0 addresses and creates a notification every time it finds one.

B.Enable the restricted-ssh AWS Config managed rule and generate an Amazon Simple Notification Service (Amazon SNS) notification when a noncompliant rule is created.

C.Create an IAM role with permissions to globally open security groups and network ACLs. Create an Amazon Simple Notification Service (Amazon SNS) topic to generate a notification every time the role is assumed by a user.

D.Configure a service control policy (SCP) that prevents non-administrative users from creating or editing security groups. Create a notification in the ticketing system when a user requests a rule that needs administrator permissions.

【參考答案】B

【題號】question 775

【題目】

Use Amazon Elastic Kubernetes Service (Amazon EKS) with Amazon EC2 worker nodes.

A company has deployed an application in an AWS account. The application consists of microservices that run on AWS Lambda and Amazon Elastic Kubernetes Service (Amazon EKS). A separate team supports each microservice. The company has multiple AWS accounts and wants to give each team its own account for its microservices.

A solutions architect needs to design a solution that will provide service-to-service communication over HTTPS (port 443). The solution also must provide a service registry for service discovery.

Which solution will meet these requirements with the LEAST administrative overhead?

將 Amazon Elastic Kubernetes Service (Amazon EKS) 與 Amazon EC2 工作執行緒節點結合使用。

一家公司已在 AWS 帳戶中部署了一個應用程式。該應用程式由在 AWS Lambda 和 Amazon Elastic Kubernetes Service (Amazon EKS) 上執行的微服務組成。每個微服務都有一個單獨的團隊支援。該公司擁有多個 AWS 帳戶，並希望為每個團隊提供自己的微服務帳戶。

解決方案架構師需要設計一個透過 HTTPS(連接埠 443)提供服務到服務通訊的解決方案。該解決方案還必須提供用於服務發現的服務註冊表。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A.Create an inspection VPC. Deploy an AWS Network Firewall firewall to the inspection VPC. Attach the inspection VPC to a new transit gateway. Route VPC-to-VPC traffic to the inspection VPC. Apply firewall rules to allow only HTTPS communication.

B.Create a VPC Lattice service network. Associate the microservices with the service network. Define HTTPS listeners for each service. Register microservice compute resources as targets. Identify VPCs that need to communicate with the services. Associate those VPCs with the service network.

C.Create a Network Load Balancer (NLB) with an HTTPS listener and target groups for each microservice. Create an AWS PrivateLink endpoint service for each microservice. Create an interface VPC endpoint in each VPC that needs to consume that microservice.

D.Create peering connections between VPCs that contain microservices. Create a prefix list for each service that requires a connection to a client. Create route tables to route traffic to the appropriate VPC. Create security groups to allow only HTTPS communication.

【參考答案】B

【題號】question 776

【題目】

A company has a mobile game that reads most of its metadata from an Amazon RDS DB instance. As the game increased in popularity, developers noticed slowdowns related to the game's metadata load times. Performance metrics indicate that simply scaling the database will not help. A solutions architect must explore all options that include capabilities for snapshots, replication, and sub-millisecond response times.

What should the solutions architect recommend to solve these issues?

一家公司有一款手機遊戲，它從 Amazon RDS 資料庫執行個體讀取大部分元資料。隨著遊戲越來越受歡迎，開發人員注意到與遊戲元資料載入時間相關的速度減慢。效能指標表明，簡單地擴展資料庫是沒有幫助的。解決方案架構師必須探索所有選項，包括快照、複製和亞毫秒回應時間功能。

解決方案架構師應該建議什麼來解決這些問題？

【選項】

- A.Migrate the database to Amazon Aurora with Aurora Replicas.
- B.Migrate the database to Amazon DynamoDB with global tables.
- C.Add an Amazon ElastiCache for Redis layer in front of the database.
- D.Add an Amazon ElastiCache for Memcached layer in front of the database.

【參考答案】C

【題號】question 777

【題目】

A company uses AWS Organizations for its multi-account AWS setup. The security organizational unit (OU) of the company needs to share approved Amazon Machine Images (AMIs) with the development OU. The AMIs are created by using AWS Key Management Service (AWS KMS) encrypted snapshots.

Which solution will meet these requirements? (Choose two.)

一家公司使用 AWS Organizations 進行多帳戶 AWS 設定。本公司的安全組織單元 (OU) 需要與開發 OU 共用核准的 Amazon 系統映像 (AMI)。AMI 是使用 AWS Key Management Service (AWS KMS) 加密快照建立的。

哪種解決方案可以滿足這些要求？（選兩個。）

【選項】

- A.Add the development team's OU Amazon Resource Name (ARN) to the launch permission list for the AMIs.
- B.Add the Organizations root Amazon Resource Name (ARN) to the launch permission list for the AMIs.

C.Update the key policy to allow the development team's OU to use the AWS KMS keys that are used to decrypt the snapshots.

D.Add the development team's account Amazon Resource Name (ARN) to the launch permission list for the AMLs.

E.Recreate the AWS KMS key. Add a key policy to allow the Organizations root Amazon Resource Name (ARN) to use the AWS KMS key.

【參考答案】AC

【題號】question 778

【題目】

A data analytics company has 80 offices that are distributed globally. Each office hosts 1 PB of data and has between 1 and 2 Gbps of internet bandwidth.

The company needs to perform a one-time migration of a large amount of data from its offices to Amazon S3. The company must complete the migration within 4 weeks.

Which solution will meet these requirements MOST cost-effectively?

一家數據分析公司在全球設有 80 個辦事處。每個辦公室託管 1 PB 的數據，並擁有 1 到 2 Gbps 的網路頻寬。

該公司需要將大量資料從其辦公室一次遷移到 Amazon S3。公司必須在 4 週內完成遷移。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Establish a new 10 Gbps AWS Direct Connect connection to each office. Transfer the data to Amazon S3.

B.Use multiple AWS Snowball Edge storage-optimized devices to store and transfer the data to Amazon S3.

C.Use an AWS Snowmobile to store and transfer the data to Amazon S3.

D.Set up an AWS Storage Gateway Volume Gateway to transfer the data to Amazon S3.

【參考答案】B

【題號】question 779

【題目】

A company has an Amazon Elastic File System (Amazon EFS) file system that contains a reference dataset. The company has applications on Amazon EC2 instances that need to read the dataset. However, the applications must not be able to change the dataset. The company wants to use IAM access control to prevent the applications from being able to modify or delete the dataset.

Which solution will meet these requirements?

一家公司擁有一個包含參考資料集的 Amazon Elastic File System (Amazon EFS) 檔案系統。該公司在 Amazon EC2 執行個體上有需要讀取資料集的應用程式。但是，應用程式不得更改資料集。該公司希望使用 IAM 存取控制來防止應用程式修改或刪除資料集。

哪種解決方案可以滿足這些要求？

【選項】

- A. Mount the EFS file system in read-only mode from within the EC2 instances.
- B. Create a resource policy for the EFS file system that denies the `elasticfilesystem:ClientWrite` action to the IAM roles that are attached to the EC2 instances.
- C. Create an identity policy for the EFS file system that denies the `elasticfilesystem:ClientWrite` action on the EFS file system.
- D. Create an EFS access point for each application. Use Portable Operating System Interface (POSIX) file permissions to allow read-only access to files in the root directory.

【參考答案】C

【題號】question 780

【題目】

A company has hired an external vendor to perform work in the company's AWS account. The vendor uses an automated tool that is hosted in an AWS account that the vendor owns. The vendor does not have IAM access to the company's AWS account. The company needs to grant the vendor access to the company's AWS account.

Which solution will meet these requirements MOST securely?

一家公司已聘請外部供應商在該公司的 AWS 帳戶中執行工作。供應商使用託管在供應商擁有的 AWS 帳戶中的自動化工具。供應商沒有對公司 AWS 帳戶的 IAM 存取權。公司需要授予供應商存取公司 AWS 帳戶的權限。

哪一種解決方案將最安全地滿足這些要求？

【選項】

A.Create an IAM role in the company's account to delegate access to the vendor's IAM role. Attach the appropriate IAM policies to the role for the permissions that the vendor requires.

B.Create an IAM user in the company's account with a password that meets the password complexity requirements. Attach the appropriate IAM policies to the user for the permissions that the vendor requires.

C.Create an IAM group in the company's account. Add the automated tool's IAM user from the vendor account to the group. Attach the appropriate IAM policies to the group for the permissions that the vendor requires.

D.Create an IAM user in the company's account that has a permission boundary that allows the vendor's account. Attach the appropriate IAM policies to the user for the permissions that the vendor requires.

【參考答案】A

【題號】question 781

【題目】

A company wants to run its experimental workloads in the AWS Cloud. The company has a budget for cloud spending. The company's CFO is concerned about cloud spending accountability for each department. The CFO wants to receive notification when the spending threshold reaches 60% of the budget.

Which solution will meet these requirements?

一家公司希望在 AWS 雲端中運行其實驗工作負載。該公司有雲端支出預算。該公司的財務長擔心每個部門的雲端支出責任。CFO 希望在支出門檻達到預算的 60% 時收到通知。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use cost allocation tags on AWS resources to label owners. Create usage budgets in AWS Budgets. Add an alert threshold to receive notification when spending exceeds 60% of the budget.
- B. Use AWS Cost Explorer forecasts to determine resource owners. Use AWS Cost Anomaly Detection to create alert threshold notifications when spending exceeds 60% of the budget.
- C. Use cost allocation tags on AWS resources to label owners. Use AWS Support API on AWS Trusted Advisor to create alert threshold notifications when spending exceeds 60% of the budget.
- D. Use AWS Cost Explorer forecasts to determine resource owners. Create usage budgets in AWS Budgets. Add an alert threshold to receive notification when spending exceeds 60% of the budget.

【參考答案】A

【題號】question 782

【題目】

A company wants to deploy an internal web application on AWS. The web application must be accessible only from the company's office. The company needs to download security patches for the web application from the internet.

The company has created a VPC and has configured an AWS Site-to-Site VPN connection to the company's office. A solutions architect must design a secure architecture for the web application.

Which solution will meet these requirements?

一家公司想要在 AWS 上部署內部 Web 應用程式。該網路應用程式必須只能從公司辦公室存取。該公司需要從互聯網上下載 Web 應用程式的安全性修補程式。

該公司已建立 VPC 並配置了與公司辦公室的 AWS Site-to-Site VPN 連線。解決方案架構師必須為 Web 應用程式設計安全的架構。

哪種解決方案可以滿足這些要求？

【選項】

A. Deploy the web application on Amazon EC2 instances in public subnets behind a public Application Load Balancer (ALB). Attach an internet gateway to the VPC. Set the inbound source of the ALB's security group to 0.0.0.0/0.

B. Deploy the web application on Amazon EC2 instances in private subnets behind an internal Application Load Balancer (ALB). Deploy NAT gateways in public subnets. Attach an internet gateway to the VPC. Set the inbound source of the ALB's security group to the company's office network CIDR block.

C. Deploy the web application on Amazon EC2 instances in public subnets behind an internal Application Load Balancer (ALB). Deploy NAT gateways in private subnets. Attach an internet gateway to the VPC. Set the outbound destination of the ALB's security group to the company's office network CIDR block.

D. Deploy the web application on Amazon EC2 instances in private subnets behind a public Application Load Balancer (ALB). Attach an internet gateway to the VPC. Set the outbound destination of the ALB's security group to 0.0.0.0/0.

【參考答案】B

【題號】question 783

【題目】

A company maintains its accounting records in a custom application that runs on Amazon EC2 instances. The company needs to migrate the data to an AWS managed service for development and maintenance of the application data. The solution must require minimal operational support and provide immutable, cryptographically verifiable logs of data changes.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 Amazon EC2 執行個體上執行的自訂應用程式中維護其會計記錄。該公司需要將資料遷移到AWS託管服務以開發和維護應用程式資料。此解決方案必須需要最少的操作支持，並提供不可變的、可加密驗證的資料變更日誌。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A.Copy the records from the application into an Amazon Redshift cluster.
- B.Copy the records from the application into an Amazon Neptune cluster.
- C.Copy the records from the application into an Amazon Timestream database.
- D.Copy the records from the application into an Amazon Quantum Ledger Database (Amazon QLDB) ledger.

【參考答案】D

【題號】question 784

【題目】

A company's marketing data is uploaded from multiple sources to an Amazon S3 bucket. A series of data preparation jobs aggregate the data for reporting. The data preparation jobs need to run at regular intervals in parallel. A few jobs need to run in a specific order later.

The company wants to remove the operational overhead of job error handling, retry logic, and state management.

Which solution will meet these requirements?

公司的行銷資料從多個來源上傳到 Amazon S3 儲存桶。一系列資料準備作業匯總資料以進行報告。資料準備作業需要定期並行運行。稍後需要按特定順序運行一些作業。

該公司希望消除作業錯誤處理、重試邏輯和狀態管理的營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

A. Use an AWS Lambda function to process the data as soon as the data is uploaded to the S3 bucket. Invoke other Lambda functions at regularly scheduled intervals.

B. Use Amazon Athena to process the data. Use Amazon EventBridge Scheduler to invoke Athena on a regular interval.

C. Use AWS Glue DataBrew to process the data. Use an AWS Step Functions state machine to run the DataBrew data preparation jobs.

D. Use AWS Data Pipeline to process the data. Schedule Data Pipeline to process the data once at midnight.

【參考答案】C

【題號】question 785

【題目】

A solutions architect is designing a payment processing application that runs on AWS Lambda in private subnets across multiple Availability Zones. The application uses multiple Lambda functions and processes millions of transactions each day.

The architecture must ensure that the application does not process duplicate payments.

Which solution will meet these requirements?

解決方案架構師正在設計一個支付處理應用程式，該應用程式在跨多個可用區的私有子網路中的 AWS Lambda 上運行。該應用程式使用多個 Lambda 函數，每天處理數百萬筆交易。

該架構必須確保應用程式不會處理重複支付。

哪種解決方案可以滿足這些要求？

【選項】

A. Use Lambda to retrieve all due payments. Publish the due payments to an Amazon S3 bucket. Configure the S3 bucket with an event notification to invoke another Lambda function to process the due payments.

B. Use Lambda to retrieve all due payments. Publish the due payments to an Amazon Simple Queue Service (Amazon SQS) queue. Configure another Lambda function to poll the SQS queue and to process the due payments.

C. Use Lambda to retrieve all due payments. Publish the due payments to an Amazon Simple Queue Service (Amazon SQS) FIFO queue. Configure another Lambda function to poll the FIFO queue and to process the due payments.

D. Use Lambda to retrieve all due payments. Store the due payments in an Amazon DynamoDB table. Configure streams on the DynamoDB table to invoke another Lambda function to process the due payments.

【參考答案】C

【題號】question 786

【題目】

A company runs multiple workloads in its on-premises data center. The company's data center cannot scale fast enough to meet the company's expanding business needs. The company wants to collect usage and configuration data about the on-premises servers and workloads to plan a migration to AWS.

Which solution will meet these requirements?

一家公司在其本地資料中心運行多個工作負載。該公司的資料中心擴展速度不夠快，無法滿足公司不斷擴大的業務需求。該公司希望收集有關本地伺服器和工作負載的使用情況和配置數據，以規劃向 AWS 的遷移。

哪種解決方案可以滿足這些要求？

【選項】

A.Set the home AWS Region in AWS Migration Hub. Use AWS Systems Manager to collect data about the on-premises servers.

B.Set the home AWS Region in AWS Migration Hub. Use AWS Application Discovery Service to collect data about the on-premises servers.

C.Use the AWS Schema Conversion Tool (AWS SCT) to create the relevant templates. Use AWS Trusted Advisor to collect data about the on-premises servers.

D.Use the AWS Schema Conversion Tool (AWS SCT) to create the relevant templates. Use AWS Database Migration Service (AWS DMS) to collect data about the on-premises servers.

【參考答案】B

【題號】question 787

【題目】

A company has an organization in AWS Organizations that has all features enabled. The company requires that all API calls and logins in any existing or new AWS account must be audited. The company needs a managed solution to prevent additional work and to minimize costs. The company also needs to know when any AWS account is not compliant with the AWS Foundational Security Best Practices (FSBP) standard.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 AWS Organizations 中擁有一個已啟用所有功能的組織。該公司要求任何現有或新 AWS 帳戶中的所有 API 呼叫和登入都必須經過審核。該公司需要一個託管解決方案來防止額外的工作並最大限度地降低成本。本公司還需要了解任何 AWS 帳戶何時不符合 AWS 基礎安全最佳實務 (FSBP) 標準。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Deploy an AWS Control Tower environment in the Organizations management account. Enable AWS Security Hub and AWS Control Tower Account Factory in the environment.

B. Deploy an AWS Control Tower environment in a dedicated Organizations member account. Enable AWS Security Hub and AWS Control Tower Account Factory in the environment.

C. Use AWS Managed Services (AMS) Accelerate to build a multi-account landing zone (MALZ). Submit an RFC to self-service provision Amazon GuardDuty in the MALZ.

D. Use AWS Managed Services (AMS) Accelerate to build a multi-account landing zone (MALZ). Submit an RFC to self-service provision AWS Security Hub in the MALZ.

【參考答案】A

【題號】question 788

【題目】

A company has stored 10 TB of log files in Apache Parquet format in an Amazon S3 bucket. The company occasionally needs to use SQL to analyze the log files.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 Amazon S3 儲存桶中以 Apache Parquet 格式儲存了 10 TB 的日誌檔案。公司偶爾需要使用 SQL 來分析日誌檔。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Create an Amazon Aurora MySQL database. Migrate the data from the S3 bucket into Aurora by using AWS Database Migration Service (AWS DMS). Issue SQL statements to the Aurora database.

B.Create an Amazon Redshift cluster. Use Redshift Spectrum to run SQL statements directly on the data in the S3 bucket.

C.Create an AWS Glue crawler to store and retrieve table metadata from the S3 bucket. Use Amazon Athena to run SQL statements directly on the data in the S3 bucket.

D.Create an Amazon EMR cluster. Use Apache Spark SQL to run SQL statements directly on the data in the S3 bucket.

【參考答案】C

【題號】question 789

【題目】

A company needs a solution to prevent AWS CloudFormation stacks from deploying AWS Identity and Access Management (IAM) resources that include an inline policy or “*” in the statement. The solution must also prohibit deployment of Amazon EC2 instances with public IP addresses. The company has AWS Control Tower enabled in its organization in AWS Organizations.

Which solution will meet these requirements?

本公司需要一種解決方案來防止 AWS CloudFormation 堆疊部署聲明中包含內嵌策略或「*」的 AWS Identity and Access Management (IAM) 資源。此解決方案還必須禁止使用公用 IP 位址部署 Amazon EC2 執行個體。該公司在 AWS Organizations 的組織中啟用了 AWS Control Tower。

哪種解決方案可以滿足這些要求？

【選項】

A.Use AWS Control Tower proactive controls to block deployment of EC2 instances with public IP addresses and inline policies with elevated access or “*”.

B.Use AWS Control Tower detective controls to block deployment of EC2 instances with public IP addresses and inline policies with elevated access or “*”.

C. Use AWS Config to create rules for EC2 and IAM compliance. Configure the rules to run an AWS Systems Manager Session Manager automation to delete a resource when it is not compliant.

D. Use a service control policy (SCP) to block actions for the EC2 instances and IAM resources if the actions lead to noncompliance.

【參考答案】A

【題號】question 790

【題目】

A company's web application that is hosted in the AWS Cloud recently increased in popularity. The web application currently exists on a single Amazon EC2 instance in a single public subnet. The web application has not been able to meet the demand of the increased web traffic.

The company needs a solution that will provide high availability and scalability to meet the increased user demand without rewriting the web application.

Which combination of steps will meet these requirements? (Choose two.)

一家公司在 AWS 雲端中託管的 Web 應用程式最近越來越受歡迎。此 Web 應用程式目前存在於單一公有子網路中的單一 Amazon EC2 執行個體上。Web 應用程式已經無法滿足網路流量增加的需求。

該公司需要一種能夠提供高可用性和可擴展性的解決方案，以滿足不斷增長的用戶需求，而無需重寫 Web 應用程式。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

A. Replace the EC2 instance with a larger compute optimized instance.

B. Configure Amazon EC2 Auto Scaling with multiple Availability Zones in private subnets.

C. Configure a NAT gateway in a public subnet to handle web requests.

D. Replace the EC2 instance with a larger memory optimized instance.

E.Configure an Application Load Balancer in a public subnet to distribute web traffic.

【參考答案】BE

【題號】question 791

【題目】

A company has AWS Lambda functions that use environment variables. The company does not want its developers to see environment variables in plaintext.

Which solution will meet these requirements?

一家公司擁有使用環境變數的 AWS Lambda 函數。該公司不希望其開發人員看到明文的环境變數。

哪種解決方案可以滿足這些要求？

【選項】

A.Deploy code to Amazon EC2 instances instead of using Lambda functions.

B.Configure SSL encryption on the Lambda functions to use AWS CloudHSM to store and encrypt the environment variables.

C.Create a certificate in AWS Certificate Manager (ACM). Configure the Lambda functions to use the certificate to encrypt the environment variables.

D.Create an AWS Key Management Service (AWS KMS) key. Enable encryption helpers on the Lambda functions to use the KMS key to store and encrypt the environment variables.

【參考答案】D

【題號】question 792

【題目】

An analytics company uses Amazon VPC to run its multi-tier services. The company wants to use RESTful APIs to offer a web analytics service to millions of users. Users must be verified by using an authentication service to access the APIs.

Which solution will meet these requirements with the MOST operational efficiency?

一家分析公司使用 Amazon VPC 來運行其多層服務。該公司希望使用 RESTful API 為數百萬用戶提供 Web 分析服務。使用者必須使用身份驗證服務進行驗證才能存取 API。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A. Configure an Amazon Cognito user pool for user authentication. Implement Amazon API Gateway REST APIs with a Cognito authorizer.

B. Configure an Amazon Cognito identity pool for user authentication. Implement Amazon API Gateway HTTP APIs with a Cognito authorizer.

C. Configure an AWS Lambda function to handle user authentication. Implement Amazon API Gateway REST APIs with a Lambda authorizer.

D. Configure an IAM user to handle user authentication. Implement Amazon API Gateway HTTP APIs with an IAM authorizer.

【參考答案】A

【題號】question 793

【題目】

A company has a mobile app for customers. The app's data is sensitive and must be encrypted at rest. The company uses AWS Key Management Service (AWS KMS).

The company needs a solution that prevents the accidental deletion of KMS keys. The solution must use Amazon Simple Notification Service (Amazon SNS) to send an email notification to administrators when a user attempts to delete a KMS key.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司為客戶開發了一款行動應用程式。該應用程式的資料很敏感，必須靜態加密。該公司使用 AWS Key Management Service (AWS KMS)。

該公司需要一種解決方案來防止 KMS 金鑰被意外刪除。當使用者嘗試刪除 KMS 金鑰時，此解決方案必須使用 Amazon Simple Notification Service (Amazon SNS) 向管理員發送電子郵件通知。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an Amazon EventBridge rule that reacts when a user tries to delete a KMS key. Configure an AWS Config rule that cancels any deletion of a KMS key. Add the AWS Config rule as a target of the EventBridge rule. Create an SNS topic that notifies the administrators.

B.Create an AWS Lambda function that has custom logic to prevent KMS key deletion. Create an Amazon CloudWatch alarm that is activated when a user tries to delete a KMS key. Create an Amazon EventBridge rule that invokes the Lambda function when the DeleteKey operation is performed. Create an SNS topic. Configure the EventBridge rule to publish an SNS message that notifies the administrators.

C.Create an Amazon EventBridge rule that reacts when the KMS DeleteKey operation is performed. Configure the rule to initiate an AWS Systems Manager Automation runbook. Configure the runbook to cancel the deletion of the KMS key. Create an SNS topic. Configure the EventBridge rule to publish an SNS message that notifies the administrators.

D.Create an AWS CloudTrail trail. Configure the trail to deliver logs to a new Amazon CloudWatch log group. Create a CloudWatch alarm based on the metric filter for the CloudWatch log group. Configure the alarm to use Amazon SNS to notify the administrators when the KMS DeleteKey operation is performed.

【參考答案】C

【題號】question 794

【題目】

A company wants to analyze and generate reports to track the usage of its mobile app. The app is popular and has a global user base. The company uses a custom report building program to analyze application usage.

The program generates multiple reports during the last week of each month. The program takes less than 10 minutes to produce each report. The company rarely uses the program to generate reports outside of the last week of each month. The company wants to generate reports in the least amount of time when the reports are requested.

Which solution will meet these requirements MOST cost-effectively?

一家公司希望分析並產生報告以追蹤其行動應用程式的使用情況。該應用程式很受歡迎，擁有全球用戶群。該公司使用自訂報告建立程式來分析應用程式使用情況。

該程式在每個月的最後一周產生多份報告。該程式只需不到 10 分鐘即可產生每份報告。該公司很少在每月最後一周之外使用該程式產生報告。該公司希望在請求報告時在最短的時間內產生報告。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Run the program by using Amazon EC2 On-Demand Instances. Create an Amazon EventBridge rule to start the EC2 instances when reports are requested. Run the EC2 instances continuously during the last week of each month.

B.Run the program in AWS Lambda. Create an Amazon EventBridge rule to run a Lambda function when reports are requested.

C.Run the program in Amazon Elastic Container Service (Amazon ECS). Schedule Amazon ECS to run the program when reports are requested.

D.Run the program by using Amazon EC2 Spot Instances. Create an Amazon EventBridge rule to start the EC2 instances when reports are requested. Run the EC2 instances continuously during the last week of each month.

【參考答案】B

【題號】question 795

【題目】

A company is designing a tightly coupled high performance computing (HPC) environment in the AWS Cloud. The company needs to include features that will optimize the HPC environment for networking and storage.

Which combination of solutions will meet these requirements? (Choose two.)

一家公司正在 AWS 雲端中設計一個緊密耦合的高效能運算 (HPC) 環境。該公司需要包含優化 HPC 網路和儲存環境的功能。

哪種解決方案組合可以滿足這些要求？（選兩個。）

【選項】

A.Create an accelerator in AWS Global Accelerator. Configure custom routing for the accelerator.

B.Create an Amazon FSx for Lustre file system. Configure the file system with scratch storage.

C.Create an Amazon CloudFront distribution. Configure the viewer protocol policy to be HTTP and HTTPS.

D.Launch Amazon EC2 instances. Attach an Elastic Fabric Adapter (EFA) to the instances.

E.Create an AWS Elastic Beanstalk deployment to manage the environment.

【參考答案】BD

【題號】question 796

【題目】

A company needs a solution to prevent photos with unwanted content from being uploaded to the company's web application. The solution must not involve training a machine learning (ML) model.

Which solution will meet these requirements?

公司需要一種解決方案來防止包含不需要內容的照片上傳到公司的 Web 應用程式。此解決方案不得涉及訓練機器學習 (ML) 模型。

哪種解決方案可以滿足這些要求？

【選項】

A.Create and deploy a model by using Amazon SageMaker Autopilot. Create a real-time endpoint that the web application invokes when new photos are uploaded.

B.Create an AWS Lambda function that uses Amazon Rekognition to detect unwanted content. Create a Lambda function URL that the web application invokes when new photos are uploaded.

C.Create an Amazon CloudFront function that uses Amazon Comprehend to detect unwanted content. Associate the function with the web application.

D.Create an AWS Lambda function that uses Amazon Rekognition Video to detect unwanted content. Create a Lambda function URL that the web application invokes when new photos are uploaded.

【參考答案】B

【題號】question 797

【題目】

A company uses AWS to run its ecommerce platform. The platform is critical to the company's operations and has a high volume of traffic and transactions. The company configures a multi-factor authentication (MFA) device to secure its AWS account root user credentials. The company wants to ensure that it will not lose access to the root user account if the MFA device is lost.

Which solution will meet these requirements?

一家公司使用 AWS 運作其電子商務平台。該平台對公司營運至關重要，擁有大量流量和交易量。該公司配置了多重身份驗證 (MFA) 設備來保護其 AWS 帳戶根使用者憑證。該公司希望確保在 MFA 設備遺失時不會失去對 root 使用者帳戶的存取權。

哪種解決方案可以滿足這些要求？

【選項】

A.Set up a backup administrator account that the company can use to log in if the company loses the MFA device.

B.Add multiple MFA devices for the root user account to handle the disaster scenario.

C.Create a new administrator account when the company cannot access the root account.

D.Attach the administrator policy to another IAM user when the company cannot access the root account.

【參考答案】B

【題號】question 798

【題目】

A social media company is creating a rewards program website for its users. The company gives users points when users create and upload videos to the website. Users redeem their points for gifts or discounts from the company's affiliated partners. A unique ID identifies users. The partners refer to this ID to verify user eligibility for rewards.

The partners want to receive notification of user IDs through an HTTP endpoint when the company gives users points. Hundreds of vendors are interested in becoming affiliated partners every day. The company wants to design an architecture that gives the website the ability to add partners rapidly in a scalable way.

Which solution will meet these requirements with the LEAST implementation effort?

一家社群媒體公司正在為其用戶創建一個獎勵計劃網站。當用戶創建影片並將其上傳到網站時，該公司會為用戶積分。用戶可以用積分兌換公司附屬合作夥伴提供的禮物或折扣。唯一的 ID 識別用戶。合作夥伴參考此 ID 來驗證用戶獲得獎勵的資格。

當公司向用戶提供積分時，合作夥伴希望透過 HTTP 端點接收用戶 ID 的通知。每天都有數百家供應商有興趣成為附屬合作夥伴。該公司希望設計一種架構，使網站能夠以可擴展的方式快速添加合作夥伴。

哪種解決方案能夠以最少的實施工作來滿足這些要求？

【選項】

A.Create an Amazon Timestream database to keep a list of affiliated partners. Implement an AWS Lambda function to read the list. Configure the Lambda function to send user IDs to each partner when the company gives users points.

B.Create an Amazon Simple Notification Service (Amazon SNS) topic. Choose an endpoint protocol. Subscribe the partners to the topic. Publish user IDs to the topic when the company gives users points.

C.Create an AWS Step Functions state machine. Create a task for every affiliated partner. Invoke the state machine with user IDs as input when the company gives users points.

D.Create a data stream in Amazon Kinesis Data Streams. Implement producer and consumer applications. Store a list of affiliated partners in the data stream. Send user IDs when the company gives users points.

【參考答案】B

【題號】question 799

【題目】

A company needs to extract the names of ingredients from recipe records that are stored as text files in an Amazon S3 bucket. A web application will use the ingredient names to query an Amazon DynamoDB table and determine a nutrition score.

The application can handle non-food records and errors. The company does not have any employees who have machine learning knowledge to develop this solution.

Which solution will meet these requirements MOST cost-effectively?

公司需要從以文字檔案儲存在 Amazon S3 儲存桶中的食譜記錄中提取成分名稱。Web 應用程式將使用成分名稱來查詢 Amazon DynamoDB 表並確定營養評分。

該應用程式可以處理非食品記錄和錯誤。該公司沒有任何具備機器學習知識的員工來開發此解決方案。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Use S3 Event Notifications to invoke an AWS Lambda function when PutObject requests occur. Program the Lambda function to analyze the object and extract the ingredient names by using Amazon Comprehend. Store the Amazon Comprehend output in the DynamoDB table.

B. Use an Amazon EventBridge rule to invoke an AWS Lambda function when PutObject requests occur. Program the Lambda function to analyze the object by using Amazon Forecast to extract the ingredient names. Store the Forecast output in the DynamoDB table.

C. Use S3 Event Notifications to invoke an AWS Lambda function when PutObject requests occur. Use Amazon Polly to create audio recordings of the recipe records. Save the audio files in the S3 bucket. Use Amazon Simple Notification Service (Amazon SNS) to send a URL as a message to employees. Instruct the employees to listen to the audio files and calculate the nutrition score. Store the ingredient names in the DynamoDB table.

D. Use an Amazon EventBridge rule to invoke an AWS Lambda function when a PutObject request occurs. Program the Lambda function to analyze the object and extract the ingredient names by using Amazon SageMaker. Store the inference output from the SageMaker endpoint in the DynamoDB table.

【參考答案】A

【題號】question 800

【題目】

A company needs to create an AWS Lambda function that will run in a VPC in the company's primary AWS account. The Lambda function needs to access files that the company stores in an Amazon Elastic File System (Amazon EFS) file system. The EFS file system is located in a secondary AWS account. As the company adds files to the file system, the solution must scale to meet the demand.

Which solution will meet these requirements MOST cost-effectively?

公司需要建立一個 AWS Lambda 函數，該函數將在公司主 AWS 帳戶的 VPC 中執行。Lambda 函數需要存取公司儲存在 Amazon Elastic File System (Amazon EFS) 檔案系統中的檔案。EFS 檔案系統位於輔助 AWS 帳戶。隨著公司向文件系統添加文件，解決方案必須擴展以滿足需求。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create a new EFS file system in the primary account. Use AWS DataSync to copy the contents of the original EFS file system to the new EFS file system.

B.Create a VPC peering connection between the VPCs that are in the primary account and the secondary account.

C.Create a second Lambda function in the secondary account that has a mount that is configured for the file system. Use the primary account's Lambda function to invoke the secondary account's Lambda function.

D.Move the contents of the file system to a Lambda layer. Configure the Lambda layer's permissions to allow the company's secondary account to use the Lambda layer.

【參考答案】B

領先控制勝