

AWS Certified Solutions Architect - Associate SAA-C03

question 0001-0100

Last Update: 2024.11

【題號】question 001

【題目】

A company collects data for temperature, humidity, and atmospheric pressure in cities across multiple continents. The average volume of data that the company collects from each site daily is 500 GB. Each site has a high-speed Internet connection.

The company wants to aggregate the data from all these global sites as quickly as possible in a single Amazon S3 bucket. The solution must minimize operational complexity.

Which solution meets these requirements?

一家公司收集多個大陸城市的溫度、濕度和氣壓資料。該公司每天從每個站點收集的平均數據量為 500 GB。每個站點都有高速網路連線。

該公司希望盡快將所有這些全球站點的資料聚合到單一 Amazon S3 儲存桶中。此解決方案必須最大限度地降低操作複雜性。

哪種解決方案滿足這些要求？

【選項】

A. Turn on S3 Transfer Acceleration on the destination S3 bucket. Use multipart uploads to directly upload site data to the destination S3 bucket.

B. Upload the data from each site to an S3 bucket in the closest Region. Use S3 Cross-Region Replication to copy objects to the destination S3 bucket. Then remove the data from the origin S3 bucket.

C. Schedule AWS Snowball Edge Storage Optimized device jobs daily to transfer data from each site to the closest Region. Use S3 Cross-Region Replication to copy objects to the destination S3 bucket.

D. Upload the data from each site to an Amazon EC2 instance in the closest Region. Store the data in an Amazon Elastic Block Store (Amazon EBS) volume. At regular intervals, take

an EBS snapshot and copy it to the Region that contains the destination S3 bucket. Restore the EBS volume in that Region.

【參考答案】A

【題號】question 002

【題目】

A company needs the ability to analyze the log files of its proprietary application. The logs are stored in JSON format in an Amazon S3 bucket. Queries will be simple and will run on-demand. A solutions architect needs to perform the analysis with minimal changes to the existing architecture.

What should the solutions architect do to meet these requirements with the LEAST amount of operational overhead?

公司需要能夠分析其專有應用程式的日誌檔案。日誌以 JSON 格式儲存在 Amazon S3 儲存桶中。查詢將很簡單並且將按需運行。解決方案架構師需要在對現有架構進行最小變更的情況下執行分析。

解決方案架構師應該如何做才能以最少的營運開銷來滿足這些要求？

【選項】

A. Use Amazon Redshift to load all the content into one place and run the SQL queries as needed.

B. Use Amazon CloudWatch Logs to store the logs. Run SQL queries as needed from the Amazon CloudWatch console.

C. Use Amazon Athena directly with Amazon S3 to run the queries as needed.

D. Use AWS Glue to catalog the logs. Use a transient Apache Spark cluster on Amazon EMR to run the SQL queries as needed.

【參考答案】C

【題號】question 003

【題目】

A company uses AWS Organizations to manage multiple AWS accounts for different departments. The management account has an Amazon S3 bucket that contains project reports. The company wants to limit access to this S3 bucket to only users of accounts within the organization in AWS Organizations.

Which solution meets these requirements with the LEAST amount of operational overhead?

一家公司使用 AWS Organizations 管理不同部門的多個 AWS 帳戶。管理帳戶有一個包含專案報告的 Amazon S3 儲存桶。該公司希望僅限 AWS Organizations 中組織內帳戶的使用者存取此 S3 儲存桶。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Add the aws:PrincipalOrgID global condition key with a reference to the organization ID to the S3 bucket policy.
- B. Create an organizational unit (OU) for each department. Add the aws:PrincipalOrgPaths global condition key to the S3 bucket policy.
- C. Use AWS CloudTrail to monitor the CreateAccount, InviteAccountToOrganization, LeaveOrganization, and RemoveAccountFromOrganization events. Update the S3 bucket policy accordingly.
- D. Tag each user that needs access to the S3 bucket. Add the aws:PrincipalTag global condition key to the S3 bucket policy.

【參考答案】A

【題號】question 004

【題目】

An application runs on an Amazon EC2 instance in a VPC. The application processes logs that are stored in an Amazon S3 bucket. The EC2 instance needs to access the S3 bucket without connectivity to the internet.

Which solution will provide private network connectivity to Amazon S3?

應用程式在 VPC 中的 Amazon EC2 執行個體上執行。該應用程式處理儲存在 Amazon S3 儲存桶中的日誌。EC2 執行個體需要在不連接網路的情況下存取 S3 儲存桶。

哪種解決方案將提供與 Amazon S3 的專用網路連線？

【選項】

- A. Create a gateway VPC endpoint to the S3 bucket.
- B. Stream the logs to Amazon CloudWatch Logs. Export the logs to the S3 bucket.
- C. Create an instance profile on Amazon EC2 to allow S3 access.
- D. Create an Amazon API Gateway API with a private link to access the S3 endpoint.

【參考答案】A

【題號】question 005

【題目】

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone, placing both behind an Application Load Balancer. After completing this change, users reported that, each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time.

What should a solutions architect propose to ensure users see all of their documents at once?

一家公司使用單一 Amazon EC2 執行個體在 AWS 上託管 Web 應用程序，該執行個體將使用者上傳的文件儲存在 Amazon EBS 磁碟區中。為了獲得更好的可擴展性和可用性，該公司複製了架構，並在另一個可用區中創建了第二個 EC2 執行個體和 EBS 卷，將兩者放置在應用程

式負載平衡器後面。完成此更改後，使用者報告說，每次刷新網站時，他們都可以看到文件的子集或另一個子集，但永遠不會同時看到所有文件。

解決方案架構師應該提出什麼建議來確保使用者立即看到他們的所有文件？

【選項】

A.Copy the data so both EBS volumes contain all the documents

B.Configure the Application Load Balancer to direct a user to the server with the documents

C.Copy the data from both EBS volumes to Amazon EFS. Modify the application to save new documents to Amazon EFS

D.Configure the Application Load Balancer to send the request to both servers. Return each document from the correct server

【參考答案】C

【題號】question 006

【題目】

A company uses NFS to store large video files in on-premises network attached storage. Each video file ranges in size from 1 MB to 500 GB. The total storage is 70 TB and is no longer growing. The company decides to migrate the video files to Amazon S3. The company must migrate the video files as soon as possible while using the least possible network bandwidth.

Which solution will meet these requirements?

一家公司使用 NFS 將大型視訊檔案儲存在本地網路附加儲存中。每個影片檔案的大小範圍從 1 MB 到 500 GB。總儲存量為 70 TB，且不再成長。該公司決定將視訊檔案移轉到 Amazon S3。公司必須在使用盡可能少的網路頻寬的情況下盡快遷移視訊檔案。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an S3 bucket. Create an IAM role that has permissions to write to the S3 bucket. Use the AWS CLI to copy all files locally to the S3 bucket.

B.Create an AWS Snowball Edge job. Receive a Snowball Edge device on premises. Use the Snowball Edge client to transfer data to the device. Return the device so that AWS can import the data into Amazon S3.

C.Deploy an S3 File Gateway on premises. Create a public service endpoint to connect to the S3 File Gateway. Create an S3 bucket. Create a new NFS file share on the S3 File Gateway. Point the new file share to the S3 bucket. Transfer the data from the existing NFS file share to the S3 File Gateway.

D.Set up an AWS Direct Connect connection between the on-premises network and AWS. Deploy an S3 File Gateway on premises. Create a public virtual interface (VIF) to connect to the S3 File Gateway. Create an S3 bucket. Create a new NFS file share on the S3 File Gateway. Point the new file share to the S3 bucket. Transfer the data from the existing NFS file share to the S3 File Gateway.

【參考答案】B

【題號】question 007

【題目】

A company has an application that ingests incoming messages. Dozens of other applications and microservices then quickly consume these messages. The number of messages varies drastically and sometimes increases suddenly to 100,000 each second. The company wants to decouple the solution and increase scalability.

Which solution meets these requirements?

一家公司有一個接收傳入訊息的應用程式。然後，數十個其他應用程式和微服務快速消耗這些訊息。訊息數量變化很大，有時突然增加到每秒 100,000 則。該公司希望解耦解決方案並提高可擴展性。

哪種解決方案滿足這些要求？

【選項】

A.Persist the messages to Amazon Kinesis Data Analytics. Configure the consumer applications to read and process the messages.

B.Deploy the ingestion application on Amazon EC2 instances in an Auto Scaling group to scale the number of EC2 instances based on CPU metrics.

C.Write the messages to Amazon Kinesis Data Streams with a single shard. Use an AWS Lambda function to preprocess messages and store them in Amazon DynamoDB. Configure the consumer applications to read from DynamoDB to process the messages.

D.Publish the messages to an Amazon Simple Notification Service (Amazon SNS) topic with multiple Amazon Simple Queue Service (Amazon SQS) subscriptions. Configure the consumer applications to process the messages from the queues.

【參考答案】D

【題號】question 008

【題目】

A company is migrating a distributed application to AWS. The application serves variable workloads. The legacy platform consists of a primary server that coordinates jobs across multiple compute nodes. The company wants to modernize the application with a solution that maximizes resiliency and scalability.

How should a solutions architect design the architecture to meet these requirements?

一家公司正在將分散式應用程式遷移到 AWS。該應用程式服務於可變的工作負載。舊平台由一個主伺服器組成，用於協調多個計算節點之間的作業。該公司希望透過可最大限度提高彈性和可擴展性的解決方案來實現應用程式的現代化。

解決方案架構師應該如何設計架構來滿足這些要求？

【選項】

A.Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination for the jobs. Implement the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group. Configure EC2 Auto Scaling to use scheduled scaling.

B. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination for the jobs. Implement the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group. Configure EC2 Auto Scaling based on the size of the queue.

C. Implement the primary server and the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group. Configure AWS CloudTrail as a destination for the jobs. Configure EC2 Auto Scaling based on the load on the primary server.

D. Implement the primary server and the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group. Configure Amazon EventBridge (Amazon CloudWatch Events) as a destination for the jobs. Configure EC2 Auto Scaling based on the load on the compute nodes.

【參考答案】B

【題號】question 009

【題目】

A company is running an SMB file server in its data center. The file server stores large files that are accessed frequently for the first few days after the files are created. After 7 days the files are rarely accessed.

The total data size is increasing and is close to the company's total storage capacity. A solutions architect must increase the company's available storage space without losing low-latency access to the most recently accessed files. The solutions architect must also provide file lifecycle management to avoid future storage issues.

Which solution will meet these requirements?

一家公司正在其資料中心運行 SMB 檔案伺服器。文件伺服器儲存大文件，這些文件在文件建立後的前幾天會被頻繁存取。7 天后，這些文件就很少被存取。

總資料規模不斷增加，接近公司總儲存容量。解決方案架構師必須增加公司的可用儲存空間，同時又不失去對最近存取的檔案的低延遲存取。解決方案架構師還必須提供文件生命週期管理，以避免未來出現儲存問題。

哪種解決方案可以滿足這些要求？

【選項】

A. Use AWS DataSync to copy data that is older than 7 days from the SMB file server to AWS.

B. Create an Amazon S3 File Gateway to extend the company's storage space. Create an S3 Lifecycle policy to transition the data to S3 Glacier Deep Archive after 7 days.

C. Create an Amazon FSx for Windows File Server file system to extend the company's storage space.

D. Install a utility on each user's computer to access Amazon S3. Create an S3 Lifecycle policy to transition the data to S3 Glacier Flexible Retrieval after 7 days.

【參考答案】B

【題號】question 010

【題目】

A company is building an ecommerce web application on AWS. The application sends information about new orders to an Amazon API Gateway REST API to process. The company wants to ensure that orders are processed in the order that they are received.

Which solution will meet these requirements?

一家公司正在 AWS 上建立電子商務 Web 應用程式。該應用程式將有關新訂單的資訊傳送至 Amazon API Gateway REST API 進行處理。該公司希望確保訂單按照收到的順序進行處理。

哪種解決方案可以滿足這些要求？

【選項】

A. Use an API Gateway integration to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic when the application receives an order. Subscribe an AWS Lambda function to the topic to perform processing.

B. Use an API Gateway integration to send a message to an Amazon Simple Queue Service (Amazon SQS) FIFO queue when the application receives an order. Configure the SQS FIFO queue to invoke an AWS Lambda function for processing.

C. Use an API Gateway authorizer to block any requests while the application processes an order.

D. Use an API Gateway integration to send a message to an Amazon Simple Queue Service (Amazon SQS) standard queue when the application receives an order. Configure the SQS standard queue to invoke an AWS Lambda function for processing.

【參考答案】B

【題號】question 011

【題目】

A company has an application that runs on Amazon EC2 instances and uses an Amazon Aurora database. The EC2 instances connect to the database by using user names and passwords that are stored locally in a file. The company wants to minimize the operational overhead of credential management.

What should a solutions architect do to accomplish this goal?

一家公司有一個在 Amazon EC2 執行個體上執行並使用 Amazon Aurora 資料庫的應用程式。EC2 執行個體使用本機儲存在檔案中的使用者名稱和密碼連線到資料庫。該公司希望最大限度地減少憑證管理的營運開銷。

解決方案架構師應該做什麼來實現這個目標？

【選項】

A. Use AWS Secrets Manager. Turn on automatic rotation.

B. Use AWS Systems Manager Parameter Store. Turn on automatic rotation.

C. Create an Amazon S3 bucket to store objects that are encrypted with an AWS Key Management Service (AWS KMS) encryption key. Migrate the credential file to the S3 bucket. Point the application to the S3 bucket.

D. Create an encrypted Amazon Elastic Block Store (Amazon EBS) volume for each EC2 instance. Attach the new EBS volume to each EC2 instance. Migrate the credential file to the new EBS volume. Point the application to the new EBS volume.

【參考答案】A

【題號】question 012

【題目】

A global company hosts its web application on Amazon EC2 instances behind an Application Load Balancer (ALB). The web application has static data and dynamic data. The company stores its static data in an Amazon S3 bucket. The company wants to improve performance and reduce latency for the static data and dynamic data. The company is using its own domain name registered with Amazon Route 53.

What should a solutions architect do to meet these requirements?

一家跨國公司將其 Web 應用程式託管在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上。Web 應用程式有靜態資料和動態資料。該公司將其靜態資料儲存在 Amazon S3 儲存桶中。該公司希望提高靜態數據和動態數據的效能並減少延遲。該公司正在使用在 Amazon Route 53 上註冊的自己的網域。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Create an Amazon CloudFront distribution that has the S3 bucket and the ALB as origins. Configure Route 53 to route traffic to the CloudFront distribution.

B. Create an Amazon CloudFront distribution that has the ALB as an origin. Create an AWS Global Accelerator standard accelerator that has the S3 bucket as an endpoint. Configure Route 53 to route traffic to the CloudFront distribution.

C. Create an Amazon CloudFront distribution that has the S3 bucket as an origin. Create an AWS Global Accelerator standard accelerator that has the ALB and the CloudFront distribution as endpoints. Create a custom domain name that points to the accelerator DNS name. Use the custom domain name as an endpoint for the web application.

D. Create an Amazon CloudFront distribution that has the ALB as an origin. Create an AWS Global Accelerator standard accelerator that has the S3 bucket as an endpoint. Create two domain names. Point one domain name to the CloudFront DNS name for dynamic content. Point the other domain name to the accelerator DNS name for static content. Use the domain names as endpoints for the web application.

【參考答案】A

【題號】question 013

【題目】

A company performs monthly maintenance on its AWS infrastructure. During these maintenance activities, the company needs to rotate the credentials for its Amazon RDS for MySQL databases across multiple AWS Regions.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司每月對其 AWS 基礎設施進行維護。在這些維護活動期間，該公司需要在多個 AWS 區域輪換其 Amazon RDS for MySQL 資料庫的憑證。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Store the credentials as secrets in AWS Secrets Manager. Use multi-Region secret replication for the required Regions. Configure Secrets Manager to rotate the secrets on a schedule.

B.Store the credentials as secrets in AWS Systems Manager by creating a secure string parameter. Use multi-Region secret replication for the required Regions. Configure Systems Manager to rotate the secrets on a schedule.

C.Store the credentials in an Amazon S3 bucket that has server-side encryption (SSE) enabled. Use Amazon EventBridge (Amazon CloudWatch Events) to invoke an AWS Lambda function to rotate the credentials.

D.Encrypt the credentials as secrets by using AWS Key Management Service (AWS KMS) multi-Region customer managed keys. Store the secrets in an Amazon DynamoDB global table. Use an AWS Lambda function to retrieve the secrets from DynamoDB. Use the RDS API to rotate the secrets.

【參考答案】A

【題號】question 014

【題目】

A company runs an ecommerce application on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. The Auto Scaling group scales based on CPU utilization metrics. The ecommerce application stores the transaction data in a MySQL 8.0 database that is hosted on a large EC2 instance.

The database's performance degrades quickly as application load increases. The application handles more read requests than write transactions. The company wants a solution that will automatically scale the database to meet the demand of unpredictable read workloads while maintaining high availability.

Which solution will meet these requirements?

一家公司在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行電子商務應用程式。這些執行個體在跨多個可用區的 Amazon EC2 Auto Scaling 群組中運作。Auto Scaling 組根據 CPU 使用率指標進行擴展。電子商務應用程式將交易資料儲存在大型 EC2 執行個體上託管的 MySQL 8.0 資料庫中。

隨著應用程式負載的增加，資料庫的效能會迅速下降。應用程式處理的讀取請求多於寫入事務。該公司希望有一種解決方案可以自動擴展資料庫，以滿足不可預測的讀取工作負載的需求，同時保持高可用性。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use Amazon Redshift with a single node for leader and compute functionality.
- B. Use Amazon RDS with a Single-AZ deployment. Configure Amazon RDS to add reader instances in a different Availability Zone.
- C. Use Amazon Aurora with a Multi-AZ deployment. Configure Aurora Auto Scaling with Aurora Replicas.
- D. Use Amazon ElastiCache for Memcached with EC2 Spot Instances.

【參考答案】C

【題號】question 015

【題目】

A company recently migrated to AWS and wants to implement a solution to protect the traffic that flows in and out of the production VPC. The company had an inspection server in its on-premises data center. The inspection server performed specific operations such as traffic flow inspection and traffic filtering. The company wants to have the same functionalities in the AWS Cloud.

Which solution will meet these requirements?

一家公司最近遷移到 AWS，並希望實施解決方案來保護流入和流出生產 VPC 的流量。該公司在其本地資料中心設有一台檢查伺服器。檢查伺服器執行流量檢查、流量過濾等特定操作。該公司希望在 AWS 雲端中擁有相同的功能。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use Amazon GuardDuty for traffic inspection and traffic filtering in the production VPC.
- B. Use Traffic Mirroring to mirror traffic from the production VPC for traffic inspection and filtering.
- C. Use AWS Network Firewall to create the required rules for traffic inspection and traffic filtering for the production VPC.
- D. Use AWS Firewall Manager to create the required rules for traffic inspection and traffic filtering for the production VPC.

【參考答案】C

【題號】question 016

【題目】

A company hosts a data lake on AWS. The data lake consists of data in Amazon S3 and Amazon RDS for PostgreSQL. The company needs a reporting solution that provides data

visualization and includes all the data sources within the data lake. Only the company's management team should have full access to all the visualizations. The rest of the company should have only limited access.

Which solution will meet these requirements?

一家公司在 AWS 上託管資料湖。資料湖由 Amazon S3 和 Amazon RDS for PostgreSQL 中的資料組成。該公司需要一個提供資料視覺化並包含資料湖中所有資料來源的報告解決方案。只有公司的管理團隊才能完全存取所有視覺化。公司的其他成員應該只有有限的存取權限。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an analysis in Amazon QuickSight. Connect all the data sources and create new datasets. Publish dashboards to visualize the data. Share the dashboards with the appropriate IAM roles.

B.Create an analysis in Amazon QuickSight. Connect all the data sources and create new datasets. Publish dashboards to visualize the data. Share the dashboards with the appropriate users and groups.

C.Create an AWS Glue table and crawler for the data in Amazon S3. Create an AWS Glue extract, transform, and load (ETL) job to produce reports. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.

D.Create an AWS Glue table and crawler for the data in Amazon S3. Use Amazon Athena Federated Query to access data within Amazon RDS for PostgreSQL. Generate reports by using Amazon Athena. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.

【參考答案】B

【題號】question 017

【題目】

A company is implementing a new business application. The application runs on two Amazon EC2 instances and uses an Amazon S3 bucket for document storage. A solutions architect needs to ensure that the EC2 instances can access the S3 bucket.

What should the solutions architect do to meet this requirement?

一家公司正在實施一個新的業務應用程式。該應用程式在兩個 Amazon EC2 執行個體上執行，並使用 Amazon S3 儲存桶進行文件儲存。解決方案架構師需要確保 EC2 執行個體可以存取 S3 儲存桶。

解決方案架構師應該做什麼來滿足這個要求？

【選項】

A.Create an IAM role that grants access to the S3 bucket. Attach the role to the EC2 instances.

B.Create an IAM policy that grants access to the S3 bucket. Attach the policy to the EC2 instances.

C.Create an IAM group that grants access to the S3 bucket. Attach the group to the EC2 instances.

D.Create an IAM user that grants access to the S3 bucket. Attach the user account to the EC2 instances.

【參考答案】A

【題號】question 018

【題目】

An application development team is designing a microservice that will convert large images to smaller, compressed images. When a user uploads an image through the web interface, the microservice should store the image in an Amazon S3 bucket, process and compress the image with an AWS Lambda function, and store the image in its compressed form in a different S3 bucket.

A solutions architect needs to design a solution that uses durable, stateless components to process the images automatically.

Which combination of actions will meet these requirements? (Choose two.)

應用程式開發團隊正在設計一個微服務，將大圖像轉換為較小的壓縮圖像。當使用者透過 Web 介面上傳映像時，微服務應將映像儲存在 Amazon S3 儲存桶中，使用 AWS Lambda 函數處理和壓縮映像，並將映像以壓縮形式儲存在不同的 S3 儲存桶中。

解決方案架構師需要設計一個使用持久、無狀態元件來自動處理影像的解決方案。

哪一種行動組合可以滿足這些要求？（選兩個。）

【選項】

A.Create an Amazon Simple Queue Service (Amazon SQS) queue. Configure the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket.

B.Configure the Lambda function to use the Amazon Simple Queue Service (Amazon SQS) queue as the invocation source. When the SQS message is successfully processed, delete the message in the queue.

C.Configure the Lambda function to monitor the S3 bucket for new uploads. When an uploaded image is detected, write the file name to a text file in memory and use the text file to keep track of the images that were processed.

D.Launch an Amazon EC2 instance to monitor an Amazon Simple Queue Service (Amazon SQS) queue. When items are added to the queue, log the file name in a text file on the EC2 instance and invoke the Lambda function.

E.Configure an Amazon EventBridge (Amazon CloudWatch Events) event to monitor the S3 bucket. When an image is uploaded, send an alert to an Amazon Simple Notification Service (Amazon SNS) topic with the application owner's email address for further processing.

【參考答案】AB

【題號】question 019

【題目】

A company has a three-tier web application that is deployed on AWS. The web servers are deployed in a public subnet in a VPC. The application servers and database servers are deployed in private subnets in the same VPC. The company has deployed a

third-party virtual firewall appliance from AWS Marketplace in an inspection VPC. The appliance is configured with an IP interface that can accept IP packets.

A solutions architect needs to integrate the web application with the appliance to inspect all traffic to the application before the traffic reaches the web server.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司有一個部署在 AWS 上的三層 Web 應用程式。Web 伺服器部署在 VPC 的公有子網路中。應用程式伺服器和資料庫伺服器部署在同一 VPC 的私有子網路中。該公司已在檢查 VPC 中部署了來自 AWS Marketplace 的第三方虛擬防火牆設備。設備配置有可以接受 IP 封包的 IP 介面。

解決方案架構師需要將 Web 應用程式與裝置集成，以便在流量到達 Web 伺服器之前檢查應用程式的所有流量。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Create a Network Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection.

B. Create an Application Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection.

C. Deploy a transit gateway in the inspection VPC. Configure route tables to route the incoming packets through the transit gateway.

D. Deploy a Gateway Load Balancer in the inspection VPC. Create a Gateway Load Balancer endpoint to receive the incoming packets and forward the packets to the appliance.

【參考答案】D

【題號】question 020

【題目】

A company wants to improve its ability to clone large amounts of production data into a test environment in the same AWS Region. The data is stored in Amazon EC2 instances on

Amazon Elastic Block Store (Amazon EBS) volumes. Modifications to the cloned data must not affect the production environment. The software that accesses this data requires consistently high I/O performance.

A solutions architect needs to minimize the time that is required to clone the production data into the test environment.

Which solution will meet these requirements?

一家公司希望提高將大量生產資料克隆到同一 AWS 區域的測試環境中的能力。資料儲存在 Amazon Elastic Block Store (Amazon EBS) 磁碟區上的 Amazon EC2 執行個體中。克隆資料的修改不得影響生產環境。存取此資料的軟體需要始終如一的高 I/O 效能。

解決方案架構師需要最大限度地減少將生產資料複製到測試環境所需的時間。

哪種解決方案可以滿足這些要求？

【選項】

A.Take EBS snapshots of the production EBS volumes. Restore the snapshots onto EC2 instance store volumes in the test environment.

B.Configure the production EBS volumes to use the EBS Multi-Attach feature. Take EBS snapshots of the production EBS volumes. Attach the production EBS volumes to the EC2 instances in the test environment.

C.Take EBS snapshots of the production EBS volumes. Create and initialize new EBS volumes. Attach the new EBS volumes to EC2 instances in the test environment before restoring the volumes from the production EBS snapshots.

D.Take EBS snapshots of the production EBS volumes. Turn on the EBS fast snapshot restore feature on the EBS snapshots. Restore the snapshots into new EBS volumes. Attach the new EBS volumes to EC2 instances in the test environment.

【參考答案】D

【題號】question 021

【題目】

An ecommerce company wants to launch a one-deal-a-day website on AWS. Each day will feature exactly one product on sale for a period of 24 hours. The company wants to be able to handle millions of requests each hour with millisecond latency during peak hours.

Which solution will meet these requirements with the LEAST operational overhead?

一家電子商務公司希望在 AWS 上推出每日一交易網站。每天 24 小時內都會有一款產品在促銷。該公司希望能夠在高峰時段以毫秒延遲處理每小時數百萬個請求。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use Amazon S3 to host the full website in different S3 buckets. Add Amazon CloudFront distributions. Set the S3 buckets as origins for the distributions. Store the order data in Amazon S3.

B. Deploy the full website on Amazon EC2 instances that run in Auto Scaling groups across multiple Availability Zones. Add an Application Load Balancer (ALB) to distribute the website traffic. Add another ALB for the backend APIs. Store the data in Amazon RDS for MySQL.

C. Migrate the full application to run in containers. Host the containers on Amazon Elastic Kubernetes Service (Amazon EKS). Use the Kubernetes Cluster Autoscaler to increase and decrease the number of pods to process bursts in traffic. Store the data in Amazon RDS for MySQL.

D. Use an Amazon S3 bucket to host the website's static content. Deploy an Amazon CloudFront distribution. Set the S3 bucket as the origin. Use Amazon API Gateway and AWS Lambda functions for the backend APIs. Store the data in Amazon DynamoDB.

【參考答案】D

【題號】question 022

【題目】

A solutions architect is using Amazon S3 to design the storage architecture of a new digital media application. The media files must be resilient to the loss of an Availability

Zone. Some files are accessed frequently while other files are rarely accessed in an unpredictable pattern. The solutions architect must minimize the costs of storing and retrieving the media files.

Which storage option meets these requirements?

解決方案架構師正在使用 Amazon S3 設計新數位媒體應用程式的儲存架構。媒體檔案必須能夠適應可用區域遺失的情況。某些文件被頻繁訪問，而另一些文件則很少以不可預測的模式被訪問。解決方案架構師必須最大限度地降低儲存和檢索媒體檔案的成本。

哪種儲存選項可以滿足這些要求？

【選項】

- A.S3 Standard
- B.S3 Intelligent-Tiering
- C.S3 Standard-Infrequent Access (S3 Standard-IA)
- D.S3 One Zone-Infrequent Access (S3 One Zone-IA)

【參考答案】B

【題號】question 023

【題目】

A company is storing backup files by using Amazon S3 Standard storage. The files are accessed frequently for 1 month. However, the files are not accessed after 1 month. The company must keep the files indefinitely.

Which storage solution will meet these requirements MOST cost-effectively?

一家公司正在使用 Amazon S3 標準儲存空間來儲存備份檔案。文件被頻繁存取1個月。但是，1個月後將無法存取這些文件。公司必須無限期保存這些文件。

哪種儲存解決方案能夠最經濟有效率地滿足這些要求？

【選項】

- A. Configure S3 Intelligent-Tiering to automatically migrate objects.
- B. Create an S3 Lifecycle configuration to transition objects from S3 Standard to S3 Glacier Deep Archive after 1 month.
- C. Create an S3 Lifecycle configuration to transition objects from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-IA) after 1 month.
- D. Create an S3 Lifecycle configuration to transition objects from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 1 month.

【參考答案】B

【題號】question 024

【題目】

A company observes an increase in Amazon EC2 costs in its most recent bill. The billing team notices unwanted vertical scaling of instance types for a couple of EC2 instances. A solutions architect needs to create a graph comparing the last 2 months of EC2 costs and perform an in-depth analysis to identify the root cause of the vertical scaling.

How should the solutions architect generate the information with the LEAST operational overhead?

一家公司在最近的帳單中發現 Amazon EC2 成本增加。計費團隊注意到幾個 EC2 執行個體的執行個體類型出現不必要的垂直擴展。解決方案架構師需要建立一個圖表來比較過去 2 個月的 EC2 成本，並進行深入分析以確定垂直擴展的根本原因。

解決方案架構師應如何以最少的營運開銷產生資訊？

【選項】

- A. Use AWS Budgets to create a budget report and compare EC2 costs based on instance types.
- B. Use Cost Explorer's granular filtering feature to perform an in-depth analysis of EC2 costs based on instance types.
- C. Use graphs from the AWS Billing and Cost Management dashboard to compare EC2 costs based on instance types for the last 2 months.

D. Use AWS Cost and Usage Reports to create a report and send it to an Amazon S3 bucket. Use Amazon QuickSight with Amazon S3 as a source to generate an interactive graph based on instance types.

【參考答案】B

【題號】question 025

【題目】

A company is designing an application. The application uses an AWS Lambda function to receive information through Amazon API Gateway and to store the information in an Amazon Aurora PostgreSQL database.

During the proof-of-concept stage, the company has to increase the Lambda quotas significantly to handle the high volumes of data that the company needs to load into the database. A solutions architect must recommend a new design to improve scalability and minimize the configuration effort.

Which solution will meet these requirements?

一家公司正在設計一個應用程式。該應用程式使用 AWS Lambda 函數透過 Amazon API Gateway 接收資訊並將資訊儲存在 Amazon Aurora PostgreSQL 資料庫中。

在概念驗證階段，該公司必須大幅增加 Lambda 配額，以處理公司需要載入到資料庫中的大量資料。解決方案架構師必須推薦一種新設計，以提高可擴展性並最大限度地減少配置工作。

哪種解決方案可以滿足這些要求？

【選項】

A. Refactor the Lambda function code to Apache Tomcat code that runs on Amazon EC2 instances. Connect the database by using native Java Database Connectivity (JDBC) drivers.

B. Change the platform from Aurora to Amazon DynamoDB. Provision a DynamoDB Accelerator (DAX) cluster. Use the DAX client SDK to point the existing DynamoDB API calls at the DAX cluster.

C.Set up two Lambda functions. Configure one function to receive the information. Configure the other function to load the information into the database. Integrate the Lambda functions by using Amazon Simple Notification Service (Amazon SNS).

D.Set up two Lambda functions. Configure one function to receive the information. Configure the other function to load the information into the database. Integrate the Lambda functions by using an Amazon Simple Queue Service (Amazon SQS) queue.

【參考答案】D

【題號】question 026

【題目】

A company needs to review its AWS Cloud deployment to ensure that its Amazon S3 buckets do not have unauthorized configuration changes.

What should a solutions architect do to accomplish this goal?

公司需要檢查其 AWS 雲端部署，以確保其 Amazon S3 儲存桶沒有未經授權的配置變更。

解決方案架構師應該做什麼來實現這個目標？

【選項】

A.Turn on AWS Config with the appropriate rules.

B.Turn on AWS Trusted Advisor with the appropriate checks.

C.Turn on Amazon Inspector with the appropriate assessment template.

D.Turn on Amazon S3 server access logging. Configure Amazon EventBridge (Amazon Cloud Watch Events).

【參考答案】A

【題號】question 027

【題目】

A company is launching a new application and will display application metrics on an Amazon CloudWatch dashboard. The company's product manager needs to access this dashboard periodically. The product manager does not have an AWS account. A solutions architect must provide access to the product manager by following the principle of least privilege.

Which solution will meet these requirements?

一家公司正在推出一個新應用程式，並將在 Amazon CloudWatch 儀表板上顯示應用程式指標。公司的產品經理需要定期存取該儀表板。產品經理沒有 AWS 帳戶。解決方案架構師必須遵循最小權限原則向產品經理提供存取權限。

哪種解決方案可以滿足這些要求？

【選項】

A. Share the dashboard from the CloudWatch console. Enter the product manager's email address, and complete the sharing steps. Provide a shareable link for the dashboard to the product manager.

B. Create an IAM user specifically for the product manager. Attach the CloudWatchReadOnlyAccess AWS managed policy to the user. Share the new login credentials with the product manager. Share the browser URL of the correct dashboard with the product manager.

C. Create an IAM user for the company's employees. Attach the ViewOnlyAccess AWS managed policy to the IAM user. Share the new login credentials with the product manager. Ask the product manager to navigate to the CloudWatch console and locate the dashboard by name in the Dashboards section.

D. Deploy a bastion server in a public subnet. When the product manager requires access to the dashboard, start the server and share the RDP credentials. On the bastion server, ensure that the browser is configured to open the dashboard URL with cached AWS credentials that have appropriate permissions to view the dashboard.

【參考答案】A

【題號】question 028

【題目】

A company is migrating applications to AWS. The applications are deployed in different accounts. The company manages the accounts centrally by using AWS Organizations. The company's security team needs a single sign-on (SSO) solution across all the company's accounts. The company must continue managing the users and groups in its on-premises self-managed Microsoft Active Directory.

Which solution will meet these requirements?

一家公司正在將應用程式遷移到 AWS。應用程式部署在不同的帳戶中。該公司使用 AWS Organizations 集中管理帳戶。本公司的安全團隊需要跨公司所有帳戶的單一登入 (SSO) 解決方案。本公司必須繼續管理其本機自行管理的 Microsoft Active Directory 中的使用者和群組。

哪種解決方案可以滿足這些要求？

【選項】

A.Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console. Create a one-way forest trust or a one-way domain trust to connect the company's self-managed Microsoft Active Directory with AWS SSO by using AWS Directory Service for Microsoft Active Directory.

B.Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console. Create a two-way forest trust to connect the company's self-managed Microsoft Active Directory with AWS SSO by using AWS Directory Service for Microsoft Active Directory.

C.Use AWS Directory Service. Create a two-way trust relationship with the company's self-managed Microsoft Active Directory.

D.Deploy an identity provider (IdP) on premises. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console.

【參考答案】B

【題號】question 029

【題目】

A company provides a Voice over Internet Protocol (VoIP) service that uses UDP connections. The service consists of Amazon EC2 instances that run in an Auto Scaling group. The company has deployments across multiple AWS Regions.

The company needs to route users to the Region with the lowest latency. The company also needs automated failover between Regions.

Which solution will meet these requirements?

一家公司提供使用 UDP 連線的網際網路協定語音 (VoIP) 服務。本服務由在 Auto Scaling 群組中執行的 Amazon EC2 執行個體組成。該公司在多個 AWS 區域進行了部署。

公司需要將用戶路由到延遲最低的區域。該公司還需要區域之間的自動故障轉移。

哪種解決方案可以滿足這些要求？

【選項】

A. Deploy a Network Load Balancer (NLB) and an associated target group. Associate the target group with the Auto Scaling group. Use the NLB as an AWS Global Accelerator endpoint in each Region.

B. Deploy an Application Load Balancer (ALB) and an associated target group. Associate the target group with the Auto Scaling group. Use the ALB as an AWS Global Accelerator endpoint in each Region.

C. Deploy a Network Load Balancer (NLB) and an associated target group. Associate the target group with the Auto Scaling group. Create an Amazon Route 53 latency record that points to aliases for each NLB. Create an Amazon CloudFront distribution that uses the latency record as an origin.

D. Deploy an Application Load Balancer (ALB) and an associated target group. Associate the target group with the Auto Scaling group. Create an Amazon Route 53 weighted record that points to aliases for each ALB. Deploy an Amazon CloudFront distribution that uses the weighted record as an origin.

【參考答案】A

【題號】question 030

【題目】

A development team runs monthly resource-intensive tests on its general purpose Amazon RDS for MySQL DB instance with Performance Insights enabled. The testing lasts for 48 hours once a month and is the only process that uses the database. The team wants to reduce the cost of running the tests without reducing the compute and memory attributes of the DB instance.

Which solution meets these requirements MOST cost-effectively?

開發團隊每月在啟用 Performance Insights 的通用 Amazon RDS for MySQL 資料庫執行個體上執行資源密集型測試。測試每月一次，持續 48 小時，並且是唯一使用資料庫的過程。該團隊希望在不降低資料庫執行個體的計算和記憶體屬性的情況下降低執行測試的成本。

哪種解決方案最經濟有效率地滿足這些要求？

【選項】

- A. Stop the DB instance when tests are completed. Restart the DB instance when required.
- B. Use an Auto Scaling policy with the DB instance to automatically scale when tests are completed.
- C. Create a snapshot when tests are completed. Terminate the DB instance and restore the snapshot when required.
- D. Modify the DB instance to a low-capacity instance when tests are completed. Modify the DB instance again when required.

【參考答案】C

【題號】question 031

【題目】

A company that hosts its web application on AWS wants to ensure all Amazon EC2 instances, Amazon RDS DB instances, and Amazon Redshift clusters are configured with tags. The company wants to minimize the effort of configuring and operating this check.

What should a solutions architect do to accomplish this?

一家在 AWS 上託管其 Web 應用程式的公司希望確保所有 Amazon EC2 執行個體的安全。Amazon RDS 資料庫執行個體。Amazon Redshift 叢集配置有標籤。該公司希望最大限度地減少配置和操作此檢查的工作量。

解決方案架構師應該做什麼來實現這個目標？

【選項】

A. Use AWS Config rules to define and detect resources that are not properly tagged.

B. Use Cost Explorer to display resources that are not properly tagged. Tag those resources manually.

C. Write API calls to check all resources for proper tag allocation. Periodically run the code on an EC2 instance.

D. Write API calls to check all resources for proper tag allocation. Schedule an AWS Lambda function through Amazon CloudWatch to periodically run the code.

【參考答案】A

【題號】question 032

【題目】

A development team needs to host a website that will be accessed by other teams. The website contents consist of HTML, CSS, client-side JavaScript, and images.

Which method is the MOST cost-effective for hosting the website?

開發團隊需要託管一個可供其他團隊存取的網站。網站內容由 HTML、CSS、客戶端 JavaScript 和圖像組成。

哪一種方法託管網站最經濟有效？

【選項】

- A.Containerize the website and host it in AWS Fargate.
- B.Create an Amazon S3 bucket and host the website there.
- C.Deploy a web server on an Amazon EC2 instance to host the website.
- D.Configure an Application Load Balancer with an AWS Lambda target that uses the Express.js framework.

【參考答案】B

【題號】question 033

【題目】

A company runs an online marketplace web application on AWS. The application serves hundreds of thousands of users during peak hours. The company needs a scalable, near-real-time solution to share the details of millions of financial transactions with several other internal applications. Transactions also need to be processed to remove sensitive data before being stored in a document database for low-latency retrieval.

What should a solutions architect recommend to meet these requirements?

一家公司在 AWS 上運行線上市場 Web 應用程式。該應用程式在高峰時段為數十萬用戶提供服務。該公司需要一個可擴展、近乎即時的解決方案，以便與其他幾個內部應用程式共享數百萬筆金融交易的詳細資訊。在將交易儲存到文件資料庫中以進行低延遲檢索之前，還需要對交易進行處理以刪除敏感資料。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

- A.Store the transactions data into Amazon DynamoDB. Set up a rule in DynamoDB to remove sensitive data from every transaction upon write. Use DynamoDB Streams to share the transactions data with other applications.
- B.Stream the transactions data into Amazon Kinesis Data Firehose to store data in Amazon DynamoDB and Amazon S3. Use AWS Lambda integration with Kinesis Data

Firehose to remove sensitive data. Other applications can consume the data stored in Amazon S3.

C.Stream the transactions data into Amazon Kinesis Data Streams. Use AWS Lambda integration to remove sensitive data from every transaction and then store the transactions data in Amazon DynamoDB. Other applications can consume the transactions data off the Kinesis data stream.

D.Store the batched transactions data in Amazon S3 as files. Use AWS Lambda to process every file and remove sensitive data before updating the files in Amazon S3. The Lambda function then stores the data in Amazon DynamoDB. Other applications can consume transaction files stored in Amazon S3.

【參考答案】C

【題號】question 034

【題目】

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources.

What should a solutions architect do to meet these requirements?

一家公司在 AWS 上託管其多層應用程式。為了合規性、治理、稽核和安全性，公司必須追蹤其 AWS 資源的配置變更並記錄對這些資源進行的 API 呼叫的歷史記錄。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A.Use AWS CloudTrail to track configuration changes and AWS Config to record API calls.
- B.Use AWS Config to track configuration changes and AWS CloudTrail to record API calls.
- C.Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls.
- D.Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls.

【參考答案】B

【題號】question 035

【題目】

A company is preparing to launch a public-facing web application in the AWS Cloud. The architecture consists of Amazon EC2 instances within a VPC behind an Elastic Load Balancer (ELB). A third-party service is used for the DNS. The company's solutions architect must recommend a solution to detect and protect against large-scale DDoS attacks.

Which solution meets these requirements?

一家公司正準備在 AWS 雲端中啟動面向公眾的 Web 應用程式。此架構由彈性負載平衡器 (ELB) 後面的 VPC 內的 Amazon EC2 執行個體組成。DNS 使用第三方服務。公司的解決方案架構師必須建議解決方案來偵測和防範大規模 DDoS 攻擊。

哪種解決方案滿足這些要求？

【選項】

- A.Enable Amazon GuardDuty on the account.
- B.Enable Amazon Inspector on the EC2 instances.
- C.Enable AWS Shield and assign Amazon Route 53 to it.
- D.Enable AWS Shield Advanced and assign the ELB to it.

【參考答案】D

【題號】question 036

【題目】

A company is building an application in the AWS Cloud. The application will store data in Amazon S3 buckets in two AWS Regions. The company must use an AWS Key Management Service (AWS KMS) customer managed key to encrypt all data that is stored in the S3 buckets. The data in both S3 buckets must be encrypted and decrypted with the same KMS key. The data and the key must be stored in each of the two Regions.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在 AWS 雲端中建立應用程式。該應用程式將資料儲存在兩個 AWS 區域的 Amazon S3 儲存桶中。公司必須使用 AWS Key Management Service (AWS KMS) 客戶託管金鑰來加密儲存在 S3 儲存桶中的所有資料。兩個 S3 儲存桶中的資料必須使用相同的 KMS 金鑰進行加密和解密。資料和密鑰必須儲存在兩個區域中的每一個中。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an S3 bucket in each Region. Configure the S3 buckets to use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Configure replication between the S3 buckets.

B.Create a customer managed multi-Region KMS key. Create an S3 bucket in each Region. Configure replication between the S3 buckets. Configure the application to use the KMS key with client-side encryption.

C.Create a customer managed KMS key and an S3 bucket in each Region. Configure the S3 buckets to use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Configure replication between the S3 buckets.

D.Create a customer managed KMS key and an S3 bucket in each Region. Configure the S3 buckets to use server-side encryption with AWS KMS keys (SSE-KMS). Configure replication between the S3 buckets.

【參考答案】B

【題號】question 037

【題目】

A company recently launched a variety of new workloads on Amazon EC2 instances in its AWS account. The company needs to create a strategy to access and administer the instances remotely and securely. The company needs to implement a repeatable process that works with native AWS services and follows the AWS Well-Architected Framework.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司最近在其 AWS 帳戶中的 Amazon EC2 執行個體上推出了各種新工作負載。公司需要製定一項策略來遠端安全地存取和管理實例。該公司需要實施一個可重複的流程，與原生 AWS 服務搭配使用並遵循 AWS 架構完善的框架。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use the EC2 serial console to directly access the terminal interface of each instance for administration.

B. Attach the appropriate IAM role to each existing instance and new instance. Use AWS Systems Manager Session Manager to establish a remote SSH session.

C. Create an administrative SSH key pair. Load the public key into each EC2 instance. Deploy a bastion host in a public subnet to provide a tunnel for administration of each instance.

D. Establish an AWS Site-to-Site VPN connection. Instruct administrators to use their local on-premises machines to connect directly to the instances by using SSH keys across the VPN tunnel.

【參考答案】B

【題號】question 038

【題目】

A company is hosting a static website on Amazon S3 and is using Amazon Route 53 for DNS. The website is experiencing increased demand from around the world. The company must decrease latency for users who access the website.

Which solution meets these requirements MOST cost-effectively?

一家公司在 Amazon S3 上託管靜態網站，並使用 Amazon Route 53 作為 DNS。該網站的需求不斷增長，來自世界各地。公司必須減少造訪網站的使用者的延遲。

哪種解決方案最經濟有效率地滿足這些要求？

【選項】

A.Replicate the S3 bucket that contains the website to all AWS Regions. Add Route 53 geolocation routing entries.

B.Provision accelerators in AWS Global Accelerator. Associate the supplied IP addresses with the S3 bucket. Edit the Route 53 entries to point to the IP addresses of the accelerators.

C.Add an Amazon CloudFront distribution in front of the S3 bucket. Edit the Route 53 entries to point to the CloudFront distribution.

D.Enable S3 Transfer Acceleration on the bucket. Edit the Route 53 entries to point to the new endpoint.

【參考答案】C

【題號】question 039

【題目】

A company maintains a searchable repository of items on its website. The data is stored in an Amazon RDS for MySQL database table that contains more than 10 million rows. The database has 2 TB of General Purpose SSD storage. There are millions of updates against this data every day through the company's website.

The company has noticed that some insert operations are taking 10 seconds or longer. The company has determined that the database storage performance is the problem.

Which solution addresses this performance issue?

一家公司在其網站上維護一個可搜尋的專案儲存庫。資料儲存在包含超過 1000 萬行的 Amazon RDS for MySQL 資料庫表中。此資料庫具有 2 TB 通用 SSD 儲存。該公司的網站每天都會有數百萬個針對這些數據的更新。

該公司注意到某些插入操作需要 10 秒或更長時間。該公司已確定資料庫儲存效能存在問題。

哪種解決方案可以解決此效能問題？

【選項】

- A.Change the storage type to Provisioned IOPS SSD.
- B.Change the DB instance to a memory optimized instance class.
- C.Change the DB instance to a burstable performance instance class.
- D.Enable Multi-AZ RDS read replicas with MySQL native asynchronous replication.

【參考答案】A

【題號】question 040

【題目】

A company has thousands of edge devices that collectively generate 1 TB of status alerts each day. Each alert is approximately 2 KB in size. A solutions architect needs to implement a solution to ingest and store the alerts for future analysis.

The company wants a highly available solution. However, the company needs to minimize costs and does not want to manage additional infrastructure. Additionally, the company wants to keep 14 days of data available for immediate analysis and archive any data older than 14 days.

What is the MOST operationally efficient solution that meets these requirements?

一家公司擁有數千台邊緣設備，每天總共產生 1 TB 的狀態警報。每個警報的大小約為 2 KB。解決方案架構師需要實施一個解決方案來提取和儲存警報以供將來分析。

該公司需要一個高度可用的解決方案。然而，該公司需要最大限度地降低成本，並且不想管理額外的基礎設施。此外，該公司希望保留 14 天的數據以供立即分析，並對任何超過 14 天的數據進行存檔。

滿足這些要求的最高效的營運解決方案是什麼？

【選項】

A.Create an Amazon Kinesis Data Firehose delivery stream to ingest the alerts. Configure the Kinesis Data Firehose stream to deliver the alerts to an Amazon S3 bucket. Set up an S3 Lifecycle configuration to transition data to Amazon S3 Glacier after 14 days.

B.Launch Amazon EC2 instances across two Availability Zones and place them behind an Elastic Load Balancer to ingest the alerts. Create a script on the EC2 instances that will store the alerts in an Amazon S3 bucket. Set up an S3 Lifecycle configuration to transition data to Amazon S3 Glacier after 14 days.

C.Create an Amazon Kinesis Data Firehose delivery stream to ingest the alerts. Configure the Kinesis Data Firehose stream to deliver the alerts to an Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster. Set up the Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster to take manual snapshots every day and delete data from the cluster that is older than 14 days.

D.Create an Amazon Simple Queue Service (Amazon SQS) standard queue to ingest the alerts, and set the message retention period to 14 days. Configure consumers to poll the SQS queue, check the age of the message, and analyze the message data as needed. If the message is 14 days old, the consumer should copy the message to an Amazon S3 bucket and delete the message from the SQS queue.

【參考答案】A

【題號】question 041

【題目】

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible.

Which solution will meet these requirements with the LEAST operational overhead?

本公司的應用程式與多個軟體即服務 (SaaS) 來源整合以進行資料收集。該公司運行 Amazon EC2 執行個體來接收資料並將資料上傳到 Amazon S3 儲存桶以供分析。接收和上傳資料的相同 EC2 執行個體也會在上傳完成時向使用者發送通知。該公司注意到應用程式效能緩慢，並希望盡可能提高效能。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an Auto Scaling group so that EC2 instances can scale out. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

B.Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

C.Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output data. Configure the S3 bucket as the rule's target. Create a second EventBridge (Cloud Watch Events) rule to send events when the upload to the S3 bucket is complete. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.

D.Create a Docker container to use instead of an EC2 instance. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

【參考答案】B

【題號】question 042

【題目】

A company runs a highly available image-processing application on Amazon EC2 instances in a single VPC. The EC2 instances run inside several subnets across multiple Availability Zones. The EC2 instances do not communicate with each other. However, the EC2 instances download images from Amazon S3 and upload images to Amazon S3 through a single NAT gateway. The company is concerned about data transfer charges.

What is the MOST cost-effective way for the company to avoid Regional data transfer charges?

一家公司在單一 VPC 中的 Amazon EC2 執行個體上執行高度可用的影像處理應用程式。EC2 執行個體在多個可用區的多個子網路內運作。EC2 執行個體之間不進行通訊。但是，EC2

執行個體會從 Amazon S3 下載映像並透過單一 NAT 閘道將映像上傳到 Amazon S3。該公司擔心數據傳輸費用。

公司避免區域資料傳輸費用的最具成本效益的方法是什麼？

【選項】

- A.Launch the NAT gateway in each Availability Zone.
- B.Replace the NAT gateway with a NAT instance.
- C.Deploy a gateway VPC endpoint for Amazon S3.
- D.Provision an EC2 Dedicated Host to run the EC2 instances.

【參考答案】C

【題號】question 043

【題目】

A company has an on-premises application that generates a large amount of time-sensitive data that is backed up to Amazon S3. The application has grown and there are user complaints about internet bandwidth limitations. A solutions architect needs to design a long-term solution that allows for both timely backups to Amazon S3 and with minimal impact on internet connectivity for internal users.

Which solution meets these requirements?

一家公司有一個本地應用程式，該應用程式會產生大量時間敏感資料並備份到 Amazon S3。該應用程式已經發展壯大，用戶抱怨網路頻寬限制。解決方案架構師需要設計一個長期解決方案，既可以及時備份到 Amazon S3，又可以將對內部使用者的網路連線的影響降至最低。

哪種解決方案滿足這些要求？

【選項】

- A.Establish AWS VPN connections and proxy all traffic through a VPC gateway endpoint.

B.Establish a new AWS Direct Connect connection and direct backup traffic through this new connection.

C.Order daily AWS Snowball devices. Load the data onto the Snowball devices and return the devices to AWS each day.

D.Submit a support ticket through the AWS Management Console. Request the removal of S3 service limits from the account.

【參考答案】B

【題號】question 044

【題目】

A company has an Amazon S3 bucket that contains critical data. The company must protect the data from accidental deletion.

Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

一家公司有一個包含關鍵資料的 Amazon S3 儲存桶。公司必須保護資料免於意外刪除。

解決方案架構師應該採取哪些步驟組合來滿足這些要求？（選兩個。）

【選項】

A.Enable versioning on the S3 bucket.

B.Enable MFA Delete on the S3 bucket.

C.Create a bucket policy on the S3 bucket.

D.Enable default encryption on the S3 bucket.

E.Create a lifecycle policy for the objects in the S3 bucket.

【參考答案】AB

【題號】question 045

【題目】

A company has a data ingestion workflow that consists of the following:

- An Amazon Simple Notification Service (Amazon SNS) topic for notifications about new data deliveries
- An AWS Lambda function to process the data and record metadata

The company observes that the ingestion workflow fails occasionally because of network connectivity issues. When such a failure occurs, the Lambda function does not ingest the corresponding data unless the company manually reruns the job.

Which combination of actions should a solutions architect take to ensure that the Lambda function ingests all data in the future? (Choose two.)

一家公司的資料攝取工作流程包含以下內容：

- Amazon Simple Notification Service (Amazon SNS) 主題，用於提供有關新資料傳輸的通知
- 用於處理資料和記錄元資料的AWS Lambda 函數

該公司觀察到，由於網路連線問題，攝取工作流程偶爾會失敗。當發生此類故障時，Lambda 函數不會攝取相應的數據，除非公司手動重新執行作業。

解決方案架構師應採取哪種操作組合來確保 Lambda 函數將來攝取所有資料？（選兩個。）

【選項】

- A. Deploy the Lambda function in multiple Availability Zones.
- B. Create an Amazon Simple Queue Service (Amazon SQS) queue, and subscribe it to the SNS topic.
- C. Increase the CPU and memory that are allocated to the Lambda function.
- D. Increase provisioned throughput for the Lambda function.
- E. Modify the Lambda function to read from an Amazon Simple Queue Service (Amazon SQS) queue.

【參考答案】BE

【題號】question 046

【題目】

A company has an application that provides marketing services to stores. The services are based on previous purchases by store customers. The stores upload transaction data to the company through SFTP, and the data is processed and analyzed to generate new marketing offers. Some of the files can exceed 200 GB in size.

Recently, the company discovered that some of the stores have uploaded files that contain personally identifiable information (PII) that should not have been included. The company wants administrators to be alerted if PII is shared again. The company also wants to automate remediation.

What should a solutions architect do to meet these requirements with the LEAST development effort?

一家公司有一個為商店提供行銷服務的應用程式。這些服務是基於商店顧客之前的購買情況。商店透過SFTP將交易資料上傳到公司，資料經過處理和分析以產生新的行銷報價。某些檔案的大小可能超過 200 GB。

最近，該公司發現一些商店上傳的文件包含不應包含的個人識別資訊(PII)。該公司希望如果 PII 再次被分享，管理員會收到警報。該公司還希望實現自動化修復。

解決方案架構師應該如何做才能以最少的開發工作來滿足這些要求？

【選項】

A. Use an Amazon S3 bucket as a secure transfer point. Use Amazon Inspector to scan the objects in the bucket. If objects contain PII, trigger an S3 Lifecycle policy to remove the objects that contain PII.

B. Use an Amazon S3 bucket as a secure transfer point. Use Amazon Macie to scan the objects in the bucket. If objects contain PII, use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.

C. Implement custom scanning algorithms in an AWS Lambda function. Trigger the function when objects are loaded into the bucket. If objects contain PII, use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.

D.Implement custom scanning algorithms in an AWS Lambda function. Trigger the function when objects are loaded into the bucket. If objects contain PII, use Amazon Simple Email Service (Amazon SES) to trigger a notification to the administrators and trigger an S3 Lifecycle policy to remove the meats that contain PII.

【參考答案】B

【題號】question 047

【題目】

A company needs guaranteed Amazon EC2 capacity in three specific Availability Zones in a specific AWS Region for an upcoming event that will last 1 week.

What should the company do to guarantee the EC2 capacity?

一家公司需要在特定 AWS 區域的三個特定可用區中保證 Amazon EC2 容量，以應對即將舉行的持續 1 週的活動。

公司該如何保證EC2容量？

【選項】

A.Purchase Reserved Instances that specify the Region needed.

B.Create an On-Demand Capacity Reservation that specifies the Region needed.

C.Purchase Reserved Instances that specify the Region and three Availability Zones needed.

D.Create an On-Demand Capacity Reservation that specifies the Region and three Availability Zones needed.

【參考答案】D

【題號】question 048

【題目】

A company's website uses an Amazon EC2 instance store for its catalog of items. The company wants to make sure that the catalog is highly available and that the catalog is stored in a durable location.

What should a solutions architect do to meet these requirements?

一家公司的網站使用 Amazon EC2 執行個體儲存來儲存其專案目錄。該公司希望確保目錄具有高可用性，並且目錄儲存在持久的位置。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A. Move the catalog to Amazon ElastiCache for Redis.
- B. Deploy a larger EC2 instance with a larger instance store.
- C. Move the catalog from the instance store to Amazon S3 Glacier Deep Archive.
- D. Move the catalog to an Amazon Elastic File System (Amazon EFS) file system.

【參考答案】D

【題號】question 049

【題目】

A company stores call transcript files on a monthly basis. Users access the files randomly within 1 year of the call, but users access the files infrequently after 1 year. The company wants to optimize its solution by giving users the ability to query and retrieve files that are less than 1-year-old as quickly as possible. A delay in retrieving older files is acceptable.

Which solution will meet these requirements MOST cost-effectively?

一家公司每月儲存通話記錄檔。用戶在呼叫後 1 年內隨機存取這些文件，但 1 年後用戶很少存取這些文件。該公司希望透過讓用戶能夠盡快查詢和檢索不到 1 年的文件來優化其解決方案。檢索舊文件的延遲是可以接受的。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Store individual files with tags in Amazon S3 Glacier Instant Retrieval. Query the tags to retrieve the files from S3 Glacier Instant Retrieval.

B.Store individual files in Amazon S3 Intelligent-Tiering. Use S3 Lifecycle policies to move the files to S3 Glacier Flexible Retrieval after 1 year. Query and retrieve the files that are in Amazon S3 by using Amazon Athena. Query and retrieve the files that are in S3 Glacier by using S3 Glacier Select.

C.Store individual files with tags in Amazon S3 Standard storage. Store search metadata for each archive in Amazon S3 Standard storage. Use S3 Lifecycle policies to move the files to S3 Glacier Instant Retrieval after 1 year. Query and retrieve the files by searching for metadata from Amazon S3.

D.Store individual files in Amazon S3 Standard storage. Use S3 Lifecycle policies to move the files to S3 Glacier Deep Archive after 1 year. Store search metadata in Amazon RDS. Query the files from Amazon RDS. Retrieve the files from S3 Glacier Deep Archive.

【參考答案】B

【題號】question 050

【題目】

A company has a production workload that runs on 1,000 Amazon EC2 Linux instances. The workload is powered by third-party software. The company needs to patch the third-party software on all EC2 instances as quickly as possible to remediate a critical security vulnerability.

What should a solutions architect do to meet these requirements?

一家公司的生產工作負載在 1,000 個 Amazon EC2 Linux 執行個體上運作。此工作負載由第三方軟體提供支援。該公司需要盡快修補所有 EC2 執行個體上的第三方軟體，以修復關鍵安全漏洞。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A.Create an AWS Lambda function to apply the patch to all EC2 instances.
- B.Configure AWS Systems Manager Patch Manager to apply the patch to all EC2 instances.
- C.Schedule an AWS Systems Manager maintenance window to apply the patch to all EC2 instances.
- D.Use AWS Systems Manager Run Command to run a custom command that applies the patch to all EC2 instances.

【參考答案】D

【題號】question 051

【題目】

A company is developing an application that provides order shipping statistics for retrieval by a REST API. The company wants to extract the shipping statistics, organize the data into an easy-to-read HTML format, and send the report to several email addresses at the same time every morning.

Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

一家公司正在開發一個應用程式，該應用程式提供訂單運輸統計資訊以供 REST API 檢索。該公司希望提取運輸統計數據，將數據組織成易於閱讀的 HTML 格式，並每天早上同時將報告發送到多個電子郵件地址。

解決方案架構師應該採取哪些步驟組合來滿足這些要求？（選兩個。）

【選項】

- A.Configure the application to send the data to Amazon Kinesis Data Firehose.
- B.Use Amazon Simple Email Service (Amazon SES) to format the data and to send the report by email.

C.Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Glue job to query the application's API for the data.

D.Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Lambda function to query the application's API for the data.

E.Store the application data in Amazon S3. Create an Amazon Simple Notification Service (Amazon SNS) topic as an S3 event destination to send the report by email.

【參考答案】BD

【題號】question 052

【題目】

A company wants to migrate its on-premises application to AWS. The application produces output files that vary in size from tens of gigabytes to hundreds of terabytes. The application data must be stored in a standard file system structure. The company wants a solution that scales automatically, is highly available, and requires minimum operational overhead.

Which solution will meet these requirements?

一家公司希望將其本地應用程式遷移到 AWS。該應用程式產生的輸出檔案大小從數十 GB 到數百 TB 不等。應用程式資料必須儲存在標準檔案系統結構中。該公司想要一個自動擴展的解決方案。具有高可用性，並且需要最小的營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate the application to run as containers on Amazon Elastic Container Service (Amazon ECS). Use Amazon S3 for storage.

B.Migrate the application to run as containers on Amazon Elastic Kubernetes Service (Amazon EKS). Use Amazon Elastic Block Store (Amazon EBS) for storage.

C.Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling group. Use Amazon Elastic File System (Amazon EFS) for storage.

D.Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling group. Use Amazon Elastic Block Store (Amazon EBS) for storage.

【參考答案】C

【題號】question 053

【題目】

A company needs to store its accounting records in Amazon S3. The records must be immediately accessible for 1 year and then must be archived for an additional 9 years. No one at the company, including administrative users and root users, can be able to delete the records during the entire 10-year period. The records must be stored with maximum resiliency.

Which solution will meet these requirements?

一家公司需要將其會計記錄儲存在 Amazon S3 中。記錄必須可立即存取 1 年，然後必須另外存檔 9 年。公司任何人，包括管理用戶和 root 用戶，都無法刪除整個 10 年內的記錄。記錄必須以最大彈性儲存。

哪種解決方案可以滿足這些要求？

【選項】

A.Store the records in S3 Glacier for the entire 10-year period. Use an access control policy to deny deletion of the records for a period of 10 years.

B.Store the records by using S3 Intelligent-Tiering. Use an IAM policy to deny deletion of the records. After 10 years, change the IAM policy to allow deletion.

C.Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 Glacier Deep Archive after 1 year. Use S3 Object Lock in compliance mode for a period of 10 years.

D.Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 1 year. Use S3 Object Lock in governance mode for a period of 10 years.

【參考答案】C

【題號】question 054

【題目】

A company runs multiple Windows workloads on AWS. The company's employees use Windows file shares that are hosted on two Amazon EC2 instances. The file shares synchronize data between themselves and maintain duplicate copies. The company wants a highly available and durable storage solution that preserves how users currently access the files.

What should a solutions architect do to meet these requirements?

一家公司在 AWS 上執行多個 Windows 工作負載。該公司的員工使用託管在兩個 Amazon EC2 執行個體上的 Windows 檔案共用。文件共享在它們之間同步資料並維護重複副本。該公司需要一個高度可用且持久的儲存解決方案，以保留用戶目前存取檔案的方式。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Migrate all the data to Amazon S3. Set up IAM authentication for users to access files.

B.Set up an Amazon S3 File Gateway. Mount the S3 File Gateway on the existing EC2 instances.

C.Extend the file share environment to Amazon FSx for Windows File Server with a Multi-AZ configuration. Migrate all the data to FSx for Windows File Server.

D.Extend the file share environment to Amazon Elastic File System (Amazon EFS) with a Multi-AZ configuration. Migrate all the data to Amazon EFS.

【參考答案】C

【題號】question 055

【題目】

A solutions architect is developing a VPC architecture that includes multiple subnets. The architecture will host applications that use Amazon EC2 instances and Amazon RDS DB instances. The architecture consists of six subnets in two Availability Zones. Each Availability Zone includes a public subnet, a private subnet, and a dedicated subnet for databases. Only EC2 instances that run in the private subnets can have access to the RDS databases.

Which solution will meet these requirements?

解決方案架構師正在開發包含多個子網路的 VPC 架構。該架構將託管使用 Amazon EC2 執行個體和 Amazon RDS 資料庫執行個體的應用程式。該架構由兩個可用區中的六個子網路組成。每個可用區包括一個公有子網路、一個私人子網路和一個資料庫專用子網路。只有在私有子網路中執行的 EC2 執行個體才能存取 RDS 資料庫。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a new route table that excludes the route to the public subnets' CIDR blocks. Associate the route table with the database subnets.

B.Create a security group that denies inbound traffic from the security group that is assigned to instances in the public subnets. Attach the security group to the DB instances.

C.Create a security group that allows inbound traffic from the security group that is assigned to instances in the private subnets. Attach the security group to the DB instances.

D.Create a new peering connection between the public subnets and the private subnets. Create a different peering connection between the private subnets and the database subnets.

【參考答案】C

【題號】question 056

【題目】

A company has registered its domain name with Amazon Route 53. The company uses Amazon API Gateway in the ca-central-1 Region as a public interface for its backend

microservice APIs. Third-party services consume the APIs securely. The company wants to design its API Gateway URL with the company's domain name and corresponding certificate so that the third-party services can use HTTPS.

Which solution will meet these requirements?

一家公司已在 Amazon Route 53 中註冊了其網域。該公司使用 ca-central-1 區域中的 Amazon API Gateway 作為其後端微服務 API 的公共介面。第三方服務安全地使用 API。該公司希望使用該公司的網域名稱和對應的憑證來設計其 API 網關 URL，以便第三方服務可以使用 HTTPS。

哪種解決方案可以滿足這些要求？

【選項】

A. Create stage variables in API Gateway with Name="Endpoint-URL" and Value="Company Domain Name" to overwrite the default URL. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM).

B. Create Route 53 DNS records with the company's domain name. Point the alias record to the Regional API Gateway stage endpoint. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region.

C. Create a Regional API Gateway endpoint. Associate the API Gateway endpoint with the company's domain name. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Region. Attach the certificate to the API Gateway endpoint. Configure Route 53 to route traffic to the API Gateway endpoint.

D. Create a Regional API Gateway endpoint. Associate the API Gateway endpoint with the company's domain name. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region. Attach the certificate to the API Gateway APIs. Create Route 53 DNS records with the company's domain name. Point an A record to the company's domain name.

【參考答案】C

【題號】question 057

【題目】

A company is running a popular social media website. The website gives users the ability to upload images to share with other users. The company wants to make sure that the images do not contain inappropriate content. The company needs a solution that minimizes development effort.

What should a solutions architect do to meet these requirements?

一家公司正在經營一個流行的社群媒體網站。該網站使用戶能夠上傳圖像以與其他用戶分享。該公司希望確保圖像不包含不當內容。該公司需要一種能夠最大限度地減少開發工作量的解決方案。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Use Amazon Comprehend to detect inappropriate content. Use human review for low-confidence predictions.

B. Use Amazon Rekognition to detect inappropriate content. Use human review for low-confidence predictions.

C. Use Amazon SageMaker to detect inappropriate content. Use ground truth to label low-confidence predictions.

D. Use AWS Fargate to deploy a custom machine learning model to detect inappropriate content. Use ground truth to label low-confidence predictions.

【參考答案】B

【題號】question 058

【題目】

A company wants to run its critical applications in containers to meet requirements for scalability and availability. The company prefers to focus on maintenance of the critical

applications. The company does not want to be responsible for provisioning and managing the underlying infrastructure that runs the containerized workload.

What should a solutions architect do to meet these requirements?

一家公司希望在容器中運行其關鍵應用程式，以滿足可擴展性和可用性的要求。該公司更願意專注於關鍵應用程式的維護。該公司不想負責配置和管理運作容器化工作負載的底層基礎架構。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A. Use Amazon EC2 instances, and install Docker on the instances.
- B. Use Amazon Elastic Container Service (Amazon ECS) on Amazon EC2 worker nodes.
- C. Use Amazon Elastic Container Service (Amazon ECS) on AWS Fargate.
- D. Use Amazon EC2 instances from an Amazon Elastic Container Service (Amazon ECS)-optimized Amazon Machine Image (AMI).

【參考答案】C

【題號】question 059

【題目】

A company hosts more than 300 global websites and applications. The company requires a platform to analyze more than 30 TB of clickstream data each day.

What should a solutions architect do to transmit and process the clickstream data?

一家公司在全球擁有 300 多個網站和應用程式。該公司需要一個平台來分析每天超過 30 TB 的點擊流資料。

解決方案架構師應該如何傳輸和處理點擊流資料？

【選項】

A.Design an AWS Data Pipeline to archive the data to an Amazon S3 bucket and run an Amazon EMR cluster with the data to generate analytics.

B.Create an Auto Scaling group of Amazon EC2 instances to process the data and send it to an Amazon S3 data lake for Amazon Redshift to use for analysis.

C.Cache the data to Amazon CloudFront. Store the data in an Amazon S3 bucket. When an object is added to the S3 bucket. run an AWS Lambda function to process the data for analysis.

D.Collect the data from Amazon Kinesis Data Streams. Use Amazon Kinesis Data Firehose to transmit the data to an Amazon S3 data lake. Load the data in Amazon Redshift for analysis.

【參考答案】D

【題號】question 060

【題目】

A company has a website hosted on AWS. The website is behind an Application Load Balancer (ALB) that is configured to handle HTTP and HTTPS separately. The company wants to forward all requests to the website so that the requests will use HTTPS.

What should a solutions architect do to meet this requirement?

一家公司有一個託管在 AWS 上的網站。該網站位於應用程式負載平衡器 (ALB) 後面，該負載平衡器配置為單獨處理 HTTP 和 HTTPS。該公司希望將所有請求轉送到網站，以便請求將使用 HTTPS。

解決方案架構師應該怎麼做才能滿足這項要求？

【選項】

A.Update the ALB's network ACL to accept only HTTPS traffic.

B.Create a rule that replaces the HTTP in the URL with HTTPS.

C.Create a listener rule on the ALB to redirect HTTP traffic to HTTPS.

D.Replace the ALB with a Network Load Balancer configured to use Server Name Indication (SNI).

【參考答案】C

【題號】question 061

【題目】

A company is developing a two-tier web application on AWS. The company's developers have deployed the application on an Amazon EC2 instance that connects directly to a backend Amazon RDS database. The company must not hardcode database credentials in the application. The company must also implement a solution to automatically rotate the database credentials on a regular basis.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在 AWS 上開發兩層 Web 應用程式。該公司的開發人員已將該應用程式部署在直接連接到後端 Amazon RDS 資料庫的 Amazon EC2 執行個體上。本公司不得在應用程式中對資料庫憑證進行硬編碼。該公司還必須實施一種解決方案來定期自動輪換資料庫憑證。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Store the database credentials in the instance metadata. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and instance metadata at the same time.

B.Store the database credentials in a configuration file in an encrypted Amazon S3 bucket. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and the credentials in the configuration file at the same time. Use S3 Versioning to ensure the ability to fall back to previous values.

C.Store the database credentials as a secret in AWS Secrets Manager. Turn on automatic rotation for the secret. Attach the required permission to the EC2 role to grant access to the secret.

D.Store the database credentials as encrypted parameters in AWS Systems Manager Parameter Store. Turn on automatic rotation for the encrypted parameters. Attach the required permission to the EC2 role to grant access to the encrypted parameters.

【參考答案】C

【題號】question 062

【題目】

A company is deploying a new public web application to AWS. The application will run behind an Application Load Balancer (ALB). The application needs to be encrypted at the edge with an SSL/TLS certificate that is issued by an external certificate authority (CA). The certificate must be rotated each year before the certificate expires.

What should a solutions architect do to meet these requirements?

一家公司正在將新的公共 Web 應用程式部署到 AWS。該應用程式將在應用程式負載平衡器 (ALB) 後面運行。應用程式需要使用外部憑證授權單位 (CA) 頒發的 SSL/TLS 憑證在邊緣進行加密。每年在證書到期前必須輪換證書。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate. Apply the certificate to the ALB. Use the managed renewal feature to automatically rotate the certificate.

B.Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate. Import the key material from the certificate. Apply the certificate to the ALB. Use the managed renewal feature to automatically rotate the certificate.

C.Use AWS Certificate Manager (ACM) Private Certificate Authority to issue an SSL/TLS certificate from the root CA. Apply the certificate to the ALB. Use the managed renewal feature to automatically rotate the certificate.

D.Use AWS Certificate Manager (ACM) to import an SSL/TLS certificate. Apply the certificate to the ALB. Use Amazon EventBridge (Amazon CloudWatch Events) to send a notification when the certificate is nearing expiration. Rotate the certificate manually.

【參考答案】D

【題號】question 063

【題目】

A company runs its infrastructure on AWS and has a registered base of 700,000 users for its document management application. The company intends to create a product that converts large .pdf files to .jpg image files. The .pdf files average 5 MB in size. The company needs to store the original files and the converted files. A solutions architect must design a scalable solution to accommodate demand that will grow rapidly over time.

Which solution meets these requirements MOST cost-effectively?

一家公司在 AWS 上運行其基礎設施，其文件管理應用程式擁有 70 萬名註冊用戶。該公司打算創建一種將大型 .pdf 檔案轉換為 .jpg 圖像檔案的產品。 .pdf 檔案平均大小為 5 MB。公司需要儲存原始文件和轉換後的文件。解決方案架構師必須設計可擴展的解決方案來滿足隨著時間的推移而快速增長的需求。

哪種解決方案最經濟有效率地滿足這些要求？

【選項】

A. Save the .pdf files to Amazon S3. Configure an S3 PUT event to invoke an AWS Lambda function to convert the files to .jpg format and store them back in Amazon S3.

B. Save the .pdf files to Amazon DynamoDB. Use the DynamoDB Streams feature to invoke an AWS Lambda function to convert the files to .jpg format and store them back in DynamoDB.

C. Upload the .pdf files to an AWS Elastic Beanstalk application that includes Amazon EC2 instances, Amazon Elastic Block Store (Amazon EBS) storage, and an Auto Scaling group. Use a program in the EC2 instances to convert the files to .jpg format. Save the .pdf files and the .jpg files in the EBS store.

D. Upload the .pdf files to an AWS Elastic Beanstalk application that includes Amazon EC2 instances, Amazon Elastic File System (Amazon EFS) storage, and an Auto Scaling group. Use a program in the EC2 instances to convert the file to .jpg format. Save the .pdf files and the .jpg files in the EBS store.

【參考答案】A

【題號】question 064

【題目】

A company has more than 5 TB of file data on Windows file servers that run on premises. Users and applications interact with the data each day.

The company is moving its Windows workloads to AWS. As the company continues this process, the company requires access to AWS and on-premises file storage with minimum latency. The company needs a solution that minimizes operational overhead and requires no significant changes to the existing file access patterns. The company uses an AWS Site-to-Site VPN connection for connectivity to AWS.

What should a solutions architect do to meet these requirements?

一家公司在本地運行的 Windows 檔案伺服器上擁有超過 5 TB 的檔案資料。用戶和應用程式每天都與數據互動。

該公司正在將其 Windows 工作負載遷移到 AWS。隨著公司繼續這一流程，公司需要以最小的延遲存取 AWS 和本地文件儲存。該公司需要一種能夠最大限度地減少營運開銷並且無需對現有文件存取模式進行重大更改的解決方案。該公司使用 AWS 站點到站點 VPN 連線來連接到 AWS。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Deploy and configure Amazon FSx for Windows File Server on AWS. Move the on-premises file data to FSx for Windows File Server. Reconfigure the workloads to use FSx for Windows File Server on AWS.

B. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to the S3 File Gateway. Reconfigure the on-premises workloads and the cloud workloads to use the S3 File Gateway.

C. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to Amazon S3. Reconfigure the workloads to use either Amazon S3 directly or the S3 File Gateway, depending on each workload's location.

D. Deploy and configure Amazon FSx for Windows File Server on AWS. Deploy and configure an Amazon FSx File Gateway on premises. Move the on-premises file data to the FSx File Gateway. Configure the cloud workloads to use FSx for Windows File Server on AWS. Configure the on-premises workloads to use the FSx File Gateway.

【參考答案】D

【題號】question 065

【題目】

A hospital recently deployed a RESTful API with Amazon API Gateway and AWS Lambda. The hospital uses API Gateway and Lambda to upload reports that are in PDF format and JPEG format. The hospital needs to modify the Lambda code to identify protected health information (PHI) in the reports.

Which solution will meet these requirements with the LEAST operational overhead?

一家醫院最近使用 Amazon API Gateway 和 AWS Lambda 部署了 RESTful API。醫院使用 API Gateway 和 Lambda 上傳 PDF 格式和 JPEG 格式的報告。醫院需要修改 Lambda 代碼以識別報告中的受保護健康資訊 (PHI)。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use existing Python libraries to extract the text from the reports and to identify the PHI from the extracted text.

B. Use Amazon Textract to extract the text from the reports. Use Amazon SageMaker to identify the PHI from the extracted text.

C. Use Amazon Textract to extract the text from the reports. Use Amazon Comprehend Medical to identify the PHI from the extracted text.

D. Use Amazon Rekognition to extract the text from the reports. Use Amazon Comprehend Medical to identify the PHI from the extracted text.

【參考答案】C

【題號】question 066

【題目】

A company has an application that generates a large number of files, each approximately 5 MB in size. The files are stored in Amazon S3. Company policy requires the files to be stored for 4 years before they can be deleted. Immediate accessibility is always required as the files contain critical business data that is not easy to reproduce. The files are frequently accessed in the first 30 days of the object creation but are rarely accessed after the first 30 days.

Which storage solution is MOST cost-effective?

一家公司的應用程式會產生大量文件，每個文件大小約為 5 MB。這些檔案儲存在 Amazon S3 中。公司政策要求文件保存 4 年才能刪除。由於文件包含不易複製的關鍵業務數據，因此始終需要立即可存取。這些文件在物件創建後的前 30 天內存取頻繁，但在前 30 天後很少存取。

哪種儲存解決方案最具成本效益？

【選項】

A.Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Glacier 30 days from object creation. Delete the files 4 years after object creation.

B.Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) 30 days from object creation. Delete the files 4 years after object creation.

C.Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Delete the files 4 years after object creation.

D.Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Move the files to S3 Glacier 4 years after object creation.

【參考答案】C

【題號】question 067

【題目】

A company hosts an application on multiple Amazon EC2 instances. The application processes messages from an Amazon SQS queue, writes to an Amazon RDS table, and deletes the message from the queue. Occasional duplicate records are found in the RDS table. The SQS queue does not contain any duplicate messages.

What should a solutions architect do to ensure messages are being processed once only?

一家公司在多個 Amazon EC2 執行個體上託管應用程式。該應用程式處理來自 Amazon SQS 佇列的訊息、寫入 Amazon RDS 表以及從佇列中刪除訊息。RDS 表中偶爾會發現重複記錄。SQS 佇列不包含任何重複訊息。

解決方案架構師應該做什麼來確保訊息只被處理一次？

【選項】

- A. Use the CreateQueue API call to create a new queue.
- B. Use the AddPermission API call to add appropriate permissions.
- C. Use the ReceiveMessage API call to set an appropriate wait time.
- D. Use the ChangeMessageVisibility API call to increase the visibility timeout.

【參考答案】D

【題號】question 068

【題目】

A solutions architect is designing a new hybrid architecture to extend a company's on-premises infrastructure to AWS. The company requires a highly available connection with consistent low latency to an AWS Region. The company needs to minimize costs and is willing to accept slower traffic if the primary connection fails.

What should the solutions architect do to meet these requirements?

解決方案架構師正在設計一個新的混合架構，以將公司的本地基礎架構擴展到 AWS。該公司需要與 AWS 區域建立高度可用且始終保持低延遲的連線。該公司需要最大限度地降低成本，並願意在主連接發生故障時接受較慢的流量。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Provision an AWS Direct Connect connection to a Region. Provision a VPN connection as a backup if the primary Direct Connect connection fails.

B.Provision a VPN tunnel connection to a Region for private connectivity. Provision a second VPN tunnel for private connectivity and as a backup if the primary VPN connection fails.

C.Provision an AWS Direct Connect connection to a Region. Provision a second Direct Connect connection to the same Region as a backup if the primary Direct Connect connection fails.

D.Provision an AWS Direct Connect connection to a Region. Use the Direct Connect failover attribute from the AWS CLI to automatically create a backup connection if the primary Direct Connect connection fails.

【參考答案】A

【題號】question 069

【題目】

A company is running a business-critical web application on Amazon EC2 instances behind an Application Load Balancer. The EC2 instances are in an Auto Scaling group. The application uses an Amazon Aurora PostgreSQL database that is deployed in a single Availability Zone. The company wants the application to be highly available with minimum downtime and minimum loss of data.

Which solution will meet these requirements with the LEAST operational effort?

一家公司正在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行業務關鍵型 Web 應用程式。EC2 執行個體位於 Auto Scaling 群組中。該應用程式使用部署在單一可用區中的

Amazon Aurora PostgreSQL 資料庫。該公司希望應用程式具有高可用性，同時最大限度地減少停機時間和資料遺失。

哪種解決方案能夠以最少的操作工作滿足這些要求？

【選項】

A.Place the EC2 instances in different AWS Regions. Use Amazon Route 53 health checks to redirect traffic. Use Aurora PostgreSQL Cross-Region Replication.

B.Configure the Auto Scaling group to use multiple Availability Zones. Configure the database as Multi-AZ. Configure an Amazon RDS Proxy instance for the database.

C.Configure the Auto Scaling group to use one Availability Zone. Generate hourly snapshots of the database. Recover the database from the snapshots in the event of a failure.

D.Configure the Auto Scaling group to use multiple AWS Regions. Write the data from the application to Amazon S3. Use S3 Event Notifications to launch an AWS Lambda function to write the data to the database.

【參考答案】B

【題號】question 070

【題目】

A company's HTTP application is behind a Network Load Balancer (NLB). The NLB's target group is configured to use an Amazon EC2 Auto Scaling group with multiple EC2 instances that run the web service.

The company notices that the NLB is not detecting HTTP errors for the application. These errors require a manual restart of the EC2 instances that run the web service. The company needs to improve the application's availability without writing custom scripts or code.

What should a solutions architect do to meet these requirements?

該公司的 HTTP 應用程式位於網路負載平衡器 (NLB) 後面。NLB 的目標群組配置為使用具有多個執行 Web 服務的 EC2 執行個體的 Amazon EC2 Auto Scaling 群組。

該公司注意到 NLB 沒有偵測到應用程式的 HTTP 錯誤。這些錯誤需要手動重新啟動執行 Web 服務的 EC2 執行個體。該公司需要在不編寫自訂腳本或程式碼的情況下提高應用程式的可用性。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Enable HTTP health checks on the NLB, supplying the URL of the company's application.

B.Add a cron job to the EC2 instances to check the local application's logs once each minute. If HTTP errors are detected, the application will restart.

C.Replace the NLB with an Application Load Balancer. Enable HTTP health checks by supplying the URL of the company's application. Configure an Auto Scaling action to replace unhealthy instances.

D.Create an Amazon Cloud Watch alarm that monitors the UnhealthyHostCount metric for the NLB. Configure an Auto Scaling action to replace unhealthy instances when the alarm is in the ALARM state.

【參考答案】C

【題號】question 071

【題目】

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour.

What should the solutions architect recommend to meet these requirements?

一家公司運行一個購物應用程式，該應用程式使用 Amazon DynamoDB 來儲存客戶資訊。如果發生資料損壞，解決方案架構師需要設計一個滿足 15 分鐘恢復點目標 (RPO) 和 1 小時復原時間目標 (RTO) 的解決方案。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

A. Configure DynamoDB global tables. For RPO recovery, point the application to a different AWS Region.

B. Configure DynamoDB point-in-time recovery. For RPO recovery, restore to the desired point in time.

C. Export the DynamoDB data to Amazon S3 Glacier on a daily basis. For RPO recovery, import the data from S3 Glacier to DynamoDB.

D. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

【參考答案】B

【題號】question 072

【題目】

A company runs a photo processing application that needs to frequently upload and download pictures from Amazon S3 buckets that are located in the same AWS Region. A solutions architect has noticed an increased cost in data transfer fees and needs to implement a solution to reduce these costs.

How can the solutions architect meet this requirement?

一家公司運行一個照片處理應用程序，需要頻繁地從位於相同 AWS 區域的 Amazon S3 儲存桶上傳和下載圖片。解決方案架構師注意到資料傳輸費用的成本增加，需要實施解決方案來降低這些成本。

解決方案架構師如何滿足這項要求？

【選項】

A. Deploy Amazon API Gateway into a public subnet and adjust the route table to route S3 calls through it.

B. Deploy a NAT gateway into a public subnet and attach an endpoint policy that allows access to the S3 buckets.

C. Deploy the application into a public subnet and allow it to route through an internet gateway to access the S3 buckets.

D. Deploy an S3 VPC gateway endpoint into the VPC and attach an endpoint policy that allows access to the S3 buckets.

【參考答案】D

【題號】question 073

【題目】

A company recently launched Linux-based application instances on Amazon EC2 in a private subnet and launched a Linux-based bastion host on an Amazon EC2 instance in a public subnet of a VPC. A solutions architect needs to connect from the on-premises network, through the company's internet connection, to the bastion host, and to the application servers. The solutions architect must make sure that the security groups of all the EC2 instances will allow that access.

Which combination of steps should the solutions architect take to meet these requirements? (Choose two.)

一家公司最近在私有子網路中的 Amazon EC2 上啟動了基於 Linux 的應用程式實例，並在 VPC 的公有子網路中的 Amazon EC2 執行個體上啟動了基於 Linux 的堡壘主機。解決方案架構師需要透過公司的 Internet 連接從本地網路連接到堡壘主機和應用程式伺服器。解決方案架構師必須確保所有 EC2 執行個體的安全性群組都允許該存取。

解決方案架構師應該採取哪些步驟組合來滿足這些要求？（選兩個。）

【選項】

A. Replace the current security group of the bastion host with one that only allows inbound access from the application instances.

B. Replace the current security group of the bastion host with one that only allows inbound access from the internal IP range for the company.

C. Replace the current security group of the bastion host with one that only allows inbound access from the external IP range for the company.

D.Replace the current security group of the application instances with one that allows inbound SSH access from only the private IP address of the bastion host.

E.Replace the current security group of the application instances with one that allows inbound SSH access from only the public IP address of the bastion host.

【參考答案】CD

【題號】question 074

【題目】

A solutions architect is designing a two-tier web application. The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets. The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet. Security is a high priority for the company.

How should security groups be configured in this situation? (Choose two.)

解決方案架構師正在設計一個兩層 Web 應用程式。該應用程式由託管在公有子網路中的 Amazon EC2 上的面向公眾的 Web 層組成。資料庫層由在私有子網路中的 Amazon EC2 上執行的 Microsoft SQL Server 所組成。安全是公司的重中之重。

這種情況應該如何配置安全群組呢？（選兩個。）

【選項】

A.Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.

B.Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.

C.Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.

D.Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.

E.Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

【參考答案】AC

【題號】question 075

【題目】

A company wants to move a multi-tiered application from on premises to the AWS Cloud to improve the application's performance. The application consists of application tiers that communicate with each other by way of RESTful services. Transactions are dropped when one tier becomes overloaded. A solutions architect must design a solution that resolves these issues and modernizes the application.

Which solution meets these requirements and is the MOST operationally efficient?

一家公司希望將多層應用程式從本地遷移到 AWS 雲，以提高應用程式的效能。該應用程式由透過 RESTful 服務相互通訊的應用程式層組成。當一層超載時，事務將被丟棄。解決方案架構師必須設計一個解決方案來解決這些問題並使應用程式現代化。

哪種解決方案滿足這些要求且營運效率最高？

【選項】

A. Use Amazon API Gateway and direct transactions to the AWS Lambda functions as the application layer. Use Amazon Simple Queue Service (Amazon SQS) as the communication layer between application services.

B. Use Amazon CloudWatch metrics to analyze the application performance history to determine the servers' peak utilization during the performance failures. Increase the size of the application server's Amazon EC2 instances to meet the peak requirements.

C. Use Amazon Simple Notification Service (Amazon SNS) to handle the messaging between application servers running on Amazon EC2 in an Auto Scaling group. Use Amazon CloudWatch to monitor the SNS queue length and scale up and down as required.

D. Use Amazon Simple Queue Service (Amazon SQS) to handle the messaging between application servers running on Amazon EC2 in an Auto Scaling group. Use Amazon CloudWatch to monitor the SQS queue length and scale up when communication failures are detected.

【參考答案】A

【題號】question 076

【題目】

A company receives 10 TB of instrumentation data each day from several machines located at a single factory. The data consists of JSON files stored on a storage area network (SAN) in an on-premises data center located within the factory. The company wants to send this data to Amazon S3 where it can be accessed by several additional systems that provide critical near-real-time analytics. A secure transfer is important because the data is considered sensitive.

Which solution offers the MOST reliable data transfer?

一家公司每天從位於同一工廠的多台機器接收 10 TB 的儀器資料。資料由儲存在工廠內本地資料中心的儲存區域網路 (SAN) 上的 JSON 檔案組成。該公司希望將這些數據發送到 Amazon S3，幾個提供關鍵近即時分析的附加系統可以存取這些數據。安全傳輸很重要，因為資料被認為是敏感的。

哪一種解決方案提供最可靠的資料傳輸？

【選項】

A.AWS DataSync over public internet

B.AWS DataSync over AWS Direct Connect

C.AWS Database Migration Service (AWS DMS) over public internet

D.AWS Database Migration Service (AWS DMS) over AWS Direct Connect

【參考答案】B

【題號】question 077

【題目】

A company needs to configure a real-time data ingestion architecture for its application. The company needs an API, a process that transforms data as the data is streamed, and a storage solution for the data.

Which solution will meet these requirements with the LEAST operational overhead?

公司需要為其應用程式配置即時資料攝取架構。該公司需要一個 API、一個在資料串流時轉換資料的流程以及資料儲存解決方案。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Deploy an Amazon EC2 instance to host an API that sends data to an Amazon Kinesis data stream. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source. Use AWS Lambda functions to transform the data. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.

B. Deploy an Amazon EC2 instance to host an API that sends data to AWS Glue. Stop source/destination checking on the EC2 instance. Use AWS Glue to transform the data and to send the data to Amazon S3.

C. Configure an Amazon API Gateway API to send data to an Amazon Kinesis data stream. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source. Use AWS Lambda functions to transform the data. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.

D. Configure an Amazon API Gateway API to send data to AWS Glue. Use AWS Lambda functions to transform the data. Use AWS Glue to send the data to Amazon S3.

【參考答案】C

【題號】question 078

【題目】

A company needs to keep user transaction data in an Amazon DynamoDB table. The company must retain the data for 7 years.

What is the MOST operationally efficient solution that meets these requirements?

公司需要將使用者交易資料保存在 Amazon DynamoDB 表中。公司必須將資料保留 7 年。

滿足這些要求的最高效的營運解決方案是什麼？

【選項】

A. Use DynamoDB point-in-time recovery to back up the table continuously.

B. Use AWS Backup to create backup schedules and retention policies for the table.

C. Create an on-demand backup of the table by using the DynamoDB console. Store the backup in an Amazon S3 bucket. Set an S3 Lifecycle configuration for the S3 bucket.

D. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function. Configure the Lambda function to back up the table and to store the backup in an Amazon S3 bucket. Set an S3 Lifecycle configuration for the S3 bucket.

【參考答案】B

【題號】question 079

【題目】

A company is planning to use an Amazon DynamoDB table for data storage. The company is concerned about cost optimization. The table will not be used on most mornings. In the evenings, the read and write traffic will often be unpredictable. When traffic spikes occur, they will happen very quickly.

What should a solutions architect recommend?

一家公司計劃使用 Amazon DynamoDB 表格進行資料儲存。該公司專注於成本優化。大多數早晨不會使用該桌子。在晚上，讀寫流量往往是不可預測的。當流量高峰發生時，它們會發生得非常快。

解決方案架構師該推薦什麼？

【選項】

- A.Create a DynamoDB table in on-demand capacity mode.
- B.Create a DynamoDB table with a global secondary index.
- C.Create a DynamoDB table with provisioned capacity and auto scaling.
- D.Create a DynamoDB table in provisioned capacity mode, and configure it as a global table.

【參考答案】A

【題號】question 080

【題目】

A company recently signed a contract with an AWS Managed Service Provider (MSP) Partner for help with an application migration initiative. A solutions architect needs to share an Amazon Machine Image (AMI) from an existing AWS account with the MSP Partner's AWS account. The AMI is backed by Amazon Elastic Block Store (Amazon EBS) and uses an AWS Key Management Service (AWS KMS) customer managed key to encrypt EBS volume snapshots.

What is the MOST secure way for the solutions architect to share the AMI with the MSP Partner's AWS account?

一家公司最近與 AWS 託管服務提供商 (MSP) 合作夥伴簽署了一份合同，尋求應用程式遷移計劃的協助。解決方案架構師需要與 MSP 合作夥伴的 AWS 帳戶共用現有 AWS 帳戶中的 Amazon 系統映像 (AMI)。AMI 由 Amazon Elastic Block Store (Amazon EBS) 支持，並使用 AWS Key Management Service (AWS KMS) 客戶託管金鑰來加密 EBS 磁碟區快照。

解決方案架構師與 MSP 合作夥伴的 AWS 帳戶共享 AMI 最安全的方式是什麼？

【選項】

- A.Make the encrypted AMI and snapshots publicly available. Modify the key policy to allow the MSP Partner's AWS account to use the key.

B.Modify the launchPermission property of the AMI. Share the AMI with the MSP Partner's AWS account only. Modify the key policy to allow the MSP Partner's AWS account to use the key.

C.Modify the launchPermission property of the AMI. Share the AMI with the MSP Partner's AWS account only. Modify the key policy to trust a new KMS key that is owned by the MSP Partner for encryption.

D.Export the AMI from the source account to an Amazon S3 bucket in the MSP Partner's AWS account, Encrypt the S3 bucket with a new KMS key that is owned by the MSP Partner. Copy and launch the AMI in the MSP Partner's AWS account.

【參考答案】B

【題號】question 081

【題目】

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored.

Which design should the solutions architect use?

解決方案架構師正在為部署在 AWS 上的新應用程式設計雲端架構。該過程應該並行運行，同時根據要處理的作業數量根據需要添加和刪除應用程式節點。處理器應用程式是無狀態的。解決方案架構師必須確保應用程式是鬆散耦合的，並且作業項目是持久的儲存。

解決方案架構師應該使用哪種設計？

【選項】

A.Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage.

B.Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage.

C.Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue.

D.Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic.

【參考答案】C

【題號】question 082

【題目】

A company hosts its web applications in the AWS Cloud. The company configures Elastic Load Balancers to use certificates that are imported into AWS Certificate Manager (ACM). The company's security team must be notified 30 days before the expiration of each certificate.

What should a solutions architect recommend to meet this requirement?

一家公司在 AWS 雲端中託管其 Web 應用程式。該公司將 Elastic Load Balancer 配置為使用匯入到 AWS Certificate Manager (ACM) 中的憑證。必須在每個證書到期前 30 天通知公司的安全團隊。

解決方案架構師應該建議什麼來滿足此要求？

【選項】

A.Add a rule in ACM to publish a custom message to an Amazon Simple Notification Service (Amazon SNS) topic every day, beginning 30 days before any certificate will expire.

B.Create an AWS Config rule that checks for certificates that will expire within 30 days. Configure Amazon EventBridge (Amazon CloudWatch Events) to invoke a custom alert by way of Amazon Simple Notification Service (Amazon SNS) when AWS Config reports a noncompliant resource.

C.Use AWS Trusted Advisor to check for certificates that will expire within 30 days. Create an Amazon CloudWatch alarm that is based on Trusted Advisor metrics for check status changes. Configure the alarm to send a custom alert by way of Amazon Simple Notification Service (Amazon SNS).

D.Create an Amazon EventBridge (Amazon CloudWatch Events) rule to detect any certificates that will expire within 30 days. Configure the rule to invoke an AWS Lambda function. Configure the Lambda function to send a custom alert by way of Amazon Simple Notification Service (Amazon SNS).

【參考答案】B

【題號】question 083

【題目】

A company's dynamic website is hosted using on-premises servers in the United States. The company is launching its product in Europe, and it wants to optimize site loading times for new European users. The site's backend must remain in the United States. The product is being launched in a few days, and an immediate solution is needed.

What should the solutions architect recommend?

一家公司的動態網站使用美國的本地伺服器託管。該公司正在歐洲推出其產品，並希望為新的歐洲用戶優化網站載入時間。該網站的後端必須保留在美國。該產品幾天後就要推出，需要立即解決。

解決方案架構師該推薦什麼？

【選項】

- A. Launch an Amazon EC2 instance in us-east-1 and migrate the site to it.
- B. Move the website to Amazon S3. Use Cross-Region Replication between Regions.
- C. Use Amazon CloudFront with a custom origin pointing to the on-premises servers.
- D. Use an Amazon Route 53 geoproximity routing policy pointing to on-premises servers.

【參考答案】C

【題號】question 084

【題目】

A company wants to reduce the cost of its existing three-tier web architecture. The web, application, and database servers are running on Amazon EC2 instances for the development, test, and production environments. The EC2 instances average 30% CPU utilization during peak hours and 10% CPU utilization during non-peak hours.

The production EC2 instances run 24 hours a day. The development and test EC2 instances run for at least 8 hours each day. The company plans to implement automation to stop the development and test EC2 instances when they are not in use.

Which EC2 instance purchasing solution will meet the company's requirements MOST cost-effectively?

一家公司希望降低現有三層 Web 架構的成本。Web、應用程式和資料庫伺服器在用於開發、測試和生產環境的 Amazon EC2 執行個體上執行。EC2 執行個體在尖峰時段平均 CPU 使用率為 30%，在非尖峰時段平均 CPU 使用率為 10%。

生產 EC2 執行個體每天 24 小時運作。開發和測試 EC2 實例每天至少運行 8 小時。該公司計劃實施自動化，以在 EC2 執行個體不使用時停止開發和測試。

哪種 EC2 執行個體購買解決方案能夠最經濟且有效率地滿足公司的要求？

【選項】

A. Use Spot Instances for the production EC2 instances. Use Reserved Instances for the development and test EC2 instances.

B. Use Reserved Instances for the production EC2 instances. Use On-Demand Instances for the development and test EC2 instances.

C. Use Spot blocks for the production EC2 instances. Use Reserved Instances for the development and test EC2 instances.

D. Use On-Demand Instances for the production EC2 instances. Use Spot blocks for the development and test EC2 instances.

【參考答案】B

【題號】question 085

【題目】

A company has a production web application in which users upload documents through a web interface or a mobile app. According to a new regulatory requirement, new documents cannot be modified or deleted after they are stored.

What should a solutions architect do to meet this requirement?

一家公司有一個生產 Web 應用程式，用戶可以透過 Web 介面或行動應用程式上傳文件。根據新的監管要求。新文檔儲存後無法修改或刪除。

解決方案架構師應該怎麼做才能滿足這項要求？

【選項】

A. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning and S3 Object Lock enabled.

B. Store the uploaded documents in an Amazon S3 bucket. Configure an S3 Lifecycle policy to archive the documents periodically.

C. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning enabled. Configure an ACL to restrict all access to read-only.

D. Store the uploaded documents on an Amazon Elastic File System (Amazon EFS) volume. Access the data by mounting the volume in read-only mode.

【參考答案】A

【題號】question 086

【題目】

A company has several web servers that need to frequently access a common Amazon RDS MySQL Multi-AZ DB instance. The company wants a secure method for the web servers to connect to the database while meeting a security requirement to rotate user credentials frequently.

Which solution meets these requirements?

某公司擁有多台 Web 伺服器，需要經常存取通用 Amazon RDS MySQL 多可用區資料庫執行個體。該公司希望有一種安全的方法讓 Web 伺服器連接到資料庫，同時滿足頻繁輪換使用者憑證的安全要求。

哪種解決方案滿足這些要求？

【選項】

- A.Store the database user credentials in AWS Secrets Manager. Grant the necessary IAM permissions to allow the web servers to access AWS Secrets Manager.
- B.Store the database user credentials in AWS Systems Manager OpsCenter. Grant the necessary IAM permissions to allow the web servers to access OpsCenter.
- C.Store the database user credentials in a secure Amazon S3 bucket. Grant the necessary IAM permissions to allow the web servers to retrieve credentials and access the database.
- D.Store the database user credentials in files encrypted with AWS Key Management Service (AWS KMS) on the web server file system. The web server should be able to decrypt the files and access the database.

【參考答案】A

【題號】question 087

【題目】

A company hosts an application on AWS Lambda functions that are invoked by an Amazon API Gateway API. The Lambda functions save customer data to an Amazon Aurora MySQL database. Whenever the company upgrades the database, the Lambda functions fail to establish database connections until the upgrade is complete. The result is that customer data is not recorded for some of the event.

A solutions architect needs to design a solution that stores customer data that is created during database upgrades.

Which solution will meet these requirements?

一家公司在由 Amazon API Gateway API 呼叫的 AWS Lambda 函數上託管應用程式。Lambda 函數將客戶資料儲存到 Amazon Aurora MySQL 資料庫。每當公司升級資料庫時，Lambda 函數都無法建立資料庫連接，直到升級完成。結果是某些事件的客戶資料沒有被記錄。

解決方案架構師需要設計一個解決方案來儲存資料庫升級期間建立的客戶資料。

哪種解決方案可以滿足這些要求？

【選項】

A.Provision an Amazon RDS proxy to sit between the Lambda functions and the database. Configure the Lambda functions to connect to the RDS proxy.

B.Increase the run time of the Lambda functions to the maximum. Create a retry mechanism in the code that stores the customer data in the database.

C.Persist the customer data to Lambda local storage. Configure new Lambda functions to scan the local storage to save the customer data to the database.

D.Store the customer data in an Amazon Simple Queue Service (Amazon SQS) FIFO queue. Create a new Lambda function that polls the queue and stores the customer data in the database.

【參考答案】D

【題號】question 088

【題目】

A survey company has gathered data for several years from areas in the United States. The company hosts the data in an Amazon S3 bucket that is 3 TB in size and growing. The company has started to share the data with a European marketing firm that has S3 buckets. The company wants to ensure that its data transfer costs remain as low as possible.

Which solution will meet these requirements?

一家調查公司多年來一直在美國地區收集數據。該公司將資料託管在一個大小為 3 TB 並且還在不斷增長的 Amazon S3 儲存桶中。該公司已開始與一家擁有 S3 儲存桶的歐洲行銷公司共享資料。該公司希望確保其數據傳輸成本保持盡可能低。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure the Requester Pays feature on the company's S3 bucket.
- B. Configure S3 Cross-Region Replication from the company's S3 bucket to one of the marketing firm's S3 buckets.
- C. Configure cross-account access for the marketing firm so that the marketing firm has access to the company's S3 bucket.
- D. Configure the company's S3 bucket to use S3 Intelligent-Tiering. Sync the S3 bucket to one of the marketing firm's S3 buckets.

【參考答案】B

【題號】question 089

【題目】

A company uses Amazon S3 to store its confidential audit documents. The S3 bucket uses bucket policies to restrict access to audit team IAM user credentials according to the

principle of least privilege. Company managers are worried about accidental deletion of documents in the S3 bucket and want a more secure solution.

What should a solutions architect do to secure the audit documents?

一家公司使用 Amazon S3 儲存其機密審計文件。S3 儲存桶使用儲存桶策略根據最小權限原則限制對審核團隊 IAM 使用者憑證的存取。公司經理擔心 S3 儲存桶中的文件被意外刪除，並希望有一個更安全的解決方案。

解決方案架構師應該怎麼做才能確保審計文件的安全？

【選項】

- A.Enable the versioning and MFA Delete features on the S3 bucket.
- B.Enable multi-factor authentication (MFA) on the IAM user credentials for each audit team IAM user account.
- C.Add an S3 Lifecycle policy to the audit team's IAM user accounts to deny the s3:DeleteObject action during audit dates.
- D.Use AWS Key Management Service (AWS KMS) to encrypt the S3 bucket and restrict audit team IAM user accounts from accessing the KMS key.

【參考答案】A

【題號】question 090

【題目】

A company is using a SQL database to store movie data that is publicly accessible. The database runs on an Amazon RDS Single-AZ DB instance. A script runs queries at random intervals each day to record the number of new movies that have been added to the database. The script must report a final total during business hours.

The company's development team notices that the database performance is inadequate for development tasks when the script is running. A solutions architect must recommend a solution to resolve this issue.

Which solution will meet this requirement with the LEAST operational overhead?

一家公司正在使用 SQL 資料庫來儲存可公開存取的電影資料。此資料庫在 Amazon RDS 單可用區資料庫執行個體上執行。腳本每天以隨機間隔執行查詢，以記錄已新增至資料庫中的新電影的數量。該腳本必須在工作時間內報告最終總數。

該公司的開發團隊注意到，在腳本運行時，資料庫效能不足以滿足開發任務。解決方案架構師必須推薦一個解決方案來解決此問題。

哪種解決方案能夠以最少的營運開銷滿足這項要求？

【選項】

A.Modify the DB instance to be a Multi-AZ deployment.

B.Create a read replica of the database. Configure the script to query only the read replica.

C.Instruct the development team to manually export the entries in the database at the end of each day.

D.Use Amazon ElastiCache to cache the common queries that the script runs against the database.

【參考答案】B

【題號】question 091

【題目】

A company has applications that run on Amazon EC2 instances in a VPC. One of the applications needs to call the Amazon S3 API to store and read objects. According to the company's security regulations, no traffic from the applications is allowed to travel across the internet.

Which solution will meet these requirements?

一家公司擁有在 VPC 中的 Amazon EC2 執行個體上執行的應用程式。其中一個應用程式需要呼叫 Amazon S3 API 來儲存和讀取物件。根據該公司的安全規定，不允許來自應用程式的流量透過網路傳輸。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure an S3 gateway endpoint.
- B. Create an S3 bucket in a private subnet.
- C. Create an S3 bucket in the same AWS Region as the EC2 instances.
- D. Configure a NAT gateway in the same subnet as the EC2 instances.

【參考答案】A

【題號】question 092

【題目】

A company is storing sensitive user information in an Amazon S3 bucket. The company wants to provide secure access to this bucket from the application tier running on Amazon EC2 instances inside a VPC.

Which combination of steps should a solutions architect take to accomplish this? (Choose two.)

一家公司將敏感用戶資訊儲存在 Amazon S3 儲存桶中。該公司希望從 VPC 內的 Amazon EC2 執行個體上執行的應用程式層提供對此儲存桶的安全存取。

解決方案架構師應該採取哪些步驟組合來實現這一目標？（選兩個。）

【選項】

- A. Configure a VPC gateway endpoint for Amazon S3 within the VPC.
- B. Create a bucket policy to make the objects in the S3 bucket public.
- C. Create a bucket policy that limits access to only the application tier running in the VPC.
- D. Create an IAM user with an S3 access policy and copy the IAM credentials to the EC2 instance.
- E. Create a NAT instance and have the EC2 instances use the NAT instance to access the S3 bucket.

【參考答案】AC

【題號】question 093

【題目】

A company runs an on-premises application that is powered by a MySQL database. The company is migrating the application to AWS to increase the application's elasticity and availability.

The current architecture shows heavy read activity on the database during times of normal operation. Every 4 hours, the company's development team pulls a full export of the production database to populate a database in the staging environment. During this period, users experience unacceptable application latency. The development team is unable to use the staging environment until the procedure completes.

A solutions architect must recommend replacement architecture that alleviates the application latency issue. The replacement architecture also must give the development team the ability to continue using the staging environment without delay.

Which solution meets these requirements?

一家公司運行由 MySQL 資料庫提供支援的本機應用程式。該公司正在將應用程式遷移到 AWS，以提高應用程式的彈性和可用性。

目前的體系結構在正常操作期間顯示資料庫上的大量讀取活動。每 4 小時，公司的開發團隊就會完整匯出生產資料庫，以填入臨時環境中的資料庫。在此期間，用戶會遇到不可接受的應用程式延遲。在流程完成之前，開發團隊無法使用暫存環境。

解決方案架構師必須推薦可緩解應用程式延遲問題的替代架構。替換架構也必須使開發團隊能夠立即繼續使用登台環境。

哪種解決方案滿足這些要求？

【選項】

A. Use Amazon Aurora MySQL with Multi-AZ Aurora Replicas for production. Populate the staging database by implementing a backup and restore process that uses the mysqldump utility.

B. Use Amazon Aurora MySQL with Multi-AZ Aurora Replicas for production. Use database cloning to create the staging database on-demand.

C. Use Amazon RDS for MySQL with a Multi-AZ deployment and read replicas for production. Use the standby instance for the staging database.

D. Use Amazon RDS for MySQL with a Multi-AZ deployment and read replicas for production. Populate the staging database by implementing a backup and restore process that uses the mysqldump utility.

【參考答案】B

【題號】question 094

【題目】

A company is designing an application where users upload small files into Amazon S3. After a user uploads a file, the file requires one-time simple processing to transform the data and save the data in JSON format for later analysis.

Each file must be processed as quickly as possible after it is uploaded. Demand will vary. On some days, users will upload a high number of files. On other days, users will upload a few files or no files.

Which solution meets these requirements with the LEAST operational overhead?

一家公司正在設計一個應用程式，用戶可以將小檔案上傳到 Amazon S3。用戶上傳檔案後，需要對檔案進行一次簡單處理，將資料進行轉換，並將資料儲存為JSON格式以供後續分析。

每個文件上傳後必須盡快處理。需求會有所不同。有時，使用者會上傳大量文件。在其他日子裡，使用者會上傳一些檔案或不上傳任何檔案。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Configure Amazon EMR to read text files from Amazon S3. Run processing scripts to transform the data. Store the resulting JSON file in an Amazon Aurora DB cluster.

B. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue. Use Amazon EC2 instances to read from the queue and process the data. Store the resulting JSON file in Amazon DynamoDB.

C. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue. Use an AWS Lambda function to read from the queue and process the data. Store the resulting JSON file in Amazon DynamoDB.

D. Configure Amazon EventBridge (Amazon CloudWatch Events) to send an event to Amazon Kinesis Data Streams when a new file is uploaded. Use an AWS Lambda function to consume the event from the stream and process the data. Store the resulting JSON file in an Amazon Aurora DB cluster.

【參考答案】C

【題號】question 095

【題目】

An application allows users at a company's headquarters to access product data. The product data is stored in an Amazon RDS MySQL DB instance. The operations team has isolated an application performance slowdown and wants to separate read traffic from write traffic. A solutions architect needs to optimize the application's performance quickly.

What should the solutions architect recommend?

應用程式允許公司總部的使用者存取產品資料。產品資料儲存在 Amazon RDS MySQL 資料庫執行個體中。營運團隊已隔離應用程式效能下降問題，並希望將讀取流量與寫入流量分開。解決方案架構師需要快速優化應用程式的效能。

解決方案架構師該推薦什麼？

【選項】

A. Change the existing database to a Multi-AZ deployment. Serve the read requests from the primary Availability Zone.

B. Change the existing database to a Multi-AZ deployment. Serve the read requests from the secondary Availability Zone.

C.Create read replicas for the database. Configure the read replicas with half of the compute and storage resources as the source database.

D.Create read replicas for the database. Configure the read replicas with the same compute and storage resources as the source database.

【參考答案】D

【題號】question 096

【題目】

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users:

What is the effect of this policy?

Amazon EC2 管理員建立了以下與包含多個使用者的 IAM 群組關聯的政策：

這項政策的效果如何？

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}

```

【選項】

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10.100.100.1 in the us-east-1 Region.
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.

【參考答案】C

【題號】question 097

【題目】

A company has a large Microsoft SharePoint deployment running on-premises that requires Microsoft Windows shared file storage. The company wants to migrate this workload to the AWS Cloud and is considering various storage options. The storage solution must be highly available and integrated with Active Directory for access control.

Which solution will satisfy these requirements?

一家公司有一個在本地運行的大型 Microsoft SharePoint 部署，需要 Microsoft Windows 共享文件儲存。該公司希望將此工作負載遷移到 AWS 雲，並正在考慮各種儲存選項。儲存解決方案必須具有高可用性，並與 Active Directory 整合以進行存取控制。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure Amazon EFS storage and set the Active Directory domain for authentication.
- B. Create an SMB file share on an AWS Storage Gateway file gateway in two Availability Zones.
- C. Create an Amazon S3 bucket and configure Microsoft Windows Server to mount it as a volume.
- D. Create an Amazon FSx for Windows File Server file system on AWS and set the Active Directory domain for authentication.

【參考答案】D

【題號】question 098

【題目】

An image-processing company has a web application that users use to upload images. The application uploads the images into an Amazon S3 bucket. The company has set up S3 event notifications to publish the object creation events to an Amazon Simple Queue Service (Amazon SQS) standard queue. The SQS queue serves as the event source for an

AWS Lambda function that processes the images and sends the results to users through email.

Users report that they are receiving multiple email messages for every uploaded image. A solutions architect determines that SQS messages are invoking the Lambda function more than once, resulting in multiple email messages.

What should the solutions architect do to resolve this issue with the LEAST operational overhead?

一家圖像處理公司有一個用戶用來上傳圖像的 Web 應用程式。該應用程式將圖像上傳到 Amazon S3 儲存桶中。該公司已設定 S3 事件通知，以將物件建立事件發佈到 Amazon Simple Queue Service (Amazon SQS) 標準佇列。SQS 佇列可作為 AWS Lambda 函數的事件來源，該函數處理映像並透過電子郵件將結果傳送給使用者。

用戶報告說，他們針對每張上傳的圖像都會收到多封電子郵件。解決方案架構師確定 SQS 訊息多次呼叫 Lambda 函數，從而產生多封電子郵件。

解決方案架構師應該怎麼做才能以最少的營運開銷解決這個問題？

【選項】

- A. Set up long polling in the SQS queue by increasing the ReceiveMessage wait time to 30 seconds.
- B. Change the SQS standard queue to an SQS FIFO queue. Use the message deduplication ID to discard duplicate messages.
- C. Increase the visibility timeout in the SQS queue to a value that is greater than the total of the function timeout and the batch window timeout.
- D. Modify the Lambda function to delete each message from the SQS queue immediately after the message is read before processing.

【參考答案】C

【題號】question 099

【題目】

A company is implementing a shared storage solution for a gaming application that is hosted in an on-premises data center. The company needs the ability to use Lustre clients to access data. The solution must be fully managed.

Which solution meets these requirements?

一家公司正在為本地資料中心託管的遊戲應用程式實施共享儲存解決方案。該公司需要能夠使用 Lustre 客戶端存取資料。該解決方案必須經過全面管理。

哪種解決方案滿足這些要求？

【選項】

A.Create an AWS Storage Gateway file gateway. Create a file share that uses the required client protocol. Connect the application server to the file share.

B.Create an Amazon EC2 Windows instance. Install and configure a Windows file share role on the instance. Connect the application server to the file share.

C.Create an Amazon Elastic File System (Amazon EFS) file system, and configure it to support Lustre. Attach the file system to the origin server. Connect the application server to the file system.

D.Create an Amazon FSx for Lustre file system. Attach the file system to the origin server. Connect the application server to the file system.

【參考答案】D

【題號】question 100

【題目】

A company's containerized application runs on an Amazon EC2 instance. The application needs to download security certificates before it can communicate with other business applications. The company wants a highly secure solution to encrypt and decrypt the certificates in near real time. The solution also needs to store data in highly available storage after the data is encrypted.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司的容器化應用程式在 Amazon EC2 執行個體上執行。應用程式需要下載安全證書才能與其他業務應用程式通訊。該公司希望有一個高度安全的解決方案來近乎即時地加密和解密憑證。該解決方案還需要在資料加密後將資料儲存在高可用儲存中。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create AWS Secrets Manager secrets for encrypted certificates. Manually update the certificates as needed. Control access to the data by using fine-grained IAM access.

B.Create an AWS Lambda function that uses the Python cryptography library to receive and perform encryption operations. Store the function in an Amazon S3 bucket.

C.Create an AWS Key Management Service (AWS KMS) customer managed key. Allow the EC2 role to use the KMS key for encryption operations. Store the encrypted data on Amazon S3.

D.Create an AWS Key Management Service (AWS KMS) customer managed key. Allow the EC2 role to use the KMS key for encryption operations. Store the encrypted data on Amazon Elastic Block Store (Amazon EBS) volumes.

【參考答案】C
