

AWS Certified Solutions Architect - Associate SAA-C03

question 0201-0300

Last Update: 2024.11

【題號】question 201

【題目】

A company is developing a marketing communications service that targets mobile app users. The company needs to send confirmation messages with Short Message Service (SMS) to its users. The users must be able to reply to the SMS messages. The company must store the responses for a year for analysis.

What should a solutions architect do to meet these requirements?

一家公司正在開發針對行動應用程式用戶的行銷傳播服務。該公司需要透過簡訊服務 (SMS) 向用戶發送確認訊息。用戶必須能夠回覆簡訊。該公司必須將回覆保存一年以供分析。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Create an Amazon Connect contact flow to send the SMS messages. Use AWS Lambda to process the responses.

B.Build an Amazon Pinpoint journey. Configure Amazon Pinpoint to send events to an Amazon Kinesis data stream for analysis and archiving.

C.Use Amazon Simple Queue Service (Amazon SQS) to distribute the SMS messages. Use AWS Lambda to process the responses.

D.Create an Amazon Simple Notification Service (Amazon SNS) FIFO topic. Subscribe an Amazon Kinesis data stream to the SNS topic for analysis and archiving.

【參考答案】B

【題號】question 202

【題目】

A company is planning to move its data to an Amazon S3 bucket. The data must be encrypted when it is stored in the S3 bucket. Additionally, the encryption key must be automatically rotated every year.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司計劃將其資料移至 Amazon S3 儲存桶。資料儲存在S3儲存桶中時必須進行加密。此外，加密金鑰必須每年自動輪換。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Move the data to the S3 bucket. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.

B.Create an AWS Key Management Service (AWS KMS) customer managed key. Enable automatic key rotation. Set the S3 bucket's default encryption behavior to use the customer managed KMS key. Move the data to the S3 bucket.

C.Create an AWS Key Management Service (AWS KMS) customer managed key. Set the S3 bucket's default encryption behavior to use the customer managed KMS key. Move the data to the S3 bucket. Manually rotate the KMS key every year.

D.Encrypt the data with customer key material before moving the data to the S3 bucket. Create an AWS Key Management Service (AWS KMS) key without key material. Import the customer key material into the KMS key. Enable automatic key rotation.

【參考答案】B

【題號】question 203

【題目】

The customers of a finance company request appointments with financial advisors by sending text messages. A web application that runs on Amazon EC2 instances accepts the appointment requests. The text messages are published to an Amazon Simple Queue Service (Amazon SQS) queue through the web application. Another application that runs on EC2 instances then sends meeting invitations and meeting confirmation email messages to the customers. After successful scheduling, this application stores the meeting information in an Amazon DynamoDB database.

As the company expands, customers report that their meeting invitations are taking longer to arrive.

What should a solutions architect recommend to resolve this issue?

一家金融公司的客戶透過發送簡訊請求與財務顧問預約。在 Amazon EC2 執行個體上執行的 Web 應用程式接受預約請求。文字訊息透過 Web 應用程式發佈到 Amazon Simple Queue Service (Amazon SQS) 佇列。然後，在 EC2 執行個體上執行的另一個應用程式會向客戶發送會議邀請和會議確認電子郵件。成功安排後，該應用程式會將會議資訊儲存在 Amazon DynamoDB 資料庫中。

隨著公司的擴張，客戶報告說他們的會議邀請需要更長的時間才能送達。

解決方案架構師應該建議什麼來解決這個問題？

【選項】

A.Add a DynamoDB Accelerator (DAX) cluster in front of the DynamoDB database.

B.Add an Amazon API Gateway API in front of the web application that accepts the appointment requests.

C.Add an Amazon CloudFront distribution. Set the origin as the web application that accepts the appointment requests.

D.Add an Auto Scaling group for the application that sends meeting invitations. Configure the Auto Scaling group to scale based on the depth of the SQS queue.

【參考答案】D

【題號】question 204

【題目】

An online retail company has more than 50 million active customers and receives more than 25,000 orders each day. The company collects purchase data for customers and stores this data in Amazon S3. Additional customer data is stored in Amazon RDS.

The company wants to make all the data available to various teams so that the teams can perform analytics. The solution must provide the ability to manage fine-grained permissions for the data and must minimize operational overhead.

Which solution will meet these requirements?

一家線上零售公司擁有超過 5,000 萬活躍客戶，每天收到超過 25,000 個訂單。該公司收集客戶的購買資料並將這些資料儲存在 Amazon S3 中。其他客戶資料儲存在 Amazon RDS 中。

該公司希望將所有數據提供給各個團隊，以便團隊可以進行分析。此解決方案必須提供管理細粒度資料權限的能力，並且必須最大限度地減少營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate the purchase data to write directly to Amazon RDS. Use RDS access controls to limit access.

B.Schedule an AWS Lambda function to periodically copy data from Amazon RDS to Amazon S3. Create an AWS Glue crawler. Use Amazon Athena to query the data. Use S3 policies to limit access.

C.Create a data lake by using AWS Lake Formation. Create an AWS Glue JDBC connection to Amazon RDS. Register the S3 bucket in Lake Formation. Use Lake Formation access controls to limit access.

D.Create an Amazon Redshift cluster. Schedule an AWS Lambda function to periodically copy data from Amazon S3 and Amazon RDS to Amazon Redshift. Use Amazon Redshift access controls to limit access.

【參考答案】C

【題號】question 205

【題目】

A company hosts a marketing website in an on-premises data center. The website consists of static documents and runs on a single server. An administrator updates the website content infrequently and uses an SFTP client to upload new documents.

The company decides to host its website on AWS and to use Amazon CloudFront. The company's solutions architect creates a CloudFront distribution. The solutions architect must design the most cost-effective and resilient architecture for website hosting to serve as the CloudFront origin.

Which solution will meet these requirements?

一家公司在本地資料中心託管行銷網站。該網站由靜態文件組成，並在單一伺服器上運行。管理員很少更新網站內容，並使用SFTP客戶端上傳新文件。

該公司決定在 AWS 上託管其網站並使用 Amazon CloudFront。該公司的解決方案架構師創建了一個 CloudFront 發行版。解決方案架構師必須為網站託管設計最具成本效益和彈性的架構，以充當 CloudFront 來源。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a virtual server by using Amazon Lightsail. Configure the web server in the Lightsail instance. Upload website content by using an SFTP client.

B.Create an AWS Auto Scaling group for Amazon EC2 instances. Use an Application Load Balancer. Upload website content by using an SFTP client.

C.Create a private Amazon S3 bucket. Use an S3 bucket policy to allow access from a CloudFront origin access identity (OAI). Upload website content by using the AWS CLI.

D.Create a public Amazon S3 bucket. Configure AWS Transfer for SFTP. Configure the S3 bucket for website hosting. Upload website content by using the SFTP client.

【參考答案】C

【題號】question 206

【題目】

A company wants to manage Amazon Machine Images (AMIs). The company currently copies AMIs to the same AWS Region where the AMIs were created. The company needs to design an application that captures AWS API calls and sends alerts whenever the Amazon EC2 CreateImage API operation is called within the company's account.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司想要管理 Amazon 系統映像 (AMI)。該公司目前將 AMI 複製到建立 AMI 的相同 AWS 區域。該公司需要設計一個應用程式來捕獲 AWS API 調用，並在公司帳戶內調用 Amazon EC2 CreateImage API 操作時發送警報。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an AWS Lambda function to query AWS CloudTrail logs and to send an alert when a CreateImage API call is detected.

B.Configure AWS CloudTrail with an Amazon Simple Notification Service (Amazon SNS) notification that occurs when updated logs are sent to Amazon S3. Use Amazon Athena to create a new table and to query on CreateImage when an API call is detected.

C.Create an Amazon EventBridge (Amazon CloudWatch Events) rule for the CreateImage API call. Configure the target as an Amazon Simple Notification Service (Amazon SNS) topic to send an alert when a CreateImage API call is detected.

D.Configure an Amazon Simple Queue Service (Amazon SQS) FIFO queue as a target for AWS CloudTrail logs. Create an AWS Lambda function to send an alert to an Amazon Simple Notification Service (Amazon SNS) topic when a CreateImage API call is detected.

【參考答案】C

【題號】question 207

【題目】

A company owns an asynchronous API that is used to ingest user requests and, based on the request type, dispatch requests to the appropriate microservice for processing. The company is using Amazon API Gateway to deploy the API front end, and an AWS Lambda function that invokes Amazon DynamoDB to store user requests before dispatching them to the processing microservices.

The company provisioned as much DynamoDB throughput as its budget allows, but the company is still experiencing availability issues and is losing user requests.

What should a solutions architect do to address this issue without impacting existing users?

一家公司擁有一個非同步 API，用於接收用戶請求，並根據請求類型將請求分派到適當的微服務進行處理。該公司正在使用 Amazon API Gateway 部署 API 前端，並使用 AWS Lambda 函數呼叫 Amazon DynamoDB 來儲存使用者請求，然後再將其分派到處理微服務。

該公司在預算允許的範圍內配置了盡可能多的 DynamoDB 吞吐量，但該公司仍然遇到可用性問題並且正在丟失用戶請求。

解決方案架構師應該如何解決這個問題而不影響現有使用者？

【選項】

- A.Add throttling on the API Gateway with server-side throttling limits.
- B.Use DynamoDB Accelerator (DAX) and Lambda to buffer writes to DynamoDB.
- C.Create a secondary index in DynamoDB for the table with the user requests.
- D.Use the Amazon Simple Queue Service (Amazon SQS) queue and Lambda to buffer writes to DynamoDB.

【參考答案】D

【題號】question 208

【題目】

A company needs to move data from an Amazon EC2 instance to an Amazon S3 bucket. The company must ensure that no API calls and no data are routed through public internet routes. Only the EC2 instance can have access to upload data to the S3 bucket.

Which solution will meet these requirements?

公司需要將資料從 Amazon EC2 執行個體移至 Amazon S3 儲存桶。公司必須確保沒有 API 呼叫和資料透過公共互聯網路由進行路由。只有 EC2 執行個體有權將資料上傳到 S3 儲存桶。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an interface VPC endpoint for Amazon S3 in the subnet where the EC2 instance is located. Attach a resource policy to the S3 bucket to only allow the EC2 instance's IAM role for access.

B.Create a gateway VPC endpoint for Amazon S3 in the Availability Zone where the EC2 instance is located. Attach appropriate security groups to the endpoint. Attach a resource policy to the S3 bucket to only allow the EC2 instance's IAM role for access.

C.Run the nslookup tool from inside the EC2 instance to obtain the private IP address of the S3 bucket's service API endpoint. Create a route in the VPC route table to provide the EC2 instance with access to the S3 bucket. Attach a resource policy to the S3 bucket to only allow the EC2 instance's IAM role for access.

D.Use the AWS provided, publicly available ip-ranges.json file to obtain the private IP address of the S3 bucket's service API endpoint. Create a route in the VPC route table to provide the EC2 instance with access to the S3 bucket. Attach a resource policy to the S3 bucket to only allow the EC2 instance's IAM role for access.

【參考答案】A

【題號】question 209

【題目】

A solutions architect is designing the architecture of a new application being deployed to the AWS Cloud. The application will run on Amazon EC2 On-Demand Instances and will automatically scale across multiple Availability Zones. The EC2 instances will scale up and down frequently throughout the day. An Application Load Balancer (ALB) will handle the load distribution. The architecture needs to support distributed session data management. The company is willing to make changes to code if needed.

What should the solutions architect do to ensure that the architecture supports distributed session data management?

解決方案架構師正在設計部署到 AWS 雲端的新應用程式的架構。該應用程式將在 Amazon EC2 隨選執行個體上執行，並將自動跨多個可用區進行擴展。EC2 執行個體會全天頻繁地擴展和縮減。應用程式負載平衡器 (ALB) 將處理負載分配。此架構需要支援分散式會話資料管理。如果需要，該公司願意對程式碼進行更改。

解決方案架構師應該做什麼來確保架構支援分散式會話資料管理？

【選項】

- A. Use Amazon ElastiCache to manage and store session data.
- B. Use session affinity (sticky sessions) of the ALB to manage session data.
- C. Use Session Manager from AWS Systems Manager to manage the session.
- D. Use the GetSessionToken API operation in AWS Security Token Service (AWS STS) to manage the session.

【參考答案】A

【題號】question 210

【題目】

A company offers a food delivery service that is growing rapidly. Because of the growth, the company's order processing system is experiencing scaling problems during peak traffic hours. The current architecture includes the following:

- A group of Amazon EC2 instances that run in an Amazon EC2 Auto Scaling group to collect orders from the application
- Another group of EC2 instances that run in an Amazon EC2 Auto Scaling group to fulfill orders

The order collection process occurs quickly, but the order fulfillment process can take longer. Data must not be lost because of a scaling event.

A solutions architect must ensure that the order collection process and the order fulfillment process can both scale properly during peak traffic hours. The solution must optimize utilization of the company's AWS resources.

Which solution meets these requirements?

一家公司提供的食品配送服務發展迅速。由於業務成長，該公司的訂單處理系統在流量高峰時段遇到了擴展問題。目前的架構包括以下內容：

- 在 Amazon EC2 Auto Scaling 群組中執行的一組 Amazon EC2 實例，用於從應用程式收集訂單
- 在 Amazon EC2 Auto Scaling 群組中執行以履行訂單的另一組 EC2 執行個體

訂單收集過程發生得很快，但訂單履行過程可能需要更長的時間。數據不得因縮放事件而遺失。

解決方案架構師必須確保訂單收集流程和訂單履行流程都能在尖峰流量時段適當擴展。此解決方案必須優化公司 AWS 資源的使用率。

哪種解決方案滿足這些要求？

【選項】

A. Use Amazon CloudWatch metrics to monitor the CPU of each instance in the Auto Scaling groups. Configure each Auto Scaling group's minimum capacity according to peak workload values.

B. Use Amazon CloudWatch metrics to monitor the CPU of each instance in the Auto Scaling groups. Configure a CloudWatch alarm to invoke an Amazon Simple Notification Service (Amazon SNS) topic that creates additional Auto Scaling groups on demand.

C. Provision two Amazon Simple Queue Service (Amazon SQS) queues: one for order collection and another for order fulfillment. Configure the EC2 instances to poll their respective queue. Scale the Auto Scaling groups based on notifications that the queues send.

D. Provision two Amazon Simple Queue Service (Amazon SQS) queues: one for order collection and another for order fulfillment. Configure the EC2 instances to poll their respective queue. Create a metric based on a backlog per instance calculation. Scale the Auto Scaling groups based on this metric.

【參考答案】D

【題號】question 211

【題目】

A company hosts multiple production applications. One of the applications consists of resources from Amazon EC2, AWS Lambda, Amazon RDS, Amazon Simple Notification Service (Amazon SNS), and Amazon Simple Queue Service (Amazon SQS) across multiple AWS Regions. All company resources are tagged with a tag name of "application" and a value that corresponds to each application. A solutions architect must provide the quickest solution for identifying all of the tagged components.

Which solution meets these requirements?

一家公司託管多個生產應用程式。其中一個應用程式包含來自多個 AWS 區域的 Amazon EC2、AWS Lambda、Amazon RDS、Amazon Simple Notification Service (Amazon SNS) 和 Amazon Simple Queue Service (Amazon SQS) 的資源。所有公司資源都標有標籤名稱“應用程式”以及與每個應用程式對應的值。解決方案架構師必須提供最快的解決方案來識別所有標記的元件。

哪種解決方案滿足這些要求？

【選項】

- A. Use AWS CloudTrail to generate a list of resources with the application tag.
- B. Use the AWS CLI to query each service across all Regions to report the tagged components.
- C. Run a query in Amazon CloudWatch Logs Insights to report on the components with the application tag.
- D. Run a query with the AWS Resource Groups Tag Editor to report on the resources globally with the application tag.

【參考答案】D

【題號】question 212

【題目】

A company needs to export its database once a day to Amazon S3 for other teams to access. The exported object size varies between 2 GB and 5 GB. The S3 access pattern for the data is variable and changes rapidly. The data must be immediately available and must remain accessible for up to 3 months. The company needs the most cost-effective solution that will not increase retrieval time.

Which S3 storage class should the company use to meet these requirements?

一家公司需要每天將其資料庫匯出到 Amazon S3 一次，以供其他團隊存取。導出的物件大小在 2 GB 到 5 GB 之間變化。資料的 S3 存取模式是可變的並且變化很快。數據必須立即可用，並且必須保持長達 3 個月的訪問狀態。該公司需要最具成本效益且不會增加檢索時間的解決方案。

公司應該使用哪種 S3 儲存類別來滿足這些要求？

【選項】

- A.S3 Intelligent-Tiering
- B.S3 Glacier Instant Retrieval
- C.S3 Standard
- D.S3 Standard-Infrequent Access (S3 Standard-IA)

【參考答案】A

【題號】question 213

【題目】

A company is developing a new mobile app. The company must implement proper traffic filtering to protect its Application Load Balancer (ALB) against common application-level attacks, such as cross-site scripting or SQL injection. The company has minimal infrastructure and operational staff. The company needs to reduce its share of the responsibility in managing, updating, and securing servers for its AWS environment.

What should a solutions architect recommend to meet these requirements?

一家公司正在開發一款新的行動應用程式。公司必須實施適當的流量過濾，以保護其應用程式負載平衡器 (ALB) 免受常見的應用程式層級攻擊，例如跨站點腳本或 SQL 注入。該公司的基礎設施和營運人員最少。該公司需要減少其在 AWS 環境中管理、更新和保護伺服器的責任。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

- A. Configure AWS WAF rules and associate them with the ALB.
- B. Deploy the application using Amazon S3 with public hosting enabled.
- C. Deploy AWS Shield Advanced and add the ALB as a protected resource.
- D. Create a new ALB that directs traffic to an Amazon EC2 instance running a third-party firewall, which then passes the traffic to the current ALB.

【參考答案】A

【題號】question 214

【題目】

A company's reporting system delivers hundreds of .csv files to an Amazon S3 bucket each day. The company must convert these files to Apache Parquet format and must store the files in a transformed data bucket.

Which solution will meet these requirements with the LEAST development effort?

一家公司的報告系統每天向 Amazon S3 儲存桶傳送數百個 .csv 檔案。公司必須將這些檔案轉換為 Apache Parquet 格式，並且必須將檔案儲存在轉換後的資料儲存桶中。

哪種解決方案能夠以最少的開發工作滿足這些要求？

【選項】

A.Create an Amazon EMR cluster with Apache Spark installed. Write a Spark application to transform the data. Use EMR File System (EMRFS) to write files to the transformed data bucket.

B.Create an AWS Glue crawler to discover the data. Create an AWS Glue extract, transform, and load (ETL) job to transform the data. Specify the transformed data bucket in the output step.

C.Use AWS Batch to create a job definition with Bash syntax to transform the data and output the data to the transformed data bucket. Use the job definition to submit a job. Specify an array job as the job type.

D.Create an AWS Lambda function to transform the data and output the data to the transformed data bucket. Configure an event notification for the S3 bucket. Specify the Lambda function as the destination for the event notification.

【參考答案】B

【題號】question 215

【題目】

A company has 700 TB of backup data stored in network attached storage (NAS) in its data center. This backup data need to be accessible for infrequent regulatory requests and must be retained 7 years. The company has decided to migrate this backup data from its data center to AWS. The migration must be complete within 1 month. The company has 500 Mbps of dedicated bandwidth on its public internet connection available for data transfer.

What should a solutions architect do to migrate and store the data at the LOWEST cost?

一家公司在其資料中心的網路附加儲存 (NAS) 中儲存了 700 TB 的備份資料。此備份資料需要可供不頻繁的監管請求訪問，並且必須保留 7 年。該公司已決定將此備份資料從其資料中心遷移到 AWS。遷移必須在 1 個月內完成。該公司在其公共網路連線上擁有 500 Mbps 的專用頻寬，可用於資料傳輸。

解決方案架構師應該如何以最低的成本遷移和儲存資料？

【選項】

- A. Order AWS Snowball devices to transfer the data. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- B. Deploy a VPN connection between the data center and Amazon VPC. Use the AWS CLI to copy the data from on premises to Amazon S3 Glacier.
- C. Provision a 500 Mbps AWS Direct Connect connection and transfer the data to Amazon S3. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- D. Use AWS DataSync to transfer the data and deploy a DataSync agent on premises. Use the DataSync task to copy files from the on-premises NAS storage to Amazon S3 Glacier.

【參考答案】A

【題號】question 216

【題目】

A company has a serverless website with millions of objects in an Amazon S3 bucket. The company uses the S3 bucket as the origin for an Amazon CloudFront distribution. The company did not set encryption on the S3 bucket before the objects were loaded. A solutions architect needs to enable encryption for all existing objects and for all objects that are added to the S3 bucket in the future.

Which solution will meet these requirements with the LEAST amount of effort?

一家公司擁有一個無伺服器網站，Amazon S3 儲存桶中包含數百萬個物件。該公司使用 S3 儲存桶作為 Amazon CloudFront 分配的來源。在載入物件之前，該公司沒有對 S3 儲存桶設定加密。解決方案架構師需要為所有現有物件以及將來新增到 S3 儲存桶的所有物件啟用加密。

哪種解決方案能夠以最少的努力滿足這些要求？

【選項】

A. Create a new S3 bucket. Turn on the default encryption settings for the new S3 bucket. Download all existing objects to temporary local storage. Upload the objects to the new S3 bucket.

B.Turn on the default encryption settings for the S3 bucket. Use the S3 Inventory feature to create a .csv file that lists the unencrypted objects. Run an S3 Batch Operations job that uses the copy command to encrypt those objects.

C.Create a new encryption key by using AWS Key Management Service (AWS KMS). Change the settings on the S3 bucket to use server-side encryption with AWS KMS managed encryption keys (SSE-KMS). Turn on versioning for the S3 bucket.

D.Navigate to Amazon S3 in the AWS Management Console. Browse the S3 bucket's objects. Sort by the encryption field. Select each unencrypted object. Use the Modify button to apply default encryption settings to every unencrypted object in the S3 bucket.

【參考答案】B

【題號】question 217

【題目】

A company runs a global web application on Amazon EC2 instances behind an Application Load Balancer. The application stores data in Amazon Aurora. The company needs to create a disaster recovery solution and can tolerate up to 30 minutes of downtime and potential data loss. The solution does not need to handle the load when the primary infrastructure is healthy.

What should a solutions architect do to meet these requirements?

一家公司在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行全球 Web 應用程式。該應用程式將資料儲存在 Amazon Aurora 中。該公司需要創建一個災難復原解決方案，並且可以容忍長達 30 分鐘的停機時間和潛在的資料遺失。當主要基礎架構正常時，此解決方案不需要處理負載。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Deploy the application with the required infrastructure elements in place. Use Amazon Route 53 to configure active-passive failover. Create an Aurora Replica in a second AWS Region.

B.Host a scaled-down deployment of the application in a second AWS Region. Use Amazon Route 53 to configure active-active failover. Create an Aurora Replica in the second Region.

C.Replicate the primary infrastructure in a second AWS Region. Use Amazon Route 53 to configure active-active failover. Create an Aurora database that is restored from the latest snapshot.

D.Back up data with AWS Backup. Use the backup to create the required infrastructure in a second AWS Region. Use Amazon Route 53 to configure active-passive failover. Create an Aurora second primary instance in the second Region.

【參考答案】A

【題號】question 218

【題目】

A company has a web server running on an Amazon EC2 instance in a public subnet with an Elastic IP address. The default security group is assigned to the EC2 instance. The default network ACL has been modified to block all traffic. A solutions architect needs to make the web server accessible from everywhere on port 443.

Which combination of steps will accomplish this task? (Choose two.)

一家公司擁有一個在具有彈性 IP 位址的公有子網路中的 Amazon EC2 執行個體上執行的 Web 伺服器。預設安全群組分配給 EC2 執行個體。預設網路 ACL 已修改為封鎖所有流量。解決方案架構師需要使 Web 伺服器可以透過連接埠 443 從任何地方存取。

哪種步驟組合可以完成此任務？（選兩個。）

【選項】

A.Create a security group with a rule to allow TCP port 443 from source 0.0.0.0/0.

B.Create a security group with a rule to allow TCP port 443 to destination 0.0.0.0/0.

C.Update the network ACL to allow TCP port 443 from source 0.0.0.0/0.

D.Update the network ACL to allow inbound/outbound TCP port 443 from source 0.0.0.0/0 and to destination 0.0.0.0/0.

E.Update the network ACL to allow inbound TCP port 443 from source 0.0.0.0/0 and outbound TCP port 32768-65535 to destination 0.0.0.0/0.

【參考答案】AE

【題號】question 219

【題目】

A company's application is having performance issues. The application is stateful and needs to complete in-memory tasks on Amazon EC2 instances. The company used AWS CloudFormation to deploy infrastructure and used the M5 EC2 instance family. As traffic increased, the application performance degraded. Users are reporting delays when the users attempt to access the application.

Which solution will resolve these issues in the MOST operationally efficient way?

一家公司的應用程式有效能問題。該應用程式是有狀態的，需要在 Amazon EC2 執行個體上完成記憶體中任務。該公司使用 AWS CloudFormation 部署基礎架構並使用 M5 EC2 執行個體系列。隨著流量的增加，應用程式效能下降。用戶報告當用戶嘗試存取應用程式時出現延遲。

哪種解決方案能夠以最高效的方式解決這些問題？

【選項】

A.Replace the EC2 instances with T3 EC2 instances that run in an Auto Scaling group. Make the changes by using the AWS Management Console.

B.Modify the CloudFormation templates to run the EC2 instances in an Auto Scaling group. Increase the desired capacity and the maximum capacity of the Auto Scaling group manually when an increase is necessary.

C.Modify the CloudFormation templates. Replace the EC2 instances with R5 EC2 instances. Use Amazon CloudWatch built-in EC2 memory metrics to track the application performance for future capacity planning.

D.Modify the CloudFormation templates. Replace the EC2 instances with R5 EC2 instances. Deploy the Amazon CloudWatch agent on the EC2 instances to generate custom application latency metrics for future capacity planning.

【參考答案】D

【題號】question 220

【題目】

A solutions architect is designing a new API using Amazon API Gateway that will receive requests from users. The volume of requests is highly variable; several hours can pass without receiving a single request. The data processing will take place asynchronously, but should be completed within a few seconds after a request is made.

Which compute service should the solutions architect have the API invoke to deliver the requirements at the lowest cost?

解決方案架構師正在使用 Amazon API Gateway 設計一個新的 API，該 API 將接收來自使用者的請求。請求量變化很大；可能幾個小時過去了卻沒有收到任何請求。資料處理將非同步進行，但應在發出請求後幾秒鐘內完成。

解決方案架構師應該呼叫哪一種運算服務的 API 才能以最低的成本滿足需求？

【選項】

A. An AWS Glue job

B. An AWS Lambda function

C. A containerized service hosted in Amazon Elastic Kubernetes Service (Amazon EKS)

D. A containerized service hosted in Amazon ECS with Amazon EC2

【參考答案】B

【題號】question 221

【題目】

A company runs an application on a group of Amazon Linux EC2 instances. For compliance reasons, the company must retain all application log files for 7 years. The log files will be analyzed by a reporting tool that must be able to access all the files concurrently.

Which storage solution meets these requirements MOST cost-effectively?

一家公司在一組 Amazon Linux EC2 執行個體上執行應用程式。出於合規原因，公司必須將所有應用程式日誌檔案保留 7 年。日誌檔案將由必須能夠同時存取所有文件的報告工具進行分析。

哪種儲存解決方案最經濟有效率地滿足這些要求？

【選項】

- A.Amazon Elastic Block Store (Amazon EBS)
- B.Amazon Elastic File System (Amazon EFS)
- C.Amazon EC2 instance store
- D.Amazon S3

【參考答案】D

【題號】question 222

【題目】

A company has hired an external vendor to perform work in the company's AWS account. The vendor uses an automated tool that is hosted in an AWS account that the vendor owns. The vendor does not have IAM access to the company's AWS account.

How should a solutions architect grant this access to the vendor?

一家公司已聘請外部供應商在該公司的 AWS 帳戶中執行工作。供應商使用託管在供應商擁有的 AWS 帳戶中的自動化工具。供應商沒有對公司 AWS 帳戶的 IAM 存取權。

解決方案架構師應如何向供應商授予此存取權限？

【選項】

A.Create an IAM role in the company's account to delegate access to the vendor's IAM role. Attach the appropriate IAM policies to the role for the permissions that the vendor requires.

B.Create an IAM user in the company's account with a password that meets the password complexity requirements. Attach the appropriate IAM policies to the user for the permissions that the vendor requires.

C.Create an IAM group in the company's account. Add the tool's IAM user from the vendor account to the group. Attach the appropriate IAM policies to the group for the permissions that the vendor requires.

D.Create a new identity provider by choosing "AWS account" as the provider type in the IAM console. Supply the vendor's AWS account ID and user name. Attach the appropriate IAM policies to the new provider for the permissions that the vendor requires.

【參考答案】A

【題號】question 223

【題目】

A company has deployed a Java Spring Boot application as a pod that runs on Amazon Elastic Kubernetes Service (Amazon EKS) in private subnets. The application needs to write data to an Amazon DynamoDB table. A solutions architect must ensure that the application can interact with the DynamoDB table without exposing traffic to the internet.

Which combination of steps should the solutions architect take to accomplish this goal? (Choose two.)

一家公司已將 Java Spring Boot 應用程式部署為在私人子網路中的 Amazon Elastic Kubernetes Service (Amazon EKS) 上執行的 Pod。應用程式需要將資料寫入 Amazon DynamoDB 表。解決方案架構師必須確保應用程式可以與 DynamoDB 表交互，而不會將流量暴露到互聯網。

解決方案架構師應該採取哪些步驟組合來實現這一目標？（選兩個。）

【選項】

- A. Attach an IAM role that has sufficient privileges to the EKS pod.
- B. Attach an IAM user that has sufficient privileges to the EKS pod.
- C. Allow outbound connectivity to the DynamoDB table through the private subnets' network ACLs.
- D. Create a VPC endpoint for DynamoDB.
- E. Embed the access keys in the Java Spring Boot code.

【參考答案】AD

【題號】question 224

【題目】

A company recently migrated its web application to AWS by rehosting the application on Amazon EC2 instances in a single AWS Region. The company wants to redesign its application architecture to be highly available and fault tolerant. Traffic must reach all running EC2 instances randomly.

Which combination of steps should the company take to meet these requirements?
(Choose two.)

一家公司最近透過在單一 AWS 區域的 Amazon EC2 執行個體上重新託管應用程式，將其 Web 應用程式遷移到 AWS。該公司希望重新設計其應用程式架構，以實現高可用性和容錯能力。流量必須隨機到達所有正在運行的 EC2 執行個體。

公司應該採取哪些步驟組合來滿足這些要求？（選兩個。）

【選項】

- A. Create an Amazon Route 53 failover routing policy.
- B. Create an Amazon Route 53 weighted routing policy.
- C. Create an Amazon Route 53 multivalue answer routing policy.
- D. Launch three EC2 instances: two instances in one Availability Zone and one instance in another Availability Zone.

E.Launch four EC2 instances: two instances in one Availability Zone and two instances in another Availability Zone.

【參考答案】CE

【題號】question 225

【題目】

A media company collects and analyzes user activity data on premises. The company wants to migrate this capability to AWS. The user activity data store will continue to grow and will be petabytes in size. The company needs to build a highly available data ingestion solution that facilitates on-demand analytics of existing data and new data with SQL.

Which solution will meet these requirements with the LEAST operational overhead?

一家媒體公司收集並分析當地用戶活動數據。該公司希望將此功能遷移到 AWS。用戶活動資料儲存將持續成長，大小將達到 PB 級。該公司需要建立一個高度可用的資料攝取解決方案，以促進使用 SQL 對現有資料和新資料進行按需分析。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Send activity data to an Amazon Kinesis data stream. Configure the stream to deliver the data to an Amazon S3 bucket.

B.Send activity data to an Amazon Kinesis Data Firehose delivery stream. Configure the stream to deliver the data to an Amazon Redshift cluster.

C.Place activity data in an Amazon S3 bucket. Configure Amazon S3 to run an AWS Lambda function on the data as the data arrives in the S3 bucket.

D.Create an ingestion service on Amazon EC2 instances that are spread across multiple Availability Zones. Configure the service to forward data to an Amazon RDS Multi-AZ database.

【參考答案】B

【題號】question 226

【題目】

A company collects data from thousands of remote devices by using a RESTful web services application that runs on an Amazon EC2 instance. The EC2 instance receives the raw data, transforms the raw data, and stores all the data in an Amazon S3 bucket. The number of remote devices will increase into the millions soon. The company needs a highly scalable solution that minimizes operational overhead.

Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

一家公司使用在 Amazon EC2 執行個體上執行的 RESTful Web 服務應用程式從數千個遠端設備收集資料。EC2 執行個體接收原始數據，轉換原始數據，並將所有資料儲存在 Amazon S3 儲存桶中。遠端設備的數量很快就會增加到數百萬。該公司需要一個高度可擴展的解決方案，以最大限度地減少營運開銷。

解決方案架構師應該採取哪些步驟組合來滿足這些要求？（選兩個。）

【選項】

- A. Use AWS Glue to process the raw data in Amazon S3.
- B. Use Amazon Route 53 to route traffic to different EC2 instances.
- C. Add more EC2 instances to accommodate the increasing amount of incoming data.
- D. Send the raw data to Amazon Simple Queue Service (Amazon SQS). Use EC2 instances to process the data.
- E. Use Amazon API Gateway to send the raw data to an Amazon Kinesis data stream. Configure Amazon Kinesis Data Firehose to use the data stream as a source to deliver the data to Amazon S3.

【參考答案】AE

【題號】question 227

【題目】

A company needs to retain its AWS CloudTrail logs for 3 years. The company is enforcing CloudTrail across a set of AWS accounts by using AWS Organizations from the parent account. The CloudTrail target S3 bucket is configured with S3 Versioning enabled. An S3 Lifecycle policy is in place to delete current objects after 3 years.

After the fourth year of use of the S3 bucket, the S3 bucket metrics show that the number of objects has continued to rise. However, the number of new CloudTrail logs that are delivered to the S3 bucket has remained consistent.

Which solution will delete objects that are older than 3 years in the MOST cost-effective manner?

公司需要將其 AWS CloudTrail 日誌保留 3 年。該公司正在透過使用父帳戶中的 AWS Organizations 在一組 AWS 帳戶上實施 CloudTrail。CloudTrail 目標 S3 儲存桶配置為啟用 S3 版本控制。S3 生命週期策略已到位，可在 3 年後刪除目前物件。

使用 S3 儲存桶第四年後，S3 儲存桶指標顯示物件數量持續上升。但是，傳送到 S3 儲存桶的新 CloudTrail 日誌數量保持一致。

哪種解決方案能夠以最具成本效益的方式刪除超過 3 年的物件？

【選項】

- A. Configure the organization's centralized CloudTrail trail to expire objects after 3 years.
- B. Configure the S3 Lifecycle policy to delete previous versions as well as current versions.
- C. Create an AWS Lambda function to enumerate and delete objects from Amazon S3 that are older than 3 years.
- D. Configure the parent account as the owner of all objects that are delivered to the S3 bucket.

【參考答案】B

【題號】question 228

【題目】

A company has an API that receives real-time data from a fleet of monitoring devices. The API stores this data in an Amazon RDS DB instance for later analysis. The amount of data that the monitoring devices send to the API fluctuates. During periods of heavy traffic, the API often returns timeout errors.

After an inspection of the logs, the company determines that the database is not capable of processing the volume of write traffic that comes from the API. A solutions architect must minimize the number of connections to the database and must ensure that data is not lost during periods of heavy traffic.

Which solution will meet these requirements?

一家公司有一個 API，可以從一組監控設備接收即時數據。API 將此資料儲存在 Amazon RDS 資料庫執行個體中以供日後分析。監控設備傳送到 API 的資料量有波動。在流量繁忙期間，API 經常會傳回逾時錯誤。

檢查日誌後，該公司確定資料庫無法處理來自 API 的寫入流量。解決方案架構師必須最大限度地減少與資料庫的連接數量，並且必須確保資料在流量繁忙期間不會遺失。

哪種解決方案可以滿足這些要求？

【選項】

A. Increase the size of the DB instance to an instance type that has more available memory.

B. Modify the DB instance to be a Multi-AZ DB instance. Configure the application to write to all active RDS DB instances.

C. Modify the API to write incoming data to an Amazon Simple Queue Service (Amazon SQS) queue. Use an AWS Lambda function that Amazon SQS invokes to write data from the queue to the database.

D. Modify the API to write incoming data to an Amazon Simple Notification Service (Amazon SNS) topic. Use an AWS Lambda function that Amazon SNS invokes to write data from the topic to the database.

【參考答案】C

【題號】question 229

【題目】

A company manages its own Amazon EC2 instances that run MySQL databases. The company is manually managing replication and scaling as demand increases or decreases. The company needs a new solution that simplifies the process of adding or removing compute capacity to or from its database tier as needed. The solution also must offer improved performance, scaling, and durability with minimal effort from operations.

Which solution meets these requirements?

一家公司管理自己的運作 MySQL 資料庫的 Amazon EC2 執行個體。隨著需求的增加或減少，該公司正在手動管理複製和擴展。該公司需要一種新的解決方案來簡化根據需要向資料庫層添加或刪除計算能力的過程。該解決方案還必須以最少的操作工作量提供改進的性能、擴展性和耐用性。

哪種解決方案滿足這些要求？

【選項】

- A.Migrate the databases to Amazon Aurora Serverless for Aurora MySQL.
- B.Migrate the databases to Amazon Aurora Serverless for Aurora PostgreSQL.
- C.Combine the databases into one larger MySQL database. Run the larger database on larger EC2 instances.
- D.Create an EC2 Auto Scaling group for the database tier. Migrate the existing databases to the new environment.

【參考答案】A

【題號】question 230

【題目】

A company is concerned that two NAT instances in use will no longer be able to support the traffic needed for the company's application. A solutions architect wants to implement a solution that is highly available, fault tolerant, and automatically scalable.

What should the solutions architect recommend?

一家公司擔心正在使用的兩個 NAT 實例將不再能夠支援該公司應用程式所需的流量。解決方案架構師希望實現一個高度可用、容錯且自動可擴展的解決方案。

解決方案架構師該推薦什麼？

【選項】

- A.Remove the two NAT instances and replace them with two NAT gateways in the same Availability Zone.
- B.Use Auto Scaling groups with Network Load Balancers for the NAT instances in different Availability Zones.
- C.Remove the two NAT instances and replace them with two NAT gateways in different Availability Zones.
- D.Replace the two NAT instances with Spot Instances in different Availability Zones and deploy a Network Load Balancer.

【參考答案】C

【題號】question 231

【題目】

An application runs on an Amazon EC2 instance that has an Elastic IP address in VPC A. The application requires access to a database in VPC B. Both VPCs are in the same AWS account.

Which solution will provide the required access MOST securely?

應用程式在 VPC A 中具有彈性 IP 位址的 Amazon EC2 執行個體上執行。該應用程式需要存取 VPC B 中的資料庫。兩個 VPC 位於相同 AWS 帳戶中。

哪種解決方案將最安全地提供所需的存取？

【選項】

- A. Create a DB instance security group that allows all traffic from the public IP address of the application server in VPC A.
- B. Configure a VPC peering connection between VPC A and VPC B.
- C. Make the DB instance publicly accessible. Assign a public IP address to the DB instance.
- D. Launch an EC2 instance with an Elastic IP address into VPC B. Proxy all requests through the new EC2 instance.

【參考答案】B

【題號】question 232

【題目】

A company runs demonstration environments for its customers on Amazon EC2 instances. Each environment is isolated in its own VPC. The company's operations team needs to be notified when RDP or SSH access to an environment has been established.

一家公司在 Amazon EC2 執行個體上為其客戶執行示範環境。每個環境都隔離在自己的 VPC 中。當建立對環境的 RDP 或 SSH 存取權時，需要通知公司的營運團隊。

【選項】

- A. Configure Amazon CloudWatch Application Insights to create AWS Systems Manager OpsItems when RDP or SSH access is detected.
- B. Configure the EC2 instances with an IAM instance profile that has an IAM role with the AmazonSSMManagedInstanceCore policy attached.
- C. Publish VPC flow logs to Amazon CloudWatch Logs. Create required metric filters. Create an Amazon CloudWatch metric alarm with a notification action for when the alarm is in the ALARM state.

D.Configure an Amazon EventBridge rule to listen for events of type EC2 Instance State-change Notification. Configure an Amazon Simple Notification Service (Amazon SNS) topic as a target. Subscribe the operations team to the topic.

【參考答案】C

【題號】question 233

【題目】

A solutions architect has created a new AWS account and must secure AWS account root user access.

Which combination of actions will accomplish this? (Choose two.)

解決方案架構師已建立一個新的 AWS 帳戶，並且必須確保 AWS 帳戶根使用者存取的安全性。

哪種行動組合可以實現這個目標？（選兩個。）

【選項】

- A.Ensure the root user uses a strong password.
- B.Enable multi-factor authentication to the root user.
- C.Store root user access keys in an encrypted Amazon S3 bucket.
- D.Add the root user to a group containing administrative permissions.
- E.Apply the required permissions to the root user with an inline policy document.

【參考答案】AB

【題號】question 234

【題目】

A company is building a new web-based customer relationship management application. The application will use several Amazon EC2 instances that are backed by Amazon Elastic Block Store (Amazon EBS) volumes behind an Application Load Balancer (ALB). The application will also use an Amazon Aurora database. All data for the application must be encrypted at rest and in transit.

Which solution will meet these requirements?

一家公司正在建立一個新的基於 Web 的客戶關係管理應用程式。該應用程式將使用多個 Amazon EC2 實例，這些執行個體由 Application Load Balancer (ALB) 後面的 Amazon Elastic Block Store (Amazon EBS) 磁碟區提供支援。該應用程式還將使用 Amazon Aurora 資料庫。應用程式的所有資料在靜態和傳輸過程中都必須進行加密。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use AWS Key Management Service (AWS KMS) certificates on the ALB to encrypt data in transit. Use AWS Certificate Manager (ACM) to encrypt the EBS volumes and Aurora database storage at rest.
- B. Use the AWS root account to log in to the AWS Management Console. Upload the company's encryption certificates. While in the root account, select the option to turn on encryption for all data at rest and in transit for the account.
- C. Use AWS Key Management Service (AWS KMS) to encrypt the EBS volumes and Aurora database storage at rest. Attach an AWS Certificate Manager (ACM) certificate to the ALB to encrypt data in transit.
- D. Use BitLocker to encrypt all data at rest. Import the company's TLS certificate keys to AWS Key Management Service (AWS KMS). Attach the KMS keys to the ALB to encrypt data in transit.

【參考答案】C

【題號】question 235

【題目】

A company is moving its on-premises Oracle database to Amazon Aurora PostgreSQL. The database has several applications that write to the same tables. The applications need to be migrated one by one with a month in between each migration. Management has expressed concerns that the database has a high number of reads and writes. The data must be kept in sync across both databases throughout the migration.

What should a solutions architect recommend?

一家公司正在將其本地 Oracle 資料庫遷移到 Amazon Aurora PostgreSQL。該資料庫有多個寫入相同表的應用程式。應用程式需要逐一遷移，每次遷移之間間隔一個月。管理階層對資料庫的大量讀寫表示擔憂。在整個遷移過程中，兩個資料庫之間的資料必須保持同步。

解決方案架構師該推薦什麼？

【選項】

A. Use AWS DataSync for the initial migration. Use AWS Database Migration Service (AWS DMS) to create a change data capture (CDC) replication task and a table mapping to select all tables.

B. Use AWS DataSync for the initial migration. Use AWS Database Migration Service (AWS DMS) to create a full load plus change data capture (CDC) replication task and a table mapping to select all tables.

C. Use the AWS Schema Conversion Tool with AWS Database Migration Service (AWS DMS) using a memory optimized replication instance. Create a full load plus change data capture (CDC) replication task and a table mapping to select all tables.

D. Use the AWS Schema Conversion Tool with AWS Database Migration Service (AWS DMS) using a compute optimized replication instance. Create a full load plus change data capture (CDC) replication task and a table mapping to select the largest tables.

【參考答案】C

【題號】question 236

【題目】

A company has a three-tier application for image sharing. The application uses an Amazon EC2 instance for the front-end layer, another EC2 instance for the application layer, and a third EC2 instance for a MySQL database. A solutions architect must design a scalable and highly available solution that requires the least amount of change to the application.

Which solution meets these requirements?

一家公司有一個用於圖像共享的三層應用程式。此應用程式將一個 Amazon EC2 執行個體用於前端層，另一個 EC2 執行個體用於應用程式層，第三個 EC2 執行個體用於 MySQL 資料庫。解決方案架構師必須設計一個可擴展且高度可用的解決方案，該解決方案需要對應用程式進行最少的更改。

哪種解決方案滿足這些要求？

【選項】

A. Use Amazon S3 to host the front-end layer. Use AWS Lambda functions for the application layer. Move the database to an Amazon DynamoDB table. Use Amazon S3 to store and serve users' images.

B. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end layer and the application layer. Move the database to an Amazon RDS DB instance with multiple read replicas to serve users' images.

C. Use Amazon S3 to host the front-end layer. Use a fleet of EC2 instances in an Auto Scaling group for the application layer. Move the database to a memory optimized instance type to store and serve users' images.

D. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end layer and the application layer. Move the database to an Amazon RDS Multi-AZ DB instance. Use Amazon S3 to store and serve users' images.

【參考答案】D

【題號】question 237

【題目】

An application running on an Amazon EC2 instance in VPC-A needs to access files in another EC2 instance in VPC-B. Both VPCs are in separate AWS accounts. The network administrator needs to design a solution to configure secure access to EC2 instance in VPC-B from VPC-A. The connectivity should not have a single point of failure or bandwidth concerns.

Which solution will meet these requirements?

在 VPC-A 中的 Amazon EC2 執行個體上執行的應用程式需要存取 VPC-B 中的另一個 EC2 執行個體中的檔案。兩個 VPC 位於不同的 AWS 帳戶。網路管理員需要設計一個解決方案來設定從 VPC-A 對 VPC-B 中的 EC2 執行個體的安全存取。連線不應有單點故障或頻寬問題。

哪種解決方案可以滿足這些要求？

【選項】

- A.Set up a VPC peering connection between VPC-A and VPC-B.
- B.Set up VPC gateway endpoints for the EC2 instance running in VPC-B.
- C.Attach a virtual private gateway to VPC-B and set up routing from VPC-A.
- D.Create a private virtual interface (VIF) for the EC2 instance running in VPC-B and add appropriate routes from VPC-A.

【參考答案】A

【題號】question 238

【題目】

A company wants to experiment with individual AWS accounts for its engineer team. The company wants to be notified as soon as the Amazon EC2 instance usage for a given month exceeds a specific threshold for each account.

What should a solutions architect do to meet this requirement MOST cost-effectively?

一家公司想要為其工程師團隊試驗個人 AWS 帳戶。該公司希望在給定月份的 Amazon EC2 執行個體使用量超過每個帳戶的特定閾值時立即收到通知。

解決方案架構師應該怎麼做才能最經濟有效地滿足這項要求？

【選項】

A. Use Cost Explorer to create a daily report of costs by service. Filter the report by EC2 instances. Configure Cost Explorer to send an Amazon Simple Email Service (Amazon SES) notification when a threshold is exceeded.

B. Use Cost Explorer to create a monthly report of costs by service. Filter the report by EC2 instances. Configure Cost Explorer to send an Amazon Simple Email Service (Amazon SES) notification when a threshold is exceeded.

C. Use AWS Budgets to create a cost budget for each account. Set the period to monthly. Set the scope to EC2 instances. Set an alert threshold for the budget. Configure an Amazon Simple Notification Service (Amazon SNS) topic to receive a notification when a threshold is exceeded.

D. Use AWS Cost and Usage Reports to create a report with hourly granularity. Integrate the report data with Amazon Athena. Use Amazon EventBridge to schedule an Athena query. Configure an Amazon Simple Notification Service (Amazon SNS) topic to receive a notification when a threshold is exceeded.

【參考答案】C

【題號】question 239

【題目】

A solutions architect needs to design a new microservice for a company's application. Clients must be able to call an HTTPS endpoint to reach the microservice. The microservice also must use AWS Identity and Access Management (IAM) to authenticate calls. The solutions architect will write the logic for this microservice by using a single AWS Lambda function that is written in Go 1.x.

Which solution will deploy the function in the MOST operationally efficient way?

解決方案架構師需要為公司的應用程式設計新的微服務。客戶端必須能夠呼叫 HTTPS 端點才能存取微服務。微服務也必須使用 AWS Identity and Access Management (IAM) 對呼叫進行驗證。解決方案架構師將使用以 Go 1.x 編寫的單一 AWS Lambda 函數來編寫此微服務的邏輯。

哪種解決方案將以最高效的方式部署該功能？

【選項】

A.Create an Amazon API Gateway REST API. Configure the method to use the Lambda function. Enable IAM authentication on the API.

B.Create a Lambda function URL for the function. Specify AWS_IAM as the authentication type.

C.Create an Amazon CloudFront distribution. Deploy the function to Lambda@Edge. Integrate IAM authentication logic into the Lambda@Edge function.

D.Create an Amazon CloudFront distribution. Deploy the function to CloudFront Functions. Specify AWS_IAM as the authentication type.

【參考答案】A

【題號】question 240

【題目】

A company previously migrated its data warehouse solution to AWS. The company also has an AWS Direct Connect connection. Corporate office users query the data warehouse using a visualization tool. The average size of a query returned by the data warehouse is 50 MB and each webpage sent by the visualization tool is approximately 500 KB. Result sets returned by the data warehouse are not cached.

Which solution provides the LOWEST data transfer egress cost for the company?

一家公司之前將其資料倉儲解決方案遷移到 AWS。該公司還擁有 AWS Direct Connect 連線。企業辦公室使用者使用視覺化工具查詢資料倉儲。資料倉儲回傳的查詢的平均大小為 50 MB，視覺化工具發送的每個網頁約為 500 KB。資料倉儲傳回的結果集不會被快取。

哪種解決方案為公司提供最低的資料傳輸出口成本？

【選項】

- A.Host the visualization tool on premises and query the data warehouse directly over the internet.
- B.Host the visualization tool in the same AWS Region as the data warehouse. Access it over the internet.
- C.Host the visualization tool on premises and query the data warehouse directly over a Direct Connect connection at a location in the same AWS Region.
- D.Host the visualization tool in the same AWS Region as the data warehouse and access it over a Direct Connect connection at a location in the same Region.

【參考答案】D

【題號】question 241

【題目】

An online learning company is migrating to the AWS Cloud. The company maintains its student records in a PostgreSQL database. The company needs a solution in which its data is available and online across multiple AWS Regions at all times.

Which solution will meet these requirements with the LEAST amount of operational overhead?

一家線上學習公司正在遷移到 AWS 雲端。該公司在 PostgreSQL 資料庫中維護學生記錄。該公司需要一種解決方案，使其資料在多個 AWS 區域中始終可用且線上。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Migrate the PostgreSQL database to a PostgreSQL cluster on Amazon EC2 instances.
- B.Migrate the PostgreSQL database to an Amazon RDS for PostgreSQL DB instance with the Multi-AZ feature turned on.

C.Migrate the PostgreSQL database to an Amazon RDS for PostgreSQL DB instance. Create a read replica in another Region.

D.Migrate the PostgreSQL database to an Amazon RDS for PostgreSQL DB instance. Set up DB snapshots to be copied to another Region.

【參考答案】C

【題號】question 242

【題目】

A company hosts its web application on AWS using seven Amazon EC2 instances. The company requires that the IP addresses of all healthy EC2 instances be returned in response to DNS queries.

Which policy should be used to meet this requirement?

一家公司使用七個 Amazon EC2 執行個體在 AWS 上託管其 Web 應用程式。該公司要求傳回所有運作狀況良好的 EC2 執行個體的 IP 位址以回應 DNS 查詢。

應該使用什麼策略來滿足這個要求？

【選項】

A.Simple routing policy

B.Latency routing policy

C.Multivalue routing policy

D.Geolocation routing policy

【參考答案】C

【題號】question 243

【題目】

A medical research lab produces data that is related to a new study. The lab wants to make the data available with minimum latency to clinics across the country for their on-premises, file-based applications. The data files are stored in an Amazon S3 bucket that has read-only permissions for each clinic.

What should a solutions architect recommend to meet these requirements?

醫學研究實驗室產生與新研究相關的數據。該實驗室希望以最小的延遲向全國各地的診所提供數據，用於其基於文件的本地應用程式。資料檔案儲存在 Amazon S3 儲存桶中，該儲存桶對每個診所具有唯讀權限。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

- A. Deploy an AWS Storage Gateway file gateway as a virtual machine (VM) on premises at each clinic
- B. Migrate the files to each clinic's on-premises applications by using AWS DataSync for processing.
- C. Deploy an AWS Storage Gateway volume gateway as a virtual machine (VM) on premises at each clinic.
- D. Attach an Amazon Elastic File System (Amazon EFS) file system to each clinic's on-premises servers.

【參考答案】A

【題號】question 244

【題目】

A company is using a content management system that runs on a single Amazon EC2 instance. The EC2 instance contains both the web server and the database software. The

company must make its website platform highly available and must enable the website to scale to meet user demand.

What should a solutions architect recommend to meet these requirements?

一家公司正在使用在單一 Amazon EC2 執行個體上執行的內容管理系統。EC2 執行個體包含 Web 伺服器 and 資料庫軟體。公司必須使其網站平台高度可用，並且必須使網站能夠擴展以滿足用戶需求。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

A. Move the database to Amazon RDS, and enable automatic backups. Manually launch another EC2 instance in the same Availability Zone. Configure an Application Load Balancer in the Availability Zone, and set the two instances as targets.

B. Migrate the database to an Amazon Aurora instance with a read replica in the same Availability Zone as the existing EC2 instance. Manually launch another EC2 instance in the same Availability Zone. Configure an Application Load Balancer, and set the two EC2 instances as targets.

C. Move the database to Amazon Aurora with a read replica in another Availability Zone. Create an Amazon Machine Image (AMI) from the EC2 instance. Configure an Application Load Balancer in two Availability Zones. Attach an Auto Scaling group that uses the AMI across two Availability Zones.

D. Move the database to a separate EC2 instance, and schedule backups to Amazon S3. Create an Amazon Machine Image (AMI) from the original EC2 instance. Configure an Application Load Balancer in two Availability Zones. Attach an Auto Scaling group that uses the AMI across two Availability Zones.

【參考答案】C

【題號】question 245

【題目】

A company is launching an application on AWS. The application uses an Application Load Balancer (ALB) to direct traffic to at least two Amazon EC2 instances in a single target

group. The instances are in an Auto Scaling group for each environment. The company requires a development environment and a production environment. The production environment will have periods of high traffic.

Which solution will configure the development environment MOST cost-effectively?

一家公司正在 AWS 上啟動一個應用程式。該應用程式使用應用程式負載平衡器 (ALB) 將流量定向到單一目標群組中的至少兩個 Amazon EC2 執行個體。這些執行個體位於每個環境的 Auto Scaling 群組中。公司需要一個開發環境和一個生產環境。生產環境會出現流量高峰。

哪一種解決方案配置開發環境最經濟有效？

【選項】

A.Reconfigure the target group in the development environment to have only one EC2 instance as a target.

B.Change the ALB balancing algorithm to least outstanding requests.

C.Reduce the size of the EC2 instances in both environments.

D.Reduce the maximum number of EC2 instances in the development environment's Auto Scaling group.

【參考答案】D

【題號】question 246

【題目】

A company runs a web application on Amazon EC2 instances in multiple Availability Zones. The EC2 instances are in private subnets. A solutions architect implements an internet-facing Application Load Balancer (ALB) and specifies the EC2 instances as the target group. However, the internet traffic is not reaching the EC2 instances.

How should the solutions architect reconfigure the architecture to resolve this issue?

一家公司在多個可用區的 Amazon EC2 執行個體上執行 Web 應用程式。EC2 執行個體位於私有子網路中。解決方案架構師實作面向網際網路的應用程式負載平衡器 (ALB) 並將 EC2 執行個體指定為目標群組。但是，網際網路流量未到達 EC2 執行個體。

解決方案架構師應該如何重新配置架構來解決這個問題？

【選項】

A.Replace the ALB with a Network Load Balancer. Configure a NAT gateway in a public subnet to allow internet traffic.

B.Move the EC2 instances to public subnets. Add a rule to the EC2 instances' security groups to allow outbound traffic to 0.0.0.0/0.

C.Update the route tables for the EC2 instances' subnets to send 0.0.0.0/0 traffic through the internet gateway route. Add a rule to the EC2 instances' security groups to allow outbound traffic to 0.0.0.0/0.

D.Create public subnets in each Availability Zone. Associate the public subnets with the ALB. Update the route tables for the public subnets with a route to the private subnets.

【參考答案】D

【題號】question 247

【題目】

A company has deployed a database in Amazon RDS for MySQL. Due to increased transactions, the database support team is reporting slow reads against the DB instance and recommends adding a read replica.

Which combination of actions should a solutions architect take before implementing this change? (Choose two.)

一家公司在 Amazon RDS for MySQL 中部署了資料庫。由於事務增加，資料庫支援團隊報告資料庫實例讀取速度緩慢，並建議添加唯讀副本。

在實施此變更之前，解決方案架構師應採取哪些操作組合？（選兩個。）

【選項】

A.Enable binlog replication on the RDS primary node.

B.Choose a failover priority for the source DB instance.

- C.Allow long-running transactions to complete on the source DB instance.
- D.Create a global table and specify the AWS Regions where the table will be available.
- E.Enable automatic backups on the source instance by setting the backup retention period to a value other than 0.

【參考答案】CE

【題號】question 248

【題目】

A company runs analytics software on Amazon EC2 instances. The software accepts job requests from users to process data that has been uploaded to Amazon S3. Users report that some submitted data is not being processed Amazon CloudWatch reveals that the EC2 instances have a consistent CPU utilization at or near 100%. The company wants to improve system performance and scale the system based on user load.

What should a solutions architect do to meet these requirements?

一家公司在 Amazon EC2 執行個體上執行分析軟體。軟體接受使用者的作業請求來處理已上傳至 Amazon S3 的資料。使用者報告稱，某些提交的資料未處理 Amazon CloudWatch 顯示 EC2 執行個體的 CPU 使用率始終處於或接近 100%。該公司希望提高系統效能並根據用戶負載擴展系統。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A.Create a copy of the instance. Place all instances behind an Application Load Balancer.
- B.Create an S3 VPC endpoint for Amazon S3. Update the software to reference the endpoint.
- C.Stop the EC2 instances. Modify the instance type to one with a more powerful CPU and more memory. Restart the instances.
- D.Route incoming requests to Amazon Simple Queue Service (Amazon SQS). Configure an EC2 Auto Scaling group based on queue size. Update the software to read from the queue.

【參考答案】D

【題號】question 249

【題目】

A company is implementing a shared storage solution for a media application that is hosted in the AWS Cloud. The company needs the ability to use SMB clients to access data. The solution must be fully managed.

Which AWS solution meets these requirements?

一家公司正在為 AWS 雲端中託管的媒體應用程式實施共用儲存解決方案。該公司需要能夠使用 SMB 用戶端存取資料。該解決方案必須經過全面管理。

哪種 AWS 解決方案符合這些要求？

【選項】

A.Create an AWS Storage Gateway volume gateway. Create a file share that uses the required client protocol. Connect the application server to the file share.

B.Create an AWS Storage Gateway tape gateway. Configure tapes to use Amazon S3. Connect the application server to the tape gateway.

C.Create an Amazon EC2 Windows instance. Install and configure a Windows file share role on the instance. Connect the application server to the file share.

D.Create an Amazon FSx for Windows File Server file system. Attach the file system to the origin server. Connect the application server to the file system.

【參考答案】D

【題號】question 250

【題目】

A company's security team requests that network traffic be captured in VPC Flow Logs. The logs will be frequently accessed for 90 days and then accessed intermittently.

What should a solutions architect do to meet these requirements when configuring the logs?

一家公司的安全團隊要求在 VPC 流程日誌中擷取網路流量。日誌將在 90 天內被頻繁訪問，然後間歇性訪問。

解決方案架構師在設定日誌時應該怎麼做才能滿足這些要求？

【選項】

- A. Use Amazon CloudWatch as the target. Set the CloudWatch log group with an expiration of 90 days
- B. Use Amazon Kinesis as the target. Configure the Kinesis stream to always retain the logs for 90 days.
- C. Use AWS CloudTrail as the target. Configure CloudTrail to save to an Amazon S3 bucket, and enable S3 Intelligent-Tiering.
- D. Use Amazon S3 as the target. Enable an S3 Lifecycle policy to transition the logs to S3 Standard-Infrequent Access (S3 Standard-IA) after 90 days.

【參考答案】D

【題號】question 251

【題目】

An Amazon EC2 instance is located in a private subnet in a new VPC. This subnet does not have outbound internet access, but the EC2 instance needs the ability to download monthly security updates from an outside vendor.

What should a solutions architect do to meet these requirements?

Amazon EC2 執行個體位於新 VPC 的私有子網路中。該子網路沒有出站 Internet 存取權限，但 EC2 執行個體需要能夠從外部供應商下載每月安全性更新。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Create an internet gateway, and attach it to the VPC. Configure the private subnet route table to use the internet gateway as the default route.

B.Create a NAT gateway, and place it in a public subnet. Configure the private subnet route table to use the NAT gateway as the default route.

C.Create a NAT instance, and place it in the same subnet where the EC2 instance is located. Configure the private subnet route table to use the NAT instance as the default route.

D.Create an internet gateway, and attach it to the VPC. Create a NAT instance, and place it in the same subnet where the EC2 instance is located. Configure the private subnet route table to use the internet gateway as the default route.

【參考答案】B

【題號】question 252

【題目】

A solutions architect needs to design a system to store client case files. The files are core company assets and are important. The number of files will grow over time.

The files must be simultaneously accessible from multiple application servers that run on Amazon EC2 instances. The solution must have built-in redundancy.

Which solution meets these requirements?

解決方案架構師需要設計一個系統來儲存客戶案例文件。這些文件是公司的核心資產，非常重要。文件的數量會隨著時間的推移而增加。

這些檔案必須可同時從 Amazon EC2 執行個體上執行的多個應用程式伺服器存取。該解決方案必須具有內建冗餘。

哪種解決方案滿足這些要求？

【選項】

- A.Amazon Elastic File System (Amazon EFS)
- B.Amazon Elastic Block Store (Amazon EBS)
- C.Amazon S3 Glacier Deep Archive
- D.AWS Backup

【參考答案】A

【題號】question 253

【題目】

A solutions architect has created two IAM policies: Policy1 and Policy2. Both policies are attached to an IAM group.

A cloud engineer is added as an IAM user to the IAM group. Which action will the cloud engineer be able to perform?

解決方案架構師創建了兩個 IAM 策略:Policy1 和 Policy2。這兩個策略都附加到 IAM 群組。

將雲端工程師作為 IAM 使用者新增至 IAM 群組。雲端工程師能夠執行哪些操作？

Policy 1

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "iam:Get*",
        "iam:List*",
        "kms:List*",
        "ec2:*",
        "ds:*",
        "logs:Get*",
        "logs:Describe*"
      ],
      "Resource": "*"
    }
  ]
}
```

Policy 2

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "ds:Delete*",
      "Resource": "*"
    }
  ]
}
```

【選項】

- A.Deleting IAM users
- B.Deleting directories
- C.Deleting Amazon EC2 instances
- D.Deleting logs from Amazon CloudWatch Logs

【參考答案】C

【題號】question 254

【題目】

A company is reviewing a recent migration of a three-tier application to a VPC. The security team discovers that the principle of least privilege is not being applied to Amazon EC2 security group ingress and egress rules between the application tiers.

What should a solutions architect do to correct this issue?

一家公司正在審查最近將三層應用程式遷移到 VPC 的情況。安全團隊發現最小權限原則未套用於應用程式層之間的 Amazon EC2 安全性群組入口和出口規則。

解決方案架構師應該如何解決這個問題？

【選項】

- A.Create security group rules using the instance ID as the source or destination.
- B.Create security group rules using the security group ID as the source or destination.
- C.Create security group rules using the VPC CIDR blocks as the source or destination.
- D.Create security group rules using the subnet CIDR blocks as the source or destination.

【參考答案】B

【題號】question 255

【題目】

A company has an ecommerce checkout workflow that writes an order to a database and calls a service to process the payment. Users are experiencing timeouts during the checkout process. When users resubmit the checkout form, multiple unique orders are created for the same desired transaction.

How should a solutions architect refactor this workflow to prevent the creation of multiple orders?

一家公司有一個電子商務結帳工作流程，它將訂單寫入資料庫並調用服務來處理付款。用戶在結帳過程中遇到逾時。當使用者重新提交結帳表單時，將為相同所需交易建立多個唯一訂單。

解決方案架構師應如何重構此工作流程以防止建立多個訂單？

【選項】

- A.Configure the web application to send an order message to Amazon Kinesis Data Firehose. Set the payment service to retrieve the message from Kinesis Data Firehose and process the order.
- B.Create a rule in AWS CloudTrail to invoke an AWS Lambda function based on the logged application path request. Use Lambda to query the database, call the payment service, and pass in the order information.
- C.Store the order in the database. Send a message that includes the order number to Amazon Simple Notification Service (Amazon SNS). Set the payment service to poll Amazon SNS, retrieve the message, and process the order.

D.Store the order in the database. Send a message that includes the order number to an Amazon Simple Queue Service (Amazon SQS) FIFO queue. Set the payment service to retrieve the message and process the order. Delete the message from the queue.

【參考答案】D

【題號】question 256

【題目】

A solutions architect is implementing a document review application using an Amazon S3 bucket for storage. The solution must prevent accidental deletion of the documents and ensure that all versions of the documents are available. Users must be able to download, modify, and upload documents.

Which combination of actions should be taken to meet these requirements? (Choose two.)

解決方案架構師正在使用 Amazon S3 儲存桶進行儲存空間來實作文件審閱應用程式。解決方案必須防止文件被意外刪除，並確保文件的所有版本都可用。使用者必須能夠下載、修改和上傳文件。

應採取哪些行動組合來滿足這些要求？（選兩個。）

【選項】

- A.Enable a read-only bucket ACL.
- B.Enable versioning on the bucket.
- C.Attach an IAM policy to the bucket.
- D.Enable MFA Delete on the bucket.
- E.Encrypt the bucket using AWS KMS.

【參考答案】BD

【題號】question 257

【題目】

A company is building a solution that will report Amazon EC2 Auto Scaling events across all the applications in an AWS account. The company needs to use a serverless solution to store the EC2 Auto Scaling status data in Amazon S3. The company then will use the data in Amazon S3 to provide near-real-time updates in a dashboard. The solution must not affect the speed of EC2 instance launches.

How should the company move the data to Amazon S3 to meet these requirements?

一家公司正在建立一個解決方案，該解決方案將報告 AWS 帳戶中所有應用程式的 Amazon EC2 Auto Scaling 事件。該公司需要使用無伺服器解決方案將 EC2 Auto Scaling 狀態資料儲存在 Amazon S3 中。然後，該公司將使用 Amazon S3 中的資料在儀表板中提供近乎即時的更新。此解決方案不得影響 EC2 執行個體啟動的速度。

公司應該如何將資料遷移到 Amazon S3 來滿足這些要求？

【選項】

- A. Use an Amazon CloudWatch metric stream to send the EC2 Auto Scaling status data to Amazon Kinesis Data Firehose. Store the data in Amazon S3.
- B. Launch an Amazon EMR cluster to collect the EC2 Auto Scaling status data and send the data to Amazon Kinesis Data Firehose. Store the data in Amazon S3.
- C. Create an Amazon EventBridge rule to invoke an AWS Lambda function on a schedule. Configure the Lambda function to send the EC2 Auto Scaling status data directly to Amazon S3.
- D. Use a bootstrap script during the launch of an EC2 instance to install Amazon Kinesis Agent. Configure Kinesis Agent to collect the EC2 Auto Scaling status data and send the data to Amazon Kinesis Data Firehose. Store the data in Amazon S3.

【參考答案】A

【題號】question 258

【題目】

A company has an application that places hundreds of .csv files into an Amazon S3 bucket every hour. The files are 1 GB in size. Each time a file is uploaded, the company needs to convert the file to Apache Parquet format and place the output file into an S3 bucket.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司的應用程式每小時將數百個 .csv 檔案放入 Amazon S3 儲存桶中。檔案大小為 1 GB。每次上傳檔案時，該公司都需要將檔案轉換為 Apache Parquet 格式並將輸出檔案放入 S3 儲存桶中。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an AWS Lambda function to download the .csv files, convert the files to Parquet format, and place the output files in an S3 bucket. Invoke the Lambda function for each S3 PUT event.

B.Create an Apache Spark job to read the .csv files, convert the files to Parquet format, and place the output files in an S3 bucket. Create an AWS Lambda function for each S3 PUT event to invoke the Spark job.

C.Create an AWS Glue table and an AWS Glue crawler for the S3 bucket where the application places the .csv files. Schedule an AWS Lambda function to periodically use Amazon Athena to query the AWS Glue table, convert the query results into Parquet format, and place the output files into an S3 bucket.

D.Create an AWS Glue extract, transform, and load (ETL) job to convert the .csv files to Parquet format and place the output files into an S3 bucket. Create an AWS Lambda function for each S3 PUT event to invoke the ETL job.

【參考答案】D

【題號】question 259

【題目】

A company is implementing new data retention policies for all databases that run on Amazon RDS DB instances. The company must retain daily backups for a minimum period of 2 years. The backups must be consistent and restorable.

Which solution should a solutions architect recommend to meet these requirements?

一家公司正在為 Amazon RDS 資料庫執行個體上執行的所有資料庫實施新的資料保留策略。公司必須將每日備份保留至少 2 年。備份必須一致且可恢復。

解決方案架構師應該推薦哪一種解決方案來滿足這些要求？

【選項】

A.Create a backup vault in AWS Backup to retain RDS backups. Create a new backup plan with a daily schedule and an expiration period of 2 years after creation. Assign the RDS DB instances to the backup plan.

B.Configure a backup window for the RDS DB instances for daily snapshots. Assign a snapshot retention policy of 2 years to each RDS DB instance. Use Amazon Data Lifecycle Manager (Amazon DLM) to schedule snapshot deletions.

C.Configure database transaction logs to be automatically backed up to Amazon CloudWatch Logs with an expiration period of 2 years.

D.Configure an AWS Database Migration Service (AWS DMS) replication task. Deploy a replication instance, and configure a change data capture (CDC) task to stream database changes to Amazon S3 as the target. Configure S3 Lifecycle policies to delete the snapshots after 2 years.

【參考答案】A

【題號】question 260

【題目】

A company's compliance team needs to move its file shares to AWS. The shares run on a Windows Server SMB file share. A self-managed on-premises Active Directory controls access to the files and folders.

The company wants to use Amazon FSx for Windows File Server as part of the solution. The company must ensure that the on-premises Active Directory groups restrict access to the FSx for Windows File Server SMB compliance shares, folders, and files after the move to AWS. The company has created an FSx for Windows File Server file system.

Which solution will meet these requirements?

公司的合規團隊需要將其檔案共用移至 AWS。這些共享在 Windows Server SMB 檔案共用上運行。自我管理的本機 Active Directory 控制對檔案和資料夾的存取。

該公司希望使用 Amazon FSx for Windows File Server 作為解決方案的一部分。公司必須確保遷移到 AWS 後，本機 Active Directory 群組限制對 FSx for Windows File Server SMB 合規性共用、資料夾和檔案的存取。該公司創建了 FSx for Windows File Server 檔案系統。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Active Directory Connector to connect to the Active Directory. Map the Active Directory groups to IAM groups to restrict access.

B.Assign a tag with a Restrict tag key and a Compliance tag value. Map the Active Directory groups to IAM groups to restrict access.

C.Create an IAM service-linked role that is linked directly to FSx for Windows File Server to restrict access.

D.Join the file system to the Active Directory to restrict access.

【參考答案】D

【題號】question 261

【題目】

A company recently announced the deployment of its retail website to a global audience. The website runs on multiple Amazon EC2 instances behind an Elastic Load Balancer. The instances run in an Auto Scaling group across multiple Availability Zones.

The company wants to provide its customers with different versions of content based on the devices that the customers use to access the website.

Which combination of actions should a solutions architect take to meet these requirements? (Choose two.)

一家公司最近宣布向全球受眾部署其零售網站。網站在彈性負載平衡器後面的多個 Amazon EC2 執行個體上執行。執行個體在跨多個可用區的 Auto Scaling 群組中執行。

該公司希望根據客戶造訪網站所使用的設備為其客戶提供不同版本的內容。

解決方案架構師應該採取哪些操作組合來滿足這些要求？（選兩個。）

【選項】

A. Configure Amazon CloudFront to cache multiple versions of the content.

B. Configure a host header in a Network Load Balancer to forward traffic to different instances.

C. Configure a Lambda@Edge function to send specific objects to users based on the User-Agent header.

D. Configure AWS Global Accelerator. Forward requests to a Network Load Balancer (NLB). Configure the NLB to set up host-based routing to different EC2 instances.

E. Configure AWS Global Accelerator. Forward requests to a Network Load Balancer (NLB). Configure the NLB to set up path-based routing to different EC2 instances.

【參考答案】AC

【題號】question 262

【題目】

A company plans to use Amazon ElastiCache for its multi-tier web application. A solutions architect creates a Cache VPC for the ElastiCache cluster and an App VPC for the application's Amazon EC2 instances. Both VPCs are in the us-east-1 Region.

The solutions architect must implement a solution to provide the application's EC2 instances with access to the ElastiCache cluster.

Which solution will meet these requirements MOST cost-effectively?

一家公司計劃將 Amazon ElastiCache 用於其多層 Web 應用程式。解決方案架構師為 ElastiCache 叢集建立一個快取 VPC，並為應用程式的 Amazon EC2 執行個體建立一個應用程式 VPC。兩個 VPC 均位於 us-east-1 區域。

解決方案架構師必須實作一個解決方案，為應用程式的 EC2 執行個體提供對 ElastiCache 叢集的存取權限。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Create a peering connection between the VPCs. Add a route table entry for the peering connection in both VPCs. Configure an inbound rule for the ElastiCache cluster's security group to allow inbound connection from the application's security group.

B. Create a Transit VPC. Update the VPC route tables in the Cache VPC and the App VPC to route traffic through the Transit VPC. Configure an inbound rule for the ElastiCache cluster's security group to allow inbound connection from the application's security group.

C. Create a peering connection between the VPCs. Add a route table entry for the peering connection in both VPCs. Configure an inbound rule for the peering connection's security group to allow inbound connection from the application's security group.

D. Create a Transit VPC. Update the VPC route tables in the Cache VPC and the App VPC to route traffic through the Transit VPC. Configure an inbound rule for the Transit VPC's security group to allow inbound connection from the application's security group.

【參考答案】A

【題號】question 263

【題目】

A company is building an application that consists of several microservices. The company has decided to use container technologies to deploy its software on AWS. The company needs a solution that minimizes the amount of ongoing effort for maintenance and scaling. The company cannot manage additional infrastructure.

Which combination of actions should a solutions architect take to meet these requirements? (Choose two.)

一家公司正在建立一個由多個微服務組成的應用程式。該公司已決定使用容器技術在 AWS 上部署其軟體。該公司需要一種解決方案，最大限度地減少維護和擴展的持續工作量。該公司無法管理額外的基礎設施。

解決方案架構師應該採取哪些操作組合來滿足這些要求？（選兩個。）

【選項】

- A. Deploy an Amazon Elastic Container Service (Amazon ECS) cluster.
- B. Deploy the Kubernetes control plane on Amazon EC2 instances that span multiple Availability Zones.
- C. Deploy an Amazon Elastic Container Service (Amazon ECS) service with an Amazon EC2 launch type. Specify a desired task number level of greater than or equal to 2.
- D. Deploy an Amazon Elastic Container Service (Amazon ECS) service with a Fargate launch type. Specify a desired task number level of greater than or equal to 2.
- E. Deploy Kubernetes worker nodes on Amazon EC2 instances that span multiple Availability Zones. Create a deployment that specifies two or more replicas for each microservice.

【參考答案】AD

【題號】question 264

【題目】

A company has a web application hosted over 10 Amazon EC2 instances with traffic directed by Amazon Route 53. The company occasionally experiences a timeout error when attempting to browse the application. The networking team finds that some DNS queries return IP addresses of unhealthy instances, resulting in the timeout error.

What should a solutions architect implement to overcome these timeout errors?

一家公司有一個 Web 應用程式託管了 10 多個 Amazon EC2 實例，其流量由 Amazon Route 53 引導。該公司在嘗試瀏覽該應用程式時偶爾會遇到逾時錯誤。網路團隊發現某些 DNS 查詢傳回不健康執行個體的 IP 位址，導致逾時錯誤。

解決方案架構師應該採取什麼措施來克服這些逾時錯誤？

【選項】

- A.Create a Route 53 simple routing policy record for each EC2 instance. Associate a health check with each record.
- B.Create a Route 53 failover routing policy record for each EC2 instance. Associate a health check with each record.
- C.Create an Amazon CloudFront distribution with EC2 instances as its origin. Associate a health check with the EC2 instances.
- D.Create an Application Load Balancer (ALB) with a health check in front of the EC2 instances. Route to the ALB from Route 53.

【參考答案】D

【題號】question 265

【題目】

A solutions architect needs to design a highly available application consisting of web, application, and database tiers. HTTPS content delivery should be as close to the edge as possible, with the least delivery time.

Which solution meets these requirements and is MOST secure?

解決方案架構師需要設計一個由 Web、應用程式和資料庫層組成的高度可用的應用程式。HTTPS 內容交付應盡可能靠近邊緣，且交付時間最短。

哪種解決方案符合這些要求並且最安全？

【選項】

A. Configure a public Application Load Balancer (ALB) with multiple redundant Amazon EC2 instances in public subnets. Configure Amazon CloudFront to deliver HTTPS content using the public ALB as the origin.

B. Configure a public Application Load Balancer with multiple redundant Amazon EC2 instances in private subnets. Configure Amazon CloudFront to deliver HTTPS content using the EC2 instances as the origin.

C. Configure a public Application Load Balancer (ALB) with multiple redundant Amazon EC2 instances in private subnets. Configure Amazon CloudFront to deliver HTTPS content using the public ALB as the origin.

D. Configure a public Application Load Balancer with multiple redundant Amazon EC2 instances in public subnets. Configure Amazon CloudFront to deliver HTTPS content using the EC2 instances as the origin.

【參考答案】C

【題號】question 266

【題目】

A company has a popular gaming platform running on AWS. The application is sensitive to latency because latency can impact the user experience and introduce unfair advantages to some players. The application is deployed in every AWS Region. It runs on Amazon EC2 instances that are part of Auto Scaling groups configured behind Application Load Balancers (ALBs). A solutions architect needs to implement a mechanism to monitor the health of the application and redirect traffic to healthy endpoints.

Which solution meets these requirements?

一家公司有一個在 AWS 上運行的流行遊戲平台。該應用程式對延遲很敏感，因為延遲會影響用戶體驗並給某些玩家帶來不公平的優勢。該應用程式部署在每個 AWS 區域中。它在 Amazon EC2 執行個體上執行，這些執行個體是在應用程式負載平衡器 (ALB) 後面配置的 Auto Scaling 群組的一部分。解決方案架構師需要實作一種機制來監控應用程式的運作狀況並將流量重新導向到健康的端點。

哪種解決方案滿足這些要求？

【選項】

A. Configure an accelerator in AWS Global Accelerator. Add a listener for the port that the application listens on, and attach it to a Regional endpoint in each Region. Add the ALB as the endpoint.

B. Create an Amazon CloudFront distribution and specify the ALB as the origin server. Configure the cache behavior to use origin cache headers. Use AWS Lambda functions to optimize the traffic.

C. Create an Amazon CloudFront distribution and specify Amazon S3 as the origin server. Configure the cache behavior to use origin cache headers. Use AWS Lambda functions to optimize the traffic.

D. Configure an Amazon DynamoDB database to serve as the data store for the application. Create a DynamoDB Accelerator (DAX) cluster to act as the in-memory cache for DynamoDB hosting the application data.

【參考答案】A

【題號】question 267

【題目】

A company has one million users that use its mobile app. The company must analyze the data usage in near-real time. The company also must encrypt the data in near-real time and must store the data in a centralized location in Apache Parquet format for further processing.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司擁有一百萬使用其行動應用程式的用戶。公司必須近乎即時地分析數據使用情況。該公司還必須近乎即時地加密數據，並且必須以 Apache Parquet 格式將數據儲存在集中位置以進行進一步處理。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Create an Amazon Kinesis data stream to store the data in Amazon S3. Create an Amazon Kinesis Data Analytics application to analyze the data. Invoke an AWS Lambda function to send the data to the Kinesis Data Analytics application.

B.Create an Amazon Kinesis data stream to store the data in Amazon S3. Create an Amazon EMR cluster to analyze the data. Invoke an AWS Lambda function to send the data to the EMR cluster.

C.Create an Amazon Kinesis Data Firehose delivery stream to store the data in Amazon S3. Create an Amazon EMR cluster to analyze the data.

D.Create an Amazon Kinesis Data Firehose delivery stream to store the data in Amazon S3. Create an Amazon Kinesis Data Analytics application to analyze the data.

【參考答案】D

【題號】question 268

【題目】

A gaming company has a web application that displays scores. The application runs on Amazon EC2 instances behind an Application Load Balancer. The application stores data in an Amazon RDS for MySQL database. Users are starting to experience long delays and interruptions that are caused by database read performance. The company wants to improve the user experience while minimizing changes to the application's architecture.

What should a solutions architect do to meet these requirements?

一家遊戲公司有一個顯示分數的 Web 應用程式。該應用程式在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行。該應用程式將資料儲存在 Amazon RDS for MySQL 資料庫中。使用者開始經歷由資料庫讀取效能引起的長時間延遲和中斷。該公司希望改善用戶體驗，同時盡量減少對應用程式架構的變更。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Use Amazon ElastiCache in front of the database.

B.Use RDS Proxy between the application and the database.

C.Migrate the application from EC2 instances to AWS Lambda.

D.Migrate the database from Amazon RDS for MySQL to Amazon DynamoDB.

【參考答案】A

【題號】question 269

【題目】

An ecommerce company has noticed performance degradation of its Amazon RDS based web application. The performance degradation is attributed to an increase in the number of read-only SQL queries triggered by business analysts. A solutions architect needs to solve the problem with minimal changes to the existing web application.

What should the solutions architect recommend?

一家電子商務公司注意到其基於 Amazon RDS 的 Web 應用程式的效能下降。效能下降的原因是業務分析師觸發的唯讀 SQL 查詢數量增加。解決方案架構師需要透過對現有 Web 應用程式進行最少的更改來解決問題。

解決方案架構師該推薦什麼？

【選項】

- A. Export the data to Amazon DynamoDB and have the business analysts run their queries.
- B. Load the data into Amazon ElastiCache and have the business analysts run their queries.
- C. Create a read replica of the primary database and have the business analysts run their queries.
- D. Copy the data into an Amazon Redshift cluster and have the business analysts run their queries.

【參考答案】C

【題號】question 270

【題目】

A company is using a centralized AWS account to store log data in various Amazon S3 buckets. A solutions architect needs to ensure that the data is encrypted at rest before the data is uploaded to the S3 buckets. The data also must be encrypted in transit.

Which solution meets these requirements?

一家公司正在使用集中式 AWS 帳戶將日誌資料儲存在各個 Amazon S3 儲存桶中。解決方案架構師需要確保在將資料上傳到 S3 儲存桶之前對資料進行靜態加密。資料在傳輸過程中也必須加密。

哪種解決方案滿足這些要求？

【選項】

- A. Use client-side encryption to encrypt the data that is being uploaded to the S3 buckets.
- B. Use server-side encryption to encrypt the data that is being uploaded to the S3 buckets.
- C. Create bucket policies that require the use of server-side encryption with S3 managed encryption keys (SSE-S3) for S3 uploads.
- D. Enable the security option to encrypt the S3 buckets through the use of a default AWS Key Management Service (AWS KMS) key.

【參考答案】A

【題號】question 271

【題目】

A solutions architect observes that a nightly batch processing job is automatically scaled up for 1 hour before the desired Amazon EC2 capacity is reached. The peak capacity is the 'same every night and the batch jobs always start at 1 AM. The solutions architect needs to find a cost-effective solution that will allow for the desired EC2 capacity to be reached quickly and allow the Auto Scaling group to scale down after the batch jobs are complete.

What should the solutions architect do to meet these requirements?

解決方案架構師觀察到，在達到所需的 Amazon EC2 容量之前，夜間批次作業會自動擴展 1 小時。每晚的峰值容量都是一樣的，批次作業總是在凌晨 1 點開始。解決方案架構師需要找到一種經濟高效的解決方案，能夠快速達到所需的 EC2 容量，並允許 Auto Scaling 組在批次作業完成後縮小規模。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A.Increase the minimum capacity for the Auto Scaling group.
- B.Increase the maximum capacity for the Auto Scaling group.
- C.Configure scheduled scaling to scale up to the desired compute level.
- D.Change the scaling policy to add more EC2 instances during each scaling operation.

【參考答案】C

【題號】question 272

【題目】

A company serves a dynamic website from a fleet of Amazon EC2 instances behind an Application Load Balancer (ALB). The website needs to support multiple languages to serve customers around the world. The website's architecture is running in the us-west-1 Region and is exhibiting high request latency for users that are located in other parts of the world.

The website needs to serve requests quickly and efficiently regardless of a user's location. However, the company does not want to recreate the existing architecture across multiple Regions.

What should a solutions architect do to meet these requirements?

一家公司透過應用程式負載平衡器 (ALB) 後面的一組 Amazon EC2 執行個體為動態網站提供服務。網站需要支援多種語言才能為世界各地的客戶提供服務。該網站的架構在 us-west-1 區域運行，並且對位於世界其他地區的用戶表現出較高的請求延遲。

無論使用者位於何處，網站都需要快速有效地處理請求。然而，該公司不想跨多個區域重新創建現有架構。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Replace the existing architecture with a website that is served from an Amazon S3 bucket. Configure an Amazon CloudFront distribution with the S3 bucket as the origin. Set the cache behavior settings to cache based on the Accept-Language request header.

B. Configure an Amazon CloudFront distribution with the ALB as the origin. Set the cache behavior settings to cache based on the Accept-Language request header.

C. Create an Amazon API Gateway API that is integrated with the ALB. Configure the API to use the HTTP integration type. Set up an API Gateway stage to enable the API cache based on the Accept-Language request header.

D. Launch an EC2 instance in each additional Region and configure NGINX to act as a cache server for that Region. Put all the EC2 instances and the ALB behind an Amazon Route 53 record set with a geolocation routing policy.

【參考答案】B

【題號】question 273

【題目】

A rapidly growing ecommerce company is running its workloads in a single AWS Region. A solutions architect must create a disaster recovery (DR) strategy that includes a different AWS Region. The company wants its database to be up to date in the DR Region with the least possible latency. The remaining infrastructure in the DR Region needs to run at reduced capacity and must be able to scale up if necessary.

Which solution will meet these requirements with the LOWEST recovery time objective (RTO)?

一家快速發展的電子商務公司正在單一 AWS 區域中運行其工作負載。解決方案架構師必須建立包含不同 AWS 區域的災難復原 (DR) 策略。該公司希望其資料庫在災難復原區域保持最新狀態，並盡可能減少延遲。災難復原地區的剩餘基礎設施需要以減少的容量運行，並且必須能夠在必要時擴大規模。

哪一種解決方案能夠以最低的復原時間目標 (RTO) 滿足這些要求？

【選項】

- A. Use an Amazon Aurora global database with a pilot light deployment.
- B. Use an Amazon Aurora global database with a warm standby deployment.
- C. Use an Amazon RDS Multi-AZ DB instance with a pilot light deployment.
- D. Use an Amazon RDS Multi-AZ DB instance with a warm standby deployment.

【參考答案】B

【題號】question 274

【題目】

A company runs an application on Amazon EC2 instances. The company needs to implement a disaster recovery (DR) solution for the application. The DR solution needs to have a recovery time objective (RTO) of less than 4 hours. The DR solution also needs to use the fewest possible AWS resources during normal operations.

Which solution will meet these requirements in the MOST operationally efficient way?

一家公司在 Amazon EC2 執行個體上執行應用程式。該公司需要為該應用程式實施災難復原 (DR) 解決方案。災難復原解決方案的復原時間目標 (RTO) 需要小於 4 小時。災難復原解決方案還需要在正常操作期間使用盡可能少的 AWS 資源。

哪一種解決方案能夠以最高效的方式滿足這些要求？

【選項】

- A. Create Amazon Machine Images (AMIs) to back up the EC2 instances. Copy the AMIs to a secondary AWS Region. Automate infrastructure deployment in the secondary Region by using AWS Lambda and custom scripts.
- B. Create Amazon Machine Images (AMIs) to back up the EC2 instances. Copy the AMIs to a secondary AWS Region. Automate infrastructure deployment in the secondary Region by using AWS CloudFormation.

C.Launch EC2 instances in a secondary AWS Region. Keep the EC2 instances in the secondary Region active at all times.

D.Launch EC2 instances in a secondary Availability Zone. Keep the EC2 instances in the secondary Availability Zone active at all times.

【參考答案】B

【題號】question 275

【題目】

A company runs an internal browser-based application. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. The Auto Scaling group scales up to 20 instances during work hours, but scales down to 2 instances overnight. Staff are complaining that the application is very slow when the day begins, although it runs well by mid-morning.

How should the scaling be changed to address the staff complaints and keep costs to a minimum?

一家公司運行一個基於瀏覽器的內部應用程式。該應用程式在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行。這些執行個體在跨多個可用區的 Amazon EC2 Auto Scaling 群組中運作。Auto Scaling 群組在工作時間內擴展到 20 個實例，但在夜間縮小到 2 個實例。工作人員抱怨說，儘管到上午中旬運行良好，但應用程式在一天開始時速度非常慢。

應如何改變規模以解決員工投訴並將成本降至最低？

【選項】

A.Implement a scheduled action that sets the desired capacity to 20 shortly before the office opens.

B.Implement a step scaling action triggered at a lower CPU threshold, and decrease the cooldown period.

C.Implement a target tracking action triggered at a lower CPU threshold, and decrease the cooldown period.

D.Implement a scheduled action that sets the minimum and maximum capacity to 20 shortly before the office opens.

【參考答案】C

【題號】question 276

【題目】

A company has a multi-tier application deployed on several Amazon EC2 instances in an Auto Scaling group. An Amazon RDS for Oracle instance is the application's data layer that uses Oracle-specific PL/SQL functions. Traffic to the application has been steadily increasing. This is causing the EC2 instances to become overloaded and the RDS instance to run out of storage. The Auto Scaling group does not have any scaling metrics and defines the minimum healthy instance count only. The company predicts that traffic will continue to increase at a steady but unpredictable rate before leveling off.

What should a solutions architect do to ensure the system can automatically scale for the increased traffic? (Choose two.)

一家公司在 Auto Scaling 群組中的多個 Amazon EC2 執行個體上部署了一個多層應用程式。Amazon RDS for Oracle 實例是使用 Oracle 特定的 PL/SQL 函數的應用程式的資料層。該應用程式的流量一直在穩步增長。這會導致 EC2 執行個體過載且 RDS 執行個體儲存空間不足。Auto Scaling 組沒有任何擴展指標，僅定義最小健康實例數。該公司預測，流量將繼續以穩定但不可預測的速度成長，然後趨於平穩。

解決方案架構師應該做什麼來確保系統能夠自動擴展以適應增加的流量？（選兩個。）

【選項】

- A.Configure storage Auto Scaling on the RDS for Oracle instance.
- B.Migrate the database to Amazon Aurora to use Auto Scaling storage.
- C.Configure an alarm on the RDS for Oracle instance for low free storage space.
- D.Configure the Auto Scaling group to use the average CPU as the scaling metric.
- E.Configure the Auto Scaling group to use the average free memory as the scaling metric.

【參考答案】AD

【題號】question 277

【題目】

A company provides an online service for posting video content and transcoding it for use by any mobile platform. The application architecture uses Amazon Elastic File System (Amazon EFS) Standard to collect and store the videos so that multiple Amazon EC2 Linux instances can access the video content for processing. As the popularity of the service has grown over time, the storage costs have become too expensive.

Which storage solution is MOST cost-effective?

一家公司提供線上服務，用於發布影片內容並將其轉碼以供任何行動平台使用。該應用程式架構使用 Amazon Elastic File System (Amazon EFS) 標準來收集和儲存視頻，以便多個 Amazon EC2 Linux 執行個體可以存取視頻內容進行處理。隨著該服務越來越受歡迎，儲存成本變得過於昂貴。

哪種儲存解決方案最具成本效益？

【選項】

- A. Use AWS Storage Gateway for files to store and process the video content.
- B. Use AWS Storage Gateway for volumes to store and process the video content.
- C. Use Amazon EFS for storing the video content. Once processing is complete, transfer the files to Amazon Elastic Block Store (Amazon EBS).
- D. Use Amazon S3 for storing the video content. Move the files temporarily over to an Amazon Elastic Block Store (Amazon EBS) volume attached to the server for processing.

【參考答案】D

【題號】question 278

【題目】

A company wants to create an application to store employee data in a hierarchical structured relationship. The company needs a minimum-latency response to high-traffic queries for the employee data and must protect any sensitive data. The company also needs to receive monthly email messages if any financial information is present in the employee data.

Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

一家公司想要創建一個應用程式來以分層結構關係儲存員工資料。公司需要對員工資料的高流量查詢進行最小延遲回應，並且必須保護所有敏感資料。如果員工資料中存在任何財務訊息，公司還需要每月接收電子郵件。

解決方案架構師應該採取哪些步驟組合來滿足這些要求？（選兩個。）

【選項】

A. Use Amazon Redshift to store the employee data in hierarchies. Unload the data to Amazon S3 every month.

B. Use Amazon DynamoDB to store the employee data in hierarchies. Export the data to Amazon S3 every month.

C. Configure Amazon Macie for the AWS account. Integrate Macie with Amazon EventBridge to send monthly events to AWS Lambda.

D. Use Amazon Athena to analyze the employee data in Amazon S3. Integrate Athena with Amazon QuickSight to publish analysis dashboards and share the dashboards with users.

E. Configure Amazon Macie for the AWS account. Integrate Macie with Amazon EventBridge to send monthly notifications through an Amazon Simple Notification Service (Amazon SNS) subscription.

【參考答案】BE

【題號】question 279

【題目】

A company has an application that is backed by an Amazon DynamoDB table. The company's compliance requirements specify that database backups must be taken every month, must be available for 6 months, and must be retained for 7 years.

Which solution will meet these requirements?

一家公司有一個由 Amazon DynamoDB 表支援的應用程式。該公司的合規性要求規定，資料庫備份必須每月進行一次，必須可用 6 個月，並且必須保留 7 年。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an AWS Backup plan to back up the DynamoDB table on the first day of each month. Specify a lifecycle policy that transitions the backup to cold storage after 6 months. Set the retention period for each backup to 7 years.

B.Create a DynamoDB on-demand backup of the DynamoDB table on the first day of each month. Transition the backup to Amazon S3 Glacier Flexible Retrieval after 6 months. Create an S3 Lifecycle policy to delete backups that are older than 7 years.

C.Use the AWS SDK to develop a script that creates an on-demand backup of the DynamoDB table. Set up an Amazon EventBridge rule that runs the script on the first day of each month. Create a second script that will run on the second day of each month to transition DynamoDB backups that are older than 6 months to cold storage and to delete backups that are older than 7 years.

D.Use the AWS CLI to create an on-demand backup of the DynamoDB table. Set up an Amazon EventBridge rule that runs the command on the first day of each month with a cron expression. Specify in the command to transition the backups to cold storage after 6 months and to delete the backups after 7 years.

【參考答案】A

【題號】question 280

【題目】

A company is using Amazon CloudFront with its website. The company has enabled logging on the CloudFront distribution, and logs are saved in one of the company's Amazon S3 buckets. The company needs to perform advanced analyses on the logs and build visualizations.

What should a solutions architect do to meet these requirements?

一家公司正在其網站上使用 Amazon CloudFront。該公司已在 CloudFront 發行版上啟用日誌記錄，日誌保存在該公司的 Amazon S3 儲存桶之一中。該公司需要對日誌進行高級分析並建立視覺化。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Use standard SQL queries in Amazon Athena to analyze the CloudFront logs in the S3 bucket. Visualize the results with AWS Glue.

B. Use standard SQL queries in Amazon Athena to analyze the CloudFront logs in the S3 bucket. Visualize the results with Amazon QuickSight.

C. Use standard SQL queries in Amazon DynamoDB to analyze the CloudFront logs in the S3 bucket. Visualize the results with AWS Glue.

D. Use standard SQL queries in Amazon DynamoDB to analyze the CloudFront logs in the S3 bucket. Visualize the results with Amazon QuickSight.

【參考答案】B

【題號】question 281

【題目】

A company runs a fleet of web servers using an Amazon RDS for PostgreSQL DB instance. After a routine compliance check, the company sets a standard that requires a recovery point objective (RPO) of less than 1 second for all its production databases.

Which solution meets these requirements?

一家公司使用 Amazon RDS for PostgreSQL 資料庫執行個體運行一組 Web 伺服器。經過例行合規性檢查後，該公司製定了一個標準，要求所有生產資料庫的復原點目標 (RPO) 小於 1 秒。

哪種解決方案滿足這些要求？

【選項】

A.Enable a Multi-AZ deployment for the DB instance.

B.Enable auto scaling for the DB instance in one Availability Zone.

C.Configure the DB instance in one Availability Zone, and create multiple read replicas in a separate Availability Zone.

D.Configure the DB instance in one Availability Zone, and configure AWS Database Migration Service (AWS DMS) change data capture (CDC) tasks.

【參考答案】A

【題號】question 282

【題目】

A company runs a web application that is deployed on Amazon EC2 instances in the private subnet of a VPC. An Application Load Balancer (ALB) that extends across the public subnets directs web traffic to the EC2 instances. The company wants to implement new security measures to restrict inbound traffic from the ALB to the EC2 instances while preventing access from any other source inside or outside the private subnet of the EC2 instances.

Which solution will meet these requirements?

一家公司執行一個部署在 VPC 私有子網路中的 Amazon EC2 執行個體上的 Web 應用程式。跨公有子網路延伸的應用程式負載平衡器 (ALB) 將 Web 流量引導至 EC2 執行個體。該公司希望實施新的安全措施來限制從 ALB 到 EC2 執行個體的入站流量，同時防止來自 EC2 執行個體私有子網路內部或外部的任何其他來源的存取。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure a route in a route table to direct traffic from the internet to the private IP addresses of the EC2 instances.
- B. Configure the security group for the EC2 instances to only allow traffic that comes from the security group for the ALB.
- C. Move the EC2 instances into the public subnet. Give the EC2 instances a set of Elastic IP addresses.
- D. Configure the security group for the ALB to allow any TCP traffic on any port.

【參考答案】B

【題號】question 283

【題目】

A research company runs experiments that are powered by a simulation application and a visualization application. The simulation application runs on Linux and outputs intermediate data to an NFS share every 5 minutes. The visualization application is a Windows desktop application that displays the simulation output and requires an SMB file system.

The company maintains two synchronized file systems. This strategy is causing data duplication and inefficient resource usage. The company needs to migrate the applications to AWS without making code changes to either application.

Which solution will meet these requirements?

一家研究公司運行由模擬應用程式和視覺化應用程式支援的實驗。模擬應用程式在 Linux 上運行，每 5 分鐘將中間資料輸出到 NFS 共用。視覺化應用程式是一個 Windows 桌面應用程式，用於顯示模擬輸出並需要 SMB 檔案系統。

該公司維護兩個同步檔案系統。這種策略導致資料重複和資源使用效率低下。該公司需要將應用程式遷移到 AWS，而不需要對任一應用程式進程式碼變更。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate both applications to AWS Lambda. Create an Amazon S3 bucket to exchange data between the applications.

B.Migrate both applications to Amazon Elastic Container Service (Amazon ECS). Configure Amazon FSx File Gateway for storage.

C.Migrate the simulation application to Linux Amazon EC2 instances. Migrate the visualization application to Windows EC2 instances. Configure Amazon Simple Queue Service (Amazon SQS) to exchange data between the applications.

D.Migrate the simulation application to Linux Amazon EC2 instances. Migrate the visualization application to Windows EC2 instances. Configure Amazon FSx for NetApp ONTAP for storage.

【參考答案】D

【題號】question 284

【題目】

As part of budget planning, management wants a report of AWS billed items listed by user. The data will be used to create department budgets. A solutions architect needs to determine the most efficient way to obtain this report information.

Which solution meets these requirements?

作為預算規劃的一部分，管理層希望獲得用戶列出的 AWS 計費項目的報告。這些數據將用於建立部門預算。解決方案架構師需要確定獲取此報告資訊的最有效方法。

哪種解決方案滿足這些要求？

【選項】

A.Run a query with Amazon Athena to generate the report.

B.Create a report in Cost Explorer and download the report.

C.Access the bill details from the billing dashboard and download the bill.

D.Modify a cost budget in AWS Budgets to alert with Amazon Simple Email Service (Amazon SES).

【參考答案】B

【題號】question 285

【題目】

A company hosts its static website by using Amazon S3. The company wants to add a contact form to its webpage. The contact form will have dynamic server-side components for users to input their name, email address, phone number, and user message. The company anticipates that there will be fewer than 100 site visits each month.

Which solution will meet these requirements MOST cost-effectively?

一家公司使用 Amazon S3 託管其靜態網站。該公司希望在其網頁上新增聯絡表單。聯絡表單將具有動態伺服器端元件，供使用者輸入姓名、電子郵件地址、電話號碼和使用者訊息。該公司預計每月的現場訪問量將少於 100 次。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Host a dynamic contact form page in Amazon Elastic Container Service (Amazon ECS). Set up Amazon Simple Email Service (Amazon SES) to connect to any third-party email provider.

B.Create an Amazon API Gateway endpoint with an AWS Lambda backend that makes a call to Amazon Simple Email Service (Amazon SES).

C.Convert the static webpage to dynamic by deploying Amazon Lightsail. Use client-side scripting to build the contact form. Integrate the form with Amazon WorkMail.

D.Create a t2.micro Amazon EC2 instance. Deploy a LAMP (Linux, Apache, MySQL, PHP/Perl/Python) stack to host the webpage. Use client-side scripting to build the contact form. Integrate the form with Amazon WorkMail.

【參考答案】B

【題號】question 286

【題目】

A company has a static website that is hosted on Amazon CloudFront in front of Amazon S3. The static website uses a database backend. The company notices that the website does not reflect updates that have been made in the website's Git repository. The company checks the continuous integration and continuous delivery (CI/CD) pipeline between the Git repository and Amazon S3. The company verifies that the webhooks are configured properly and that the CI/CD pipeline is sending messages that indicate successful deployments.

A solutions architect needs to implement a solution that displays the updates on the website.

Which solution will meet these requirements?

一家公司有一個靜態網站，託管在 Amazon S3 前面的 Amazon CloudFront 上。靜態網站使用資料庫後端。該公司注意到該網站沒有反映網站 Git 儲存庫中所做的更新。該公司檢查 Git 儲存庫和 Amazon S3 之間的持續整合和持續交付 (CI/CD) 管道。該公司驗證 Webhook 是否配置正確，以及 CI/CD 管道是否正在發送指示部署成功的訊息。

解決方案架構師需要實作一個在網站上顯示更新的解決方案。

哪種解決方案可以滿足這些要求？

【選項】

A.Add an Application Load Balancer.

B.Add Amazon ElastiCache for Redis or Memcached to the database layer of the web application.

C.Invalidate the CloudFront cache.

D.Use AWS Certificate Manager (ACM) to validate the website's SSL certificate.

【參考答案】C

【題號】question 287

【題目】

A company wants to migrate a Windows-based application from on premises to the AWS Cloud. The application has three tiers: an application tier, a business tier, and a database tier with Microsoft SQL Server. The company wants to use specific features of SQL Server such as native backups and Data Quality Services. The company also needs to share files for processing between the tiers.

How should a solutions architect design the architecture to meet these requirements?

一家公司希望將基於 Windows 的應用程式從本地遷移到 AWS 雲端。此應用程式具有三層：應用程式層、業務層和具有 Microsoft SQL Server 的資料庫層。該公司希望使用 SQL Server 的特定功能，例如本機備份和資料品質服務。該公司還需要在各層之間共享用於處理的文件。

解決方案架構師應該如何設計架構來滿足這些要求？

【選項】

A.Host all three tiers on Amazon EC2 instances. Use Amazon FSx File Gateway for file sharing between the tiers.

B.Host all three tiers on Amazon EC2 instances. Use Amazon FSx for Windows File Server for file sharing between the tiers.

C.Host the application tier and the business tier on Amazon EC2 instances. Host the database tier on Amazon RDS. Use Amazon Elastic File System (Amazon EFS) for file sharing between the tiers.

D.Host the application tier and the business tier on Amazon EC2 instances. Host the database tier on Amazon RDS. Use a Provisioned IOPS SSD (io2) Amazon Elastic Block Store (Amazon EBS) volume for file sharing between the tiers.

【參考答案】B

【題號】question 288

【題目】

A company is migrating a Linux-based web server group to AWS. The web servers must access files in a shared file store for some content. The company must not make any changes to the application.

What should a solutions architect do to meet these requirements?

一家公司正在將基於 Linux 的 Web 伺服器群組遷移到 AWS。Web 伺服器必須存取共用文件儲存中的文件才能取得某些內容。公司不得對申請進行任何更改。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

- A.Create an Amazon S3 Standard bucket with access to the web servers.
- B.Configure an Amazon CloudFront distribution with an Amazon S3 bucket as the origin.
- C.Create an Amazon Elastic File System (Amazon EFS) file system. Mount the EFS file system on all web servers.
- D.Configure a General Purpose SSD (gp3) Amazon Elastic Block Store (Amazon EBS) volume. Mount the EBS volume to all web servers.

【參考答案】C

【題號】question 289

【題目】

A company has an AWS Lambda function that needs read access to an Amazon S3 bucket that is located in the same AWS account.

Which solution will meet these requirements in the MOST secure manner?

一家公司有一個 AWS Lambda 函數，需要對位於相同 AWS 帳戶中的 Amazon S3 儲存桶進行讀取存取。

哪一種解決方案能夠以最安全的方式滿足這些要求？

【選項】

- A. Apply an S3 bucket policy that grants read access to the S3 bucket.
- B. Apply an IAM role to the Lambda function. Apply an IAM policy to the role to grant read access to the S3 bucket.
- C. Embed an access key and a secret key in the Lambda function's code to grant the required IAM permissions for read access to the S3 bucket.
- D. Apply an IAM role to the Lambda function. Apply an IAM policy to the role to grant read access to all S3 buckets in the account.

【參考答案】B

【題號】question 290

【題目】

A company hosts a web application on multiple Amazon EC2 instances. The EC2 instances are in an Auto Scaling group that scales in response to user demand. The company wants to optimize cost savings without making a long-term commitment.

Which EC2 instance purchasing option should a solutions architect recommend to meet these requirements?

一家公司在多個 Amazon EC2 執行個體上託管 Web 應用程式。EC2 執行個體位於 Auto Scaling 群組中，可依使用者需求進行擴充。該公司希望在不做出長期承諾的情況下優化成本節約。

解決方案架構師應該推薦哪種 EC2 執行個體購買選項來滿足這些要求？

【選項】

- A. Dedicated Instances only
- B. On-Demand Instances only
- C. A mix of On-Demand Instances and Spot Instances

D.A mix of On-Demand Instances and Reserved Instances

【參考答案】C

【題號】question 291

【題目】

A media company uses Amazon CloudFront for its publicly available streaming video content. The company wants to secure the video content that is hosted in Amazon S3 by controlling who has access. Some of the company's users are using a custom HTTP client that does not support cookies. Some of the company's users are unable to change the hardcoded URLs that they are using for access.

Which services or methods will meet these requirements with the LEAST impact to the users? (Choose two.)

一家媒體公司使用 Amazon CloudFront 來儲存其公開可用的串流影片內容。該公司希望透過控制存取權限來保護 Amazon S3 中託管的影片內容。該公司的一些用戶正在使用不支援 cookie 的自訂 HTTP 用戶端。該公司的一些用戶無法更改他們用於存取的硬編碼 URL。

哪些服務或方法能夠滿足這些要求，同時對使用者的影響最小？（選兩個。）

【選項】

- A.Signed cookies
- B.Signed URLs
- C.AWS AppSync
- D.JSON Web Token (JWT)
- E.AWS Secrets Manager

【參考答案】AB

【題號】question 292

【題目】

A company is preparing a new data platform that will ingest real-time streaming data from multiple sources. The company needs to transform the data before writing the data to Amazon S3. The company needs the ability to use SQL to query the transformed data.

Which solutions will meet these requirements? (Choose two.)

一家公司正在準備一個新的數據平台，該平台將從多個來源獲取即時串流數據。該公司需要在將資料寫入 Amazon S3 之前轉換資料。該公司需要能夠使用 SQL 查詢轉換後的資料。

哪些解決方案可以滿足這些要求？（選兩個。）

【選項】

A. Use Amazon Kinesis Data Streams to stream the data. Use Amazon Kinesis Data Analytics to transform the data. Use Amazon Kinesis Data Firehose to write the data to Amazon S3. Use Amazon Athena to query the transformed data from Amazon S3.

B. Use Amazon Managed Streaming for Apache Kafka (Amazon MSK) to stream the data. Use AWS Glue to transform the data and to write the data to Amazon S3. Use Amazon Athena to query the transformed data from Amazon S3.

C. Use AWS Database Migration Service (AWS DMS) to ingest the data. Use Amazon EMR to transform the data and to write the data to Amazon S3. Use Amazon Athena to query the transformed data from Amazon S3.

D. Use Amazon Managed Streaming for Apache Kafka (Amazon MSK) to stream the data. Use Amazon Kinesis Data Analytics to transform the data and to write the data to Amazon S3. Use the Amazon RDS query editor to query the transformed data from Amazon S3.

E. Use Amazon Kinesis Data Streams to stream the data. Use AWS Glue to transform the data. Use Amazon Kinesis Data Firehose to write the data to Amazon S3. Use the Amazon RDS query editor to query the transformed data from Amazon S3.

【參考答案】AB

【題號】question 293

【題目】

A company has an on-premises volume backup solution that has reached its end of life. The company wants to use AWS as part of a new backup solution and wants to maintain local access to all the data while it is backed up on AWS. The company wants to ensure that the data backed up on AWS is automatically and securely transferred.

Which solution meets these requirements?

一家公司的本地捲備份解決方案已達到其使用壽命。該公司希望使用 AWS 作為新備份解決方案的一部分，並希望在 AWS 上備份時保持對所有資料的本地存取。該公司希望確保 AWS 上備份的資料能夠自動且安全地傳輸。

哪種解決方案滿足這些要求？

【選項】

A. Use AWS Snowball to migrate data out of the on-premises solution to Amazon S3. Configure on-premises systems to mount the Snowball S3 endpoint to provide local access to the data.

B. Use AWS Snowball Edge to migrate data out of the on-premises solution to Amazon S3. Use the Snowball Edge file interface to provide on-premises systems with local access to the data.

C. Use AWS Storage Gateway and configure a cached volume gateway. Run the Storage Gateway software appliance on premises and configure a percentage of data to cache locally. Mount the gateway storage volumes to provide local access to the data.

D. Use AWS Storage Gateway and configure a stored volume gateway. Run the Storage Gateway software appliance on premises and map the gateway storage volumes to on-premises storage. Mount the gateway storage volumes to provide local access to the data.

【參考答案】D

【題號】question 294

【題目】

An application that is hosted on Amazon EC2 instances needs to access an Amazon S3 bucket. Traffic must not traverse the internet.

How should a solutions architect configure access to meet these requirements?

託管在 Amazon EC2 執行個體上的應用程式需要存取 Amazon S3 儲存桶。流量不得穿越網路。

解決方案架構師應如何配置存取權限以滿足這些要求？

【選項】

- A.Create a private hosted zone by using Amazon Route 53.
- B.Set up a gateway VPC endpoint for Amazon S3 in the VPC.
- C.Configure the EC2 instances to use a NAT gateway to access the S3 bucket.
- D.Establish an AWS Site-to-Site VPN connection between the VPC and the S3 bucket.

【參考答案】B

【題號】question 295

【題目】

An ecommerce company stores terabytes of customer data in the AWS Cloud. The data contains personally identifiable information (PII). The company wants to use the data in three applications. Only one of the applications needs to process the PII. The PII must be removed before the other two applications process the data.

Which solution will meet these requirements with the LEAST operational overhead?

一家電子商務公司在 AWS 雲端中儲存 TB 級的客戶資料。此資料包含個人識別資訊 (PII)。該公司希望在三個應用程式中使用這些數據。只有其中一個應用程式需要處理 PII。在其他兩個應用程式處理資料之前，必須刪除 PII。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Store the data in an Amazon DynamoDB table. Create a proxy application layer to intercept and process the data that each application requests.

B.Store the data in an Amazon S3 bucket. Process and transform the data by using S3 Object Lambda before returning the data to the requesting application.

C.Process the data and store the transformed data in three separate Amazon S3 buckets so that each application has its own custom dataset. Point each application to its respective S3 bucket.

D.Process the data and store the transformed data in three separate Amazon DynamoDB tables so that each application has its own custom dataset. Point each application to its respective DynamoDB table.

【參考答案】B

【題號】question 296

【題目】

A development team has launched a new application that is hosted on Amazon EC2 instances inside a development VPC. A solutions architect needs to create a new VPC in the same account. The new VPC will be peered with the development VPC. The VPC CIDR block for the development VPC is 192.168.0.0/24. The solutions architect needs to create a CIDR block for the new VPC. The CIDR block must be valid for a VPC peering connection to the development VPC.

What is the SMALLEST CIDR block that meets these requirements?

開發團隊推出了一個新應用程式，該應用程式託管在開發 VPC 內的 Amazon EC2 執行個體上。解決方案架構師需要在同一帳戶中建立新的 VPC。新 VPC 將與開發 VPC 對等。開發 VPC 的 VPC CIDR 區塊是 192.168.0.0/24。解決方案架構師需要為新 VPC 建立 CIDR 區塊。CIDR 區塊對於與開發 VPC 的 VPC 對等連接必須有效。

滿足這些要求的最小 CIDR 區塊是什麼？

【選項】

A.10.0.1.0/32

B.192.168.0.0/24

C.192.168.1.0/32

D.10.0.1.0/24

【參考答案】D

【題號】question 297

【題目】

A company deploys an application on five Amazon EC2 instances. An Application Load Balancer (ALB) distributes traffic to the instances by using a target group. The average CPU usage on each of the instances is below 10% most of the time, with occasional surges to 65%.

A solutions architect needs to implement a solution to automate the scalability of the application. The solution must optimize the cost of the architecture and must ensure that the application has enough CPU resources when surges occur.

Which solution will meet these requirements?

一家公司在五個 Amazon EC2 執行個體上部署應用程式。應用程式負載平衡器 (ALB) 使用目標群組將流量指派到執行個體。大多數情況下，每個執行個體的平均 CPU 使用率低於 10%，偶爾會飆升至 65%。

解決方案架構師需要實作一個解決方案來自動實現應用程式的可擴展性。解決方案必須優化架構的成本，並且必須確保應用程式在出現激增時有足夠的 CPU 資源。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon CloudWatch alarm that enters the ALARM state when the CPUUtilization metric is less than 20%. Create an AWS Lambda function that the CloudWatch alarm invokes to terminate one of the EC2 instances in the ALB target group.

B.Create an EC2 Auto Scaling group. Select the existing ALB as the load balancer and the existing target group as the target group. Set a target tracking scaling policy that is based on the ASGAverageCPUUtilization metric. Set the minimum instances to 2, the desired capacity to 3, the maximum instances to 6, and the target value to 50%. Add the EC2 instances to the Auto Scaling group.

C.Create an EC2 Auto Scaling group. Select the existing ALB as the load balancer and the existing target group as the target group. Set the minimum instances to 2, the desired capacity to 3, and the maximum instances to 6. Add the EC2 instances to the Auto Scaling group.

D.Create two Amazon CloudWatch alarms. Configure the first CloudWatch alarm to enter the ALARM state when the average CPUUtilization metric is below 20%. Configure the second CloudWatch alarm to enter the ALARM state when the average CPUUtilization matric is above 50%. Configure the alarms to publish to an Amazon Simple Notification Service (Amazon SNS) topic to send an email message. After receiving the message, log in to decrease or increase the number of EC2 instances that are running.

【參考答案】B

【題號】question 298

【題目】

A company is running a critical business application on Amazon EC2 instances behind an Application Load Balancer. The EC2 instances run in an Auto Scaling group and access an Amazon RDS DB instance.

The design did not pass an operational review because the EC2 instances and the DB instance are all located in a single Availability Zone. A solutions architect must update the design to use a second Availability Zone.

Which solution will make the application highly available?

一家公司正在應用程式負載平衡器後面的 Amazon EC2 執行個體上執行關鍵業務應用程式。EC2 執行個體在 Auto Scaling 群組中執行並存取 Amazon RDS 資料庫執行個體。

此設計未通過操作審核，因為 EC2 執行個體和資料庫執行個體均位於單一可用區。解決方案架構師必須更新設計以使用第二個可用區。

哪種解決方案將使應用程式具有高可用性？

【選項】

- A. Provision a subnet in each Availability Zone. Configure the Auto Scaling group to distribute the EC2 instances across both Availability Zones. Configure the DB instance with connections to each network.
- B. Provision two subnets that extend across both Availability Zones. Configure the Auto Scaling group to distribute the EC2 instances across both Availability Zones. Configure the DB instance with connections to each network.
- C. Provision a subnet in each Availability Zone. Configure the Auto Scaling group to distribute the EC2 instances across both Availability Zones. Configure the DB instance for Multi-AZ deployment.
- D. Provision a subnet that extends across both Availability Zones. Configure the Auto Scaling group to distribute the EC2 instances across both Availability Zones. Configure the DB instance for Multi-AZ deployment.

【參考答案】C

【題號】question 299

【題目】

A research laboratory needs to process approximately 8 TB of data. The laboratory requires sub-millisecond latencies and a minimum throughput of 6 GBps for the storage subsystem. Hundreds of Amazon EC2 instances that run Amazon Linux will distribute and process the data.

Which solution will meet the performance requirements?

研究實驗室需要處理大約 8 TB 的數據。該實驗室要求儲存子系統具有亞毫秒延遲和 6 GBps 的最低吞吐量。數百個運行 Amazon Linux 的 Amazon EC2 執行個體將分發和處理資料。

哪種解決方案能夠滿足效能要求？

【選項】

A.Create an Amazon FSx for NetApp ONTAP file system. Set each volume's tiering policy to ALL. Import the raw data into the file system. Mount the file system on the EC2 instances.

B.Create an Amazon S3 bucket to store the raw data. Create an Amazon FSx for Lustre file system that uses persistent SSD storage. Select the option to import data from and export data to Amazon S3. Mount the file system on the EC2 instances.

C.Create an Amazon S3 bucket to store the raw data. Create an Amazon FSx for Lustre file system that uses persistent HDD storage. Select the option to import data from and export data to Amazon S3. Mount the file system on the EC2 instances.

D.Create an Amazon FSx for NetApp ONTAP file system. Set each volume's tiering policy to NONE. Import the raw data into the file system. Mount the file system on the EC2 instances.

【參考答案】B

【題號】question 300

【題目】

A company needs to migrate a legacy application from an on-premises data center to the AWS Cloud because of hardware capacity constraints. The application runs 24 hours a day, 7 days a week. The application's database storage continues to grow over time.

What should a solutions architect do to meet these requirements MOST cost-effectively?

由於硬體容量限制，一家公司需要將遺留應用程式從本地資料中心遷移到 AWS 雲端。該應用程式每週 7 天、每天 24 小時運行。應用程式的資料庫儲存隨著時間的推移而不斷增長。

解決方案架構師應該如何做才能最經濟有效地滿足這些要求？

【選項】

A.Migrate the application layer to Amazon EC2 Spot Instances. Migrate the data storage layer to Amazon S3.

B.Migrate the application layer to Amazon EC2 Reserved Instances. Migrate the data storage layer to Amazon RDS On-Demand Instances.

C.Migrate the application layer to Amazon EC2 Reserved Instances. Migrate the data storage layer to Amazon Aurora Reserved Instances.

D.Migrate the application layer to Amazon EC2 On-Demand Instances. Migrate the data storage layer to Amazon RDS Reserved Instances.

【參考答案】C

領先制勝