

AWS Certified Solutions Architect - Associate SAA-C03

question 0501-0600

Last Update: 2024.11

【題號】question 501

【題目】

A company wants to ingest customer payment data into the company's data lake in Amazon S3. The company receives payment data every minute on average. The company wants to analyze the payment data in real time. Then the company wants to ingest the data into the data lake.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司希望將客戶支付資料提取到該公司的 Amazon S3 資料湖中。該公司平均每分鐘都會收到付款數據。該公司希望即時分析支付數據。然後該公司希望將數據提取到數據湖中。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A. Use Amazon Kinesis Data Streams to ingest data. Use AWS Lambda to analyze the data in real time.

B. Use AWS Glue to ingest data. Use Amazon Kinesis Data Analytics to analyze the data in real time.

C. Use Amazon Kinesis Data Firehose to ingest data. Use Amazon Kinesis Data Analytics to analyze the data in real time.

D. Use Amazon API Gateway to ingest data. Use AWS Lambda to analyze the data in real time.

【參考答案】C

【題號】question 502

【題目】

A company runs a website that uses a content management system (CMS) on Amazon EC2. The CMS runs on a single EC2 instance and uses an Amazon Aurora MySQL Multi-AZ DB instance for the data tier. Website images are stored on an Amazon Elastic Block Store (Amazon EBS) volume that is mounted inside the EC2 instance.

Which combination of actions should a solutions architect take to improve the performance and resilience of the website? (Choose two.)

一家公司在 Amazon EC2 上經營一個使用內容管理系統 (CMS) 的網站。CMS 在單一 EC2 執行個體上執行，並使用 Amazon Aurora MySQL 多可用區資料庫執行個體作為資料層。網站圖像儲存在安裝在 EC2 執行個體內 Amazon Elastic Block Store (Amazon EBS) 磁碟區上。

解決方案架構師應該採取哪些操作組合來提高網站的效能和彈性？（選兩個。）

【選項】

A. Move the website images into an Amazon S3 bucket that is mounted on every EC2 instance

B. Share the website images by using an NFS share from the primary EC2 instance. Mount this share on the other EC2 instances.

C. Move the website images onto an Amazon Elastic File System (Amazon EFS) file system that is mounted on every EC2 instance.

D. Create an Amazon Machine Image (AMI) from the existing EC2 instance. Use the AMI to provision new instances behind an Application Load Balancer as part of an Auto Scaling group. Configure the Auto Scaling group to maintain a minimum of two instances. Configure an accelerator in AWS Global Accelerator for the website

E. Create an Amazon Machine Image (AMI) from the existing EC2 instance. Use the AMI to provision new instances behind an Application Load Balancer as part of an Auto Scaling group. Configure the Auto Scaling group to maintain a minimum of two instances. Configure an Amazon CloudFront distribution for the website.

【參考答案】CE

【題號】question 503

【題目】

A company runs an infrastructure monitoring service. The company is building a new feature that will enable the service to monitor data in customer AWS accounts. The new feature will call AWS APIs in customer accounts to describe Amazon EC2 instances and read Amazon CloudWatch metrics.

What should the company do to obtain access to customer accounts in the MOST secure way?

一家公司營運基礎設施監控服務。該公司正在建立一項新功能，使該服務能夠監控客戶 AWS 帳戶中的資料。新功能將呼叫客戶帳戶中的 AWS API 來描述 Amazon EC2 執行個體並讀取 Amazon CloudWatch 指標。

公司應該如何做才能以最安全的方式存取客戶帳戶？

【選項】

- A.Ensure that the customers create an IAM role in their account with read-only EC2 and CloudWatch permissions and a trust policy to the company's account.
- B.Create a serverless API that implements a token vending machine to provide temporary AWS credentials for a role with read-only EC2 and CloudWatch permissions.
- C.Ensure that the customers create an IAM user in their account with read-only EC2 and CloudWatch permissions. Encrypt and store customer access and secret keys in a secrets management system.
- D.Ensure that the customers create an Amazon Cognito user in their account to use an IAM role with read-only EC2 and CloudWatch permissions. Encrypt and store the Amazon Cognito user and password in a secrets management system.

【參考答案】A

【題號】question 504

【題目】

A company needs to connect several VPCs in the us-east-1 Region that span hundreds of AWS accounts. The company's networking team has its own AWS account to manage the cloud network.

What is the MOST operationally efficient solution to connect the VPCs?

一家公司需要連接 us-east-1 區域中跨越數百個 AWS 帳戶的多個 VPC。該公司的網路團隊擁有自己的AWS帳戶來管理雲端網路。

連接 VPC 時最高效的解決方案是什麼？

【選項】

A.Set up VPC peering connections between each VPC. Update each associated subnet's route table

B.Configure a NAT gateway and an internet gateway in each VPC to connect each VPC through the internet

C.Create an AWS Transit Gateway in the networking team's AWS account. Configure static routes from each VPC.

D.Deploy VPN gateways in each VPC. Create a transit VPC in the networking team's AWS account to connect to each VPC.

【參考答案】C

【題號】question 505

【題目】

A company has Amazon EC2 instances that run nightly batch jobs to process data. The EC2 instances run in an Auto Scaling group that uses On-Demand billing. If a job fails on one instance, another instance will reprocess the job. The batch jobs run between 12:00 AM and 06:00 AM local time every day.

Which solution will provide EC2 instances to meet these requirements MOST cost-effectively?

一家公司擁有 Amazon EC2 實例，每晚執行批次作業來處理資料。EC2 執行個體在使用隨選計費的 Auto Scaling 群組中執行。如果作業在一個實例上失敗，另一個實例將重新處理該作業。批次作業在每天當地時間凌晨 12:00 至 06:00 之間運行。

哪一種解決方案能夠以最具成本效益的方式提供 EC2 執行個體來滿足這些要求？

【選項】

A. Purchase a 1-year Savings Plan for Amazon EC2 that covers the instance family of the Auto Scaling group that the batch job uses.

B. Purchase a 1-year Reserved Instance for the specific instance type and operating system of the instances in the Auto Scaling group that the batch job uses.

C. Create a new launch template for the Auto Scaling group. Set the instances to Spot Instances. Set a policy to scale out based on CPU usage.

D. Create a new launch template for the Auto Scaling group. Increase the instance size. Set a policy to scale out based on CPU usage.

【參考答案】C

【題號】question 506

【題目】

A social media company is building a feature for its website. The feature will give users the ability to upload photos. The company expects significant increases in demand during large events and must ensure that the website can handle the upload traffic from users.

Which solution meets these requirements with the MOST scalability?

一家社群媒體公司正在為其網站建立一項功能。該功能將使用戶能夠上傳照片。該公司預計大型活動期間的需求將顯著增加，並且必須確保網站能夠處理用戶的上傳流量。

哪種解決方案能夠滿足這些要求並具有最大的可擴展性？

【選項】

- A.Upload files from the user's browser to the application servers. Transfer the files to an Amazon S3 bucket.
- B.Provision an AWS Storage Gateway file gateway. Upload files directly from the user's browser to the file gateway.
- C.Generate Amazon S3 presigned URLs in the application. Upload files directly from the user's browser into an S3 bucket.
- D.Provision an Amazon Elastic File System (Amazon EFS) file system. Upload files directly from the user's browser to the file system.

【參考答案】C

【題號】question 507

【題目】

A company has a web application for travel ticketing. The application is based on a database that runs in a single data center in North America. The company wants to expand the application to serve a global user base. The company needs to deploy the application to multiple AWS Regions. Average latency must be less than 1 second on updates to the reservation database.

The company wants to have separate deployments of its web platform across multiple Regions. However, the company must maintain a single primary reservation database that is globally consistent.

Which solution should a solutions architect recommend to meet these requirements?

一家公司有一個用於旅行票務的網路應用程式。該應用程式基於在北美單一資料中心運行的資料庫。該公司希望擴展該應用程式以服務全球用戶群。該公司需要將應用程式部署到多個 AWS 區域。更新預訂資料庫的平均延遲必須小於 1 秒。

該公司希望在各個區域單獨部署其網路平台。然而，公司必須維護一個全球一致的單一主要預訂資料庫。

解決方案架構師應該推薦哪一種解決方案來滿足這些要求？

【選項】

A.Convert the application to use Amazon DynamoDB. Use a global table for the center reservation table. Use the correct Regional endpoint in each Regional deployment.

B.Migrate the database to an Amazon Aurora MySQL database. Deploy Aurora Read Replicas in each Region. Use the correct Regional endpoint in each Regional deployment for access to the database.

C.Migrate the database to an Amazon RDS for MySQL database. Deploy MySQL read replicas in each Region. Use the correct Regional endpoint in each Regional deployment for access to the database.

D.Migrate the application to an Amazon Aurora Serverless database. Deploy instances of the database to each Region. Use the correct Regional endpoint in each Regional deployment to access the database. Use AWS Lambda functions to process event streams in each Region to synchronize the databases.

【參考答案】A

【題號】question 508

【題目】

A company has migrated multiple Microsoft Windows Server workloads to Amazon EC2 instances that run in the us-west-1 Region. The company manually backs up the workloads to create an image as needed.

In the event of a natural disaster in the us-west-1 Region, the company wants to recover workloads quickly in the us-west-2 Region. The company wants no more than 24 hours of data loss on the EC2 instances. The company also wants to automate any backups of the EC2 instances.

Which solutions will meet these requirements with the LEAST administrative effort?
(Choose two.)

一家公司已將多個 Microsoft Windows Server 工作負載移轉到在 us-west-1 區域中執行的 Amazon EC2 執行個體。本公司根據需要手動備份工作負載以建立映像。

如果 us-west-1 區域發生自然災害，該公司希望快速恢復 us-west-2 區域的工作負載。該公司希望 EC2 執行個體上的資料遺失時間不超過 24 小時。該公司還希望自動執行 EC2 執行個體的所有備份。

哪些解決方案能夠以最少的管理工作來滿足這些要求？（選兩個。）

【選項】

- A.Create an Amazon EC2-backed Amazon Machine Image (AMI) lifecycle policy to create a backup based on tags. Schedule the backup to run twice daily. Copy the image on demand.
- B.Create an Amazon EC2-backed Amazon Machine Image (AMI) lifecycle policy to create a backup based on tags. Schedule the backup to run twice daily. Configure the copy to the us-west-2 Region.
- C.Create backup vaults in us-west-1 and in us-west-2 by using AWS Backup. Create a backup plan for the EC2 instances based on tag values. Create an AWS Lambda function to run as a scheduled job to copy the backup data to us-west-2.
- D.Create a backup vault by using AWS Backup. Use AWS Backup to create a backup plan for the EC2 instances based on tag values. Define the destination for the copy as us-west-2. Specify the backup schedule to run twice daily.
- E.Create a backup vault by using AWS Backup. Use AWS Backup to create a backup plan for the EC2 instances based on tag values. Specify the backup schedule to run twice daily. Copy on demand to us-west-2.

【參考答案】BD

【題號】question 509

【題目】

A company operates a two-tier application for image processing. The application uses two Availability Zones, each with one public subnet and one private subnet. An Application Load Balancer (ALB) for the web tier uses the public subnets. Amazon EC2 instances for the application tier use the private subnets.

Users report that the application is running more slowly than expected. A security audit of the web server log files shows that the application is receiving millions of illegitimate requests from a small number of IP addresses. A solutions architect needs to resolve the immediate performance problem while the company investigates a more permanent solution.

What should the solutions architect recommend to meet this requirement?

一家公司運行一個兩層圖像處理應用程式。此應用程式使用兩個可用區，每個可用區具有 1 個公有子網路 and 1 個私人子網路。Web 層的應用程式負載平衡器 (ALB) 使用公有子網路。應用程式層的 Amazon EC2 執行個體使用私有子網路。

用戶報告該應用程式的運行速度比預期慢。對 Web 伺服器日誌檔案的安全性審核顯示，該應用程式正在從少數 IP 位址接收數百萬個非法請求。解決方案架構師需要解決當前的效能問題，而公司則研究更持久的解決方案。

解決方案架構師應該建議什麼來滿足此要求？

【選項】

A.Modify the inbound security group for the web tier. Add a deny rule for the IP addresses that are consuming resources.

B.Modify the network ACL for the web tier subnets. Add an inbound deny rule for the IP addresses that are consuming resources.

C.Modify the inbound security group for the application tier. Add a deny rule for the IP addresses that are consuming resources.

D.Modify the network ACL for the application tier subnets. Add an inbound deny rule for the IP addresses that are consuming resources.

【參考答案】B

【題號】question 510

【題目】

A global marketing company has applications that run in the ap-southeast-2 Region and the eu-west-1 Region. Applications that run in a VPC in eu-west-1 need to communicate securely with databases that run in a VPC in ap-southeast-2.

Which network design will meet these requirements?

一家全球行銷公司的應用程式在 ap-southeast-2 區域和 eu-west-1 區域運行。在 eu-west-1 中的 VPC 中運行的應用程式需要與 ap-southeast-2 中的 VPC 中運行的資料庫進行安全通訊。

哪種網路設計能夠滿足這些要求？

【選項】

A.Create a VPC peering connection between the eu-west-1 VPC and the ap-southeast-2 VPC. Create an inbound rule in the eu-west-1 application security group that allows traffic from the database server IP addresses in the ap-southeast-2 security group.

B.Configure a VPC peering connection between the ap-southeast-2 VPC and the eu-west-1 VPC. Update the subnet route tables. Create an inbound rule in the ap-southeast-2 database security group that references the security group ID of the application servers in eu-west-1.

C.Configure a VPC peering connection between the ap-southeast-2 VPC and the eu-west-1 VPC. Update the subnet route tables. Create an inbound rule in the ap-southeast-2 database security group that allows traffic from the eu-west-1 application server IP addresses.

D.Create a transit gateway with a peering attachment between the eu-west-1 VPC and the ap-southeast-2 VPC. After the transit gateways are properly peered and routing is configured, create an inbound rule in the database security group that references the security group ID of the application servers in eu-west-1.

【參考答案】C

【題號】question 511

【題目】

A company is developing software that uses a PostgreSQL database schema. The company needs to configure multiple development environments and databases for the company's developers. On average, each development environment is used for half of the 8-hour workday.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在開發使用 PostgreSQL 資料庫架構的軟體。公司需要為公司的開發人員配置多種開發環境和資料庫。平均而言，每個開發環境的使用時間為每天 8 小時工作日的一半。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A. Configure each development environment with its own Amazon Aurora PostgreSQL database
- B. Configure each development environment with its own Amazon RDS for PostgreSQL Single-AZ DB instances
- C. Configure each development environment with its own Amazon Aurora On-Demand PostgreSQL-Compatible database
- D. Configure each development environment with its own Amazon S3 bucket by using Amazon S3 Object Select

【參考答案】C

【題號】question 512

【題目】

A company uses AWS Organizations with resources tagged by account. The company also uses AWS Backup to back up its AWS infrastructure resources. The company needs to back up all AWS resources.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司使用 AWS Organizations 以及按帳戶標記的資源。該公司還使用 AWS Backup 來備份其 AWS 基礎設施資源。公司需要備份所有AWS資源。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use AWS Config to identify all untagged resources. Tag the identified resources programmatically. Use tags in the backup plan.
- B. Use AWS Config to identify all resources that are not running. Add those resources to the backup vault.
- C. Require all AWS account owners to review their resources to identify the resources that need to be backed up.

D. Use Amazon Inspector to identify all noncompliant resources.

【參考答案】A

【題號】question 513

【題目】

A social media company wants to allow its users to upload images in an application that is hosted in the AWS Cloud. The company needs a solution that automatically resizes the images so that the images can be displayed on multiple device types. The application experiences unpredictable traffic patterns throughout the day. The company is seeking a highly available solution that maximizes scalability.

What should a solutions architect do to meet these requirements?

一家社群媒體公司希望允許其用戶在 AWS 雲端中託管的應用程式中上傳圖像。該公司需要一種能夠自動調整圖像大小的解決方案，以便圖像可以在多種設備類型上顯示。該應用程式全天都會經歷不可預測的流量模式。該公司正在尋求一種高度可用的解決方案，以最大限度地提高可擴展性。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Create a static website hosted in Amazon S3 that invokes AWS Lambda functions to resize the images and store the images in an Amazon S3 bucket.

B. Create a static website hosted in Amazon CloudFront that invokes AWS Step Functions to resize the images and store the images in an Amazon RDS database.

C. Create a dynamic website hosted on a web server that runs on an Amazon EC2 instance. Configure a process that runs on the EC2 instance to resize the images and store the images in an Amazon S3 bucket.

D. Create a dynamic website hosted on an automatically scaling Amazon Elastic Container Service (Amazon ECS) cluster that creates a resize job in Amazon Simple Queue Service (Amazon SQS). Set up an image-resizing program that runs on an Amazon EC2 instance to process the resize jobs.

【參考答案】A

【題號】question 514

【題目】

A company is running a microservices application on Amazon EC2 instances. The company wants to migrate the application to an Amazon Elastic Kubernetes Service (Amazon EKS) cluster for scalability. The company must configure the Amazon EKS control plane with endpoint private access set to true and endpoint public access set to false to maintain security compliance. The company must also put the data plane in private subnets. However, the company has received error notifications because the node cannot join the cluster.

Which solution will allow the node to join the cluster?

一家公司正在 Amazon EC2 執行個體上執行微服務應用程式。該公司希望將應用程式遷移到 Amazon Elastic Kubernetes Service (Amazon EKS) 叢集以實現可擴展性。公司必須配置 Amazon EKS 控制平面，將終端節點私人存取設為 true，將終端節點公共存取設為 false，以保持安全合規性。公司也必須將資料平面置於私有子網路中。然而，該公司收到了錯誤通知，因為該節點無法加入叢集。

哪種解決方案將允許節點加入叢集？

【選項】

A. Grant the required permission in AWS Identity and Access Management (IAM) to the AmazonEKSNodeRole IAM role.

B. Create interface VPC endpoints to allow nodes to access the control plane.

C. Recreate nodes in the public subnet. Restrict security groups for EC2 nodes.

D. Allow outbound traffic in the security group of the nodes.

【參考答案】A

【題號】question 515

【題目】

A company is migrating an on-premises application to AWS. The company wants to use Amazon Redshift as a solution.

Which use cases are suitable for Amazon Redshift in this scenario? (Choose three.)

一家公司正在將本機應用程式遷移到 AWS。該公司希望使用 Amazon Redshift 作為解決方案。

在這種情況下，哪些用例適合 Amazon Redshift？（選擇三項。）

【選項】

- A.Supporting data APIs to access data with traditional, containerized, and event-driven applications
- B.Supporting client-side and server-side encryption
- C.Building analytics workloads during specified hours and when the application is not active
- D.Caching data to reduce the pressure on the backend database
- E.Scaling globally to support petabytes of data and tens of millions of requests per minute
- F.Creating a secondary replica of the cluster by using the AWS Management Console

【參考答案】BCE

【題號】question 516

【題目】

A company provides an API interface to customers so the customers can retrieve their financial information. The company expects a larger number of requests during peak usage times of the year.

The company requires the API to respond consistently with low latency to ensure customer satisfaction. The company needs to provide a compute host for the API.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司向客戶提供 API 接口，以便客戶可以檢索他們的財務資訊。該公司預計在一年中的高峰使用時段會出現大量請求。

該公司要求 API 能夠以低延遲做出一致回應，以確保客戶滿意度。公司需要為 API 提供運算主機。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use an Application Load Balancer and Amazon Elastic Container Service (Amazon ECS).
- B. Use Amazon API Gateway and AWS Lambda functions with provisioned concurrency.
- C. Use an Application Load Balancer and an Amazon Elastic Kubernetes Service (Amazon EKS) cluster.
- D. Use Amazon API Gateway and AWS Lambda functions with reserved concurrency.

【參考答案】B

【題號】question 517

【題目】

A company wants to send all AWS Systems Manager Session Manager logs to an Amazon S3 bucket for archival purposes.

Which solution will meet this requirement with the MOST operational efficiency?

一家公司希望將所有 AWS Systems Manager 會話管理器日誌傳送到 Amazon S3 儲存桶以進行存檔。

哪種解決方案能夠以最高的營運效率滿足此要求？

【選項】

A.Enable S3 logging in the Systems Manager console. Choose an S3 bucket to send the session data to.

B.Install the Amazon CloudWatch agent. Push all logs to a CloudWatch log group. Export the logs to an S3 bucket from the group for archival purposes.

C.Create a Systems Manager document to upload all server logs to a central S3 bucket. Use Amazon EventBridge to run the Systems Manager document against all servers that are in the account daily.

D.Install an Amazon CloudWatch agent. Push all logs to a CloudWatch log group. Create a CloudWatch logs subscription that pushes any incoming log events to an Amazon Kinesis Data Firehose delivery stream. Set Amazon S3 as the destination.

【參考答案】A

【題號】question 518

【題目】

An application uses an Amazon RDS MySQL DB instance. The RDS database is becoming low on disk space. A solutions architect wants to increase the disk space without downtime.

Which solution meets these requirements with the LEAST amount of effort?

應用程式使用 Amazon RDS MySQL 資料庫執行個體。RDS 資料庫的磁碟空間不足。解決方案架構師希望在不停機的情況下增加磁碟空間。

哪種解決方案能夠以最少的努力滿足這些要求？

【選項】

A.Enable storage autoscaling in RDS

B.Increase the RDS database instance size

C.Change the RDS database instance storage type to Provisioned IOPS

D.Back up the RDS database, increase the storage capacity, restore the database, and stop the previous instance

【參考答案】A

【題號】question 519

【題目】

A consulting company provides professional services to customers worldwide. The company provides solutions and tools for customers to expedite gathering and analyzing data on AWS. The company needs to centrally manage and deploy a common set of solutions and tools for customers to use for self-service purposes.

Which solution will meet these requirements?

一家顧問公司為全球客戶提供專業服務。該公司為客戶提供解決方案和工具，以加快在 AWS 上收集和分析資料的速度。公司需要集中管理和部署一套通用的解決方案和工具，供客戶用於自助服務。

哪種解決方案可以滿足這些要求？

【選項】

- A.Create AWS CloudFormation templates for the customers.
- B.Create AWS Service Catalog products for the customers.
- C.Create AWS Systems Manager templates for the customers.
- D.Create AWS Config items for the customers.

【參考答案】B

【題號】question 520

【題目】

A company is designing a new web application that will run on Amazon EC2 Instances. The application will use Amazon DynamoDB for backend data storage. The application traffic will be unpredictable. The company expects that the application read and write throughput to the database will be moderate to high. The company needs to scale in response to application traffic.

Which DynamoDB table configuration will meet these requirements MOST cost-effectively?

一家公司正在設計一個將在 Amazon EC2 執行個體上執行的新 Web 應用程式。該應用程式將使用 Amazon DynamoDB 進行後端資料儲存。應用程式流量將是不可預測的。該公司預計應用程式對資料庫的讀寫吞吐量將為中等到高。該公司需要進行擴展以響應應用程式流量。

哪一種 DynamoDB 表配置能夠最經濟有效率地滿足這些要求？

【選項】

- A. Configure DynamoDB with provisioned read and write by using the DynamoDB Standard table class. Set DynamoDB auto scaling to a maximum defined capacity.
- B. Configure DynamoDB in on-demand mode by using the DynamoDB Standard table class.
- C. Configure DynamoDB with provisioned read and write by using the DynamoDB Standard Infrequent Access (DynamoDB Standard-IA) table class. Set DynamoDB auto scaling to a maximum defined capacity.
- D. Configure DynamoDB in on-demand mode by using the DynamoDB Standard Infrequent Access (DynamoDB Standard-IA) table class.

【參考答案】B

【題號】question 521

【題目】

A retail company has several businesses. The IT team for each business manages its own AWS account. Each team account is part of an organization in AWS Organizations. Each team monitors its product inventory levels in an Amazon DynamoDB table in the team's own AWS account.

The company is deploying a central inventory reporting application into a shared AWS account. The application must be able to read items from all the teams' DynamoDB tables.

Which authentication option will meet these requirements MOST securely?

一家零售公司擁有多項業務。每個企業的 IT 團隊管理自己的 AWS 帳戶。每個團隊帳戶都是 AWS Organizations 中組織的一部分。每個團隊都在自己的 AWS 帳戶的 Amazon DynamoDB 表中監控其產品庫存水準。

該公司正在將中央庫存報告應用程式部署到共享 AWS 帳戶。應用程式必須能夠從所有團隊的 DynamoDB 表中讀取項目。

哪種身份驗證選項最安全地滿足這些要求？

【選項】

A. Integrate DynamoDB with AWS Secrets Manager in the inventory application account. Configure the application to use the correct secret from Secrets Manager to authenticate and read the DynamoDB table. Schedule secret rotation for every 30 days.

B. In every business account, create an IAM user that has programmatic access. Configure the application to use the correct IAM user access key ID and secret access key to authenticate and read the DynamoDB table. Manually rotate IAM access keys every 30 days.

C. In every business account, create an IAM role named BU_ROLE with a policy that gives the role access to the DynamoDB table and a trust policy to trust a specific role in the inventory application account. In the inventory account, create a role named APP_ROLE that allows access to the STS AssumeRole API operation. Configure the application to use APP_ROLE and assume the crossaccount role BU_ROLE to read the DynamoDB table.

D. Integrate DynamoDB with AWS Certificate Manager (ACM). Generate identity certificates to authenticate DynamoDB. Configure the application to use the correct certificate to authenticate and read the DynamoDB table.

【參考答案】C

【題號】question 522

【題目】

A company runs container applications by using Amazon Elastic Kubernetes Service (Amazon EKS). The company's workload is not consistent throughout the day. The company wants Amazon EKS to scale in and out according to the workload.

Which combination of steps will meet these requirements with the LEAST operational overhead? (Choose two.)

一家公司使用 Amazon Elastic Kubernetes Service (Amazon EKS) 運行容器應用程式。公司一天中的工作量並不一致。該公司希望 Amazon EKS 根據工作負載進行擴充和擴展。

哪種步驟組合能夠以最少的營運開銷滿足這些要求？（選兩個。）

【選項】

- A. Use an AWS Lambda function to resize the EKS cluster.
- B. Use the Kubernetes Metrics Server to activate horizontal pod autoscaling.
- C. Use the Kubernetes Cluster Autoscaler to manage the number of nodes in the cluster.
- D. Use Amazon API Gateway and connect it to Amazon EKS.
- E. Use AWS App Mesh to observe network activity.

【參考答案】BC

【題號】question 523

【題目】

A company runs a microservice-based serverless web application. The application must be able to retrieve data from multiple Amazon DynamoDB tables. A solutions architect needs to give the application the ability to retrieve the data with no impact on the baseline performance of the application.

Which solution will meet these requirements in the MOST operationally efficient way?

一家公司運行基於微服務的無伺服器 Web 應用程式。應用程式必須能夠從多個 Amazon DynamoDB 表檢索資料。解決方案架構師需要賦予應用程式檢索資料的能力，而不影響應用程式的基準效能。

哪一種解決方案能夠以最高效的方式滿足這些要求？

【選項】

- A.AWS AppSync pipeline resolvers
- B.Amazon CloudFront with Lambda@Edge functions
- C.Edge-optimized Amazon API Gateway with AWS Lambda functions
- D.Amazon Athena Federated Query with a DynamoDB connector

【參考答案】D

【題號】question 524

【題目】

A company wants to analyze and troubleshoot Access Denied errors and Unauthorized errors that are related to IAM permissions. The company has AWS CloudTrail turned on.

Which solution will meet these requirements with the LEAST effort?

一家公司想要分析和排除與 IAM 權限相關的存取被拒絕錯誤和未經授權錯誤。該公司已啟用 AWS CloudTrail。

哪種解決方案能夠以最少的努力滿足這些要求？

【選項】

- A.Use AWS Glue and write custom scripts to query CloudTrail logs for the errors.
- B.Use AWS Batch and write custom scripts to query CloudTrail logs for the errors.
- C.Search CloudTrail logs with Amazon Athena queries to identify the errors.
- D.Search CloudTrail logs with Amazon QuickSight. Create a dashboard to identify the errors.

【參考答案】C

【題號】question 525

【題目】

A company wants to add its existing AWS usage cost to its operation cost dashboard. A solutions architect needs to recommend a solution that will give the company access to its usage cost programmatically. The company must be able to access cost data for the current year and forecast costs for the next 12 months.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望將其現有的 AWS 使用成本添加到其營運成本儀表板中。解決方案架構師需要推薦一個解決方案，使公司能夠以程式設計方式存取其使用成本。公司必須能夠存取當年的成本數據並預測未來 12 個月的成本。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Access usage cost-related data by using the AWS Cost Explorer API with pagination.

B. Access usage cost-related data by using downloadable AWS Cost Explorer report .csv files.

C. Configure AWS Budgets actions to send usage cost data to the company through FTP.

D. Create AWS Budgets reports for usage cost data. Send the data to the company through SMTP.

【參考答案】A

【題號】question 526

【題目】

A solutions architect is reviewing the resilience of an application. The solutions architect notices that a database administrator recently failed over the application's Amazon

Aurora PostgreSQL database writer instance as part of a scaling exercise. The failover resulted in 3 minutes of downtime for the application.

Which solution will reduce the downtime for scaling exercises with the LEAST operational overhead?

解決方案架構師正在審查應用程式的彈性。解決方案架構師注意到，作為擴展練習的一部分，資料庫管理員最近對應用程式的 Amazon Aurora PostgreSQL 資料庫編寫器執行個體進行了故障轉移。故障轉移導致應用程式停機 3 分鐘。

哪種解決方案能夠以最少的營運開銷減少擴展練習的停機時間？

【選項】

A.Create more Aurora PostgreSQL read replicas in the cluster to handle the load during failover.

B.Set up a secondary Aurora PostgreSQL cluster in the same AWS Region. During failover, update the application to use the secondary cluster's writer endpoint.

C.Create an Amazon ElastiCache for Memcached cluster to handle the load during failover.

D.Set up an Amazon RDS proxy for the database. Update the application to use the proxy endpoint.

【參考答案】D

【題號】question 527

【題目】

A company has a regional subscription-based streaming service that runs in a single AWS Region. The architecture consists of web servers and application servers on Amazon EC2 instances. The EC2 instances are in Auto Scaling groups behind Elastic Load Balancers. The architecture includes an Amazon Aurora global database cluster that extends across multiple Availability Zones.

The company wants to expand globally and to ensure that its application has minimal downtime.

Which solution will provide the MOST fault tolerance?

一家公司擁有在單一 AWS 區域中運行的基於區域訂閱的串流媒體服務。該架構由 Amazon EC2 執行個體上的 Web 伺服器和應用程式伺服器組成。EC2 執行個體位於彈性負載平衡器後方的 Auto Scaling 群組中。該架構包括一個跨多個可用區的 Amazon Aurora 全域資料庫叢集。

該公司希望在全球擴張並確保其應用程式的停機時間最短。

哪種解決方案將提供最大的容錯能力？

【選項】

A.Extend the Auto Scaling groups for the web tier and the application tier to deploy instances in Availability Zones in a second Region. Use an Aurora global database to deploy the database in the primary Region and the second Region. Use Amazon Route 53 health checks with a failover routing policy to the second Region.

B.Deploy the web tier and the application tier to a second Region. Add an Aurora PostgreSQL cross-Region Aurora Replica in the second Region. Use Amazon Route 53 health checks with a failover routing policy to the second Region. Promote the secondary to primary as needed.

C.Deploy the web tier and the application tier to a second Region. Create an Aurora PostgreSQL database in the second Region. Use AWS Database Migration Service (AWS DMS) to replicate the primary database to the second Region. Use Amazon Route 53 health checks with a failover routing policy to the second Region.

D.Deploy the web tier and the application tier to a second Region. Use an Amazon Aurora global database to deploy the database in the primary Region and the second Region. Use Amazon Route 53 health checks with a failover routing policy to the second Region. Promote the secondary to primary as needed.

【參考答案】D

【題號】question 528

【題目】

A data analytics company wants to migrate its batch processing system to AWS. The company receives thousands of small data files periodically during the day through FTP. An on-premises batch job processes the data files overnight. However, the batch job takes hours to finish running.

The company wants the AWS solution to process incoming data files as soon as possible with minimal changes to the FTP clients that send the files. The solution must delete the incoming data files after the files have been processed successfully. Processing for each file needs to take 3-8 minutes.

Which solution will meet these requirements in the MOST operationally efficient way?

一家數據分析公司希望將其批次系統遷移到 AWS。該公司每天透過 FTP 定期接收數千個小資料檔。本地批次作業會在一夜之間處理資料檔。但是，批次作業需要幾個小時才能完成運行。

該公司希望 AWS 解決方案能夠盡快處理傳入的資料文件，並對發送文件的 FTP 用戶端進行最小程度的更改。此解決方案必須在成功處理檔案後刪除傳入的資料檔案。每個文件的處理需要 3-8 分鐘。

哪一種解決方案能夠以最高效的方式滿足這些要求？

【選項】

A. Use an Amazon EC2 instance that runs an FTP server to store incoming files as objects in Amazon S3 Glacier Flexible Retrieval. Configure a job queue in AWS Batch. Use Amazon EventBridge rules to invoke the job to process the objects nightly from S3 Glacier Flexible Retrieval. Delete the objects after the job has processed the objects.

B. Use an Amazon EC2 instance that runs an FTP server to store incoming files on an Amazon Elastic Block Store (Amazon EBS) volume. Configure a job queue in AWS Batch. Use Amazon EventBridge rules to invoke the job to process the files nightly from the EBS volume. Delete the files after the job has processed the files.

C. Use AWS Transfer Family to create an FTP server to store incoming files on an Amazon Elastic Block Store (Amazon EBS) volume. Configure a job queue in AWS Batch. Use an Amazon S3 event notification when each file arrives to invoke the job in AWS Batch. Delete the files after the job has processed the files.

D. Use AWS Transfer Family to create an FTP server to store incoming files in Amazon S3 Standard. Create an AWS Lambda function to process the files and to delete the files after they are processed. Use an S3 event notification to invoke the Lambda function when the files arrive.

【參考答案】D

【題號】question 529

【題目】

A company is migrating its workloads to AWS. The company has transactional and sensitive data in its databases. The company wants to use AWS Cloud solutions to increase security and reduce operational overhead for the databases.

Which solution will meet these requirements?

一家公司正在將其工作負載遷移到 AWS。該公司的資料庫中有交易資料和敏感資料。該公司希望使用 AWS 雲端解決方案來提高安全性並減少資料庫的營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate the databases to Amazon EC2. Use an AWS Key Management Service (AWS KMS) AWS managed key for encryption.

B.Migrate the databases to Amazon RDS Configure encryption at rest.

C.Migrate the data to Amazon S3 Use Amazon Macie for data security and protection

D.Migrate the database to Amazon RDS. Use Amazon CloudWatch Logs for data security and protection.

【參考答案】B

【題號】question 530

【題目】

A company has an online gaming application that has TCP and UDP multiplayer gaming capabilities. The company uses Amazon Route 53 to point the application traffic to multiple Network Load Balancers (NLBs) in different AWS Regions. The company needs to

improve application performance and decrease latency for the online game in preparation for user growth.

Which solution will meet these requirements?

一家公司有一個線上遊戲應用程式，該應用程式具有 TCP 和 UDP 多人遊戲功能。該公司使用 Amazon Route 53 將應用程式流量指向不同 AWS 區域中的多個網路負載平衡器 (NLB)。該公司需要提高應用程式效能並減少線上遊戲的延遲，為用戶成長做好準備。

哪種解決方案可以滿足這些要求？

【選項】

A.Add an Amazon CloudFront distribution in front of the NLBs. Increase the Cache-Control max-age parameter.

B.Replace the NLBs with Application Load Balancers (ALBs). Configure Route 53 to use latency-based routing.

C.Add AWS Global Accelerator in front of the NLBs. Configure a Global Accelerator endpoint to use the correct listener ports.

D.Add an Amazon API Gateway endpoint behind the NLBs. Enable API caching. Override method caching for the different stages.

【參考答案】C

【題號】question 531

【題目】

A company needs to integrate with a third-party data feed. The data feed sends a webhook to notify an external service when new data is ready for consumption. A developer wrote an AWS Lambda function to retrieve data when the company receives a webhook callback. The developer must make the Lambda function available for the third party to call.

Which solution will meet these requirements with the MOST operational efficiency?

公司需要與第三方資料來源整合。當新資料可供使用時，資料來源會傳送一個 Webhook 來通知外部服務。開發人員編寫了一個 AWS Lambda 函數，用於在公司收到 Webhook 回呼時檢索資料。開發者必須將 Lambda 函數提供給第三方呼叫。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A. Create a function URL for the Lambda function. Provide the Lambda function URL to the third party for the webhook.

B. Deploy an Application Load Balancer (ALB) in front of the Lambda function. Provide the ALB URL to the third party for the webhook.

C. Create an Amazon Simple Notification Service (Amazon SNS) topic. Attach the topic to the Lambda function. Provide the public hostname of the SNS topic to the third party for the webhook.

D. Create an Amazon Simple Queue Service (Amazon SQS) queue. Attach the queue to the Lambda function. Provide the public hostname of the SQS queue to the third party for the webhook.

【參考答案】A

【題號】question 532

【題目】

A company has a workload in an AWS Region. Customers connect to and access the workload by using an Amazon API Gateway REST API. The company uses Amazon Route 53 as its DNS provider. The company wants to provide individual and secure URLs for all customers.

Which combination of steps will meet these requirements with the MOST operational efficiency? (Choose three.)

一家公司在 AWS 區域中有工作負載。客戶使用 Amazon API Gateway REST API 連線並存取工作負載。該公司使用 Amazon Route 53 作為其 DNS 提供者。該公司希望為所有客戶提供個人化且安全的 URL。

哪種步驟組合能夠滿足這些要求並具有最高的營運效率？（選擇三項。）

【選項】

- A.Register the required domain in a registrar. Create a wildcard custom domain name in a Route 53 hosted zone and record in the zone that points to the API Gateway endpoint.
- B.Request a wildcard certificate that matches the domains in AWS Certificate Manager (ACM) in a different Region.
- C.Create hosted zones for each customer as required in Route 53. Create zone records that point to the API Gateway endpoint.
- D.Request a wildcard certificate that matches the custom domain name in AWS Certificate Manager (ACM) in the same Region.
- E.Create multiple API endpoints for each customer in API Gateway.
- F.Create a custom domain name in API Gateway for the REST API. Import the certificate from AWS Certificate Manager (ACM).

【參考答案】ADF

【題號】question 533

【題目】

A company stores data in Amazon S3. According to regulations, the data must not contain personally identifiable information (PII). The company recently discovered that S3 buckets have some objects that contain PII. The company needs to automatically detect PII in S3 buckets and to notify the company's security team.

Which solution will meet these requirements?

一家公司將資料儲存在 Amazon S3 中。根據規定，資料不得包含個人識別資訊(PII)。該公司最近發現 S3 儲存桶中有一些包含 PII 的物件。公司需要自動偵測S3儲存桶中的PII並通知公司的安全團隊。

哪種解決方案可以滿足這些要求？

【選項】

A. Use Amazon Macie. Create an Amazon EventBridge rule to filter the SensitiveData event type from Macie findings and to send an Amazon Simple Notification Service (Amazon SNS) notification to the security team.

B. Use Amazon GuardDuty. Create an Amazon EventBridge rule to filter the CRITICAL event type from GuardDuty findings and to send an Amazon Simple Notification Service (Amazon SNS) notification to the security team.

C. Use Amazon Macie. Create an Amazon EventBridge rule to filter the SensitiveData:S3Object/Personal event type from Macie findings and to send an Amazon Simple Queue Service (Amazon SQS) notification to the security team.

D. Use Amazon GuardDuty. Create an Amazon EventBridge rule to filter the CRITICAL event type from GuardDuty findings and to send an Amazon Simple Queue Service (Amazon SQS) notification to the security team.

【參考答案】A

【題號】question 534

【題目】

A company wants to build a logging solution for its multiple AWS accounts. The company currently stores the logs from all accounts in a centralized account. The company has created an Amazon S3 bucket in the centralized account to store the VPC flow logs and AWS CloudTrail logs. All logs must be highly available for 30 days for frequent analysis, retained for an additional 60 days for backup purposes, and deleted 90 days after creation.

Which solution will meet these requirements MOST cost-effectively?

一家公司希望為其多個 AWS 帳戶建立日誌記錄解決方案。該公司目前將所有帳戶的日誌儲存在一個集中帳戶中。該公司在集中帳戶中建立了一個 Amazon S3 儲存桶來儲存 VPC 流程日誌和 AWS CloudTrail 日誌。所有日誌必須高度可用 30 天，以便頻繁分析，另外保留 60 天用於備份目的，並在創建後 90 天刪除。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Transition objects to the S3 Standard storage class 30 days after creation. Write an expiration action that directs Amazon S3 to delete objects after 90 days.

B. Transition objects to the S3 Standard-Infrequent Access (S3 Standard-IA) storage class 30 days after creation. Move all objects to the S3 Glacier Flexible Retrieval storage class after 90 days. Write an expiration action that directs Amazon S3 to delete objects after 90 days.

C. Transition objects to the S3 Glacier Flexible Retrieval storage class 30 days after creation. Write an expiration action that directs Amazon S3 to delete objects after 90 days.

D. Transition objects to the S3 One Zone-Infrequent Access (S3 One Zone-IA) storage class 30 days after creation. Move all objects to the S3 Glacier Flexible Retrieval storage class after 90 days. Write an expiration action that directs Amazon S3 to delete objects after 90 days.

【參考答案】C

【題號】question 535

【題目】

A company is building an Amazon Elastic Kubernetes Service (Amazon EKS) cluster for its workloads. All secrets that are stored in Amazon EKS must be encrypted in the Kubernetes etcd key-value store.

Which solution will meet these requirements?

一家公司正在為其工作負載建立 Amazon Elastic Kubernetes Service (Amazon EKS) 叢集。儲存在 Amazon EKS 中的所有金鑰都必須在 Kubernetes etcd 鍵值儲存中加密。

哪種解決方案可以滿足這些要求？

【選項】

A. Create a new AWS Key Management Service (AWS KMS) key. Use AWS Secrets Manager to manage, rotate, and store all secrets in Amazon EKS.

B.Create a new AWS Key Management Service (AWS KMS) key. Enable Amazon EKS KMS secrets encryption on the Amazon EKS cluster.

C.Create the Amazon EKS cluster with default options. Use the Amazon Elastic Block Store (Amazon EBS) Container Storage Interface (CSI) driver as an add-on.

D.Create a new AWS Key Management Service (AWS KMS) key with the alias/aws/ebs alias. Enable default Amazon Elastic Block Store (Amazon EBS) volume encryption for the account.

【參考答案】B

【題號】question 536

【題目】

A company wants to provide data scientists with near real-time read-only access to the company's production Amazon RDS for PostgreSQL database. The database is currently configured as a Single-AZ database. The data scientists use complex queries that will not affect the production database. The company needs a solution that is highly available.

Which solution will meet these requirements MOST cost-effectively?

一家公司希望為資料科學家提供對該公司生產 Amazon RDS for PostgreSQL 資料庫的近實時只讀存取權。此資料庫目前配置為單可用區資料庫。資料科學家使用不會影響生產資料庫的複雜查詢。該公司需要一個高度可用的解決方案。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Scale the existing production database in a maintenance window to provide enough power for the data scientists.

B.Change the setup from a Single-AZ to a Multi-AZ instance deployment with a larger secondary standby instance. Provide the data scientists access to the secondary instance.

C.Change the setup from a Single-AZ to a Multi-AZ instance deployment. Provide two additional read replicas for the data scientists.

D.Change the setup from a Single-AZ to a Multi-AZ cluster deployment with two readable standby instances. Provide read endpoints to the data scientists.

【參考答案】D

【題號】question 537

【題目】

A company runs a three-tier web application in the AWS Cloud that operates across three Availability Zones. The application architecture has an Application Load Balancer, an Amazon EC2 web server that hosts user session states, and a MySQL database that runs on an EC2 instance. The company expects sudden increases in application traffic. The company wants to be able to scale to meet future application capacity demands and to ensure high availability across all three Availability Zones.

Which solution will meet these requirements?

一家公司在 AWS 雲端中運行一個三層 Web 應用程式，該應用程式跨三個可用區運行。此應用程式架構具有應用程式負載平衡器、託管使用者會話狀態的 Amazon EC2 Web 伺服器以及在 EC2 執行個體上執行的 MySQL 資料庫。該公司預計應用程式流量會突然增加。該公司希望能夠進行擴展以滿足未來的應用程式容量需求並確保所有三個可用區的高可用性。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate the MySQL database to Amazon RDS for MySQL with a Multi-AZ DB cluster deployment. Use Amazon ElastiCache for Redis with high availability to store session data and to cache reads. Migrate the web server to an Auto Scaling group that is in three Availability Zones.

B.Migrate the MySQL database to Amazon RDS for MySQL with a Multi-AZ DB cluster deployment. Use Amazon ElastiCache for Memcached with high availability to store session data and to cache reads. Migrate the web server to an Auto Scaling group that is in three Availability Zones.

C.Migrate the MySQL database to Amazon DynamoDB Use DynamoDB Accelerator (DAX) to cache reads. Store the session data in DynamoDB. Migrate the web server to an Auto Scaling group that is in three Availability Zones.

D.Migrate the MySQL database to Amazon RDS for MySQL in a single Availability Zone. Use Amazon ElastiCache for Redis with high availability to store session data and to cache reads. Migrate the web server to an Auto Scaling group that is in three Availability Zones.

【參考答案】A

【題號】question 538

【題目】

A global video streaming company uses Amazon CloudFront as a content distribution network (CDN). The company wants to roll out content in a phased manner across multiple countries. The company needs to ensure that viewers who are outside the countries to which the company rolls out content are not able to view the content.

Which solution will meet these requirements?

一家全球視訊串流公司使用 Amazon CloudFront 作為內容傳遞網路 (CDN)。該公司希望在多個國家分階段推出內容。公司需要確保公司發佈內容的國家/地區之外的觀眾無法觀看該內容。

哪種解決方案可以滿足這些要求？

【選項】

A.Add geographic restrictions to the content in CloudFront by using an allow list. Set up a custom error message.

B.Set up a new URL for restricted content. Authorize access by using a signed URL and cookies. Set up a custom error message.

C.Encrypt the data for the content that the company distributes. Set up a custom error message.

D.Create a new URL for restricted content. Set up a time-restricted access policy for signed URLs.

【參考答案】A

【題號】question 539

【題目】

A company wants to use the AWS Cloud to improve its on-premises disaster recovery (DR) configuration. The company's core production business application uses Microsoft SQL Server Standard, which runs on a virtual machine (VM). The application has a recovery point objective (RPO) of 30 seconds or fewer and a recovery time objective (RTO) of 60 minutes. The DR solution needs to minimize costs wherever possible.

Which solution will meet these requirements?

一家公司希望使用 AWS 雲端來改善其本地災難復原 (DR) 配置。該公司的核心生產業務應用程式使用 Microsoft SQL Server Standard，該應用程式在虛擬機器 (VM) 上運行。該應用程式的恢復點目標 (RPO) 為 30 秒或更短，恢復時間目標 (RTO) 為 60 分鐘。災難復原解決方案需要盡可能降低成本。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure a multi-site active/active setup between the on-premises server and AWS by using Microsoft SQL Server Enterprise with Always On availability groups.
- B. Configure a warm standby Amazon RDS for SQL Server database on AWS. Configure AWS Database Migration Service (AWS DMS) to use change data capture (CDC).
- C. Use AWS Elastic Disaster Recovery configured to replicate disk changes to AWS as a pilot light.
- D. Use third-party backup software to capture backups every night. Store a secondary set of backups in Amazon S3.

【參考答案】B

【題號】question 540

【題目】

A company has an on-premises server that uses an Oracle database to process and store customer information. The company wants to use an AWS database service to achieve higher availability and to improve application performance. The company also wants to offload reporting from its primary database system.

Which solution will meet these requirements in the MOST operationally efficient way?

一家公司擁有一台使用 Oracle 資料庫來處理和儲存客戶資訊的本機伺服器。該公司希望使用 AWS 資料庫服務來實現更高的可用性並提高應用程式效能。該公司還希望從其主要資料庫系統中卸載報告。

哪一種解決方案能夠以最高效的方式滿足這些要求？

【選項】

A. Use AWS Database Migration Service (AWS DMS) to create an Amazon RDS DB instance in multiple AWS Regions. Point the reporting functions toward a separate DB instance from the primary DB instance.

B. Use Amazon RDS in a Single-AZ deployment to create an Oracle database. Create a read replica in the same zone as the primary DB instance. Direct the reporting functions to the read replica.

C. Use Amazon RDS deployed in a Multi-AZ cluster deployment to create an Oracle database. Direct the reporting functions to use the reader instance in the cluster deployment.

D. Use Amazon RDS deployed in a Multi-AZ instance deployment to create an Amazon Aurora database. Direct the reporting functions to the reader instances.

【參考答案】D

【題號】question 541

【題目】

A company wants to build a web application on AWS. Client access requests to the website are not predictable and can be idle for a long time. Only customers who have paid a subscription fee can have the ability to sign in and use the web application.

Which combination of steps will meet these requirements MOST cost-effectively? (Choose three.)

一家公司想要在 AWS 上建立 Web 應用程式。客戶端對網站的存取請求是不可預測的，並且可能會長時間閒置。只有支付了訂閱費用的客戶才能登入並使用網路應用程式。

哪一種步驟組合能夠最經濟有效地滿足這些要求？（選擇三項。）

【選項】

A.Create an AWS Lambda function to retrieve user information from Amazon DynamoDB. Create an Amazon API Gateway endpoint to accept RESTful APIs. Send the API calls to the Lambda function.

B.Create an Amazon Elastic Container Service (Amazon ECS) service behind an Application Load Balancer to retrieve user information from Amazon RDS. Create an Amazon API Gateway endpoint to accept RESTful APIs. Send the API calls to the Lambda function.

C.Create an Amazon Cognito user pool to authenticate users.

D.Create an Amazon Cognito identity pool to authenticate users.

E.Use AWS Amplify to serve the frontend web content with HTML, CSS, and JS. Use an integrated Amazon CloudFront configuration.

F.Use Amazon S3 static web hosting with PHP, CSS, and JS. Use Amazon CloudFront to serve the frontend web content.

【參考答案】ACE

【題號】question 542

【題目】

A media company uses an Amazon CloudFront distribution to deliver content over the internet. The company wants only premium customers to have access to the media

streams and file content. The company stores all content in an Amazon S3 bucket. The company also delivers content on demand to customers for a specific purpose, such as movie rentals or music downloads.

Which solution will meet these requirements?

一家媒體公司使用 Amazon CloudFront 發行版透過網路傳送內容。該公司希望只有高級客戶才能存取媒體串流和文件內容。該公司將所有內容儲存在 Amazon S3 儲存桶中。該公司還為特定目的客戶提供按需內容，例如電影租賃或音樂下載。

哪種解決方案可以滿足這些要求？

【選項】

- A.Generate and provide S3 signed cookies to premium customers.
- B.Generate and provide CloudFront signed URLs to premium customers.
- C.Use origin access control (OAC) to limit the access of non-premium customers.
- D.Generate and activate field-level encryption to block non-premium customers.

【參考答案】B

【題號】question 543

【題目】

A company runs Amazon EC2 instances in multiple AWS accounts that are individually billed. The company recently purchased a Savings Plan. Because of changes in the company's business requirements, the company has decommissioned a large number of EC2 instances. The company wants to use its Savings Plan discounts on its other AWS accounts.

Which combination of steps will meet these requirements? (Choose two.)

一家公司在多個單獨佔用資源的 AWS 帳戶中執行 Amazon EC2 執行個體。該公司最近購買了一張儲蓄片。由於公司業務需求變化，公司已退役大量 EC2 實例。該公司希望在其其他 AWS 帳戶上使用其 Savings Plan 折扣。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

- A.From the AWS Account Management Console of the management account, turn on discount sharing from the billing preferences section.
- B.From the AWS Account Management Console of the account that purchased the existing Savings Plan, turn on discount sharing from the billing preferences section. Include all accounts.
- C.From the AWS Organizations management account, use AWS Resource Access Manager (AWS RAM) to share the Savings Plan with other accounts.
- D.Create an organization in AWS Organizations in a new payer account. Invite the other AWS accounts to join the organization from the management account.
- E.Create an organization in AWS Organizations in the existing AWS account with the existing EC2 instances and Savings Plan. Invite the other AWS accounts to join the organization from the management account.

【參考答案】AE

【題號】question 544

【題目】

A retail company uses a regional Amazon API Gateway API for its public REST APIs. The API Gateway endpoint is a custom domain name that points to an Amazon Route 53 alias record. A solutions architect needs to create a solution that has minimal effects on customers and minimal data loss to release the new version of APIs.

Which solution will meet these requirements?

一家零售公司使用區域 Amazon API Gateway API 作為其公共 REST API。API Gateway 終端節點是指 Amazon Route 53 別名記錄的自訂網域。解決方案架構師需要創建一個對客戶影響最小、資料遺失最小的解決方案來發布新版本的 API。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a canary release deployment stage for API Gateway. Deploy the latest API version. Point an appropriate percentage of traffic to the canary stage. After API verification, promote the canary stage to the production stage.

B.Create a new API Gateway endpoint with a new version of the API in OpenAPI YAML file format. Use the import-to-update operation in merge mode into the API in API Gateway. Deploy the new version of the API to the production stage.

C.Create a new API Gateway endpoint with a new version of the API in OpenAPI JSON file format. Use the import-to-update operation in overwrite mode into the API in API Gateway. Deploy the new version of the API to the production stage.

D.Create a new API Gateway endpoint with new versions of the API definitions. Create a custom domain name for the new API Gateway API. Point the Route 53 alias record to the new API Gateway API custom domain name.

【參考答案】A

【題號】question 545

【題目】

A company wants to direct its users to a backup static error page if the company's primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53. The domain is pointing to an Application Load Balancer (ALB). The company needs a solution that minimizes changes and infrastructure overhead.

Which solution will meet these requirements?

如果公司的主網站不可用，公司希望將使用者引導至備份靜態錯誤頁面。主網站的 DNS 記錄託管在 Amazon Route 53 中。此網域指向應用程式負載平衡器 (ALB)。該公司需要一種能夠最大限度地減少變更和基礎設施開銷的解決方案。

哪種解決方案可以滿足這些要求？

【選項】

A.Update the Route 53 records to use a latency routing policy. Add a static error page that is hosted in an Amazon S3 bucket to the records so that the traffic is sent to the most responsive endpoints.

B.Set up a Route 53 active-passive failover configuration. Direct traffic to a static error page that is hosted in an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.

C.Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance that hosts a static error page as endpoints. Configure Route 53 to send requests to the instance only if the health checks fail for the ALB.

D.Update the Route 53 records to use a multivalue answer routing policy. Create a health check. Direct traffic to the website if the health check passes. Direct traffic to a static error page that is hosted in Amazon S3 if the health check does not pass.

【參考答案】B

【題號】question 546

【題目】

A recent analysis of a company's IT expenses highlights the need to reduce backup costs. The company's chief information officer wants to simplify the on-premises backup infrastructure and reduce costs by eliminating the use of physical backup tapes. The company must preserve the existing investment in the on-premises backup applications and workflows.

What should a solutions architect recommend?

最近對公司 IT 支出的分析強調了降低備份成本的必要性。該公司的資訊長希望透過消除實體備份磁帶的使用來簡化本地備份基礎設施並降低成本。公司必須保留對本地備份應用程式和工作流程的現有投資。

解決方案架構師該推薦什麼？

【選項】

A.Set up AWS Storage Gateway to connect with the backup applications using the NFS interface.

B.Set up an Amazon EFS file system that connects with the backup applications using the NFS interface.

C.Set up an Amazon EFS file system that connects with the backup applications using the iSCSI interface.

D.Set up AWS Storage Gateway to connect with the backup applications using the iSCSI-virtual tape library (VTL) interface.

【參考答案】D

【題號】question 547

【題目】

A company has data collection sensors at different locations. The data collection sensors stream a high volume of data to the company. The company wants to design a platform on AWS to ingest and process high-volume streaming data. The solution must be scalable and support data collection in near real time. The company must store the data in Amazon S3 for future reporting.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在不同地點設有資料收集感測器。數據收集感測器向公司傳輸大量數據。該公司希望在 AWS 上設計一個平台來攝取和處理大量串流資料。該解決方案必須具有可擴展性並支援近乎即時的資料收集。該公司必須將數據儲存在 Amazon S3 中以供將來報告。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Use Amazon Kinesis Data Firehose to deliver streaming data to Amazon S3.

B.Use AWS Glue to deliver streaming data to Amazon S3.

C.Use AWS Lambda to deliver streaming data and store the data to Amazon S3.

D.Use AWS Database Migration Service (AWS DMS) to deliver streaming data to Amazon S3.

【參考答案】A

【題號】question 548

【題目】

A company has separate AWS accounts for its finance, data analytics, and development departments. Because of costs and security concerns, the company wants to control which services each AWS account can use.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司為其財務、數據分析和開發部門擁有單獨的 AWS 帳戶。出於成本和安全考慮，該公司希望控制每個 AWS 帳戶可以使用哪些服務。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use AWS Systems Manager templates to control which AWS services each department can use.

B. Create organization units (OUs) for each department in AWS Organizations. Attach service control policies (SCPs) to the OUs.

C. Use AWS CloudFormation to automatically provision only the AWS services that each department can use.

D. Set up a list of products in AWS Service Catalog in the AWS accounts to manage and control the usage of specific AWS services.

【參考答案】B

【題號】question 549

【題目】

A company has created a multi-tier application for its ecommerce website. The website uses an Application Load Balancer that resides in the public subnets, a web tier in the public subnets, and a MySQL cluster hosted on Amazon EC2 instances in the private subnets. The MySQL database needs to retrieve product catalog and pricing information

that is hosted on the internet by a third-party provider. A solutions architect must devise a strategy that maximizes security without increasing operational overhead.

What should the solutions architect do to meet these requirements?

一家公司為其電子商務網站創建了一個多層應用程式。該網站使用駐留在公有子網路中的應用程式負載平衡器、公有子網路中的 Web 層以及私有子網路中 Amazon EC2 執行個體上託管的 MySQL 叢集。MySQL 資料庫需要檢索由第三方供應商託管在互聯網上的產品目錄和定價資訊。解決方案架構師必須設計一種策略，在不增加營運開銷的情況下最大限度地提高安全性。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Deploy a NAT instance in the VPC. Route all the internet-based traffic through the NAT instance.

B. Deploy a NAT gateway in the public subnets. Modify the private subnet route table to direct all internet-bound traffic to the NAT gateway.

C. Configure an internet gateway and attach it to the VPC. Modify the private subnet route table to direct internet-bound traffic to the internet gateway.

D. Configure a virtual private gateway and attach it to the VPC. Modify the private subnet route table to direct internet-bound traffic to the virtual private gateway.

【參考答案】B

【題號】question 550

【題目】

A company is using AWS Key Management Service (AWS KMS) keys to encrypt AWS Lambda environment variables. A solutions architect needs to ensure that the required permissions are in place to decrypt and use the environment variables.

Which steps must the solutions architect take to implement the correct permissions? (Choose two.)

一家公司正在使用 AWS Key Management Service (AWS KMS) 金鑰來加密 AWS Lambda 環境變數。解決方案架構師需要確保擁有解密和使用環境變數所需的權限。

解決方案架構師必須採取哪些步驟來實施正確的權限？（選兩個。）

【選項】

- A.Add AWS KMS permissions in the Lambda resource policy.
- B.Add AWS KMS permissions in the Lambda execution role.
- C.Add AWS KMS permissions in the Lambda function policy.
- D.Allow the Lambda execution role in the AWS KMS key policy.
- E.Allow the Lambda resource policy in the AWS KMS key policy.

【參考答案】BD

【題號】question 551

【題目】

A company has a financial application that produces reports. The reports average 50 KB in size and are stored in Amazon S3. The reports are frequently accessed during the first week after production and must be stored for several years. The reports must be retrievable within 6 hours.

Which solution meets these requirements MOST cost-effectively?

一家公司有一個產生報告的財務應用程式。這些報告的平均大小為 50 KB，儲存在 Amazon S3 中。這些報告在生成後的第一周內會被頻繁訪問，並且必須保存數年。報告必須可在 6 小時內檢索。

哪種解決方案最經濟有效率地滿足這些要求？

【選項】

- A.Use S3 Standard. Use an S3 Lifecycle rule to transition the reports to S3 Glacier after 7 days.

B. Use S3 Standard. Use an S3 Lifecycle rule to transition the reports to S3 Standard-Infrequent Access (S3 Standard-IA) after 7 days.

C. Use S3 Intelligent-Tiering. Configure S3 Intelligent-Tiering to transition the reports to S3 Standard-Infrequent Access (S3 Standard-IA) and S3 Glacier.

D. Use S3 Standard. Use an S3 Lifecycle rule to transition the reports to S3 Glacier Deep Archive after 7 days.

【參考答案】A

【題號】question 552

【題目】

A company needs to optimize the cost of its Amazon EC2 instances. The company also needs to change the type and family of its EC2 instances every 2-3 months.

What should the company do to meet these requirements?

一家公司需要優化其 Amazon EC2 執行個體的成本。該公司還需要每 2-3 個月更改一次 EC2 執行個體的類型和系列。

為了滿足這些要求，公司該做什麼？

【選項】

A. Purchase Partial Upfront Reserved Instances for a 3-year term.

B. Purchase a No Upfront Compute Savings Plan for a 1-year term.

C. Purchase All Upfront Reserved Instances for a 1-year term.

D. Purchase an All Upfront EC2 Instance Savings Plan for a 1-year term.

【參考答案】B

【題號】question 553

【題目】

A solutions architect needs to review a company's Amazon S3 buckets to discover personally identifiable information (PII). The company stores the PII data in the us-east-1 Region and us-west-2 Region.

Which solution will meet these requirements with the LEAST operational overhead?

解決方案架構師需要檢查公司的 Amazon S3 儲存桶以發現個人識別資訊 (PII)。該公司將 PII 資料儲存在 us-east-1 區域和 us-west-2 區域中。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Configure Amazon Macie in each Region. Create a job to analyze the data that is in Amazon S3.

B. Configure AWS Security Hub for all Regions. Create an AWS Config rule to analyze the data that is in Amazon S3.

C. Configure Amazon Inspector to analyze the data that is in Amazon S3.

D. Configure Amazon GuardDuty to analyze the data that is in Amazon S3.

【參考答案】A

【題號】question 554

【題目】

A company's SAP application has a backend SQL Server database in an on-premises environment. The company wants to migrate its on-premises application and database server to AWS. The company needs an instance type that meets the high demands of its SAP database. On-premises performance data shows that both the SAP application and the database have high memory utilization.

Which solution will meet these requirements?

一家公司的 SAP 應用程式在本機環境中有一個後端 SQL Server 資料庫。該公司希望將其本地應用程式和資料庫伺服器遷移到 AWS。該公司需要一種能夠滿足其 SAP 資料庫高要求的實例類型。本地效能數據顯示 SAP 應用程式和資料庫的記憶體利用率都很高。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use the compute optimized instance family for the application. Use the memory optimized instance family for the database.
- B. Use the storage optimized instance family for both the application and the database.
- C. Use the memory optimized instance family for both the application and the database.
- D. Use the high performance computing (HPC) optimized instance family for the application. Use the memory optimized instance family for the database.

【參考答案】C

【題號】question 555

【題目】

A company runs an application in a VPC with public and private subnets. The VPC extends across multiple Availability Zones. The application runs on Amazon EC2 instances in private subnets. The application uses an Amazon Simple Queue Service (Amazon SQS) queue.

A solutions architect needs to design a secure solution to establish a connection between the EC2 instances and the SQS queue.

Which solution will meet these requirements?

一家公司在具有公有子網路和私有子網路的 VPC 中運行應用程式。VPC 跨多個可用區。該應用程式在私有子網路中的 Amazon EC2 執行個體上執行。該應用程式使用 Amazon Simple Queue Service (Amazon SQS) 佇列。

解決方案架構師需要設計一個安全的解決方案來在 EC2 執行個體和 SQS 佇列之間建立連線。

哪種解決方案可以滿足這些要求？

【選項】

A.Implement an interface VPC endpoint for Amazon SQS. Configure the endpoint to use the private subnets. Add to the endpoint a security group that has an inbound access rule that allows traffic from the EC2 instances that are in the private subnets.

B.Implement an interface VPC endpoint for Amazon SQS. Configure the endpoint to use the public subnets. Attach to the interface endpoint a VPC endpoint policy that allows access from the EC2 instances that are in the private subnets.

C.Implement an interface VPC endpoint for Amazon SQS. Configure the endpoint to use the public subnets. Attach an Amazon SQS access policy to the interface VPC endpoint that allows requests from only a specified VPC endpoint.

D.Implement a gateway endpoint for Amazon SQS. Add a NAT gateway to the private subnets. Attach an IAM role to the EC2 instances that allows access to the SQS queue.

【參考答案】A

【題號】question 556

【題目】

A solutions architect is using an AWS CloudFormation template to deploy a three-tier web application. The web application consists of a web tier and an application tier that stores and retrieves user data in Amazon DynamoDB tables. The web and application tiers are hosted on Amazon EC2 instances, and the database tier is not publicly accessible. The application EC2 instances need to access the DynamoDB tables without exposing API credentials in the template.

What should the solutions architect do to meet these requirements?

解決方案架構師正在使用 AWS CloudFormation 範本來部署三層 Web 應用程式。Web 應用程式由 Web 層和應用程式層組成，用於在 Amazon DynamoDB 表中儲存和檢索使用者資料。Web 和應用程式層託管在 Amazon EC2 執行個體上，資料庫層無法公開存取。應用程式 EC2 執行個體需要存取 DynamoDB 表而不在範本中公開 API 憑證。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Create an IAM role to read the DynamoDB tables. Associate the role with the application instances by referencing an instance profile.

B.Create an IAM role that has the required permissions to read and write from the DynamoDB tables. Add the role to the EC2 instance profile, and associate the instance profile with the application instances.

C.Use the parameter section in the AWS CloudFormation template to have the user input access and secret keys from an already-created IAM user that has the required permissions to read and write from the DynamoDB tables.

D.Create an IAM user in the AWS CloudFormation template that has the required permissions to read and write from the DynamoDB tables. Use the GetAtt function to retrieve the access and secret keys, and pass them to the application instances through the user data.

【參考答案】B

【題號】question 557

【題目】

A solutions architect manages an analytics application. The application stores large amounts of semistructured data in an Amazon S3 bucket. The solutions architect wants to use parallel data processing to process the data more quickly. The solutions architect also wants to use information that is stored in an Amazon Redshift database to enrich the data.

Which solution will meet these requirements?

解決方案架構師管理分析應用程式。該應用程式將大量半結構化資料儲存在 Amazon S3 儲存桶中。解決方案架構師希望使用平行資料處理來更快地處理資料。解決方案架構師還希望使用儲存在 Amazon Redshift 資料庫中的資訊來豐富資料。

哪種解決方案可以滿足這些要求？

【選項】

A. Use Amazon Athena to process the S3 data. Use AWS Glue with the Amazon Redshift data to enrich the S3 data.

B. Use Amazon EMR to process the S3 data. Use Amazon EMR with the Amazon Redshift data to enrich the S3 data.

C. Use Amazon EMR to process the S3 data. Use Amazon Kinesis Data Streams to move the S3 data into Amazon Redshift so that the data can be enriched.

D. Use AWS Glue to process the S3 data. Use AWS Lake Formation with the Amazon Redshift data to enrich the S3 data.

【參考答案】B

【題號】question 558

【題目】

A company has two VPCs that are located in the us-west-2 Region within the same AWS account. The company needs to allow network traffic between these VPCs.

Approximately 500 GB of data transfer will occur between the VPCs each month.

What is the MOST cost-effective solution to connect these VPCs?

一家公司有兩個 VPC，位於同一 AWS 帳戶內的 us-west-2 區域。公司需要允許這些 VPC 之間的網路流量。每個 VPC 之間每月將發生約 500 GB 的資料傳輸。

連接這些 VPC 的最具成本效益的解決方案是什麼？

【選項】

A. Implement AWS Transit Gateway to connect the VPCs. Update the route tables of each VPC to use the transit gateway for inter-VPC communication.

B. Implement an AWS Site-to-Site VPN tunnel between the VPCs. Update the route tables of each VPC to use the VPN tunnel for inter-VPC communication.

C. Set up a VPC peering connection between the VPCs. Update the route tables of each VPC to use the VPC peering connection for inter-VPC communication.

D.Set up a 1 GB AWS Direct Connect connection between the VPCs. Update the route tables of each VPC to use the Direct Connect connection for inter-VPC communication.

【參考答案】C

【題號】question 559

【題目】

A company hosts multiple applications on AWS for different product lines. The applications use different compute resources, including Amazon EC2 instances and Application Load Balancers. The applications run in different AWS accounts under the same organization in AWS Organizations across multiple AWS Regions. Teams for each product line have tagged each compute resource in the individual accounts.

The company wants more details about the cost for each product line from the consolidated billing feature in Organizations.

Which combination of steps will meet these requirements? (Choose two.)

一家公司在 AWS 上針對不同產品線託管多個應用程式。這些應用程式使用不同的運算資源，包括 Amazon EC2 執行個體和應用程式負載平衡器。應用程式在跨多個 AWS 區域的 AWS Organizations 中相同組織下的不同 AWS 帳戶中運作。每個產品線的團隊都在各個帳戶中標記了每個運算資源。

該公司希望透過組織中的綜合計費功能來了解有關每個產品線成本的更多詳細資訊。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

- A.Select a specific AWS generated tag in the AWS Billing console.
- B.Select a specific user-defined tag in the AWS Billing console.
- C.Select a specific user-defined tag in the AWS Resource Groups console.
- D.Activate the selected tag from each AWS account.
- E.Activate the selected tag from the Organizations management account.

【參考答案】BE

【題號】question 560

【題目】

A company's solutions architect is designing an AWS multi-account solution that uses AWS Organizations. The solutions architect has organized the company's accounts into organizational units (OUs).

The solutions architect needs a solution that will identify any changes to the OU hierarchy. The solution also needs to notify the company's operations team of any changes.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司的解決方案架構師正在設計使用 AWS Organizations 的 AWS 多帳戶解決方案。解決方案架構師已將公司的帳戶組織為組織單位 (OU)。

解決方案架構師需要一個能夠識別 OU 層次結構的任何變更的解決方案。該解決方案還需要將任何變更通知公司的營運團隊。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Provision the AWS accounts by using AWS Control Tower. Use account drift notifications to identify the changes to the OU hierarchy.

B.Provision the AWS accounts by using AWS Control Tower. Use AWS Config aggregated rules to identify the changes to the OU hierarchy.

C.Use AWS Service Catalog to create accounts in Organizations. Use an AWS CloudTrail organization trail to identify the changes to the OU hierarchy.

D.Use AWS CloudFormation templates to create accounts in Organizations. Use the drift detection operation on a stack to identify the changes to the OU hierarchy.

【參考答案】A

【題號】question 561

【題目】

A company's website handles millions of requests each day, and the number of requests continues to increase. A solutions architect needs to improve the response time of the web application. The solutions architect determines that the application needs to decrease latency when retrieving product details from the Amazon DynamoDB table.

Which solution will meet these requirements with the LEAST amount of operational overhead?

某公司的網站每天要處理數百萬個請求，而且請求數量還在增加。解決方案架構師需要改進 Web 應用程式的回應時間。解決方案架構師確定應用程式在從 Amazon DynamoDB 表檢索產品詳細資訊時需要減少延遲。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Set up a DynamoDB Accelerator (DAX) cluster. Route all read requests through DAX.

B.Set up Amazon ElastiCache for Redis between the DynamoDB table and the web application. Route all read requests through Redis.

C.Set up Amazon ElastiCache for Memcached between the DynamoDB table and the web application. Route all read requests through Memcached.

D.Set up Amazon DynamoDB Streams on the table, and have AWS Lambda read from the table and populate Amazon ElastiCache. Route all read requests through ElastiCache.

【參考答案】A

【題號】question 562

【題目】

A solutions architect needs to ensure that API calls to Amazon DynamoDB from Amazon EC2 instances in a VPC do not travel across the internet.

Which combination of steps should the solutions architect take to meet this requirement?
(Choose two.)

解決方案架構師需要確保從 VPC 中的 Amazon EC2 執行個體對 Amazon DynamoDB 的 API 呼叫不會透過網際網路傳輸。

解決方案架構師應採取哪些步驟組合來滿足此要求？（選兩個。）

【選項】

- A.Create a route table entry for the endpoint.
- B.Create a gateway endpoint for DynamoDB.
- C.Create an interface endpoint for Amazon EC2.
- D.Create an elastic network interface for the endpoint in each of the subnets of the VPC.
- E.Create a security group entry in the endpoint's security group to provide access.

【參考答案】AB

【題號】question 563

【題目】

A company runs its applications on both Amazon Elastic Kubernetes Service (Amazon EKS) clusters and on-premises Kubernetes clusters. The company wants to view all clusters and workloads from a central location.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 Amazon Elastic Kubernetes Service (Amazon EKS) 叢集和本地 Kubernetes 叢集上運行其應用程式。該公司希望從一個中心位置查看所有叢集和工作負載。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Use Amazon CloudWatch Container Insights to collect and group the cluster information.

- B. Use Amazon EKS Connector to register and connect all Kubernetes clusters.
- C. Use AWS Systems Manager to collect and view the cluster information.
- D. Use Amazon EKS Anywhere as the primary cluster to view the other clusters with native Kubernetes commands.

【參考答案】B

【題號】question 564

【題目】

A company is building an ecommerce application and needs to store sensitive customer information. The company needs to give customers the ability to complete purchase transactions on the website. The company also needs to ensure that sensitive customer data is protected, even from database administrators.

Which solution meets these requirements?

一家公司正在建立電子商務應用程式，需要儲存敏感的客戶資訊。公司需要讓客戶在網站上完成購買交易。該公司還需要確保敏感的客戶資料受到保護，甚至免受資料庫管理員的保護。哪種解決方案滿足這些要求？

【選項】

- A. Store sensitive data in an Amazon Elastic Block Store (Amazon EBS) volume. Use EBS encryption to encrypt the data. Use an IAM instance role to restrict access.
- B. Store sensitive data in Amazon RDS for MySQL. Use AWS Key Management Service (AWS KMS) client-side encryption to encrypt the data.
- C. Store sensitive data in Amazon S3. Use AWS Key Management Service (AWS KMS) server-side encryption to encrypt the data. Use S3 bucket policies to restrict access.
- D. Store sensitive data in Amazon FSx for Windows Server. Mount the file share on application servers. Use Windows file permissions to restrict access.

【參考答案】B

【題號】question 565

【題目】

A company has an on-premises MySQL database that handles transactional data. The company is migrating the database to the AWS Cloud. The migrated database must maintain compatibility with the company's applications that use the database. The migrated database also must scale automatically during periods of increased demand.

Which migration solution will meet these requirements?

一家公司擁有一個處理事務資料的本機 MySQL 資料庫。該公司正在將資料庫遷移到 AWS 雲端。遷移的資料庫必須保持與使用該資料庫的公司應用程式的相容性。遷移的資料庫也必須在需求增加期間自動擴展。

哪種遷移解決方案可以滿足這些要求？

【選項】

- A. Use native MySQL tools to migrate the database to Amazon RDS for MySQL. Configure elastic storage scaling.
- B. Migrate the database to Amazon Redshift by using the mysqldump utility. Turn on Auto Scaling for the Amazon Redshift cluster.
- C. Use AWS Database Migration Service (AWS DMS) to migrate the database to Amazon Aurora. Turn on Aurora Auto Scaling.
- D. Use AWS Database Migration Service (AWS DMS) to migrate the database to Amazon DynamoDB. Configure an Auto Scaling policy.

【參考答案】C

【題號】question 566

【題目】

A company runs multiple Amazon EC2 Linux instances in a VPC across two Availability Zones. The instances host applications that use a hierarchical directory structure. The applications need to read and write rapidly and concurrently to shared storage.

What should a solutions architect do to meet these requirements?

一家公司在跨兩個可用區的 VPC 中執行多個 Amazon EC2 Linux 執行個體。這些實例託管使用分層目錄結構的應用程式。應用程式需要快速並發地讀取和寫入共享儲存。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Create an Amazon S3 bucket. Allow access from all the EC2 instances in the VPC.

B.Create an Amazon Elastic File System (Amazon EFS) file system. Mount the EFS file system from each EC2 instance.

C.Create a file system on a Provisioned IOPS SSD (io2) Amazon Elastic Block Store (Amazon EBS) volume. Attach the EBS volume to all the EC2 instances.

D.Create file systems on Amazon Elastic Block Store (Amazon EBS) volumes that are attached to each EC2 instance. Synchronize the EBS volumes across the different EC2 instances.

【參考答案】B

【題號】question 567

【題目】

A solutions architect is designing a workload that will store hourly energy consumption by business tenants in a building. The sensors will feed a database through HTTP requests that will add up usage for each tenant. The solutions architect must use managed services when possible. The workload will receive more features in the future as the solutions architect adds independent components.

Which solution will meet these requirements with the LEAST operational overhead?

解決方案架構師正在設計一個工作負載，用於儲存建築物中企業租戶每小時的能耗。感測器將透過 HTTP 請求向資料庫提供數據，該請求將累加每個租戶的使用情況。解決方案架構師必須盡可能使用託管服務。隨著解決方案架構師增加獨立元件，工作負載未來將獲得更多功能。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use Amazon API Gateway with AWS Lambda functions to receive the data from the sensors, process the data, and store the data in an Amazon DynamoDB table.

B. Use an Elastic Load Balancer that is supported by an Auto Scaling group of Amazon EC2 instances to receive and process the data from the sensors. Use an Amazon S3 bucket to store the processed data.

C. Use Amazon API Gateway with AWS Lambda functions to receive the data from the sensors, process the data, and store the data in a Microsoft SQL Server Express database on an Amazon EC2 instance.

D. Use an Elastic Load Balancer that is supported by an Auto Scaling group of Amazon EC2 instances to receive and process the data from the sensors. Use an Amazon Elastic File System (Amazon EFS) shared file system to store the processed data.

【參考答案】A

【題號】question 568

【題目】

A solutions architect is designing the storage architecture for a new web application used for storing and viewing engineering drawings. All application components will be deployed on the AWS infrastructure.

The application design must support caching to minimize the amount of time that users wait for the engineering drawings to load. The application must be able to store petabytes of data.

Which combination of storage and caching should the solutions architect use?

解決方案架構師正在為用於儲存和查看工程圖的新 Web 應用程式設計儲存架構。所有應用程式元件都將部署在AWS基礎架構上。

應用程式設計必須支援緩存，以最大限度地減少用戶等待工程圖載入的時間。應用程式必須能夠儲存 PB 級的資料。

解決方案架構師應該使用哪種儲存和快取組合？

【選項】

A.Amazon S3 with Amazon CloudFront

B.Amazon S3 Glacier with Amazon ElastiCache

C.Amazon Elastic Block Store (Amazon EBS) volumes with Amazon CloudFront

D.AWS Storage Gateway with Amazon ElastiCache

【參考答案】A

【題號】question 569

【題目】

An Amazon EventBridge rule targets a third-party API. The third-party API has not received any incoming traffic. A solutions architect needs to determine whether the rule conditions are being met and if the rule's target is being invoked.

Which solution will meet these requirements?

Amazon EventBridge 規則以第三方 API 為目標。第三方API未收到任何傳入流量。解決方案架構師需要確定是否滿足規則條件以及是否正在呼叫規則的目標。

哪種解決方案可以滿足這些要求？

【選項】

A.Check for metrics in Amazon CloudWatch in the namespace for AWS/Events.

B.Review events in the Amazon Simple Queue Service (Amazon SQS) dead-letter queue.

C.Check for the events in Amazon CloudWatch Logs.

D.Check the trails in AWS CloudTrail for the EventBridge events.

【參考答案】A

【題號】question 570

【題目】

A company has a large workload that runs every Friday evening. The workload runs on Amazon EC2 instances that are in two Availability Zones in the us-east-1 Region. Normally, the company must run no more than two instances at all times. However, the company wants to scale up to six instances each Friday to handle a regularly repeating increased workload.

Which solution will meet these requirements with the LEAST operational overhead?

某公司每週五晚上的工作量很大。此工作負載在 us-east-1 區域的兩個可用區中的 Amazon EC2 執行個體上執行。通常，公司始終運行的實例不得超過兩個。然而，該公司希望每週五擴展到六個實例，以處理定期重複增加的工作負載。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create a reminder in Amazon EventBridge to scale the instances.

B.Create an Auto Scaling group that has a scheduled action.

C.Create an Auto Scaling group that uses manual scaling.

D.Create an Auto Scaling group that uses automatic scaling.

【參考答案】B

【題號】question 571

【題目】

A company is creating a REST API. The company has strict requirements for the use of TLS. The company requires TLSv1.3 on the API endpoints. The company also requires a specific public third-party certificate authority (CA) to sign the TLS certificate.

Which solution will meet these requirements?

一家公司正在創建 REST API。公司對 TLS 的使用有嚴格的要求。該公司要求 API 端點使用 TLSv1.3。該公司還需要特定的公共第三方憑證授權單位 (CA) 來簽署 TLS 憑證。

哪種解決方案可以滿足這些要求？

【選項】

A. Use a local machine to create a certificate that is signed by the third-party CA. Import the certificate into AWS Certificate Manager (ACM). Create an HTTP API in Amazon API Gateway with a custom domain. Configure the custom domain to use the certificate.

B. Create a certificate in AWS Certificate Manager (ACM) that is signed by the third-party CA. Create an HTTP API in Amazon API Gateway with a custom domain. Configure the custom domain to use the certificate.

C. Use AWS Certificate Manager (ACM) to create a certificate that is signed by the third-party CA. Import the certificate into AWS Certificate Manager (ACM). Create an AWS Lambda function with a Lambda function URL. Configure the Lambda function URL to use the certificate.

D. Create a certificate in AWS Certificate Manager (ACM) that is signed by the third-party CA. Create an AWS Lambda function with a Lambda function URL. Configure the Lambda function URL to use the certificate.

【參考答案】A

【題號】question 572

【題目】

A company runs an application on AWS. The application receives inconsistent amounts of usage. The application uses AWS Direct Connect to connect to an on-premises MySQL-compatible database. The on-premises database consistently uses a minimum of 2 GiB of memory.

The company wants to migrate the on-premises database to a managed AWS service. The company wants to use auto scaling capabilities to manage unexpected workload increases.

Which solution will meet these requirements with the LEAST administrative overhead?

一家公司在 AWS 上運行應用程式。應用程式收到的使用量不一致。該應用程式使用 AWS Direct Connect 連接到本機 MySQL 相容資料庫。本地資料庫始終使用至少 2 GiB 記憶體。

該公司希望將本機資料庫遷移到託管 AWS 服務。該公司希望使用自動擴展功能來管理意外的工作負載增加。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A.Provision an Amazon DynamoDB database with default read and write capacity settings.

B.Provision an Amazon Aurora database with a minimum capacity of 1 Aurora capacity unit (ACU).

C.Provision an Amazon Aurora Serverless v2 database with a minimum capacity of 1 Aurora capacity unit (ACU).

D.Provision an Amazon RDS for MySQL database with 2 GiB of memory.

【參考答案】C

【題號】question 573

【題目】

A company wants to use an event-driven programming model with AWS Lambda. The company wants to reduce startup latency for Lambda functions that run on Java 11. The

company does not have strict latency requirements for the applications. The company wants to reduce cold starts and outlier latencies when a function scales up.

Which solution will meet these requirements MOST cost-effectively?

一家公司希望將事件驅動的程式設計模型與 AWS Lambda 結合使用。該公司希望減少在 Java 11 上運行的 Lambda 函數的啟動延遲。該公司對應用程式沒有嚴格的延遲要求。該公司希望在功能擴展時減少冷啟動和異常延遲。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A. Configure Lambda provisioned concurrency.
- B. Increase the timeout of the Lambda functions.
- C. Increase the memory of the Lambda functions.
- D. Configure Lambda SnapStart.

【參考答案】D

【題號】question 574

【題目】

A financial services company launched a new application that uses an Amazon RDS for MySQL database. The company uses the application to track stock market trends. The company needs to operate the application for only 2 hours at the end of each week. The company needs to optimize the cost of running the database.

Which solution will meet these requirements MOST cost-effectively?

一家金融服務公司推出了一款使用 Amazon RDS for MySQL 資料庫的新應用程式。該公司使用該應用程式來追蹤股票市場趨勢。該公司每週只需要運行該應用程式 2 個小時。該公司需要優化運行資料庫的成本。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A.Migrate the existing RDS for MySQL database to an Aurora Serverless v2 MySQL database cluster.
- B.Migrate the existing RDS for MySQL database to an Aurora MySQL database cluster.
- C.Migrate the existing RDS for MySQL database to an Amazon EC2 instance that runs MySQL. Purchase an instance reservation for the EC2 instance.
- D.Migrate the existing RDS for MySQL database to an Amazon Elastic Container Service (Amazon ECS) cluster that uses MySQL container images to run tasks.

【參考答案】A

【題號】question 575

【題目】

A company deploys its applications on Amazon Elastic Kubernetes Service (Amazon EKS) behind an Application Load Balancer in an AWS Region. The application needs to store data in a PostgreSQL database engine. The company wants the data in the database to be highly available. The company also needs increased capacity for read workloads.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司將其應用程式部署在 AWS 區域中應用程式負載平衡器後面的 Amazon Elastic Kubernetes Service (Amazon EKS) 上。應用程式需要將資料儲存在 PostgreSQL 資料庫引擎中。該公司希望資料庫中的數據具有高可用性。該公司還需要增加讀取工作負載的能力。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

- A.Create an Amazon DynamoDB database table configured with global tables.
- B.Create an Amazon RDS database with Multi-AZ deployments.
- C.Create an Amazon RDS database with Multi-AZ DB cluster deployment.
- D.Create an Amazon RDS database configured with cross-Region read replicas.

【參考答案】C

【題號】question 576

【題目】

A company is building a RESTful serverless web application on AWS by using Amazon API Gateway and AWS Lambda. The users of this web application will be geographically distributed, and the company wants to reduce the latency of API requests to these users.

Which type of endpoint should a solutions architect use to meet these requirements?

一家公司正在使用 Amazon API Gateway 和 AWS Lambda 在 AWS 上建立 RESTful 無伺服器 Web 應用程式。該 Web 應用程式的使用者將分佈在不同的地理位置，並且該公司希望減少這些使用者的 API 請求的延遲。

解決方案架構師應該使用哪種類型的端點來滿足這些要求？

【選項】

- A.Private endpoint
- B.Regional endpoint
- C.Interface VPC endpoint
- D.Edge-optimized endpoint

【參考答案】D

【題號】question 577

【題目】

A company uses an Amazon CloudFront distribution to serve content pages for its website. The company needs to ensure that clients use a TLS certificate when accessing

the company's website. The company wants to automate the creation and renewal of the TLS certificates.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司使用 Amazon CloudFront 發行版為其網站提供內容頁面。公司需要確保客戶在造訪公司網站時使用 TLS 憑證。該公司希望自動建立和更新 TLS 憑證。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A. Use a CloudFront security policy to create a certificate.

B. Use a CloudFront origin access control (OAC) to create a certificate.

C. Use AWS Certificate Manager (ACM) to create a certificate. Use DNS validation for the domain.

D. Use AWS Certificate Manager (ACM) to create a certificate. Use email validation for the domain.

【參考答案】C

【題號】question 578

【題目】

A company deployed a serverless application that uses Amazon DynamoDB as a database layer. The application has experienced a large increase in users. The company wants to improve database response time from milliseconds to microseconds and to cache requests to the database.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司部署了一個使用 Amazon DynamoDB 作為資料庫層的無伺服器應用程式。該應用程式的用戶數量大幅增加。該公司希望將資料庫回應時間從毫秒縮短到微秒，並快取對資料庫的請求。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A. Use DynamoDB Accelerator (DAX).
- B. Migrate the database to Amazon Redshift.
- C. Migrate the database to Amazon RDS.
- D. Use Amazon ElastiCache for Redis.

【參考答案】A

【題號】question 579

【題目】

A company runs an application that uses Amazon RDS for PostgreSQL. The application receives traffic only on weekdays during business hours. The company wants to optimize costs and reduce operational overhead based on this usage.

Which solution will meet these requirements?

一家公司運行一個使用 Amazon RDS for PostgreSQL 的應用程式。該應用程式僅在工作日的工作時間內接收流量。該公司希望根據這種使用情況來優化成本並減少營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use the Instance Scheduler on AWS to configure start and stop schedules.
- B. Turn off automatic backups. Create weekly manual snapshots of the database.
- C. Create a custom AWS Lambda function to start and stop the database based on minimum CPU utilization.
- D. Purchase All Upfront reserved DB instances.

【參考答案】A

【題號】question 580

【題目】

A company uses locally attached storage to run a latency-sensitive application on premises. The company is using a lift and shift method to move the application to the AWS Cloud. The company does not want to change the application architecture.

Which solution will meet these requirements MOST cost-effectively?

一家公司使用本地連接儲存在本地運行延遲敏感的應用程式。該公司正在使用直接遷移方法將應用程式遷移到 AWS 雲端。該公司不想改變應用程式架構。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A. Configure an Auto Scaling group with an Amazon EC2 instance. Use an Amazon FSx for Lustre file system to run the application.
- B. Host the application on an Amazon EC2 instance. Use an Amazon Elastic Block Store (Amazon EBS) GP2 volume to run the application.
- C. Configure an Auto Scaling group with an Amazon EC2 instance. Use an Amazon FSx for OpenZFS file system to run the application.
- D. Host the application on an Amazon EC2 instance. Use an Amazon Elastic Block Store (Amazon EBS) GP3 volume to run the application.

【參考答案】D

【題號】question 581

【題目】

A company runs a stateful production application on Amazon EC2 instances. The application requires at least two EC2 instances to always be running.

A solutions architect needs to design a highly available and fault-tolerant architecture for the application. The solutions architect creates an Auto Scaling group of EC2 instances.

Which set of additional steps should the solutions architect take to meet these requirements?

一家公司在 Amazon EC2 執行個體上執行有狀態生產應用程式。該應用程式需要至少兩個 EC2 執行個體才能始終執行。

解決方案架構師需要為應用程式設計一個高度可用且容錯的架構。解決方案架構師建立 EC2 執行個體的 Auto Scaling 群組。

解決方案架構師應採取哪一組附加步驟來滿足這些要求？

【選項】

A.Set the Auto Scaling group's minimum capacity to two. Deploy one On-Demand Instance in one Availability Zone and one On-Demand Instance in a second Availability Zone.

B.Set the Auto Scaling group's minimum capacity to four. Deploy two On-Demand Instances in one Availability Zone and two On-Demand Instances in a second Availability Zone.

C.Set the Auto Scaling group's minimum capacity to two. Deploy four Spot Instances in one Availability Zone.

D.Set the Auto Scaling group's minimum capacity to four. Deploy two On-Demand Instances in one Availability Zone and two Spot Instances in a second Availability Zone.

【參考答案】B

【題號】question 582

【題目】

An ecommerce company uses Amazon Route 53 as its DNS provider. The company hosts its website on premises and in the AWS Cloud. The company's on-premises data center is near the us-west-1 Region. The company uses the eu-central-1 Region to host the website. The company wants to minimize load time for the website as much as possible.

Which solution will meet these requirements?

一家電子商務公司使用 Amazon Route 53 作為其 DNS 提供者。該公司在本地和 AWS 雲端中託管其網站。該公司的本地資料中心位於 us-west-1 區域附近。該公司使用 eu-central-1 區域來託管該網站。該公司希望盡可能減少網站的載入時間。

哪種解決方案可以滿足這些要求？

【選項】

A.Set up a geolocation routing policy. Send the traffic that is near us-west-1 to the on-premises data center. Send the traffic that is near eu-central-1 to eu-central-1.

B.Set up a simple routing policy that routes all traffic that is near eu-central-1 to eu-central-1 and routes all traffic that is near the on-premises datacenter to the on-premises data center.

C.Set up a latency routing policy. Associate the policy with us-west-1.

D.Set up a weighted routing policy. Split the traffic evenly between eu-central-1 and the on-premises data center.

【參考答案】A

【題號】question 583

【題目】

A company has 5 PB of archived data on physical tapes. The company needs to preserve the data on the tapes for another 10 years for compliance purposes. The company wants to migrate to AWS in the next 6 months. The data center that stores the tapes has a 1 Gbps uplink internet connectivity.

Which solution will meet these requirements MOST cost-effectively?

一家公司在實體磁帶上擁有 5 PB 的存檔資料。出於合規目的，該公司需要將磁帶上的資料再保存 10 年。該公司希望在未來 6 個月內遷移到 AWS。儲存磁帶的資料中心具有 1 Gbps 上行鏈路網路連線。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Read the data from the tapes on premises. Stage the data in a local NFS storage. Use AWS DataSync to migrate the data to Amazon S3 Glacier Flexible Retrieval.

B.Use an on-premises backup application to read the data from the tapes and to write directly to Amazon S3 Glacier Deep Archive.

C.Order multiple AWS Snowball devices that have Tape Gateway. Copy the physical tapes to virtual tapes in Snowball. Ship the Snowball devices to AWS. Create a lifecycle policy to move the tapes to Amazon S3 Glacier Deep Archive.

D.Configure an on-premises Tape Gateway. Create virtual tapes in the AWS Cloud. Use backup software to copy the physical tape to the virtual tape.

【參考答案】C

【題號】question 584

【題目】

A company is deploying an application that processes large quantities of data in parallel. The company plans to use Amazon EC2 instances for the workload. The network architecture must be configurable to prevent groups of nodes from sharing the same underlying hardware.

Which networking solution meets these requirements?

一家公司正在部署一個並行處理大量資料的應用程式。該公司計劃使用 Amazon EC2 執行個體來處理工作負載。網路架構必須可配置，以防止節點群組共享相同的底層硬體。

哪種網路解決方案可以滿足這些要求？

【選項】

A.Run the EC2 instances in a spread placement group.

B.Group the EC2 instances in separate accounts.

C.Configure the EC2 instances with dedicated tenancy.

D.Configure the EC2 instances with shared tenancy.

【參考答案】A

【題號】question 585

【題目】

A solutions architect is designing a disaster recovery (DR) strategy to provide Amazon EC2 capacity in a failover AWS Region. Business requirements state that the DR strategy must meet capacity in the failover Region.

Which solution will meet these requirements?

解決方案架構師正在設計災難復原 (DR) 策略，以在故障轉移 AWS 區域中提供 Amazon EC2 容量。業務需求顯示災難復原策略必須滿足故障轉移區域的容量。

哪種解決方案可以滿足這些要求？

【選項】

- A.Purchase On-Demand Instances in the failover Region.
- B.Purchase an EC2 Savings Plan in the failover Region.
- C.Purchase regional Reserved Instances in the failover Region.
- D.Purchase a Capacity Reservation in the failover Region.

【參考答案】D

【題號】question 586

【題目】

A company has five organizational units (OUs) as part of its organization in AWS Organizations. Each OU correlates to the five businesses that the company owns. The company's research and development (R&D) business is separating from the company and will need its own organization. A solutions architect creates a separate new management account for this purpose.

What should the solutions architect do next in the new management account?

一家公司有五個組織單位 (OU) 作為其在 AWS Organizations 中的組織的一部分。每個 OU 與公司擁有的五項業務相關。該公司的研發 (R&D) 業務正在從公司中分離出來，需要有自己的組織。解決方案架構師為此創建了一個單獨的新管理帳戶。

解決方案架構師下一步應該在新的管理帳戶中做什麼？

【選項】

- A. Have the R&D AWS account be part of both organizations during the transition.
- B. Invite the R&D AWS account to be part of the new organization after the R&D AWS account has left the prior organization.
- C. Create a new R&D AWS account in the new organization. Migrate resources from the prior R&D AWS account to the new R&D AWS account.
- D. Have the R&D AWS account join the new organization. Make the new management account a member of the prior organization.

【參考答案】B

【題號】question 587

【題目】

A company is designing a solution to capture customer activity in different web applications to process analytics and make predictions. Customer activity in the web applications is unpredictable and can increase suddenly. The company requires a solution that integrates with other web applications. The solution must include an authorization step for security purposes.

Which solution will meet these requirements?

一家公司正在設計一種解決方案來捕獲不同 Web 應用程式中的客戶活動，以進行分析並做出預測。Web 應用程式中的客戶活動是不可預測的，並且可能會突然增加。該公司需要一個與其他 Web 應用程式整合的解決方案。出於安全目的，解決方案必須包括授權步驟。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure a Gateway Load Balancer (GWLB) in front of an Amazon Elastic Container Service (Amazon ECS) container instance that stores the information that the company receives in an Amazon Elastic File System (Amazon EFS) file system. Authorization is resolved at the GWLB.

B. Configure an Amazon API Gateway endpoint in front of an Amazon Kinesis data stream that stores the information that the company receives in an Amazon S3 bucket. Use an AWS Lambda function to resolve authorization.

C. Configure an Amazon API Gateway endpoint in front of an Amazon Kinesis Data Firehose that stores the information that the company receives in an Amazon S3 bucket. Use an API Gateway Lambda authorizer to resolve authorization.

D. Configure a Gateway Load Balancer (GWLB) in front of an Amazon Elastic Container Service (Amazon ECS) container instance that stores the information that the company receives on an Amazon Elastic File System (Amazon EFS) file system. Use an AWS Lambda function to resolve authorization.

【參考答案】C

【題號】question 588

【題目】

An ecommerce company wants a disaster recovery solution for its Amazon RDS DB instances that run Microsoft SQL Server Enterprise Edition. The company's current recovery point objective (RPO) and recovery time objective (RTO) are 24 hours.

Which solution will meet these requirements MOST cost-effectively?

一家電子商務公司希望為其執行 Microsoft SQL Server Enterprise Edition 的 Amazon RDS 資料庫執行個體提供災難復原解決方案。該公司目前的復原點目標(RPO)和復原時間目標(RTO)是24小時。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A.Create a cross-Region read replica and promote the read replica to the primary instance.
- B.Use AWS Database Migration Service (AWS DMS) to create RDS cross-Region replication.
- C.Use cross-Region replication every 24 hours to copy native backups to an Amazon S3 bucket.
- D.Copy automatic snapshots to another Region every 24 hours.

【參考答案】D

【題號】question 589

【題目】

A company runs a web application on Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer that has sticky sessions enabled. The web server currently hosts the user session state. The company wants to ensure high availability and avoid user session state loss in the event of a web server outage.

Which solution will meet these requirements?

一家公司在啟用了黏性會話的應用程式負載平衡器後面的 Auto Scaling 群組中的 Amazon EC2 執行個體上執行 Web 應用程式。Web 伺服器目前託管使用者會話狀態。該公司希望確保高可用性並避免在 Web 伺服器中斷時遺失使用者會話狀態。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use an Amazon ElastiCache for Memcached instance to store the session data. Update the application to use ElastiCache for Memcached to store the session state.
- B. Use Amazon ElastiCache for Redis to store the session state. Update the application to use ElastiCache for Redis to store the session state.
- C. Use an AWS Storage Gateway cached volume to store session data. Update the application to use AWS Storage Gateway cached volume to store the session state.
- D. Use Amazon RDS to store the session state. Update the application to use Amazon RDS to store the session state.

【參考答案】B

【題號】question 590

【題目】

A company migrated a MySQL database from the company's on-premises data center to an Amazon RDS for MySQL DB instance. The company sized the RDS DB instance to meet the company's average daily workload. Once a month, the database performs slowly when the company runs queries for a report. The company wants to have the ability to run reports and maintain the performance of the daily workloads.

Which solution will meet these requirements?

一家公司將 MySQL 資料庫從公司的本地資料中心遷移到 Amazon RDS for MySQL 資料庫執行個體。該公司調整了 RDS 資料庫執行個體的大小以滿足公司的平均每日工作負載。每月一次，當公司執行報表查詢時，資料庫運作緩慢。該公司希望能夠運行報告並維護日常工作負載的效能。

哪種解決方案可以滿足這些要求？

【選項】

- A. Create a read replica of the database. Direct the queries to the read replica.
- B. Create a backup of the database. Restore the backup to another DB instance. Direct the queries to the new database.
- C. Export the data to Amazon S3. Use Amazon Athena to query the S3 bucket.

D.Resize the DB instance to accommodate the additional workload.

【參考答案】A

【題號】question 591

【題目】

A company runs a container application by using Amazon Elastic Kubernetes Service (Amazon EKS). The application includes microservices that manage customers and place orders. The company needs to route incoming requests to the appropriate microservices.

Which solution will meet this requirement MOST cost-effectively?

一家公司使用 Amazon Elastic Kubernetes Service (Amazon EKS) 運行容器應用程式。該應用程式包括管理客戶和下訂單的微服務。公司需要將傳入請求路由到適當的微服務。

哪一種解決方案能夠最經濟有效地滿足這項要求？

【選項】

- A.Use the AWS Load Balancer Controller to provision a Network Load Balancer.
- B.Use the AWS Load Balancer Controller to provision an Application Load Balancer.
- C.Use an AWS Lambda function to connect the requests to Amazon EKS.
- D.Use Amazon API Gateway to connect the requests to Amazon EKS.

【參考答案】B

【題號】question 592

【題目】

A company uses AWS and sells access to copyrighted images. The company's global customer base needs to be able to access these images quickly. The company must deny access to users from specific countries. The company wants to minimize costs as much as possible.

Which solution will meet these requirements?

一家公司使用 AWS 並出售受版權保護的映像的存取權限。該公司的全球客戶群需要能夠快速存取這些圖像。公司必須拒絕來自特定國家/地區的使用者的存取。該公司希望盡可能降低成本。

哪種解決方案可以滿足這些要求？

【選項】

A. Use Amazon S3 to store the images. Turn on multi-factor authentication (MFA) and public bucket access. Provide customers with a link to the S3 bucket.

B. Use Amazon S3 to store the images. Create an IAM user for each customer. Add the users to a group that has permission to access the S3 bucket.

C. Use Amazon EC2 instances that are behind Application Load Balancers (ALBs) to store the images. Deploy the instances only in the countries the company services. Provide customers with links to the ALBs for their specific country's instances.

D. Use Amazon S3 to store the images. Use Amazon CloudFront to distribute the images with geographic restrictions. Provide a signed URL for each customer to access the data in CloudFront.

【參考答案】D

【題號】question 593

【題目】

A solutions architect is designing a highly available Amazon ElastiCache for Redis based solution. The solutions architect needs to ensure that failures do not result in performance degradation or loss of data locally and within an AWS Region. The solution needs to provide high availability at the node level and at the Region level.

Which solution will meet these requirements?

解決方案架構師正在設計基於 Amazon ElastiCache for Redis 的高可用解決方案。解決方案架構師需要確保故障不會導致本地和 AWS 區域內的效能下降或資料遺失。此解決方案需要提供節點層級和區域層級的高可用性。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use Multi-AZ Redis replication groups with shards that contain multiple nodes.
- B. Use Redis shards that contain multiple nodes with Redis append only files (AOF) turned on.
- C. Use a Multi-AZ Redis cluster with more than one read replica in the replication group.
- D. Use Redis shards that contain multiple nodes with Auto Scaling turned on.

【參考答案】A

【題號】question 594

【題目】

A company plans to migrate to AWS and use Amazon EC2 On-Demand Instances for its application. During the migration testing phase, a technical team observes that the application takes a long time to launch and load memory to become fully productive.

Which solution will reduce the launch time of the application during the next testing phase?

一家公司計劃遷移到 AWS 並為其應用程式使用 Amazon EC2 隨選執行個體。在遷移測試階段，技術團隊觀察到應用程式需要很長時間才能啟動和載入記憶體才能完全發揮作用。

哪種解決方案將減少下一個測試階段應用程式的啟動時間？

【選項】

A. Launch two or more EC2 On-Demand Instances. Turn on auto scaling features and make the EC2 On-Demand Instances available during the next testing phase.

B. Launch EC2 Spot Instances to support the application and to scale the application so it is available during the next testing phase.

C. Launch the EC2 On-Demand Instances with hibernation turned on. Configure EC2 Auto Scaling warm pools during the next testing phase.

D. Launch EC2 On-Demand Instances with Capacity Reservations. Start additional EC2 instances during the next testing phase.

【參考答案】C

【題號】question 595

【題目】

A company's applications run on Amazon EC2 instances in Auto Scaling groups. The company notices that its applications experience sudden traffic increases on random days of the week. The company wants to maintain application performance during sudden traffic increases.

Which solution will meet these requirements MOST cost-effectively?

本公司的應用程式在 Auto Scaling 群組中的 Amazon EC2 執行個體上執行。該公司注意到，其應用程式的流量會在一周中的任意幾天突然增加。該公司希望在流量突然增加時保持應用程式效能。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Use manual scaling to change the size of the Auto Scaling group.

B. Use predictive scaling to change the size of the Auto Scaling group.

C. Use dynamic scaling to change the size of the Auto Scaling group.

D. Use schedule scaling to change the size of the Auto Scaling group.

【參考答案】C

【題號】question 596

【題目】

An ecommerce application uses a PostgreSQL database that runs on an Amazon EC2 instance. During a monthly sales event, database usage increases and causes database connection issues for the application. The traffic is unpredictable for subsequent monthly sales events, which impacts the sales forecast. The company needs to maintain performance when there is an unpredictable increase in traffic.

Which solution resolves this issue in the MOST cost-effective way?

電子商務應用程式使用在 Amazon EC2 執行個體上執行的 PostgreSQL 資料庫。在每月的銷售活動期間，資料庫使用量增加並導致應用程式出現資料庫連線問題。隨後的每月銷售活動的流量是不可預測的，這會影響銷售預測。當流量出現不可預測的成長時，公司需要保持業績。

哪一種解決方案能夠以最具成本效益的方式解決這個問題？

【選項】

- A.Migrate the PostgreSQL database to Amazon Aurora Serverless v2.
- B.Enable auto scaling for the PostgreSQL database on the EC2 instance to accommodate increased usage.
- C.Migrate the PostgreSQL database to Amazon RDS for PostgreSQL with a larger instance type.
- D.Migrate the PostgreSQL database to Amazon Redshift to accommodate increased usage.

【參考答案】A

【題號】question 597

【題目】

A company hosts an internal serverless application on AWS by using Amazon API Gateway and AWS Lambda. The company's employees report issues with high latency when they begin using the application each day. The company wants to reduce latency.

Which solution will meet these requirements?

一家公司使用 Amazon API Gateway 和 AWS Lambda 在 AWS 上託管內部無伺服器應用程式。該公司的員工每天開始使用該應用程式時都會報告高延遲問題。該公司希望減少延遲。

哪種解決方案可以滿足這些要求？

【選項】

A.Increase the API Gateway throttling limit.

B.Set up a scheduled scaling to increase Lambda provisioned concurrency before employees begin to use the application each day.

C.Create an Amazon CloudWatch alarm to initiate a Lambda function as a target for the alarm at the beginning of each day.

D.Increase the Lambda function memory.

【參考答案】B

【題號】question 598

【題目】

A research company uses on-premises devices to generate data for analysis. The company wants to use the AWS Cloud to analyze the data. The devices generate .csv files and support writing the data to an SMB file share. Company analysts must be able to use SQL commands to query the data. The analysts will run queries periodically throughout the day.

Which combination of steps will meet these requirements MOST cost-effectively?
(Choose three.)

一家研究公司使用本地設備產生數據進行分析。該公司希望使用 AWS 雲端來分析數據。這些裝置產生 .csv 檔案並支援將資料寫入 SMB 檔案共用。公司分析師必須能夠使用 SQL 指令來查詢資料。分析師將全天定期進行查詢。

哪一種步驟組合能夠最經濟有效地滿足這些要求？（選擇三項。）

【選項】

- A. Deploy an AWS Storage Gateway on premises in Amazon S3 File Gateway mode.
- B. Deploy an AWS Storage Gateway on premises in Amazon FSx File Gateway mode.
- C. Set up an AWS Glue crawler to create a table based on the data that is in Amazon S3.
- D. Set up an Amazon EMR cluster with EMR File System (EMRFS) to query the data that is in Amazon S3. Provide access to analysts.
- E. Set up an Amazon Redshift cluster to query the data that is in Amazon S3. Provide access to analysts.
- F. Setup Amazon Athena to query the data that is in Amazon S3. Provide access to analysts.

【參考答案】ACF

【題號】question 599

【題目】

A company wants to use Amazon Elastic Container Service (Amazon ECS) clusters and Amazon RDS DB instances to build and run a payment processing application. The company will run the application in its on-premises data center for compliance purposes.

A solutions architect wants to use AWS Outposts as part of the solution. The solutions architect is working with the company's operational team to build the application.

Which activities are the responsibility of the company's operational team? (Choose three.)

一家公司希望使用 Amazon Elastic Container Service (Amazon ECS) 叢集和 Amazon RDS 資料庫執行個體來建置和執行支付處理應用程式。出於合規性目的，該公司將在其本地資料中心運行該應用程式。

解決方案架構師希望使用 AWS Outposts 作為解決方案的一部分。解決方案架構師正在與公司的營運團隊合作建立應用程式。

哪些活動是公司營運團隊的職責？（選擇三項。）

【選項】

- A. Providing resilient power and network connectivity to the Outposts racks
- B. Managing the virtualization hypervisor, storage systems, and the AWS services that run on Outposts
- C. Physical security and access controls of the data center environment
- D. Availability of the Outposts infrastructure including the power supplies, servers, and networking equipment within the Outposts racks
- E. Physical maintenance of Outposts components
- F. Providing extra capacity for Amazon ECS clusters to mitigate server failures and maintenance events

【參考答案】ACF

【題號】question 600

【題目】

A company is planning to migrate a TCP-based application into the company's VPC. The application is publicly accessible on a nonstandard TCP port through a hardware appliance in the company's data center. This public endpoint can process up to 3 million requests per second with low latency. The company requires the same level of performance for the new public endpoint in AWS.

What should a solutions architect recommend to meet this requirement?

某公司正計劃將基於TCP的應用程式遷移到公司的VPC中。該應用程式可透過公司資料中心的硬體設備透過非標準 TCP 連接埠公開存取。該公共端點每秒可處理多達 300 萬個請求，且延遲較低。該公司要求 AWS 中的新公共端點具有相同水準的效能。

解決方案架構師應該建議什麼來滿足此要求？

【選項】

A. Deploy a Network Load Balancer (NLB). Configure the NLB to be publicly accessible over the TCP port that the application requires.

B. Deploy an Application Load Balancer (ALB). Configure the ALB to be publicly accessible over the TCP port that the application requires.

C. Deploy an Amazon CloudFront distribution that listens on the TCP port that the application requires. Use an Application Load Balancer as the origin.

D. Deploy an Amazon API Gateway API that is configured with the TCP port that the application requires. Configure AWS Lambda functions with provisioned concurrency to process the requests.

【參考答案】A
