

AWS Certified Solutions Architect - Associate SAA-C03

question 0801-0900

Last Update: 2024.11

【題號】question 801

【題目】

A financial company needs to handle highly sensitive data. The company will store the data in an Amazon S3 bucket. The company needs to ensure that the data is encrypted in transit and at rest. The company must manage the encryption keys outside the AWS Cloud.

Which solution will meet these requirements?

金融公司需要處理高度敏感的數據。該公司將把資料儲存在 Amazon S3 儲存桶中。公司需要確保資料在傳輸過程中和靜態時都經過加密。公司必須在 AWS 雲端外部管理加密金鑰。

哪種解決方案可以滿足這些要求？

【選項】

A.Encrypt the data in the S3 bucket with server-side encryption (SSE) that uses an AWS Key Management Service (AWS KMS) customer managed key.

B.Encrypt the data in the S3 bucket with server-side encryption (SSE) that uses an AWS Key Management Service (AWS KMS) AWS managed key.

C.Encrypt the data in the S3 bucket with the default server-side encryption (SSE).

D.Encrypt the data at the company's data center before storing the data in the S3 bucket.

【參考答案】D

【題號】question 802

【題目】

A company wants to run its payment application on AWS. The application receives payment notifications from mobile devices. Payment notifications require a basic validation before they are sent for further processing.

The backend processing application is long running and requires compute and memory to be adjusted. The company does not want to manage the infrastructure.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望在 AWS 上運行其支付應用程式。該應用程式接收來自行動裝置的付款通知。付款通知在發送進行進一步處理之前需要進行基本驗證。

後端處理應用程式長時間運行，需要調整計算和記憶體。該公司不想管理基礎設施。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an Amazon Simple Queue Service (Amazon SQS) queue. Integrate the queue with an Amazon EventBridge rule to receive payment notifications from mobile devices. Configure the rule to validate payment notifications and send the notifications to the backend application. Deploy the backend application on Amazon Elastic Kubernetes Service (Amazon EKS) Anywhere. Create a standalone cluster.

B.Create an Amazon API Gateway API. Integrate the API with an AWS Step Functions state machine to receive payment notifications from mobile devices. Invoke the state machine to validate payment notifications and send the notifications to the backend application. Deploy the backend application on Amazon Elastic Kubernetes Service (Amazon EKS). Configure an EKS cluster with self-managed nodes.

C.Create an Amazon Simple Queue Service (Amazon SQS) queue. Integrate the queue with an Amazon EventBridge rule to receive payment notifications from mobile devices. Configure the rule to validate payment notifications and send the notifications to the backend application. Deploy the backend application on Amazon EC2 Spot Instances. Configure a Spot Fleet with a default allocation strategy.

D.Create an Amazon API Gateway API. Integrate the API with AWS Lambda to receive payment notifications from mobile devices. Invoke a Lambda function to validate payment notifications and send the notifications to the backend application. Deploy the backend

application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon ECS with an AWS Fargate launch type.

【參考答案】D

【題號】question 803

【題目】

A solutions architect is designing a user authentication solution for a company. The solution must invoke two-factor authentication for users that log in from inconsistent geographical locations, IP addresses, or devices. The solution must also be able to scale up to accommodate millions of users.

Which solution will meet these requirements?

解決方案架構師正在為公司設計使用者身份驗證解決方案。此解決方案必須為從不一致的地理位置、IP 位址或裝置登入的使用者呼叫雙重認證。該解決方案還必須能夠擴展以容納數百萬用戶。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure Amazon Cognito user pools for user authentication. Enable the risk-based adaptive authentication feature with multifactor authentication (MFA).

B. Configure Amazon Cognito identity pools for user authentication. Enable multi-factor authentication (MFA).

C. Configure AWS Identity and Access Management (IAM) users for user authentication. Attach an IAM policy that allows the AllowManageOwnUserMFA action.

D. Configure AWS IAM Identity Center (AWS Single Sign-On) authentication for user authentication. Configure the permission sets to require multi-factor authentication (MFA).

【參考答案】A

【題號】question 804

【題目】

A company has an Amazon S3 data lake. The company needs a solution that transforms the data from the data lake and loads the data into a data warehouse every day. The data warehouse must have massively parallel processing (MPP) capabilities.

Data analysts then need to create and train machine learning (ML) models by using SQL commands on the data. The solution must use serverless AWS services wherever possible.

Which solution will meet these requirements?

一家公司擁有一個 Amazon S3 資料湖。該公司需要一個解決方案來每天轉換資料湖中的資料並將資料載入到資料倉儲中。資料倉儲必須具有大規模並行處理(MPP)能力。

然後，資料分析師需要透過對資料使用 SQL 命令來建立和訓練機器學習 (ML) 模型。此解決方案必須盡可能使用無伺服器 AWS 服務。

哪種解決方案可以滿足這些要求？

【選項】

A.Run a daily Amazon EMR job to transform the data and load the data into Amazon Redshift. Use Amazon Redshift ML to create and train the ML models.

B.Run a daily Amazon EMR job to transform the data and load the data into Amazon Aurora Serverless. Use Amazon Aurora ML to create and train the ML models.

C.Run a daily AWS Glue job to transform the data and load the data into Amazon Redshift Serverless. Use Amazon Redshift ML to create and train the ML models.

D.Run a daily AWS Glue job to transform the data and load the data into Amazon Athena tables. Use Amazon Athena ML to create and train the ML models.

【參考答案】C

【題號】question 805

【題目】

A company runs containers in a Kubernetes environment in the company's local data center. The company wants to use Amazon Elastic Kubernetes Service (Amazon EKS) and other AWS managed services. Data must remain locally in the company's data center and cannot be stored in any remote site or cloud to maintain compliance.

Which solution will meet these requirements?

某公司在其本地資料中心的 Kubernetes 環境中運作容器。該公司希望使用 Amazon Elastic Kubernetes Service (Amazon EKS) 和其他 AWS 託管服務。資料必須保留在公司資料中心本地，並且不能儲存在任何遠端站點或雲端中，以保持合規性。

哪種解決方案可以滿足這些要求？

【選項】

- A. Deploy AWS Local Zones in the company's data center.
- B. Use an AWS Snowmobile in the company's data center.
- C. Install an AWS Outposts rack in the company's data center.
- D. Install an AWS Snowball Edge Storage Optimized node in the data center.

【參考答案】C

【題號】question 806

【題目】

A social media company has workloads that collect and process data. The workloads store the data in on-premises NFS storage. The data store cannot scale fast enough to meet the company's expanding business needs. The company wants to migrate the current data store to AWS.

Which solution will meet these requirements MOST cost-effectively?

社群媒體公司具有收集和處理資料的工作負載。工作負載將資料儲存在本地 NFS 儲存中。資料儲存的擴展速度不足以滿足公司不斷擴大的業務需求。該公司希望將目前的資料儲存遷移到AWS。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Set up an AWS Storage Gateway Volume Gateway. Use an Amazon S3 Lifecycle policy to transition the data to the appropriate storage class.

B.Set up an AWS Storage Gateway Amazon S3 File Gateway. Use an Amazon S3 Lifecycle policy to transition the data to the appropriate storage class.

C.Use the Amazon Elastic File System (Amazon EFS) Standard-Infrequent Access (Standard-IA) storage class. Activate the infrequent access lifecycle policy.

D.Use the Amazon Elastic File System (Amazon EFS) One Zone-Infrequent Access (One Zone-IA) storage class. Activate the infrequent access lifecycle policy.

【參考答案】B

【題號】question 807

【題目】

A company uses high concurrency AWS Lambda functions to process a constantly increasing number of messages in a message queue during marketing events. The Lambda functions use CPU intensive code to process the messages. The company wants to reduce the compute costs and to maintain service latency for its customers.

Which solution will meet these requirements?

一家公司在行銷活動期間使用高並發 AWS Lambda 函數來處理訊息佇列中不斷增加的訊息數量。Lambda 函數使用 CPU 密集型程式碼來處理訊息。該公司希望降低運算成本並維持客戶的服務延遲。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure reserved concurrency for the Lambda functions. Decrease the memory allocated to the Lambda functions.
- B. Configure reserved concurrency for the Lambda functions. Increase the memory according to AWS Compute Optimizer recommendations.
- C. Configure provisioned concurrency for the Lambda functions. Decrease the memory allocated to the Lambda functions.
- D. Configure provisioned concurrency for the Lambda functions. Increase the memory according to AWS Compute Optimizer recommendations.

【參考答案】D

【題號】question 808

【題目】

A company runs its workloads on Amazon Elastic Container Service (Amazon ECS). The container images that the ECS task definition uses need to be scanned for Common Vulnerabilities and Exposures (CVEs). New container images that are created also need to be scanned.

Which solution will meet these requirements with the FEWEST changes to the workloads?

一家公司在 Amazon Elastic Container Service (Amazon ECS) 上運行其工作負載。ECS 任務定義使用的容器映像需要掃描常見漏洞和暴露 (CVE)。建立的新容器鏡像也需要掃描。

哪一種解決方案能夠以最少的工作負載變化來滿足這些要求？

【選項】

- A. Use Amazon Elastic Container Registry (Amazon ECR) as a private image repository to store the container images. Specify scan on push filters for the ECR basic scan.
- B. Store the container images in an Amazon S3 bucket. Use Amazon Macie to scan the images. Use an S3 Event Notification to initiate a Macie scan for every event with an s3:ObjectCreated:Put event type.

C. Deploy the workloads to Amazon Elastic Kubernetes Service (Amazon EKS). Use Amazon Elastic Container Registry (Amazon ECR) as a private image repository. Specify scan on push filters for the ECR enhanced scan.

D. Store the container images in an Amazon S3 bucket that has versioning enabled. Configure an S3 Event Notification for s3:ObjectCreated:* events to invoke an AWS Lambda function. Configure the Lambda function to initiate an Amazon Inspector scan.

【參考答案】A

【題號】question 809

【題目】

A company uses an AWS Batch job to run its end-of-day sales process. The company needs a serverless solution that will invoke a third-party reporting application when the AWS Batch job is successful. The reporting application has an HTTP API interface that uses username and password authentication.

Which solution will meet these requirements?

一家公司使用 AWS Batch 作業來運行其日終銷售流程。該公司需要一個無伺服器解決方案，以便在 AWS Batch 作業成功時呼叫第三方報告應用程式。報告應用程式具有使用使用者名稱和密碼驗證的 HTTP API 介面。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure an Amazon EventBridge rule to match incoming AWS Batch job SUCCEEDED events. Configure the third-party API as an EventBridge API destination with a username and password. Set the API destination as the EventBridge rule target.

B. Configure Amazon EventBridge Scheduler to match incoming AWS Batch job SUCCEEDED events. Configure an AWS Lambda function to invoke the third-party API by using a username and password. Set the Lambda function as the EventBridge rule target.

C. Configure an AWS Batch job to publish job SUCCEEDED events to an Amazon API Gateway REST API. Configure an HTTP proxy integration on the API Gateway REST API to invoke the third-party API by using a username and password.

D. Configure an AWS Batch job to publish job SUCCEEDED events to an Amazon API Gateway REST API. Configure a proxy integration on the API Gateway REST API to an AWS Lambda function. Configure the Lambda function to invoke the third-party API by using a username and password.

【參考答案】B

【題號】question 810

【題目】

A company collects and processes data from a vendor. The vendor stores its data in an Amazon RDS for MySQL database in the vendor's own AWS account. The company's VPC does not have an internet gateway, an AWS Direct Connect connection, or an AWS Site-to-Site VPN connection. The company needs to access the data that is in the vendor database.

Which solution will meet this requirement?

公司收集並處理來自供應商的數據。供應商將其資料儲存在供應商自己的 AWS 帳戶中的 Amazon RDS for MySQL 資料庫中。該公司的 VPC 沒有網際網路閘道、AWS Direct Connect 連線或 AWS Site-to-Site VPN 連線。該公司需要存取供應商資料庫中的資料。

哪種解決方案可以滿足這個要求？

【選項】

A. Instruct the vendor to sign up for the AWS Hosted Connection Direct Connect Program. Use VPC peering to connect the company's VPC and the vendor's VPC.

B. Configure a client VPN connection between the company's VPC and the vendor's VPC. Use VPC peering to connect the company's VPC and the vendor's VPC.

C.Instruct the vendor to create a Network Load Balancer (NLB). Place the NLB in front of the Amazon RDS for MySQL database. Use AWS PrivateLink to integrate the company's VPC and the vendor's VPC.

D.Use AWS Transit Gateway to integrate the company's VPC and the vendor's VPC. Use VPC peering to connect the company's VPC and the vendor's VPC.

【參考答案】C

【題號】question 811

【題目】

A company wants to set up Amazon Managed Grafana as its visualization tool. The company wants to visualize data from its Amazon RDS database as one data source. The company needs a secure solution that will not expose the data over the internet.

Which solution will meet these requirements?

一家公司希望設定 Amazon Managed Grafana 作為其視覺化工具。該公司希望將其 Amazon RDS 資料庫中的資料視覺化為資料來源。該公司需要一個不會透過網路公開資料的安全解決方案。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon Managed Grafana workspace without a VPC. Create a public endpoint for the RDS database. Configure the public endpoint as a data source in Amazon Managed Grafana.

B.Create an Amazon Managed Grafana workspace in a VPC. Create a private endpoint for the RDS database. Configure the private endpoint as a data source in Amazon Managed Grafana.

C.Create an Amazon Managed Grafana workspace without a VPC. Create an AWS PrivateLink endpoint to establish a connection between Amazon Managed Grafana and Amazon RDS. Set up Amazon RDS as a data source in Amazon Managed Grafana.

D.Create an Amazon Managed Grafana workspace in a VPC. Create a public endpoint for the RDS database. Configure the public endpoint as a data source in Amazon Managed Grafana.

【參考答案】C

【題號】question 812

【題目】

A company hosts a data lake on Amazon S3. The data lake ingests data in Apache Parquet format from various data sources. The company uses multiple transformation steps to prepare the ingested data. The steps include filtering of anomalies, normalizing of data to standard date and time values, and generation of aggregates for analyses.

The company must store the transformed data in S3 buckets that data analysts access. The company needs a prebuilt solution for data transformation that does not require code. The solution must provide data lineage and data profiling. The company needs to share the data transformation steps with employees throughout the company.

Which solution will meet these requirements?

一家公司在 Amazon S3 上託管一個資料湖。資料湖從各種資料來源取得 Apache Parquet 格式的資料。該公司使用多個轉換步驟來準備攝取的資料。這些步驟包括過濾異常、將資料標準化為標準日期和時間值以及產生用於分析的聚合。

公司必須將轉換後的資料儲存在資料分析師存取的 S3 儲存桶中。該公司需要一個不需要程式碼的預先建置資料轉換解決方案。該解決方案必須提供數據沿襲和數據分析。公司需要與全公司員工分享資料轉換步驟。

哪種解決方案可以滿足這些要求？

【選項】

A.Configure an AWS Glue Studio visual canvas to transform the data. Share the transformation steps with employees by using AWS Glue jobs.

B.Configure Amazon EMR Serverless to transform the data. Share the transformation steps with employees by using EMR Serverless jobs.

C. Configure AWS Glue DataBrew to transform the data. Share the transformation steps with employees by using DataBrew recipes.

D. Create Amazon Athena tables for the data. Write Athena SQL queries to transform the data. Share the Athena SQL queries with employees.

【參考答案】C

【題號】question 813

【題目】

A solutions architect runs a web application on multiple Amazon EC2 instances that are in individual target groups behind an Application Load Balancer (ALB). Users can reach the application through a public website.

The solutions architect wants to allow engineers to use a development version of the website to access one specific development EC2 instance to test new features for the application. The solutions architect wants to use an Amazon Route 53 hosted zone to give the engineers access to the development instance. The solution must automatically route to the development instance even if the development instance is replaced.

Which solution will meet these requirements?

解決方案架構師在位於應用程式負載平衡器 (ALB) 後面的各個目標群組中的多個 Amazon EC2 執行個體上執行 Web 應用程式。用戶可以透過公共網站存取該應用程式。

解決方案架構師希望允許工程師使用網站的開發版本來存取特定的開發 EC2 執行個體來測試應用程式的新功能。解決方案架構師希望使用 Amazon Route 53 託管區域讓工程師能夠存取開發執行個體。即使開發實例被替換，解決方案也必須自動路由到開發實例。

哪種解決方案可以滿足這些要求？

【選項】

A. Create an A Record for the development website that has the value set to the ALB. Create a listener rule on the ALB that forwards requests for the development website to the target group that contains the development instance.

B.Recreate the development instance with a public IP address. Create an A Record for the development website that has the value set to the public IP address of the development instance.

C.Create an A Record for the development website that has the value set to the ALB. Create a listener rule on the ALB to redirect requests for the development website to the public IP address of the development instance.

D.Place all the instances in the same target group. Create an A Record for the development website. Set the value to the ALB. Create a listener rule on the ALB that forwards requests for the development website to the target group.

【參考答案】A

【題號】question 814

【題目】

A company runs a container application on a Kubernetes cluster in the company's data center. The application uses Advanced Message Queuing Protocol (AMQP) to communicate with a message queue. The data center cannot scale fast enough to meet the company's expanding business needs. The company wants to migrate the workloads to AWS.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在公司資料中心的 Kubernetes 叢集上運行容器應用程式。該應用程式使用高級訊息佇列協定 (AMQP) 與訊息佇列進行通訊。資料中心的擴展速度不夠快，無法滿足公司不斷擴大的業務需求。該公司希望將工作負載遷移到 AWS。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Migrate the container application to Amazon Elastic Container Service (Amazon ECS). Use Amazon Simple Queue Service (Amazon SQS) to retrieve the messages.

B.Migrate the container application to Amazon Elastic Kubernetes Service (Amazon EKS). Use Amazon MQ to retrieve the messages.

C. Use highly available Amazon EC2 instances to run the application. Use Amazon MQ to retrieve the messages.

D. Use AWS Lambda functions to run the application. Use Amazon Simple Queue Service (Amazon SQS) to retrieve the messages.

【參考答案】B

【題號】question 815

【題目】

An online gaming company hosts its platform on Amazon EC2 instances behind Network Load Balancers (NLBs) across multiple AWS Regions. The NLBs can route requests to targets over the internet. The company wants to improve the customer playing experience by reducing end-to-end load time for its global customer base.

Which solution will meet these requirements?

線上遊戲公司將其平台託管在跨多個 AWS 區域的網路負載平衡器 (NLB) 後面的 Amazon EC2 執行個體上。NLB 可以透過 Internet 將請求路由到目標。該公司希望透過減少全球客戶群的端到端載入時間來改善客戶的遊戲體驗。

哪種解決方案可以滿足這些要求？

【選項】

A. Create Application Load Balancers (ALBs) in each Region to replace the existing NLBs. Register the existing EC2 instances as targets for the ALBs in each Region.

B. Configure Amazon Route 53 to route equally weighted traffic to the NLBs in each Region.

C. Create additional NLBs and EC2 instances in other Regions where the company has large customer bases.

D. Create a standard accelerator in AWS Global Accelerator. Configure the existing NLBs as target endpoints.

【參考答案】D

【題號】question 816

【題目】

A company has an on-premises application that uses SFTP to collect financial data from multiple vendors. The company is migrating to the AWS Cloud. The company has created an application that uses Amazon S3 APIs to upload files from vendors.

Some vendors run their systems on legacy applications that do not support S3 APIs. The vendors want to continue to use SFTP-based applications to upload data. The company wants to use managed services for the needs of the vendors that use legacy applications.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司有一個本地應用程式，該應用程式使用 SFTP 從多個供應商收集財務數據。該公司正在遷移到 AWS 雲端。該公司創建了一個使用 Amazon S3 API 上傳供應商文件的應用程式。

一些供應商在不支援 S3 API 的舊應用程式上運行其系統。供應商希望繼續使用基於 SFTP 的應用程式來上傳資料。該公司希望使用託管服務來滿足使用遺留應用程式的供應商的需求。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an AWS Database Migration Service (AWS DMS) instance to replicate data from the storage of the vendors that use legacy applications to Amazon S3. Provide the vendors with the credentials to access the AWS DMS instance.

B.Create an AWS Transfer Family endpoint for vendors that use legacy applications.

C.Configure an Amazon EC2 instance to run an SFTP server. Instruct the vendors that use legacy applications to use the SFTP server to upload data.

D.Configure an Amazon S3 File Gateway for vendors that use legacy applications to upload files to an SMB file share.

【參考答案】B

【題號】question 817

【題目】

A marketing team wants to build a campaign for an upcoming multi-sport event. The team has news reports from the past five years in PDF format. The team needs a solution to extract insights about the content and the sentiment of the news reports. The solution must use Amazon Textract to process the news reports.

Which solution will meet these requirements with the LEAST operational overhead?

行銷團隊想要為即將舉行的綜合運動會製作一場行銷活動。該團隊擁有過去五年的 PDF 格式的新聞報導。團隊需要一個解決方案來提取有關新聞報道內容和情緒的見解。此解決方案必須使用 Amazon Textract 來處理新聞報導。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Provide the extracted insights to Amazon Athena for analysis. Store the extracted insights and analysis in an Amazon S3 bucket.

B. Store the extracted insights in an Amazon DynamoDB table. Use Amazon SageMaker to build a sentiment model.

C. Provide the extracted insights to Amazon Comprehend for analysis. Save the analysis to an Amazon S3 bucket.

D. Store the extracted insights in an Amazon S3 bucket. Use Amazon QuickSight to visualize and analyze the data.

【參考答案】C

【題號】question 818

【題目】

A company's application runs on Amazon EC2 instances that are in multiple Availability Zones. The application needs to ingest real-time data from third-party applications.

The company needs a data ingestion solution that places the ingested raw data in an Amazon S3 bucket.

Which solution will meet these requirements?

本公司的應用程式在位於多個可用區的 Amazon EC2 執行個體上執行。應用程式需要從第三方應用程式獲取即時數據。

該公司需要一種資料攝取解決方案，將攝取的原始資料放入 Amazon S3 儲存桶中。

哪種解決方案可以滿足這些要求？

【選項】

A.Create Amazon Kinesis data streams for data ingestion. Create Amazon Kinesis Data Firehose delivery streams to consume the Kinesis data streams. Specify the S3 bucket as the destination of the delivery streams.

B.Create database migration tasks in AWS Database Migration Service (AWS DMS). Specify replication instances of the EC2 instances as the source endpoints. Specify the S3 bucket as the target endpoint. Set the migration type to migrate existing data and replicate ongoing changes.

C.Create and configure AWS DataSync agents on the EC2 instances. Configure DataSync tasks to transfer data from the EC2 instances to the S3 bucket.

D.Create an AWS Direct Connect connection to the application for data ingestion. Create Amazon Kinesis Data Firehose delivery streams to consume direct PUT operations from the application. Specify the S3 bucket as the destination of the delivery streams.

【參考答案】A

【題號】question 819

【題目】

A company's application is receiving data from multiple data sources. The size of the data varies and is expected to increase over time. The current maximum size is 700 KB. The data volume and data size continue to grow as more data sources are added.

The company decides to use Amazon DynamoDB as the primary database for the application. A solutions architect needs to identify a solution that handles the large data sizes.

Which solution will meet these requirements in the MOST operationally efficient way?

公司的應用程式正在從多個資料來源接收資料。數據的大小各不相同，並且預計會隨著時間的推移而增加。目前最大大小為 700 KB。隨著更多資料來源的添加，資料量和資料規模不斷增長。

該公司決定使用 Amazon DynamoDB 作為應用程式的主資料庫。解決方案架構師需要確定一個能夠處理大數據的解決方案。

哪一種解決方案能夠以最高效的方式滿足這些要求？

【選項】

A.Create an AWS Lambda function to filter the data that exceeds DynamoDB item size limits. Store the larger data in an Amazon DocumentDB (with MongoDB compatibility) database.

B.Store the large data as objects in an Amazon S3 bucket. In a DynamoDB table, create an item that has an attribute that points to the S3 URL of the data.

C.Split all incoming large data into a collection of items that have the same partition key. Write the data to a DynamoDB table in a single operation by using the BatchWriteItem API operation.

D.Create an AWS Lambda function that uses gzip compression to compress the large objects as they are written to a DynamoDB table.

【參考答案】B

【題號】question 820

【題目】

A company is migrating a legacy application from an on-premises data center to AWS. The application relies on hundreds of cron jobs that run between 1 and 20 minutes on different recurring schedules throughout the day.

The company wants a solution to schedule and run the cron jobs on AWS with minimal refactoring. The solution must support running the cron jobs in response to an event in the future.

Which solution will meet these requirements?

一家公司正在將舊應用程式從本地資料中心遷移到 AWS。該應用程式依賴數百個 cron 作業，這些作業在一天中按照不同的重複計劃運行 1 到 20 分鐘。

該公司希望有一個解決方案能夠以最少的重構在 AWS 上排程和執行 cron 作業。該解決方案必須支援執行 cron 作業以回應將來的事件。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a container image for the cron jobs. Use Amazon EventBridge Scheduler to create a recurring schedule. Run the cron job tasks as AWS Lambda functions.

B.Create a container image for the cron jobs. Use AWS Batch on Amazon Elastic Container Service (Amazon ECS) with a scheduling policy to run the cron jobs.

C.Create a container image for the cron jobs. Use Amazon EventBridge Scheduler to create a recurring schedule. Run the cron job tasks on AWS Fargate.

D.Create a container image for the cron jobs. Create a workflow in AWS Step Functions that uses a Wait state to run the cron jobs at a specified time. Use the RunTask action to run the cron job tasks on AWS Fargate.

【參考答案】C

【題號】question 821

【題目】

A company uses Salesforce. The company needs to load existing data and ongoing data changes from Salesforce to Amazon Redshift for analysis. The company does not want the data to travel over the public internet.

Which solution will meet these requirements with the LEAST development effort?

一家公司使用 Salesforce。該公司需要將現有資料和正在進行的資料變更從 Salesforce 載入到 Amazon Redshift 進行分析。該公司不希望資料透過公共互聯網傳輸。

哪種解決方案能夠以最少的開發工作滿足這些要求？

【選項】

A. Establish a VPN connection from the VPC to Salesforce. Use AWS Glue DataBrew to transfer data.

B. Establish an AWS Direct Connect connection from the VPC to Salesforce. Use AWS Glue DataBrew to transfer data.

C. Create an AWS PrivateLink connection in the VPC to Salesforce. Use Amazon AppFlow to transfer data.

D. Create a VPC peering connection to Salesforce. Use Amazon AppFlow to transfer data.

【參考答案】C

【題號】question 822

【題目】

A company recently migrated its application to AWS. The application runs on Amazon EC2 Linux instances in an Auto Scaling group across multiple Availability Zones. The application stores data in an Amazon Elastic File System (Amazon EFS) file system that uses EFS Standard-Infrequent Access storage. The application indexes the company's files. The index is stored in an Amazon RDS database.

The company needs to optimize storage costs with some application and services changes.

Which solution will meet these requirements MOST cost-effectively?

一家公司最近將應用程式遷移到 AWS。該應用程式在跨多個可用區的 Auto Scaling 群組中的 Amazon EC2 Linux 執行個體上執行。該應用程式將資料儲存在使用 EFS 標準不頻繁存取儲存的 Amazon Elastic File System (Amazon EFS) 檔案系統中。該應用程式索引公司的檔案。此索引儲存在 Amazon RDS 資料庫中。

該公司需要透過一些應用程式和服務更改來優化儲存成本。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create an Amazon S3 bucket that uses an Intelligent-Tiering lifecycle policy. Copy all files to the S3 bucket. Update the application to use Amazon S3 API to store and retrieve files.

B.Deploy Amazon FSx for Windows File Server file shares. Update the application to use CIFS protocol to store and retrieve files.

C.Deploy Amazon FSx for OpenZFS file system shares. Update the application to use the new mount point to store and retrieve files.

D.Create an Amazon S3 bucket that uses S3 Glacier Flexible Retrieval. Copy all files to the S3 bucket. Update the application to use Amazon S3 API to store and retrieve files as standard retrievals.

【參考答案】A

【題號】question 823

【題目】

A robotics company is designing a solution for medical surgery. The robots will use advanced sensors, cameras, and AI algorithms to perceive their environment and to complete surgeries.

The company needs a public load balancer in the AWS Cloud that will ensure seamless communication with backend services. The load balancer must be capable of routing traffic based on the query strings to different target groups. The traffic must also be encrypted.

Which solution will meet these requirements?

一家機器人公司正在設計一種醫療手術解決方案。這些機器人將使用先進的感測器、攝影機和人工智慧演算法來感知環境並完成手術。

該公司需要 AWS 雲端中的公用負載平衡器來確保與後端服務的無縫通訊。負載平衡器必須能夠根據查詢字串將流量路由到不同的目標群組。流量也必須加密。

哪種解決方案可以滿足這些要求？

【選項】

A. Use a Network Load Balancer with a certificate attached from AWS Certificate Manager (ACM). Use query parameter-based routing.

B. Use a Gateway Load Balancer. Import a generated certificate in AWS Identity and Access Management (IAM). Attach the certificate to the load balancer. Use HTTP path-based routing.

C. Use an Application Load Balancer with a certificate attached from AWS Certificate Manager (ACM). Use query parameter-based routing.

D. Use a Network Load Balancer. Import a generated certificate in AWS Identity and Access Management (IAM). Attach the certificate to the load balancer. Use query parameter-based routing.

【參考答案】C

【題號】question 824

【題目】

A company has an application that runs on a single Amazon EC2 instance. The application uses a MySQL database that runs on the same EC2 instance. The company needs a highly available and automatically scalable solution to handle increased traffic.

Which solution will meet these requirements?

一家公司有一個在單一 Amazon EC2 執行個體上執行的應用程式。該應用程式使用在同一 EC2 執行個體上執行的 MySQL 資料庫。該公司需要一個高度可用且可自動擴展的解決方案來處理增加的流量。

哪種解決方案可以滿足這些要求？

【選項】

A. Deploy the application to EC2 instances that run in an Auto Scaling group behind an Application Load Balancer. Create an Amazon Redshift cluster that has multiple MySQL-compatible nodes.

B. Deploy the application to EC2 instances that are configured as a target group behind an Application Load Balancer. Create an Amazon RDS for MySQL cluster that has multiple instances.

C. Deploy the application to EC2 instances that run in an Auto Scaling group behind an Application Load Balancer. Create an Amazon Aurora Serverless MySQL cluster for the database layer.

D. Deploy the application to EC2 instances that are configured as a target group behind an Application Load Balancer. Create an Amazon ElastiCache for Redis cluster that uses the MySQL connector.

【參考答案】C

【題號】question 825

【題目】

A company is planning to migrate data to an Amazon S3 bucket. The data must be encrypted at rest within the S3 bucket. The encryption key must be rotated automatically every year.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正計劃將資料遷移到 Amazon S3 儲存桶。資料必須在 S3 儲存桶內靜態加密。加密密鑰必須每年自動輪換。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Migrate the data to the S3 bucket. Use server-side encryption with Amazon S3 managed keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.
- B.Create an AWS Key Management Service (AWS KMS) customer managed key. Enable automatic key rotation. Set the S3 bucket's default encryption behavior to use the customer managed KMS key. Migrate the data to the S3 bucket.
- C.Create an AWS Key Management Service (AWS KMS) customer managed key. Set the S3 bucket's default encryption behavior to use the customer managed KMS key. Migrate the data to the S3 bucket. Manually rotate the KMS key every year.
- D.Use customer key material to encrypt the data. Migrate the data to the S3 bucket. Create an AWS Key Management Service (AWS KMS) key without key material. Import the customer key material into the KMS key. Enable automatic key rotation.

【參考答案】A

【題號】question 826

【題目】

A company is migrating applications from an on-premises Microsoft Active Directory that the company manages to AWS. The company deploys the applications in multiple AWS accounts. The company uses AWS Organizations to manage the accounts centrally.

The company's security team needs a single sign-on solution across all the company's AWS accounts. The company must continue to manage users and groups that are in the on-premises Active Directory.

Which solution will meet these requirements?

一家公司正在將應用程式從該公司管理的本機 Microsoft Active Directory 遷移到 AWS。該公司在多個 AWS 帳戶中部署應用程式。該公司使用 AWS Organizations 集中管理帳戶。

該公司的安全團隊需要跨公司所有 AWS 帳戶的單一登入解決方案。本公司必須繼續管理本機 Active Directory 中的使用者和群組。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Enterprise Edition Active Directory in AWS Directory Service for Microsoft Active Directory. Configure the Active Directory to be the identity source for AWS IAM Identity Center.

B.Enable AWS IAM Identity Center. Configure a two-way forest trust relationship to connect the company's self-managed Active Directory with IAM Identity Center by using AWS Directory Service for Microsoft Active Directory.

C.Use AWS Directory Service and create a two-way trust relationship with the company's self-managed Active Directory.

D.Deploy an identity provider (IdP) on Amazon EC2. Link the IdP as an identity source within AWS IAM Identity Center.

【參考答案】B

【題號】question 827

【題目】

A company is planning to deploy its application on an Amazon Aurora PostgreSQL Serverless v2 cluster. The application will receive large amounts of traffic. The company wants to optimize the storage performance of the cluster as the load on the application increases.

Which solution will meet these requirements MOST cost-effectively?

一家公司計劃在 Amazon Aurora PostgreSQL Serverless v2 叢集上部署其應用程式。該應用程式將收到大量流量。該公司希望隨著應用程式負載的增加來優化叢集的儲存效能。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Configure the cluster to use the Aurora Standard storage configuration.

B.Configure the cluster storage type as Provisioned IOPS.

C.Configure the cluster storage type as General Purpose.

D.Configure the cluster to use the Aurora I/O-Optimized storage configuration.

【參考答案】D

【題號】question 828

【題目】

A financial services company that runs on AWS has designed its security controls to meet industry standards. The industry standards include the National Institute of Standards and Technology (NIST) and the Payment Card Industry Data Security Standard (PCI DSS).

The company's third-party auditors need proof that the designed controls have been implemented and are functioning correctly. The company has hundreds of AWS accounts in a single organization in AWS Organizations. The company needs to monitor the current state of the controls across accounts.

Which solution will meet these requirements?

一家在 AWS 上運作的金融服務公司已設計其安全控制措施來滿足業界標準。業界標準包括美國國家標準與技術研究院 (NIST) 和支付卡產業資料安全標準 (PCI DSS)。

本公司的第三方審核員需要證據證明所設計的控制措施已實施且運作正常。該公司在 AWS Organizations 的單一組織中擁有數百個 AWS 帳戶。公司需要監控跨帳戶控制的當前狀態。

哪種解決方案可以滿足這些要求？

【選項】

A.Designate one account as the Amazon Inspector delegated administrator account from the Organizations management account. Integrate Inspector with Organizations to discover and scan resources across all AWS accounts. Enable Inspector industry standards for NIST and PCI DSS.

B.Designate one account as the Amazon GuardDuty delegated administrator account from the Organizations management account. In the designated GuardDuty administrator account, enable GuardDuty to protect all member accounts. Enable GuardDuty industry standards for NIST and PCI DSS.

C. Configure an AWS CloudTrail organization trail in the Organizations management account. Designate one account as the compliance account. Enable CloudTrail security standards for NIST and PCI DSS in the compliance account.

D. Designate one account as the AWS Security Hub delegated administrator account from the Organizations management account. In the designated Security Hub administrator account, enable Security Hub for all member accounts. Enable Security Hub standards for NIST and PCI DSS.

【參考答案】D

【題號】question 829

【題目】

A company uses an Amazon S3 bucket as its data lake storage platform. The S3 bucket contains a massive amount of data that is accessed randomly by multiple teams and hundreds of applications. The company wants to reduce the S3 storage costs and provide immediate availability for frequently accessed objects.

What is the MOST operationally efficient solution that meets these requirements?

一家公司使用 Amazon S3 儲存桶作為其資料湖儲存平台。S3 儲存桶包含大量數據，多個團隊和數百個應用程式隨機存取這些數據。該公司希望降低 S3 儲存成本並為頻繁存取的物件提供即時可用性。

滿足這些要求的最高效的營運解決方案是什麼？

【選項】

A. Create an S3 Lifecycle rule to transition objects to the S3 Intelligent-Tiering storage class.

B. Store objects in Amazon S3 Glacier. Use S3 Select to provide applications with access to the data.

C. Use data from S3 storage class analysis to create S3 Lifecycle rules to automatically transition objects to the S3 Standard-Infrequent Access (S3 Standard-IA) storage class.

D. Transition objects to the S3 Standard-Infrequent Access (S3 Standard-IA) storage class. Create an AWS Lambda function to transition objects to the S3 Standard storage class when they are accessed by an application.

【參考答案】A

【題號】question 830

【題目】

A company has 5 TB of datasets. The datasets consist of 1 million user profiles and 10 million connections. The user profiles have connections as many-to-many relationships. The company needs a performance efficient way to find mutual connections up to five levels.

Which solution will meet these requirements?

一家公司擁有 5 TB 的資料集。該資料集包含 100 萬個使用者個人資料和 1,000 萬個連線。使用者設定檔具有多對多關係的連線。該公司需要一種高效的方式來找到最多五個層級的相互聯繫。

哪種解決方案可以滿足這些要求？

【選項】

A. Use an Amazon S3 bucket to store the datasets. Use Amazon Athena to perform SQL JOIN queries to find connections.

B. Use Amazon Neptune to store the datasets with edges and vertices. Query the data to find connections.

C. Use an Amazon S3 bucket to store the datasets. Use Amazon QuickSight to visualize connections.

D. Use Amazon RDS to store the datasets with multiple tables. Perform SQL JOIN queries to find connections.

【參考答案】B

【題號】question 831

【題目】

A company needs a secure connection between its on-premises environment and AWS. This connection does not need high bandwidth and will handle a small amount of traffic. The connection should be set up quickly.

What is the MOST cost-effective method to establish this type of connection?

公司需要在其本地環境和 AWS 之間建立安全連線。此連接不需要高頻寬，並且將處理少量流量。應快速建立連線。

建立這種類型的連結最經濟有效的方法是什麼？

【選項】

- A.Implement a client VPN.
- B.Implement AWS Direct Connect.
- C.Implement a bastion host on Amazon EC2.
- D.Implement an AWS Site-to-Site VPN connection.

【參考答案】D

【題號】question 832

【題目】

A company has an on-premises SFTP file transfer solution. The company is migrating to the AWS Cloud to scale the file transfer solution and to optimize costs by using Amazon S3. The company's employees will use their credentials for the on-premises Microsoft Active Directory (AD) to access the new solution. The company wants to keep the current authentication and file access mechanisms.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司擁有本地 SFTP 檔案傳輸解決方案。該公司正在遷移到 AWS 雲，以擴展檔案傳輸解決方案並使用 Amazon S3 優化成本。該公司的員工將使用其本地 Microsoft Active Directory (AD) 的憑證來存取新解決方案。該公司希望保留目前的身份驗證和文件存取機制。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Configure an S3 File Gateway. Create SMB file shares on the file gateway that use the existing Active Directory to authenticate.

B. Configure an Auto Scaling group with Amazon EC2 instances to run an SFTP solution. Configure the group to scale up at 60% CPU utilization.

C. Create an AWS Transfer Family server with SFTP endpoints. Choose the AWS Directory Service option as the identity provider. Use AD Connector to connect the on-premises Active Directory.

D. Create an AWS Transfer Family SFTP endpoint. Configure the endpoint to use the AWS Directory Service option as the identity provider to connect to the existing Active Directory.

【參考答案】C

【題號】question 833

【題目】

A company is designing an event-driven order processing system. Each order requires multiple validation steps after the order is created. An idempotent AWS Lambda function performs each validation step. Each validation step is independent from the other validation steps. Individual validation steps need only a subset of the order event information.

The company wants to ensure that each validation step Lambda function has access to only the information from the order event that the function requires. The components of

the order processing system should be loosely coupled to accommodate future business changes.

Which solution will meet these requirements?

一家公司正在設計一個事件驅動的訂單處理系統。每個訂單在創建後都需要多個驗證步驟。需要 AWS Lambda 函數執行每個驗證步驟。每個驗證步驟都獨立於其他驗證步驟。各個驗證步驟僅需要訂單事件資訊的子集。

該公司希望確保 Lambda 函數的每個驗證步驟只能存取該函數所需的訂單事件中的資訊。訂單處理系統的組件應該是鬆散耦合的，以適應未來的業務變化。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon Simple Queue Service (Amazon SQS) queue for each validation step. Create a new Lambda function to transform the order data to the format that each validation step requires and to publish the messages to the appropriate SQS queues. Subscribe each validation step Lambda function to its corresponding SQS queue.

B.Create an Amazon Simple Notification Service (Amazon SNS) topic. Subscribe the validation step Lambda functions to the SNS topic. Use message body filtering to send only the required data to each subscribed Lambda function.

C.Create an Amazon EventBridge event bus. Create an event rule for each validation step. Configure the input transformer to send only the required data to each target validation step Lambda function.

D.Create an Amazon Simple Queue Service (Amazon SQS) queue. Create a new Lambda function to subscribe to the SQS queue and to transform the order data to the format that each validation step requires. Use the new Lambda function to perform synchronous invocations of the validation step Lambda functions in parallel on separate threads.

【參考答案】C

【題號】question 834

【題目】

A company is migrating a three-tier application to AWS. The application requires a MySQL database. In the past, the application users reported poor application performance when creating new entries. These performance issues were caused by users generating different real-time reports from the application during working hours.

Which solution will improve the performance of the application when it is moved to AWS?

一家公司正在將三層應用程式遷移到 AWS。該應用程式需要 MySQL 資料庫。過去，應用程式使用者在建立新條目時報告應用程式效能不佳。這些效能問題是由於用戶在工作時間從應用程式產生不同的即時報告所引起的。

當應用程式遷移到 AWS 時，哪種解決方案可以提高應用程式的效能？

【選項】

A.Import the data into an Amazon DynamoDB table with provisioned capacity. Refactor the application to use DynamoDB for reports.

B.Create the database on a compute optimized Amazon EC2 instance. Ensure compute resources exceed the on-premises database.

C.Create an Amazon Aurora MySQL Multi-AZ DB cluster with multiple read replicas. Configure the application to use the reader endpoint for reports.

D.Create an Amazon Aurora MySQL Multi-AZ DB cluster. Configure the application to use the backup instance of the cluster as an endpoint for the reports.

【參考答案】C

【題號】question 835

【題目】

A company is expanding a secure on-premises network to the AWS Cloud by using an AWS Direct Connect connection. The on-premises network has no direct internet access. An application that runs on the on-premises network needs to use an Amazon S3 bucket.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在使用 AWS Direct Connect 連接將安全的本地網路擴展到 AWS 雲端。本機網路無法直接存取 Internet。在本機網路上執行的應用程式需要使用 Amazon S3 儲存桶。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create a public virtual interface (VIF). Route the AWS traffic over the public VIF.

B.Create a VPC and a NAT gateway. Route the AWS traffic from the on-premises network to the NAT gateway.

C.Create a VPC and an Amazon S3 interface endpoint. Route the AWS traffic from the on-premises network to the S3 interface endpoint.

D.Create a VPC peering connection between the on-premises network and Direct Connect. Route the AWS traffic over the peering connection.

【參考答案】C

【題號】question 836

【題目】

A company serves its website by using an Auto Scaling group of Amazon EC2 instances in a single AWS Region. The website does not require a database.

The company is expanding, and the company's engineering team deploys the website to a second Region. The company wants to distribute traffic across both Regions to accommodate growth and for disaster recovery purposes. The solution should not serve traffic from a Region in which the website is unhealthy.

Which policy or resource should the company use to meet these requirements?

一家公司透過在單一 AWS 區域中使用 Amazon EC2 執行個體的 Auto Scaling 群組為其網站提供服務。該網站不需要資料庫。

公司正在擴張，公司的工程團隊將網站部署到第二個區域。該公司希望在兩個區域之間分配流量，以適應成長和災難復原目的。此解決方案不應為來自網站運作狀況不佳的區域的流量提供服務。

公司應該使用哪些政策或資源來滿足這些要求？

【選項】

A.An Amazon Route 53 simple routing policy

B.An Amazon Route 53 multivalue answer routing policy

C.An Application Load Balancer in one Region with a target group that specifies the EC2 instance IDs from both Regions

D.An Application Load Balancer in one Region with a target group that specifies the IP addresses of the EC2 instances from both Regions

【參考答案】B

【題號】question 837

【題目】

A company runs its applications on Amazon EC2 instances that are backed by Amazon Elastic Block Store (Amazon EBS). The EC2 instances run the most recent Amazon Linux release. The applications are experiencing availability issues when the company's employees store and retrieve files that are 25 GB or larger. The company needs a solution that does not require the company to transfer files between EC2 instances. The files must be available across many EC2 instances and across multiple Availability Zones.

Which solution will meet these requirements?

一家公司在 Amazon Elastic Block Store (Amazon EBS) 支援的 Amazon EC2 執行個體上執行其應用程式。EC2 執行個體運行最新的 Amazon Linux 版本。當公司員工儲存和檢索 25 GB 或更大的檔案時，應用程式會遇到可用性問題。該公司需要一種不需要公司在 EC2 執行個體之間傳輸檔案的解決方案。這些檔案必須在多個 EC2 執行個體和多個可用區中可用。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate all the files to an Amazon S3 bucket. Instruct the employees to access the files from the S3 bucket.

B.Take a snapshot of the existing EBS volume. Mount the snapshot as an EBS volume across the EC2 instances. Instruct the employees to access the files from the EC2 instances.

C.Mount an Amazon Elastic File System (Amazon EFS) file system across all the EC2 instances. Instruct the employees to access the files from the EC2 instances.

D.Create an Amazon Machine Image (AMI) from the EC2 instances. Configure new EC2 instances from the AMI that use an instance store volume. Instruct the employees to access the files from the EC2 instances.

【參考答案】C

【題號】question 838

【題目】

A company is running a highly sensitive application on Amazon EC2 backed by an Amazon RDS database. Compliance regulations mandate that all personally identifiable information (PII) be encrypted at rest.

Which solution should a solutions architect recommend to meet this requirement with the LEAST amount of changes to the infrastructure?

一家公司正在由 Amazon RDS 資料庫支援的 Amazon EC2 上執行高度敏感的應用程式。合規法規要求對所有個人識別資訊 (PII) 進行靜態加密。

解決方案架構師應該推薦哪種解決方案來滿足此要求，同時對基礎架構進行最少的變更？

【選項】

A.Deploy AWS Certificate Manager to generate certificates. Use the certificates to encrypt the database volume.

B.Deploy AWS CloudHSM, generate encryption keys, and use the keys to encrypt database volumes.

C.Configure SSL encryption using AWS Key Management Service (AWS KMS) keys to encrypt database volumes.

D.Configure Amazon Elastic Block Store (Amazon EBS) encryption and Amazon RDS encryption with AWS Key Management Service (AWS KMS) keys to encrypt instance and database volumes.

【參考答案】D

【題號】question 839

【題目】

A company runs an AWS Lambda function in private subnets in a VPC. The subnets have a default route to the internet through an Amazon EC2 NAT instance. The Lambda function processes input data and saves its output as an object to Amazon S3.

Intermittently, the Lambda function times out while trying to upload the object because of saturated traffic on the NAT instance's network. The company wants to access Amazon S3 without traversing the internet.

Which solution will meet these requirements?

一家公司在 VPC 的私有子網路中運行 AWS Lambda 函數。子網路具有透過 Amazon EC2 NAT 執行個體到網際網路的預設路由。Lambda 函數處理輸入資料並將其輸出儲存為物件至 Amazon S3。

由於 NAT 實例網路上的流量飽和，Lambda 函數在嘗試上傳物件時會間歇性逾時。該公司希望無需透過網路即可存取 Amazon S3。

哪種解決方案可以滿足這些要求？

【選項】

A.Replace the EC2 NAT instance with an AWS managed NAT gateway.

B.Increase the size of the EC2 NAT instance in the VPC to a network optimized instance type.

C.Provision a gateway endpoint for Amazon S3 in the VPU
Update the route tables of the subnets accordingly.

D.Provision a transit gateway. Place transit gateway attachments in the private subnets where the Lambda function is running.

【參考答案】C

【題號】question 840

【題目】

A news company that has reporters all over the world is hosting its broadcast system on AWS. The reporters send live broadcasts to the broadcast system. The reporters use software on their phones to send live streams through the Real Time Messaging Protocol (RTMP).

A solutions architect must design a solution that gives the reporters the ability to send the highest quality streams. The solution must provide accelerated TCP connections back to the broadcast system.

What should the solutions architect use to meet these requirements?

一家在世界各地擁有記者的新聞公司正在 AWS 上託管其廣播系統。記者向轉播系統發送現場直播。記者使用手機上的軟體透過即時訊息協定 (RTMP) 發送即時串流。

解決方案架構師必須設計一個解決方案，使記者能夠發送最高品質的串流。此解決方案必須提供返回廣播系統的加速 TCP 連線。

解決方案架構師應該使用什麼來滿足這些要求？

【選項】

A.Amazon CloudFront

B.AWS Global Accelerator

C.AWS Client VPN

D.Amazon EC2 instances and AWS Elastic IP addresses

【參考答案】B

【題號】question 841

【題目】

A company uses Amazon EC2 instances and Amazon Elastic Block Store (Amazon EBS) to run its self-managed database. The company has 350 TB of data spread across all EBS volumes. The company takes daily EBS snapshots and keeps the snapshots for 1 month. The daily change rate is 5% of the EBS volumes.

Because of new regulations, the company needs to keep the monthly snapshots for 7 years. The company needs to change its backup strategy to comply with the new regulations and to ensure that data is available with minimal administrative effort.

Which solution will meet these requirements MOST cost-effectively?

一家公司使用 Amazon EC2 執行個體和 Amazon Elastic Block Store (Amazon EBS) 來運行其自行管理的資料庫。該公司擁有分佈在所有 EBS 磁碟區中的 350 TB 資料。該公司每天拍攝 EBS 快照並將快照保留 1 個月。每日變化率為 EBS 數量的 5%。

由於新規定，公司需要將每月快照保留 7 年。該公司需要改變其備份策略，以符合新法規並確保以最少的管理工作即可獲得資料。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Keep the daily snapshot in the EBS snapshot standard tier for 1 month. Copy the monthly snapshot to Amazon S3 Glacier Deep Archive with a 7-year retention period.

B.Continue with the current EBS snapshot policy. Add a new policy to move the monthly snapshot to Amazon EBS Snapshots Archive with a 7-year retention period.

C.Keep the daily snapshot in the EBS snapshot standard tier for 1 month. Keep the monthly snapshot in the standard tier for 7 years. Use incremental snapshots.

D.Keep the daily snapshot in the EBS snapshot standard tier. Use EBS direct APIs to take snapshots of all the EBS volumes every month. Store the snapshots in an Amazon S3 bucket in the Infrequent Access tier for 7 years.

【參考答案】A

【題號】question 842

【題目】

A company runs an application on several Amazon EC2 instances that store persistent data on an Amazon Elastic File System (Amazon EFS) file system. The company needs to replicate the data to another AWS Region by using an AWS managed service solution.

Which solution will meet these requirements MOST cost-effectively?

一家公司在多個 Amazon EC2 執行個體上運行應用程序，這些執行程序將持久性資料儲存在 Amazon Elastic File System (Amazon EFS) 檔案系統上。該公司需要使用 AWS 託管服務解決方案將資料複製到另一個 AWS 區域。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Use the EFS-to-EFS backup solution to replicate the data to an EFS file system in another Region.

B. Run a nightly script to copy data from the EFS file system to an Amazon S3 bucket. Enable S3 Cross-Region Replication on the S3 bucket.

C. Create a VPC in another Region. Establish a cross-Region VPC peer. Run a nightly rsync to copy data from the original Region to the new Region.

D. Use AWS Backup to create a backup plan with a rule that takes a daily backup and replicates it to another Region. Assign the EFS file system resource to the backup plan.

【參考答案】D

【題號】question 843

【題目】

An ecommerce company is migrating its on-premises workload to the AWS Cloud. The workload currently consists of a web application and a backend Microsoft SQL database for storage.

The company expects a high volume of customers during a promotional event. The new infrastructure in the AWS Cloud must be highly available and scalable.

Which solution will meet these requirements with the LEAST administrative overhead?

一家電子商務公司正在將其本地工作負載遷移到 AWS 雲端。此工作負載目前由一個 Web 應用程式和一個用於儲存的後端 Microsoft SQL 資料庫組成。

該公司預計促銷活動期間將有大量顧客。AWS 雲端中的新基礎架構必須具有高可用性和可擴充性。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A.Migrate the web application to two Amazon EC2 instances across two Availability Zones behind an Application Load Balancer. Migrate the database to Amazon RDS for Microsoft SQL Server with read replicas in both Availability Zones.

B.Migrate the web application to an Amazon EC2 instance that runs in an Auto Scaling group across two Availability Zones behind an Application Load Balancer. Migrate the database to two EC2 instances across separate AWS Regions with database replication.

C.Migrate the web application to Amazon EC2 instances that run in an Auto Scaling group across two Availability Zones behind an Application Load Balancer. Migrate the database to Amazon RDS with Multi-AZ deployment.

D.Migrate the web application to three Amazon EC2 instances across three Availability Zones behind an Application Load Balancer. Migrate the database to three EC2 instances across three Availability Zones.

【參考答案】C

【題號】question 844

【題目】

A company has an on-premises business application that generates hundreds of files each day. These files are stored on an SMB file share and require a low-latency connection to the application servers. A new company policy states all application-generated files must be copied to AWS. There is already a VPN connection to AWS.

The application development team does not have time to make the necessary code modifications to move the application to AWS.

Which service should a solutions architect recommend to allow the application to copy files to AWS?

一家公司有一個本地業務應用程式，每天會產生數百個文件。這些檔案儲存在 SMB 檔案共用上，並且需要與應用程式伺服器的低延遲連線。新的公司政策規定所有應用程式產生的檔案都必須複製到 AWS。已經有到 AWS 的 VPN 連線。

應用程式開發團隊沒有時間進行必要的程式碼修改以將應用程式遷移到 AWS。

解決方案架構師應該推薦哪種服務來允許應用程式將檔案複製到 AWS？

【選項】

- A.Amazon Elastic File System (Amazon EFS)
- B.Amazon FSx for Windows File Server
- C.AWS Snowball
- D.AWS Storage Gateway

【參考答案】D

【題號】question 845

【題目】

A company has 15 employees. The company stores employee start dates in an Amazon DynamoDB table. The company wants to send an email message to each employee on the day of the employee's work anniversary.

Which solution will meet these requirements with the MOST operational efficiency?

某公司有員工15人。該公司將員工開始日期儲存在 Amazon DynamoDB 表中。該公司希望在員工工作週年紀念日向每位員工發送一封電子郵件。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A.Create a script that scans the DynamoDB table and uses Amazon Simple Notification Service (Amazon SNS) to send email messages to employees when necessary. Use a cron job to run this script every day on an Amazon EC2 instance.

B.Create a script that scans the DynamoDB table and uses Amazon Simple Queue Service (Amazon SQS) to send email messages to employees when necessary. Use a cron job to run this script every day on an Amazon EC2 instance.

C.Create an AWS Lambda function that scans the DynamoDB table and uses Amazon Simple Notification Service (Amazon SNS) to send email messages to employees when necessary. Schedule this Lambda function to run every day.

D.Create an AWS Lambda function that scans the DynamoDB table and uses Amazon Simple Queue Service (Amazon SQS) to send email messages to employees when necessary. Schedule this Lambda function to run every day.

【參考答案】C

【題號】question 846

【題目】

A company's application is running on Amazon EC2 instances within an Auto Scaling group behind an Elastic Load Balancing (ELB) load balancer. Based on the application's history, the company anticipates a spike in traffic during a holiday each year. A solutions

architect must design a strategy to ensure that the Auto Scaling group proactively increases capacity to minimize any performance impact on application users.

Which solution will meet these requirements?

一家公司的應用程式在 Elastic Load Balancing (ELB) 負載平衡器後面的 Auto Scaling 群組內的 Amazon EC2 執行個體上執行。根據該應用程式的歷史記錄，該公司預計每年假期期間流量都會激增。解決方案架構師必須設計一項策略，以確保 Auto Scaling 群組主動增加容量，從而最大限度地減少對應用程式使用者的效能影響。

哪種解決方案可以滿足這些要求？

【選項】

- A.Create an Amazon CloudWatch alarm to scale up the EC2 instances when CPU utilization exceeds 90%.
- B.Create a recurring scheduled action to scale up the Auto Scaling group before the expected period of peak demand.
- C.Increase the minimum and maximum number of EC2 instances in the Auto Scaling group during the peak demand period.
- D.Configure an Amazon Simple Notification Service (Amazon SNS) notification to send alerts when there are autoscaling:EC2_INSTANCE_LAUNCH events.

【參考答案】B

【題號】question 847

【題目】

A company uses Amazon RDS for PostgreSQL databases for its data tier. The company must implement password rotation for the databases.

Which solution meets this requirement with the LEAST operational overhead?

一家公司使用 Amazon RDS for PostgreSQL 資料庫作為其資料層。公司必須對資料庫實施密碼輪換。

哪種解決方案能夠以最少的營運開銷滿足此要求？

【選項】

- A.Store the password in AWS Secrets Manager. Enable automatic rotation on the secret.
- B.Store the password in AWS Systems Manager Parameter Store. Enable automatic rotation on the parameter.
- C.Store the password in AWS Systems Manager Parameter Store. Write an AWS Lambda function that rotates the password.
- D.Store the password in AWS Key Management Service (AWS KMS). Enable automatic rotation on the AWS KMS key.

【參考答案】A

【題號】question 848

【題目】

A company runs its application on Oracle Database Enterprise Edition. The company needs to migrate the application and the database to AWS. The company can use the Bring Your Own License (BYOL) model while migrating to AWS. The application uses third-party database features that require privileged access.

A solutions architect must design a solution for the database migration.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 Oracle 資料庫企業版上運行其應用程式。該公司需要將應用程式和資料庫遷移到 AWS。該公司在遷移到 AWS 時可以使用自帶授權 (BYOL) 模型。該應用程式使用需要特權存取的第二方資料庫功能。

解決方案架構師必須設計資料庫遷移的解決方案。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Migrate the database to Amazon RDS for Oracle by using native tools. Replace the third-party features with AWS Lambda.

B.Migrate the database to Amazon RDS Custom for Oracle by using native tools. Customize the new database settings to support the third-party features.

C.Migrate the database to Amazon DynamoDB by using AWS Database Migration Service (AWS DMS). Customize the new database settings to support the third-party features.

D.Migrate the database to Amazon RDS for PostgreSQL by using AWS Database Migration Service (AWS DMS). Rewrite the application code to remove the dependency on third-party features.

【參考答案】B

【題號】question 849

【題目】

A large international university has deployed all of its compute services in the AWS Cloud. These services include Amazon EC2, Amazon RDS, and Amazon DynamoDB. The university currently relies on many custom scripts to back up its infrastructure. However, the university wants to centralize management and automate data backups as much as possible by using AWS native options.

Which solution will meet these requirements?

一所大型國際大學已將其所有運算服務部署在 AWS 雲端。這些服務包括 Amazon EC2、Amazon RDS 和 Amazon DynamoDB。該大學目前依賴許多自訂腳本來支援其基礎設施。然而，該大學希望透過使用 AWS 原生選項來盡可能集中管理和自動化資料備份。

哪種解決方案可以滿足這些要求？

【選項】

A.Use third-party backup software with an AWS Storage Gateway tape gateway virtual tape library.

B.Use AWS Backup to configure and monitor all backups for the services in use.

C.Use AWS Config to set lifecycle management to take snapshots of all data sources on a schedule.

D.Use AWS Systems Manager State Manager to manage the configuration and monitoring of backup tasks.

【參考答案】B

【題號】question 850

【題目】

A company wants to build a map of its IT infrastructure to identify and enforce policies on resources that pose security risks. The company's security team must be able to query data in the IT infrastructure map and quickly identify security risks.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望建立其 IT 基礎設施地圖，以識別和實施針對構成安全風險的資源的策略。公司的安全團隊必須能夠查詢IT基礎架構圖中的資料並快速識別安全風險。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Use Amazon RDS to store the data. Use SQL to query the data to identify security risks.

B.Use Amazon Neptune to store the data. Use SPARQL to query the data to identify security risks.

C.Use Amazon Redshift to store the data. Use SQL to query the data to identify security risks.

D.Use Amazon DynamoDB to store the data. Use PartiQL to query the data to identify security risks.

【參考答案】B

【題號】question 851

【題目】

A large company wants to provide its globally located developers separate, limited size, managed PostgreSQL databases for development purposes. The databases will be low volume. The developers need the databases only when they are actively working.

Which solution will meet these requirements MOST cost-effectively?

一家大公司希望為其全球開發人員提供單獨的、有限大小的託管 PostgreSQL 資料庫以用於開發目的。資料庫容量很小。開發人員只有在積極工作時才需要資料庫。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Give the developers the ability to launch separate Amazon Aurora instances. Set up a process to shut down Aurora instances at the end of the workday and to start Aurora instances at the beginning of the next workday.

B. Develop an AWS Service Catalog product that enforces size restrictions for launching Amazon Aurora instances. Give the developers access to launch the product when they need a development database.

C. Create an Amazon Aurora Serverless cluster. Develop an AWS Service Catalog product to launch databases in the cluster with the default capacity settings. Grant the developers access to the product.

D. Monitor AWS Trusted Advisor checks for idle Amazon RDS databases. Create a process to terminate identified idle RDS databases.

【參考答案】B

【題號】question 852

【題目】

A company is building a web application that serves a content management system. The content management system runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The EC2 instances run in an Auto Scaling group across multiple Availability Zones. Users are constantly adding and updating files, blogs, and other website assets in the content management system.

A solutions architect must implement a solution in which all the EC2 instances share up-to-date website content with the least possible lag time.

Which solution meets these requirements?

一家公司正在建立一個為內容管理系統提供服務的 Web 應用程式。內容管理系統在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上執行。EC2 執行個體在跨多個可用區的 Auto Scaling 群組中執行。使用者不斷在內容管理系統中新增和更新文件、部落格和其他網站資產。

解決方案架構師必須實作一個解決方案，使所有 EC2 執行個體以盡可能短的延遲時間分享最新的網站內容。

哪種解決方案滿足這些要求？

【選項】

A. Update the EC2 user data in the Auto Scaling group lifecycle policy to copy the website assets from the EC2 instance that was launched most recently. Configure the ALB to make changes to the website assets only in the newest EC2 instance.

B. Copy the website assets to an Amazon Elastic File System (Amazon EFS) file system. Configure each EC2 instance to mount the EFS file system locally. Configure the website hosting application to reference the website assets that are stored in the EFS file system.

C. Copy the website assets to an Amazon S3 bucket. Ensure that each EC2 instance downloads the website assets from the S3 bucket to the attached Amazon Elastic Block Store (Amazon EBS) volume. Run the S3 sync command once each hour to keep files up to date.

D. Restore an Amazon Elastic Block Store (Amazon EBS) snapshot with the website assets. Attach the EBS snapshot as a secondary EBS volume when a new EC2 instance is launched. Configure the website hosting application to reference the website assets that are stored in the secondary EBS volume.

【參考答案】B

【題號】question 853

【題目】

A company's web application consists of multiple Amazon EC2 instances that run behind an Application Load Balancer in a VPC. An Amazon RDS for MySQL DB instance contains the data. The company needs the ability to automatically detect and respond to suspicious or unexpected behavior in its AWS environment. The company already has added AWS WAF to its architecture.

What should a solutions architect do next to protect against threats?

本公司的 Web 應用程式由多個 Amazon EC2 執行個體組成，這些執行個體在 VPC 中的應用程式負載平衡器後面執行。Amazon RDS for MySQL 資料庫執行個體包含資料。該公司需要能夠自動偵測並回應 AWS 環境中的可疑或意外行為。該公司已經將 AWS WAF 加入其架構中。

解決方案架構師接下來該做什麼來防範威脅？

【選項】

- A. Use Amazon GuardDuty to perform threat detection. Configure Amazon EventBridge to filter for GuardDuty findings and to invoke an AWS Lambda function to adjust the AWS WAF rules.
- B. Use AWS Firewall Manager to perform threat detection. Configure Amazon EventBridge to filter for Firewall Manager findings and to invoke an AWS Lambda function to adjust the AWS WAF web ACL.
- C. Use Amazon Inspector to perform threat detection and to update the AWS WAF rules. Create a VPC network ACL to limit access to the web application.
- D. Use Amazon Macie to perform threat detection and to update the AWS WAF rules. Create a VPC network ACL to limit access to the web application.

【參考答案】A

【題號】question 854

【題目】

A company is planning to run a group of Amazon EC2 instances that connect to an Amazon Aurora database. The company has built an AWS CloudFormation template to deploy the EC2 instances and the Aurora DB cluster. The company wants to allow the instances to authenticate to the database in a secure way. The company does not want to maintain static database credentials.

Which solution meets these requirements with the LEAST operational effort?

一家公司計劃運行一組連接到 Amazon Aurora 資料庫的 Amazon EC2 執行個體。該公司建置了一個 AWS CloudFormation 範本來部署 EC2 執行個體和 Aurora 資料庫叢集。該公司希望允許實例以安全的方式對資料庫進行身份驗證。該公司不想維護靜態資料庫憑證。

哪一種解決方案能夠以最少的操作工作量滿足這些要求？

【選項】

A.Create a database user with a user name and password. Add parameters for the database user name and password to the CloudFormation template. Pass the parameters to the EC2 instances when the instances are launched.

B.Create a database user with a user name and password. Store the user name and password in AWS Systems Manager Parameter Store. Configure the EC2 instances to retrieve the database credentials from Parameter Store.

C.Configure the DB cluster to use IAM database authentication. Create a database user to use with IAM authentication. Associate a role with the EC2 instances to allow applications on the instances to access the database.

D.Configure the DB cluster to use IAM database authentication with an IAM user. Create a database user that has a name that matches the IAM user. Associate the IAM user with the EC2 instances to allow applications on the instances to access the database.

【參考答案】C

【題號】question 855

【題目】

A company wants to configure its Amazon CloudFront distribution to use SSL/TLS certificates. The company does not want to use the default domain name for the distribution. Instead, the company wants to use a different domain name for the distribution.

Which solution will deploy the certificate without incurring any additional costs?

一家公司想要將其 Amazon CloudFront 發行版配置為使用 SSL/TLS 憑證。該公司不想使用預設網域進行分發。相反，該公司希望使用不同的網域進行分發。

哪種解決方案可以部署憑證而不會產生任何額外費用？

【選項】

A.Request an Amazon issued private certificate from AWS Certificate Manager (ACM) in the us-east-1 Region.

B.Request an Amazon issued private certificate from AWS Certificate Manager (ACM) in the us-west-1 Region.

C.Request an Amazon issued public certificate from AWS Certificate Manager (ACM) in the us-east-1 Region.

D.Request an Amazon issued public certificate from AWS Certificate Manager (ACM) in the us-west-1 Region.

【參考答案】C

【題號】question 856

【題目】

A company creates operations data and stores the data in an Amazon S3 bucket. For the company's annual audit, an external consultant needs to access an annual report that is stored in the S3 bucket. The external consultant needs to access the report for 7 days.

The company must implement a solution to allow the external consultant access to only the report.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司創建營運資料並將資料儲存在 Amazon S3 儲存桶中。對於公司的年度審計，外部顧問需要存取儲存在 S3 儲存桶中的年度報告。外部顧問需要在 7 天內存取該報告。

公司必須實施一個解決方案，以允許外部顧問僅存取報告。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A.Create a new S3 bucket that is configured to host a public static website. Migrate the operations data to the new S3 bucket. Share the S3 website URL with the external consultant.

B.Enable public access to the S3 bucket for 7 days. Remove access to the S3 bucket when the external consultant completes the audit.

C.Create a new IAM user that has access to the report in the S3 bucket. Provide the access keys to the external consultant. Revoke the access keys after 7 days.

D.Generate a presigned URL that has the required access to the location of the report on the S3 bucket. Share the presigned URL with the external consultant.

【參考答案】D

【題號】question 857

【題目】

A company plans to run a high performance computing (HPC) workload on Amazon EC2 Instances. The workload requires low-latency network performance and high network throughput with tightly coupled node-to-node communication.

Which solution will meet these requirements?

一家公司計劃在 Amazon EC2 執行個體上執行高效能運算 (HPC) 工作負載。此工作負載需要低延遲網路效能和高網路吞吐量以及緊密耦合的節點到節點通訊。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure the EC2 instances to be part of a cluster placement group.
- B. Launch the EC2 instances with Dedicated Instance tenancy.
- C. Launch the EC2 instances as Spot Instances.
- D. Configure an On-Demand Capacity Reservation when the EC2 instances are launched.

【參考答案】A

【題號】question 858

【題目】

A company has primary and secondary data centers that are 500 miles (804.7 km) apart and interconnected with high-speed fiber-optic cable. The company needs a highly available and secure network connection between its data centers and a VPC on AWS for a mission-critical workload. A solutions architect must choose a connection solution that provides maximum resiliency.

Which solution meets these requirements?

一家公司擁有相距 500 英里 (804.7 公里) 的主資料中心和輔助資料中心，並透過高速光纖電纜互連。該公司需要在其資料中心和 AWS 上的 VPC 之間建立高度可用且安全的網路連接，以應對關鍵任務工作負載。解決方案架構師必須選擇提供最大彈性的連接解決方案。

哪種解決方案滿足這些要求？

【選項】

- A. Two AWS Direct Connect connections from the primary data center terminating at two Direct Connect locations on two separate devices
- B. A single AWS Direct Connect connection from each of the primary and secondary data centers terminating at one Direct Connect location on the same device

C.Two AWS Direct Connect connections from each of the primary and secondary data centers terminating at two Direct Connect locations on two separate devices

D.A single AWS Direct Connect connection from each of the primary and secondary data centers terminating at one Direct Connect location on two separate devices

【參考答案】C

【題號】question 859

【題目】

A company runs several Amazon RDS for Oracle On-Demand DB instances that have high utilization. The RDS DB instances run in member accounts that are in an organization in AWS Organizations.

The company's finance team has access to the organization's management account and member accounts. The finance team wants to find ways to optimize costs by using AWS Trusted Advisor.

Which combination of steps will meet these requirements? (Choose two.)

一家公司運行多個具有高利用率的 Amazon RDS for Oracle 按需資料庫執行個體。RDS 資料庫執行個體在 AWS Organizations 中組織內的成員帳戶中執行。

公司的財務團隊可以存取組織的管理帳戶和成員帳戶。財務團隊希望找到使用 AWS Trusted Advisor 來優化成本的方法。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

A.Use the Trusted Advisor recommendations in the management account.

B.Use the Trusted Advisor recommendations in the member accounts where the RDS DB instances are running.

C.Review the Trusted Advisor checks for Amazon RDS Reserved Instance Optimization.

D.Review the Trusted Advisor checks for Amazon RDS Idle DB Instances.

E. Review the Trusted Advisor checks for compute optimization. Crosscheck the results by using AWS Compute Optimizer.

【參考答案】AC

【題號】question 860

【題目】

A solutions architect is creating an application. The application will run on Amazon EC2 instances in private subnets across multiple Availability Zones in a VPC. The EC2 instances will frequently access large files that contain confidential information. These files are stored in Amazon S3 buckets for processing. The solutions architect must optimize the network architecture to minimize data transfer costs.

What should the solutions architect do to meet these requirements?

解決方案架構師正在創建一個應用程式。該應用程式將在 VPC 中多個可用區的私有子網路中的 Amazon EC2 執行個體上執行。EC2 執行個體將頻繁存取包含機密資訊的大檔案。這些檔案儲存在 Amazon S3 儲存桶中以供處理。解決方案架構師必須優化網路架構，以最大限度地降低資料傳輸成本。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A. Create a gateway endpoint for Amazon S3 in the VPC. In the route tables for the private subnets, add an entry for the gateway endpoint.

B. Create a single NAT gateway in a public subnet. In the route tables for the private subnets, add a default route that points to the NAT gateway.

C. Create an AWS PrivateLink interface endpoint for Amazon S3 in the VPC. In the route tables for the private subnets, add an entry for the interface endpoint.

D. Create one NAT gateway for each Availability Zone in public subnets. In each of the route tables for the private subnets, add a default route that points to the NAT gateway in the same Availability Zone.

【參考答案】A

【題號】question 861

【題目】

A company wants to relocate its on-premises MySQL database to AWS. The database accepts regular imports from a client-facing application, which causes a high volume of write operations. The company is concerned that the amount of traffic might be causing performance issues within the application.

How should a solutions architect design the architecture on AWS?

一家公司希望將其本地 MySQL 資料庫遷移到 AWS。該資料庫接受來自面向客戶端的應用程式的定期導入，這會導致大量寫入操作。該公司擔心流量可能會導致應用程式內出現效能問題。

解決方案架構師應該如何設計AWS上的架構？

【選項】

A.Provision an Amazon RDS for MySQL DB instance with Provisioned IOPS SSD storage. Monitor write operation metrics by using Amazon CloudWatch. Adjust the provisioned IOPS if necessary.

B.Provision an Amazon RDS for MySQL DB instance with General Purpose SSD storage. Place an Amazon ElastiCache cluster in front of the DB instance. Configure the application to query ElastiCache instead.

C.Provision an Amazon DocumentDB (with MongoDB compatibility) instance with a memory optimized instance type. Monitor Amazon CloudWatch for performance-related issues. Change the instance class if necessary.

D.Provision an Amazon Elastic File System (Amazon EFS) file system in General Purpose performance mode. Monitor Amazon CloudWatch for IOPS bottlenecks. Change to Provisioned Throughput performance mode if necessary.

【參考答案】A

【題號】question 862

【題目】

A company runs an application in the AWS Cloud that generates sensitive archival data files. The company wants to rearchitect the application's data storage. The company wants to encrypt the data files and to ensure that third parties do not have access to the data before the data is encrypted and sent to AWS. The company has already created an Amazon S3 bucket.

Which solution will meet these requirements?

一家公司在 AWS 雲端中運行一個應用程式，產生敏感的存檔資料檔案。該公司希望重新建構應用程式的資料儲存。該公司希望對資料檔案進行加密，並確保在資料加密並傳送到 AWS 之前第三方無法存取資料。該公司已經創建了一個 Amazon S3 儲存桶。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure the S3 bucket to use client-side encryption with an Amazon S3 managed encryption key. Configure the application to use the S3 bucket to store the archival files.

B. Configure the S3 bucket to use server-side encryption with AWS KMS keys (SSE-KMS). Configure the application to use the S3 bucket to store the archival files.

C. Configure the S3 bucket to use dual-layer server-side encryption with AWS KMS keys (SSE-KMS). Configure the application to use the S3 bucket to store the archival files.

D. Configure the application to use client-side encryption with a key stored in AWS Key Management Service (AWS KMS). Configure the application to store the archival files in the S3 bucket.

【參考答案】D

【題號】question 863

【題目】

A company uses Amazon RDS with default backup settings for its database tier. The company needs to make a daily backup of the database to meet regulatory requirements. The company must retain the backups for 30 days.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司使用 Amazon RDS 及其資料庫層的預設備份設定。該公司需要每天對資料庫進行備份以滿足監管要求。公司必須將備份保留 30 天。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Write an AWS Lambda function to create an RDS snapshot every day.

B. Modify the RDS database to have a retention period of 30 days for automated backups.

C. Use AWS Systems Manager Maintenance Windows to modify the RDS backup retention period.

D. Create a manual snapshot every day by using the AWS CLI. Modify the RDS backup retention period.

【參考答案】B

【題號】question 864

【題目】

A company that runs its application on AWS uses an Amazon Aurora DB cluster as its database. During peak usage hours when multiple users access and read the data, the monitoring system shows degradation of database performance for the write queries. The company wants to increase the scalability of the application to meet peak usage demands.

Which solution will meet these requirements MOST cost-effectively?

一家在 AWS 上運行應用程式的公司使用 Amazon Aurora 資料庫叢集作為其資料庫。在多個使用者存取和讀取資料的高峰使用時段，監控系統顯示寫入查詢的資料庫效能下降。該公司希望提高應用程式的可擴展性以滿足高峰使用需求。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create a second Aurora DB cluster. Configure a copy job to replicate the users' data to the new database. Update the application to use the second database to read the data.

B.Create an Amazon DynamoDB Accelerator (DAX) cluster in front of the existing Aurora DB cluster. Update the application to use the DAX cluster for read-only queries. Write data directly to the Aurora DB cluster.

C.Create an Aurora read replica in the existing Aurora DB cluster. Update the application to use the replica endpoint for read-only queries and to use the cluster endpoint for write queries.

D.Create an Amazon Redshift cluster. Copy the users' data to the Redshift cluster. Update the application to connect to the Redshift cluster and to perform read-only queries on the Redshift cluster.

【參考答案】C

【題號】question 865

【題目】

A company's near-real-time streaming application is running on AWS. As the data is ingested, a job runs on the data and takes 30 minutes to complete. The workload frequently experiences high latency due to large amounts of incoming data. A solutions architect needs to design a scalable and serverless solution to enhance performance.

Which combination of steps should the solutions architect take? (Choose two.)

一家公司的近實時流應用程式正在 AWS 上運行。提取資料時，作業將在資料上運行，需要 30 分鐘才能完成。由於大量傳入數據，工作負載經常遇到高延遲。解決方案架構師需要設計可擴展的無伺服器解決方案以提高效能。

解決方案架構師應該採取哪一種步驟組合？（選兩個。）

【選項】

- A. Use Amazon Kinesis Data Firehose to ingest the data.
- B. Use AWS Lambda with AWS Step Functions to process the data.
- C. Use AWS Database Migration Service (AWS DMS) to ingest the data.
- D. Use Amazon EC2 instances in an Auto Scaling group to process the data.
- E. Use AWS Fargate with Amazon Elastic Container Service (Amazon ECS) to process the data.

【參考答案】AE

【題號】question 866

【題目】

A company runs a web application on multiple Amazon EC2 instances in a VPC. The application needs to write sensitive data to an Amazon S3 bucket. The data cannot be sent over the public internet.

Which solution will meet these requirements?

一家公司在 VPC 中的多個 Amazon EC2 執行個體上執行 Web 應用程式。應用程式需要將敏感資料寫入 Amazon S3 儲存桶。資料無法透過公共互聯網發送。

哪種解決方案可以滿足這些要求？

【選項】

- A. Create a gateway VPC endpoint for Amazon S3. Create a route in the VPC route table to the endpoint.
- B. Create an internal Network Load Balancer that has the S3 bucket as the target.
- C. Deploy the S3 bucket inside the VPC. Create a route in the VPC route table to the bucket.
- D. Create an AWS Direct Connect connection between the VPC and an S3 regional endpoint.

【參考答案】A

【題號】question 867

【題目】

A company runs its production workload on Amazon EC2 instances with Amazon Elastic Block Store (Amazon EBS) volumes. A solutions architect needs to analyze the current EBS volume cost and to recommend optimizations. The recommendations need to include estimated monthly saving opportunities.

Which solution will meet these requirements?

一家公司在具有 Amazon Elastic Block Store (Amazon EBS) 磁碟區的 Amazon EC2 執行個體上執行其生產工作負載。解決方案架構師需要分析目前的 EBS 容量成本並提出最佳化建議。這些建議需要包括估計的每月節省機會。

哪種解決方案可以滿足這些要求？

【選項】

A. Use Amazon Inspector reporting to generate EBS volume recommendations for optimization.

B. Use AWS Systems Manager reporting to determine EBS volume recommendations for optimization.

C. Use Amazon CloudWatch metrics reporting to determine EBS volume recommendations for optimization.

D. Use AWS Compute Optimizer to generate EBS volume recommendations for optimization.

【參考答案】D

【題號】question 868

【題目】

A global company runs its workloads on AWS. The company's application uses Amazon S3 buckets across AWS Regions for sensitive data storage and analysis. The company stores millions of objects in multiple S3 buckets daily. The company wants to identify all S3 buckets that are not versioning-enabled.

Which solution will meet these requirements?

一家跨國公司在 AWS 上運行其工作負載。該公司的應用程式使用跨 AWS 區域的 Amazon S3 儲存桶來儲存和分析敏感資料。該公司每天在多個 S3 儲存桶中儲存數百萬個物件。該公司希望識別所有未啟用版本控制的 S3 儲存桶。

哪種解決方案可以滿足這些要求？

【選項】

B. Use Amazon S3 Storage Lens to identify all S3 buckets that are not versioning-enabled across Regions.

C. Enable IAM Access Analyzer for S3 to identify all S3 buckets that are not versioning-enabled across Regions.

D. Create an S3 Multi-Region Access Point to identify all S3 buckets that are not versioning-enabled across Regions.

【參考答案】B

【題號】question 869

【題目】

A company wants to enhance its ecommerce order-processing application that is deployed on AWS. The application must process each order exactly once without affecting the customer experience during unpredictable traffic surges.

Which solution will meet these requirements?

一家公司希望增強其部署在 AWS 上的電子商務訂單處理應用程式。應用程式必須準確地處理每個訂單一次，並且在不可預測的流量激增期間不會影響客戶體驗。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon Simple Queue Service (Amazon SQS) FIFO queue. Put all the orders in the SQS queue. Configure an AWS Lambda function as the target to process the orders.

B.Create an Amazon Simple Notification Service (Amazon SNS) standard topic. Publish all the orders to the SNS standard topic. Configure the application as a notification target.

C.Create a flow by using Amazon AppFlow. Send the orders to the flow. Configure an AWS Lambda function as the target to process the orders.

D.Configure AWS X-Ray in the application to track the order requests. Configure the application to process the orders by pulling the orders from Amazon CloudWatch.

【參考答案】A

【題號】question 870

【題目】

A company has two AWS accounts: Production and Development. The company needs to push code changes in the Development account to the Production account. In the alpha phase, only two senior developers on the development team need access to the Production account. In the beta phase, more developers will need access to perform testing.

Which solution will meet these requirements?

一家公司有兩個 AWS 帳戶：生產帳戶和開發帳戶。公司需要將開發帳戶中的程式碼變更推送到生產帳戶。在 alpha 階段，開發團隊中只有兩名資深開發人員需要存取生產帳戶。在測試階段，更多的開發人員將需要存取權限來執行測試。

哪種解決方案可以滿足這些要求？

【選項】

A.Create two policy documents by using the AWS Management Console in each account. Assign the policy to developers who need access.

B.Create an IAM role in the Development account. Grant the IAM role access to the Production account. Allow developers to assume the role.

C.Create an IAM role in the Production account. Define a trust policy that specifies the Development account. Allow developers to assume the role.

D.Create an IAM group in the Production account. Add the group as a principal in a trust policy that specifies the Production account. Add developers to the group.

【參考答案】C

【題號】question 871

【題目】

A company wants to restrict access to the content of its web application. The company needs to protect the content by using authorization techniques that are available on AWS. The company also wants to implement a serverless architecture for authorization and authentication that has low login latency.

The solution must integrate with the web application and serve web content globally. The application currently has a small user base, but the company expects the application's user base to increase.

Which solution will meet these requirements?

一家公司想要限制對其 Web 應用程式內容的存取。公司需要使用 AWS 上提供的授權技術來保護內容。該公司還希望實現一種無伺服器架構，用於具有低登入延遲的授權和身份驗證。

該解決方案必須與 Web 應用程式整合並在全球範圍內提供 Web 內容。該應用程式目前的用戶群很小，但該公司預計該應用程式的用戶群將會增加。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure Amazon Cognito for authentication. Implement Lambda@Edge for authorization. Configure Amazon CloudFront to serve the web application globally.
- B. Configure AWS Directory Service for Microsoft Active Directory for authentication. Implement AWS Lambda for authorization. Use an Application Load Balancer to serve the web application globally.
- C. Configure Amazon Cognito for authentication. Implement AWS Lambda for authorization. Use Amazon S3 Transfer Acceleration to serve the web application globally.
- D. Configure AWS Directory Service for Microsoft Active Directory for authentication. Implement Lambda@Edge for authorization. Use AWS Elastic Beanstalk to serve the web application globally.

【參考答案】A

【題號】question 872

【題目】

A development team uses multiple AWS accounts for its development, staging, and production environments. Team members have been launching large Amazon EC2 instances that are underutilized. A solutions architect must prevent large instances from being launched in all accounts.

How can the solutions architect meet this requirement with the LEAST operational overhead?

開發團隊在其開發、預覽和生產環境中使用多個 AWS 帳戶。團隊成員一直在啟動未充分利用的大型 Amazon EC2 執行個體。解決方案架構師必須防止在所有帳戶中啟動大型執行個體。

解決方案架構師如何以最少的營運開銷滿足這項要求？

【選項】

- A. Update the IAM policies to deny the launch of large EC2 instances. Apply the policies to all users.

B. Define a resource in AWS Resource Access Manager that prevents the launch of large EC2 instances.

C. Create an IAM role in each account that denies the launch of large EC2 instances. Grant the developers IAM group access to the role.

D. Create an organization in AWS Organizations in the management account with the default policy. Create a service control policy (SCP) that denies the launch of large EC2 instances, and apply it to the AWS accounts.

【參考答案】D

【題號】question 873

【題目】

A company has migrated a fleet of hundreds of on-premises virtual machines (VMs) to Amazon EC2 instances. The instances run a diverse fleet of Windows Server versions along with several Linux distributions. The company wants a solution that will automate inventory and updates of the operating systems. The company also needs a summary of common vulnerabilities of each instance for regular monthly reviews.

What should a solutions architect recommend to meet these requirements?

一家公司已將數百個本地虛擬機器 (VM) 遷移到 Amazon EC2 執行個體。這些執行個體運行各種 Windows Server 版本以及多個 Linux 發行版。該公司想要一種能夠自動執行作業系統清單和更新的解決方案。該公司還需要總結每個實例的常見漏洞，以便每月進行定期審查。

解決方案架構師應該建議什麼來滿足這些要求？

【選項】

A. Set up AWS Systems Manager Patch Manager to manage all the EC2 instances. Configure AWS Security Hub to produce monthly reports.

B. Set up AWS Systems Manager Patch Manager to manage all the EC2 instances. Deploy Amazon Inspector, and configure monthly reports.

C. Set up AWS Shield Advanced, and configure monthly reports. Deploy AWS Config to automate patch installations on the EC2 instances.

D.Set up Amazon GuardDuty in the account to monitor all EC2 instances. Deploy AWS Config to automate patch installations on the EC2 instances.

【參考答案】B

【題號】question 874

【題目】

A company hosts its application in the AWS Cloud. The application runs on Amazon EC2 instances in an Auto Scaling group behind an Elastic Load Balancing (ELB) load balancer. The application connects to an Amazon DynamoDB table.

For disaster recovery (DR) purposes, the company wants to ensure that the application is available from another AWS Region with minimal downtime.

Which solution will meet these requirements with the LEAST downtime?

一家公司將其應用程式託管在 AWS 雲端。該應用程式在 Elastic Load Balancing (ELB) 負載平衡器後面的 Auto Scaling 群組中的 Amazon EC2 執行個體上執行。該應用程式連接到 Amazon DynamoDB 表。

出於災難復原 (DR) 的目的，該公司希望確保該應用程式可從另一個 AWS 區域使用，並且停機時間最短。

哪種解決方案能夠以最短的停機時間來滿足這些要求？

【選項】

A.Create an Auto Scaling group and an ELB in the DR Region. Configure the DynamoDB table as a global table. Configure DNS failover to point to the new DR Region's ELB.

B.Create an AWS CloudFormation template to create EC2 instances, ELBs, and DynamoDB tables to be launched when necessary. Configure DNS failover to point to the new DR Region's ELB.

C.Create an AWS CloudFormation template to create EC2 instances and an ELB to be launched when necessary. Configure the DynamoDB table as a global table. Configure DNS failover to point to the new DR Region's ELB.

D.Create an Auto Scaling group and an ELB in the DR Region. Configure the DynamoDB table as a global table. Create an Amazon CloudWatch alarm with an evaluation period of 10 minutes to invoke an AWS Lambda function that updates Amazon Route 53 to point to the DR Region's ELB.

【參考答案】A

【題號】question 875

【題目】

A company runs an application on Amazon EC2 instances in a private subnet. The application needs to store and retrieve data in Amazon S3 buckets. According to regulatory requirements, the data must not travel across the public internet.

What should a solutions architect do to meet these requirements MOST cost-effectively?

一家公司在私有子網路中的 Amazon EC2 執行個體上執行應用程式。應用程式需要在 Amazon S3 儲存桶中儲存和檢索資料。根據監管要求，資料不得透過公共網路傳輸。

解決方案架構師應該如何做才能最經濟有效地滿足這些要求？

【選項】

- A.Deploy a NAT gateway to access the S3 buckets.
- B.Deploy AWS Storage Gateway to access the S3 buckets.
- C.Deploy an S3 interface endpoint to access the S3 buckets.
- D.Deploy an S3 gateway endpoint to access the S3 buckets.

【參考答案】D

【題號】question 876

【題目】

A company hosts an application on Amazon EC2 instances that run in a single Availability Zone. The application is accessible by using the transport layer of the Open Systems Interconnection (OSI) model. The company needs the application architecture to have high availability.

Which combination of steps will meet these requirements MOST cost-effectively? (Choose two.)

一家公司在單一可用區中執行的 Amazon EC2 執行個體上託管應用程式。該應用程式可透過使用開放系統互連 (OSI) 模型的傳輸層進行存取。公司需要應用架構具有高可用性。

哪一種步驟組合能夠最經濟有效地滿足這些要求？（選兩個。）

【選項】

A. Configure new EC2 instances in a different Availability Zone. Use Amazon Route 53 to route traffic to all instances.

B. Configure a Network Load Balancer in front of the EC2 instances.

C. Configure a Network Load Balancer for TCP traffic to the instances. Configure an Application Load Balancer for HTTP and HTTPS traffic to the instances.

D. Create an Auto Scaling group for the EC2 instances. Configure the Auto Scaling group to use multiple Availability Zones. Configure the Auto Scaling group to run application health checks on the instances.

E. Create an Amazon CloudWatch alarm. Configure the alarm to restart EC2 instances that transition to a stopped state.

【參考答案】BD

【題號】question 877

【題目】

A company uses Amazon S3 to host its static website. The company wants to add a contact form to the webpage. The contact form will have dynamic server-side components for users to input their name, email address, phone number, and user message.

The company expects fewer than 100 site visits each month. The contact form must notify the company by email when a customer fills out the form.

Which solution will meet these requirements MOST cost-effectively?

一家公司使用 Amazon S3 託管其靜態網站。該公司希望在網頁上新增聯絡表單。聯絡表單將具有動態伺服器端元件，供使用者輸入姓名、電子郵件地址、電話號碼和使用者訊息。

該公司預計每月的現場訪問量將少於 100 次。當客戶填寫聯絡表單時，必須透過電子郵件通知公司。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Host the dynamic contact form in Amazon Elastic Container Service (Amazon ECS). Set up Amazon Simple Email Service (Amazon SES) to connect to a third-party email provider.

B. Create an Amazon API Gateway endpoint that returns the contact form from an AWS Lambda function. Configure another Lambda function on the API Gateway to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.

C. Host the website by using AWS Amplify Hosting for static content and dynamic content. Use server-side scripting to build the contact form. Configure Amazon Simple Queue Service (Amazon SQS) to deliver the message to the company.

D. Migrate the website from Amazon S3 to Amazon EC2 instances that run Windows Server. Use Internet Information Services (IIS) for Windows Server to host the webpage. Use client-side scripting to build the contact form. Integrate the form with Amazon WorkMail.

【參考答案】B

【題號】question 878

【題目】

A company creates dedicated AWS accounts in AWS Organizations for its business units. Recently, an important notification was sent to the root user email address of a business unit account instead of the assigned account owner. The company wants to ensure that all future notifications can be sent to different employees based on the notification categories of billing, operations, or security.

Which solution will meet these requirements MOST securely?

一家公司在 AWS Organizations 中為其業務部門建立專用 AWS 帳戶。最近，一條重要通知被發送到業務部門帳戶的根用戶電子郵件地址，而不是發送到指定的帳戶所有者。該公司希望確保未來所有通知都可以根據計費、操作或安全的通知類別發送給不同的員工。

哪一種解決方案將最安全地滿足這些要求？

【選項】

A. Configure each AWS account to use a single email address that the company manages. Ensure that all account owners can access the email account to receive notifications. Configure alternate contacts for each AWS account with corresponding distribution lists for the billing team, the security team, and the operations team for each business unit.

B. Configure each AWS account to use a different email distribution list for each business unit that the company manages. Configure each distribution list with administrator email addresses that can respond to alerts. Configure alternate contacts for each AWS account with corresponding distribution lists for the billing team, the security team, and the operations team for each business unit.

C. Configure each AWS account root user email address to be the individual company managed email address of one person from each business unit. Configure alternate contacts for each AWS account with corresponding distribution lists for the billing team, the security team, and the operations team for each business unit.

D. Configure each AWS account root user to use email aliases that go to a centralized mailbox. Configure alternate contacts for each account by using a single business managed email distribution list each for the billing team, the security team, and the operations team.

【參考答案】D

【題號】question 879

【題目】

A company runs an ecommerce application on AWS. Amazon EC2 instances process purchases and store the purchase details in an Amazon Aurora PostgreSQL DB cluster.

Customers are experiencing application timeouts during times of peak usage. A solutions architect needs to rearchitect the application so that the application can scale to meet peak usage demands.

Which combination of actions will meet these requirements MOST cost-effectively? (Choose two.)

一家公司在 AWS 上運行電子商務應用程式。Amazon EC2 執行個體處理購買並將購買詳細資訊儲存在 Amazon Aurora PostgreSQL 資料庫叢集中。

客戶在使用高峰期間會遇到應用程式逾時的情況。解決方案架構師需要重新建構應用程式，以便應用程式可以擴展以滿足高峰使用需求。

哪一種行動組合能夠最經濟有效地滿足這些要求？（選兩個。）

【選項】

A. Configure an Auto Scaling group of new EC2 instances to retry the purchases until the processing is complete. Update the applications to connect to the DB cluster by using Amazon RDS Proxy.

B. Configure the application to use an Amazon ElastiCache cluster in front of the Aurora PostgreSQL DB cluster.

C. Update the application to send the purchase requests to an Amazon Simple Queue Service (Amazon SQS) queue. Configure an Auto Scaling group of new EC2 instances that read from the SQS queue.

D. Configure an AWS Lambda function to retry the ticket purchases until the processing is complete.

E. Configure an Amazon API Gateway REST API with a usage plan.

【參考答案】AC

【題號】question 880

【題目】

A company that uses AWS Organizations runs 150 applications across 30 different AWS accounts. The company used AWS Cost and Usage Report to create a new report in the management account. The report is delivered to an Amazon S3 bucket that is replicated to a bucket in the data collection account.

The company's senior leadership wants to view a custom dashboard that provides NAT gateway costs each day starting at the beginning of the current month.

Which solution will meet these requirements?

一家使用 AWS Organizations 的公司在 30 個不同的 AWS 帳戶中執行 150 個應用程式。該公司使用 AWS 成本和使用情況報告在管理帳戶中建立新報告。該報告將傳送到 Amazon S3 儲存桶，該儲存桶會複製到資料收集帳戶中的儲存桶。

該公司的高級領導層希望查看一個自訂儀表板，該儀表板提供從本月初開始每天的 NAT 網關成本。

哪種解決方案可以滿足這些要求？

【選項】

A.Share an Amazon QuickSight dashboard that includes the requested table visual. Configure QuickSight to use AWS DataSync to query the new report.

B.Share an Amazon QuickSight dashboard that includes the requested table visual. Configure QuickSight to use Amazon Athena to query the new report.

C.Share an Amazon CloudWatch dashboard that includes the requested table visual. Configure CloudWatch to use AWS DataSync to query the new report.

D.Share an Amazon CloudWatch dashboard that includes the requested table visual. Configure CloudWatch to use Amazon Athena to query the new report.

【參考答案】B

【題號】question 881

【題目】

A company is hosting a high-traffic static website on Amazon S3 with an Amazon CloudFront distribution that has a default TTL of 0 seconds. The company wants to implement caching to improve performance for the website. However, the company also wants to ensure that stale content is not served for more than a few minutes after a deployment.

Which combination of caching methods should a solutions architect implement to meet these requirements? (Choose two.)

一家公司在 Amazon S3 上託管一個高流量靜態網站，其 Amazon CloudFront 分配的預設 TTL 為 0 秒。該公司希望實施快取來提高網站的效能。然而，該公司也希望確保陳舊內容在部署後不會持續超過幾分鐘。

解決方案架構師應該實作哪種快取方法組合來滿足這些要求？（選兩個。）

【選項】

- A.Set the CloudFront default TTL to 2 minutes.
- B.Set a default TTL of 2 minutes on the S3 bucket.
- C.Add a Cache-Control private directive to the objects in Amazon S3.
- D.Create an AWS Lambda@Edge function to add an Expires header to HTTP responses. Configure the function to run on viewer response.
- E.Add a Cache-Control max-age directive of 24 hours to the objects in Amazon S3. On deployment, create a CloudFront invalidation to clear any changed files from edge caches.

【參考答案】AE

【題號】question 882

【題目】

A company runs its application by using Amazon EC2 instances and AWS Lambda functions. The EC2 instances run in private subnets of a VPC. The Lambda functions need direct network access to the EC2 instances for the application to work.

The application will run for 1 year. The number of Lambda functions that the application uses will increase during the 1-year period. The company must minimize costs on all application resources.

Which solution will meet these requirements?

一家公司使用 Amazon EC2 執行個體和 AWS Lambda 函數來執行其應用程式。EC2 執行個體在 VPC 的私有子網路中運作。Lambda 函數需要直接網路存取 EC2 執行個體才能讓應用程式正常運作。

該應用程式將運行 1 年。應用程式使用的 Lambda 函數數量將在 1 年內增加。公司必須最大限度地降低所有應用程式資源的成本。

哪種解決方案可以滿足這些要求？

【選項】

A. Purchase an EC2 Instance Savings Plan. Connect the Lambda functions to the private subnets that contain the EC2 instances.

B. Purchase an EC2 Instance Savings Plan. Connect the Lambda functions to new public subnets in the same VPC where the EC2 instances run.

C. Purchase a Compute Savings Plan. Connect the Lambda functions to the private subnets that contain the EC2 instances.

D. Purchase a Compute Savings Plan. Keep the Lambda functions in the Lambda service VPC.

【參考答案】C

【題號】question 883

【題目】

A company has deployed a multi-account strategy on AWS by using AWS Control Tower. The company has provided individual AWS accounts to each of its developers. The company wants to implement controls to limit AWS resource costs that the developers incur.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司使用 AWS Control Tower 在 AWS 上部署了多帳戶策略。該公司為其每位開發人員提供了單獨的 AWS 帳戶。該公司希望實施控制措施來限制開發人員產生的 AWS 資源成本。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Instruct each developer to tag all their resources with a tag that has a key of CostCenter and a value of the developer's name. Use the required-tags AWS Config managed rule to check for the tag. Create an AWS Lambda function to terminate resources that do not have the tag. Configure AWS Cost Explorer to send a daily report to each developer to monitor their spending.

B. Use AWS Budgets to establish budgets for each developer account. Set up budget alerts for actual and forecast values to notify developers when they exceed or expect to exceed their assigned budget. Use AWS Budgets actions to apply a DenyAll policy to the developer's IAM role to prevent additional resources from being launched when the assigned budget is reached.

C. Use AWS Cost Explorer to monitor and report on costs for each developer account. Configure Cost Explorer to send a daily report to each developer to monitor their spending. Use AWS Cost Anomaly Detection to detect anomalous spending and provide alerts.

D. Use AWS Service Catalog to allow developers to launch resources within a limited cost range. Create AWS Lambda functions in each AWS account to stop running resources at the end of each work day. Configure the Lambda functions to resume the resources at the start of each work day.

【參考答案】B

【題號】question 884

【題目】

A solutions architect is designing a three-tier web application. The architecture consists of an internet-facing Application Load Balancer (ALB) and a web tier that is hosted on Amazon EC2 instances in private subnets. The application tier with the business logic runs on EC2 instances in private subnets. The database tier consists of Microsoft SQL Server that runs on EC2 instances in private subnets. Security is a high priority for the company.

Which combination of security group configurations should the solutions architect use? (Choose three.)

解決方案架構師正在設計一個三層 Web 應用程式。該架構由面向網際網路的應用程式負載平衡器 (ALB) 和託管在私人子網路中的 Amazon EC2 執行個體上的 Web 層組成。具有業務邏輯的應用程式層在私有子網路中的 EC2 執行個體上運作。資料庫層由在私有子網路中的 EC2 執行個體上執行的 Microsoft SQL Server 所組成。安全是公司的重中之重。

解決方案架構師應使用哪一種安全性群組配置組合？（選擇三項。）

【選項】

A. Configure the security group for the web tier to allow inbound HTTPS traffic from the security group for the ALB.

B. Configure the security group for the web tier to allow outbound HTTPS traffic to 0.0.0.0/0.

C. Configure the security group for the database tier to allow inbound Microsoft SQL Server traffic from the security group for the application tier.

D. Configure the security group for the database tier to allow outbound HTTPS traffic and Microsoft SQL Server traffic to the security group for the web tier.

E. Configure the security group for the application tier to allow inbound HTTPS traffic from the security group for the web tier.

F. Configure the security group for the application tier to allow outbound HTTPS traffic and Microsoft SQL Server traffic to the security group for the web tier.

【參考答案】ACE

【題號】question 885

【題目】

A company has released a new version of its production application. The company's workload uses Amazon EC2, AWS Lambda, AWS Fargate, and Amazon SageMaker.

The company wants to cost optimize the workload now that usage is at a steady state. The company wants to cover the most services with the fewest savings plans.

Which combination of savings plans will meet these requirements? (Choose two.)

一家公司發布了其生產應用程式的新版本。該公司的工作負載使用 Amazon EC2、AWS Lambda、AWS Fargate 和 Amazon SageMaker。

由於使用量處於穩定狀態，該公司希望對工作負載進行成本最佳化。該公司希望以最少的儲蓄計劃涵蓋最多的服務。

哪一種儲蓄計劃組合可以滿足這些要求？（選兩個。）

【選項】

- A. Purchase an EC2 Instance Savings Plan for Amazon EC2 and SageMaker.
- B. Purchase a Compute Savings Plan for Amazon EC2, Lambda, and SageMaker.
- C. Purchase a SageMaker Savings Plan.
- D. Purchase a Compute Savings Plan for Lambda, Fargate, and Amazon EC2.
- E. Purchase an EC2 Instance Savings Plan for Amazon EC2 and Fargate.

【參考答案】CD

【題號】question 886

【題目】

A company uses a Microsoft SQL Server database. The company's applications are connected to the database. The company wants to migrate to an Amazon Aurora PostgreSQL database with minimal changes to the application code.

Which combination of steps will meet these requirements? (Choose two.)

一家公司使用 Microsoft SQL Server 資料庫。公司的應用程式連接到資料庫。該公司希望在對應用程式程式碼進行最少更改的情況下遷移到 Amazon Aurora PostgreSQL 資料庫。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

A. Use the AWS Schema Conversion Tool (AWS SCT) to rewrite the SQL queries in the applications.

B. Enable Babelfish on Aurora PostgreSQL to run the SQL queries from the applications.

C. Migrate the database schema and data by using the AWS Schema Conversion Tool (AWS SCT) and AWS Database Migration Service (AWS DMS).

D. Use Amazon RDS Proxy to connect the applications to Aurora PostgreSQL.

E. Use AWS Database Migration Service (AWS DMS) to rewrite the SQL queries in the applications.

【參考答案】BC

【題號】question 887

【題目】

A company plans to rehost an application to Amazon EC2 instances that use Amazon Elastic Block Store (Amazon EBS) as the attached storage.

A solutions architect must design a solution to ensure that all newly created Amazon EBS volumes are encrypted by default. The solution must also prevent the creation of unencrypted EBS volumes.

Which solution will meet these requirements?

一家公司計劃將應用程式重新託管到使用 Amazon Elastic Block Store (Amazon EBS) 作為附加儲存的 Amazon EC2 執行個體。

解決方案架構師必須設計一個解決方案，以確保所有新建立的 Amazon EBS 磁碟區預設加密。該解決方案還必須防止建立未加密的 EBS 磁碟區。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure the EC2 account attributes to always encrypt new EBS volumes.
- B. Use AWS Config. Configure the encrypted-volumes identifier. Apply the default AWS Key Management Service (AWS KMS) key.
- C. Configure AWS Systems Manager to create encrypted copies of the EBS volumes. Reconfigure the EC2 instances to use the encrypted volumes.
- D. Create a customer managed key in AWS Key Management Service (AWS KMS). Configure AWS Migration Hub to use the key when the company migrates workloads.

【參考答案】A

【題號】question 888

【題目】

An ecommerce company wants to collect user clickstream data from the company's website for real-time analysis. The website experiences fluctuating traffic patterns throughout the day. The company needs a scalable solution that can adapt to varying levels of traffic.

Which solution will meet these requirements?

一家電子商務公司希望從公司網站收集用戶點擊流資料進行即時分析。該網站全天的流量模式都在波動。該公司需要一個可擴展的解決方案來適應不同的流量水平。

哪種解決方案可以滿足這些要求？

【選項】

A. Use a data stream in Amazon Kinesis Data Streams in on-demand mode to capture the clickstream data. Use AWS Lambda to process the data in real time.

B. Use Amazon Kinesis Data Firehose to capture the clickstream data. Use AWS Glue to process the data in real time.

C. Use Amazon Kinesis Video Streams to capture the clickstream data. Use AWS Glue to process the data in real time.

D. Use Amazon Managed Service for Apache Flink (previously known as Amazon Kinesis Data Analytics) to capture the clickstream data. Use AWS Lambda to process the data in real time.

【參考答案】A

【題號】question 889

【題目】

A global company runs its workloads on AWS. The company's application uses Amazon S3 buckets across AWS Regions for sensitive data storage and analysis. The company stores millions of objects in multiple S3 buckets daily. The company wants to identify all S3 buckets that are not versioning-enabled.

Which solution will meet these requirements?

一家跨國公司在 AWS 上運行其工作負載。該公司的應用程式使用跨 AWS 區域的 Amazon S3 儲存桶來儲存和分析敏感資料。該公司每天在多個 S3 儲存桶中儲存數百萬個物件。該公司希望識別所有未啟用版本控制的 S3 儲存桶。

哪種解決方案可以滿足這些要求？

【選項】

A. Set up an AWS CloudTrail event that has a rule to identify all S3 buckets that are not versioning-enabled across Regions.

B. Use Amazon S3 Storage Lens to identify all S3 buckets that are not versioning-enabled across Regions.

C. Enable IAM Access Analyzer for S3 to identify all S3 buckets that are not versioning-enabled across Regions.

D. Create an S3 Multi-Region Access Point to identify all S3 buckets that are not versioning-enabled across Regions.

【參考答案】B

【題號】question 890

【題目】

A company needs to optimize its Amazon S3 storage costs for an application that generates many files that cannot be recreated. Each file is approximately 5 MB and is stored in Amazon S3 Standard storage.

The company must store the files for 4 years before the files can be deleted. The files must be immediately accessible. The files are frequently accessed in the first 30 days of object creation, but they are rarely accessed after the first 30 days.

Which solution will meet these requirements MOST cost-effectively?

一家公司需要針對產生許多無法重新建立的檔案的應用程式優化其 Amazon S3 儲存成本。每個檔案大約 5 MB，儲存在 Amazon S3 標準儲存中。

公司必須將這些文件保存4年，然後才能刪除這些文件。這些文件必須可以立即存取。這些文件在物件創建的前 30 天內存取頻繁，但在前 30 天之後很少存取。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Create an S3 Lifecycle policy to move the files to S3 Glacier Instant Retrieval 30 days after object creation. Delete the files 4 years after object creation.

B. Create an S3 Lifecycle policy to move the files to S3 One Zone-Infrequent Access (S3 One Zone-IA) 30 days after object creation. Delete the files 4 years after object creation.

C.Create an S3 Lifecycle policy to move the files to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days after object creation. Delete the files 4 years after object creation.

D.Create an S3 Lifecycle policy to move the files to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days after object creation. Move the files to S3 Glacier Flexible Retrieval 4 years after object creation.

【參考答案】C

【題號】question 891

【題目】

A company runs its critical storage application in the AWS Cloud. The application uses Amazon S3 in two AWS Regions. The company wants the application to send remote user data to the nearest S3 bucket with no public network congestion. The company also wants the application to fail over with the least amount of management of Amazon S3.

Which solution will meet these requirements?

一家公司在 AWS 雲端中運行其關鍵儲存應用程式。該應用程式在兩個 AWS 區域中使用 Amazon S3。該公司希望應用程式能夠將遠端用戶資料發送到最近的 S3 儲存桶，而不會造成公共網路擁塞。該公司還希望應用程式能夠以最少的 Amazon S3 管理進行故障轉移。

哪種解決方案可以滿足這些要求？

【選項】

A.Implement an active-active design between the two Regions. Configure the application to use the regional S3 endpoints closest to the user.

B.Use an active-passive configuration with S3 Multi-Region Access Points. Create a global endpoint for each of the Regions.

C.Send user data to the regional S3 endpoints closest to the user. Configure an S3 cross-account replication rule to keep the S3 buckets synchronized.

D.Set up Amazon S3 to use Multi-Region Access Points in an active-active configuration with a single global endpoint. Configure S3 Cross-Region Replication.

【參考答案】D

【題號】question 892

【題目】

A company is migrating a data center from its on-premises location to AWS. The company has several legacy applications that are hosted on individual virtual servers. Changes to the application designs cannot be made.

Each individual virtual server currently runs as its own EC2 instance. A solutions architect needs to ensure that the applications are reliable and fault tolerant after migration to AWS. The applications will run on Amazon EC2 instances.

Which solution will meet these requirements?

一家公司正在將資料中心從其本地位置遷移到 AWS。該公司有多個遺留應用程式託管在各個虛擬伺服器上。無法更改應用程式設計。

每個單獨的虛擬伺服器目前都以自己的 EC2 執行個體運作。解決方案架構師需要確保應用程式在遷移到 AWS 後可靠且具有容錯能力。這些應用程式將在 Amazon EC2 執行個體上執行。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Auto Scaling group that has a minimum of one and a maximum of one. Create an Amazon Machine Image (AMI) of each application instance. Use the AMI to create EC2 instances in the Auto Scaling group. Configure an Application Load Balancer in front of the Auto Scaling group.

B.Use AWS Backup to create an hourly backup of the EC2 instance that hosts each application. Store the backup in Amazon S3 in a separate Availability Zone. Configure a disaster recovery process to restore the EC2 instance for each application from its most recent backup.

C.Create an Amazon Machine Image (AMI) of each application instance. Launch two new EC2 instances from the AMI. Place each EC2 instance in a separate Availability Zone. Configure a Network Load Balancer that has the EC2 instances as targets.

D. Use AWS Mitigation Hub Refactor Spaces to migrate each application off the EC2 instance. Break down functionality from each application into individual components. Host each application on Amazon Elastic Container Service (Amazon ECS) with an AWS Fargate launch type.

【參考答案】C

【題號】question 893

【題目】

A company wants to isolate its workloads by creating an AWS account for each workload. The company needs a solution that centrally manages networking components for the workloads. The solution also must create accounts with automatic security controls (guardrails).

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望透過為每個工作負載建立一個 AWS 帳戶來隔離其工作負載。該公司需要一種能夠集中管理工作負載網路組件的解決方案。該解決方案還必須建立具有自動安全控制(護欄)的帳戶。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use AWS Control Tower to deploy accounts. Create a networking account that has a VPC with private subnets and public subnets. Use AWS Resource Access Manager (AWS RAM) to share the subnets with the workload accounts.

B. Use AWS Organizations to deploy accounts. Create a networking account that has a VPC with private subnets and public subnets. Use AWS Resource Access Manager (AWS RAM) to share the subnets with the workload accounts.

C. Use AWS Control Tower to deploy accounts. Deploy a VPC in each workload account. Configure each VPC to route through an inspection VPC by using a transit gateway attachment.

D. Use AWS Organizations to deploy accounts. Deploy a VPC in each workload account. Configure each VPC to route through an inspection VPC by using a transit gateway attachment.

【參考答案】A

【題號】question 894

【題目】

A company hosts a website on Amazon EC2 instances behind an Application Load Balancer (ALB). The website serves static content. Website traffic is increasing. The company wants to minimize the website hosting costs.

Which solution will meet these requirements?

一家公司在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上託管一個網站。該網站提供靜態內容。網站流量不斷增加。該公司希望最大限度地降低網站託管成本。

哪種解決方案可以滿足這些要求？

【選項】

A. Move the website to an Amazon S3 bucket. Configure an Amazon CloudFront distribution for the S3 bucket.

B. Move the website to an Amazon S3 bucket. Configure an Amazon ElastiCache cluster for the S3 bucket.

C. Move the website to AWS Amplify. Configure an ALB to resolve to the Amplify website.

D. Move the website to AWS Amplify. Configure EC2 instances to cache the website.

【參考答案】A

【題號】question 895

【題目】

A company is implementing a shared storage solution for a media application that the company hosts on AWS. The company needs the ability to use SMB clients to access stored data.

Which solution will meet these requirements with the LEAST administrative overhead?

一家公司正在為其在 AWS 上託管的媒體應用程式實施共用儲存解決方案。該公司需要能夠使用 SMB 用戶端存取儲存的資料。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A.Create an AWS Storage Gateway Volume Gateway. Create a file share that uses the required client protocol. Connect the application server to the file share.

B.Create an AWS Storage Gateway Tape Gateway. Configure tapes to use Amazon S3. Connect the application server to the Tape Gateway.

C.Create an Amazon EC2 Windows instance. Install and configure a Windows file share role on the instance. Connect the application server to the file share.

D.Create an Amazon FSx for Windows File Server file system. Connect the application server to the file system.

【參考答案】D

【題號】question 896

【題目】

A company is designing its production application's disaster recovery (DR) strategy. The application is backed by a MySQL database on an Amazon Aurora cluster in the us-east-1 Region. The company has chosen the us-west-1 Region as its DR Region.

The company's target recovery point objective (RPO) is 5 minutes and the target recovery time objective (RTO) is 20 minutes. The company wants to minimize configuration changes.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司正在設計其生產應用程式的災難復原 (DR) 策略。該應用程式由 us-east-1 區域的 Amazon Aurora 叢集上的 MySQL 資料庫提供支援。該公司選擇 us-west-1 區域作為其 DR 區域。

該公司的目標恢復點目標 (RPO) 為 5 分鐘，目標恢復時間目標 (RTO) 為 20 分鐘。該公司希望盡量減少配置變更。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

- A. Create an Aurora read replica in us-west-1 similar in size to the production application's Aurora MySQL cluster writer instance.
- B. Convert the Aurora cluster to an Aurora global database. Configure managed failover.
- C. Create a new Aurora cluster in us-west-1 that has Cross-Region Replication.
- D. Create a new Aurora cluster in us-west-1. Use AWS Database Migration Service (AWS DMS) to sync both clusters.

【參考答案】B

【題號】question 897

【題目】

A company runs a critical data analysis job each week before the first day of the work week. The job requires at least 1 hour to complete the analysis. The job is stateful and cannot tolerate interruptions. The company needs a solution to run the job on AWS.

Which solution will meet these requirements?

一家公司每週在工作週第一天之前都會執行一項關鍵資料分析作業。該工作至少需要 1 小時才能完成分析。該作業是有狀態的，不能容忍中斷。該公司需要一個解決方案來在 AWS 上執行該作業。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a container for the job. Schedule the job to run as an AWS Fargate task on an Amazon Elastic Container Service (Amazon ECS) cluster by using Amazon EventBridge Scheduler.

B.Configure the job to run in an AWS Lambda function. Create a scheduled rule in Amazon EventBridge to invoke the Lambda function.

C.Configure an Auto Scaling group of Amazon EC2 Spot Instances that run Amazon Linux. Configure a crontab entry on the instances to run the analysis.

D.Configure an AWS DataSync task to run the job. Configure a cron expression to run the task on a schedule.

【參考答案】A

【題號】question 898

【題目】

A company runs workloads in the AWS Cloud. The company wants to centrally collect security data to assess security across the entire company and to improve workload protection.

Which solution will meet these requirements with the LEAST development effort?

一家公司在 AWS 雲端中運作工作負載。該公司希望集中收集安全數據，以評估整個公司的安全性並改善工作負載保護。

哪種解決方案能夠以最少的開發工作滿足這些要求？

【選項】

A. Configure a data lake in AWS Lake Formation. Use AWS Glue crawlers to ingest the security data into the data lake.

B. Configure an AWS Lambda function to collect the security data in .csv format. Upload the data to an Amazon S3 bucket.

C. Configure a data lake in Amazon Security Lake to collect the security data. Upload the data to an Amazon S3 bucket.

D. Configure an AWS Database Migration Service (AWS DMS) replication instance to load the security data into an Amazon RDS cluster.

【參考答案】C

【題號】question 899

【題目】

A company is migrating five on-premises applications to VPCs in the AWS Cloud. Each application is currently deployed in isolated virtual networks on premises and should be deployed similarly in the AWS Cloud. The applications need to reach a shared services VPC. All the applications must be able to communicate with each other.

If the migration is successful, the company will repeat the migration process for more than 100 applications.

Which solution will meet these requirements with the LEAST administrative overhead?

一家公司正在將五個本地應用程式遷移到 AWS 雲端中的 VPC。每個應用程式目前都部署在本地隔離的虛擬網路中，並且應該在 AWS 雲端中進行類似的部署。應用程式需要到達共享服務 VPC。所有應用程式必須能夠相互溝通。

如果遷移成功，該公司將為100多個應用程式重複遷移過程。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A. Deploy software VPN tunnels between the application VPCs and the shared services VPC. Add routes between the application VPCs in their subnets to the shared services VPC.

B. Deploy VPC peering connections between the application VPCs and the shared services VPC. Add routes between the application VPCs in their subnets to the shared services VPC through the peering connection.

C. Deploy an AWS Direct Connect connection between the application VPCs and the shared services VPC. Add routes from the application VPCs in their subnets to the shared services VPC and the applications VPCs. Add routes from the shared services VPC subnets to the applications VPCs.

D. Deploy a transit gateway with associations between the transit gateway and the application VPCs and the shared services VPC. Add routes between the application VPCs in their subnets and the application VPCs to the shared services VPC through the transit gateway.

【參考答案】D

【題號】question 900

【題目】

A company wants to use Amazon Elastic Container Service (Amazon ECS) to run its on-premises application in a hybrid environment. The application currently runs on containers on premises.

The company needs a single container solution that can scale in an on-premises, hybrid, or cloud environment. The company must run new application containers in the AWS Cloud and must use a load balancer for HTTP traffic.

Which combination of actions will meet these requirements? (Choose two.)

一家公司希望使用 Amazon Elastic Container Service (Amazon ECS) 在混合式環境中運行其本機應用程式。該應用程式目前在本地容器上運行。

該公司需要一個可以在本地、混合或雲端環境中擴展的單一容器解決方案。該公司必須在 AWS 雲端中運行新的應用程式容器，並且必須對 HTTP 流量使用負載平衡器。

哪一種行動組合可以滿足這些要求？（選兩個。）

【選項】

- A.Set up an ECS cluster that uses the AWS Fargate launch type for the cloud application containers. Use an Amazon ECS Anywhere external launch type for the on-premises application containers.
- B.Set up an Application Load Balancer for cloud ECS services.
- C.Set up a Network Load Balancer for cloud ECS services.
- D.Set up an ECS cluster that uses the AWS Fargate launch type. Use Fargate for the cloud application containers and the on-premises application containers.
- E.Set up an ECS cluster that uses the Amazon EC2 launch type for the cloud application containers. Use Amazon ECS Anywhere with an AWS Fargate launch type for the on-premises application containers.

【參考答案】AB
