

AWS Certified Solutions Architect - Associate SAA-C03

question 0901-1000

Last Update: 2024.11

【題號】question 901

【題目】

A company is migrating its workloads to AWS. The company has sensitive and critical data in on-premises relational databases that run on SQL Server instances.

The company wants to use the AWS Cloud to increase security and reduce operational overhead for the databases.

Which solution will meet these requirements?

一家公司正在將其工作負載遷移到 AWS。該公司在 SQL Server 執行個體上執行的本地關係資料庫中擁有敏感和關鍵資料。

該公司希望使用 AWS 雲端來提高安全性並減少資料庫的營運開銷。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate the databases to Amazon EC2 instances. Use an AWS Key Management Service (AWS KMS) AWS managed key for encryption.

B.Migrate the databases to a Multi-AZ Amazon RDS for SQL Server DB instance. Use an AWS Key Management Service (AWS KMS) AWS managed key for encryption.

C.Migrate the data to an Amazon S3 bucket. Use Amazon Macie to ensure data security.

D.Migrate the databases to an Amazon DynamoDB table. Use Amazon CloudWatch Logs to ensure data security.

【參考答案】B

【題號】question 902

【題目】

A company wants to migrate an application to AWS. The company wants to increase the application's current availability. The company wants to use AWS WAF in the application's architecture.

Which solution will meet these requirements?

一家公司想要將應用程式遷移到 AWS。該公司希望提高該應用程式的當前可用性。該公司希望在應用程式架構中使用 AWS WAF。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Auto Scaling group that contains multiple Amazon EC2 instances that host the application across two Availability Zones. Configure an Application Load Balancer (ALB) and set the Auto Scaling group as the target. Connect a WAF to the ALB.

B.Create a cluster placement group that contains multiple Amazon EC2 instances that hosts the application. Configure an Application Load Balancer and set the EC2 instances as the targets. Connect a WAF to the placement group.

C.Create two Amazon EC2 instances that host the application across two Availability Zones. Configure the EC2 instances as the targets of an Application Load Balancer (ALB). Connect a WAF to the ALB.

D.Create an Auto Scaling group that contains multiple Amazon EC2 instances that host the application across two Availability Zones. Configure an Application Load Balancer (ALB) and set the Auto Scaling group as the target. Connect a WAF to the Auto Scaling group.

【參考答案】A

【題號】question 903

【題目】

A company manages a data lake in an Amazon S3 bucket that numerous applications access. The S3 bucket contains a unique prefix for each application. The company wants to restrict each application to its specific prefix and to have granular control of the objects under each prefix.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司管理 Amazon S3 儲存桶中的資料湖，可供眾多應用程式存取。S3 儲存桶包含每個應用程式的唯一前綴。該公司希望將每個應用程式限制為其特定的前綴，並對每個前綴下的物件進行精細控制。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

- A.Create dedicated S3 access points and access point policies for each application.
- B.Create an S3 Batch Operations job to set the ACL permissions for each object in the S3 bucket.
- C.Replicate the objects in the S3 bucket to new S3 buckets for each application. Create replication rules by prefix.
- D.Replicate the objects in the S3 bucket to new S3 buckets for each application. Create dedicated S3 access points for each application.

【參考答案】A

【題號】question 904

【題目】

A company has an application that customers use to upload images to an Amazon S3 bucket. Each night, the company launches an Amazon EC2 Spot Fleet that processes all the images that the company received that day. The processing for each image takes 2 minutes and requires 512 MB of memory.

A solutions architect needs to change the application to process the images when the images are uploaded.

Which change will meet these requirements MOST cost-effectively?

一家公司有一個應用程式，客戶可以使用該應用程式將圖像上傳到 Amazon S3 儲存桶。每天晚上，該公司都會啟動一個 Amazon EC2 Spot 佇列來處理該公司當天收到的所有影像。每個影像的處理需要 2 分鐘，需要 512 MB 記憶體。

解決方案架構師需要更改應用程式以在上傳圖像時處理圖像。

哪一種改變能夠最經濟有效地滿足這些要求？

【選項】

A. Use S3 Event Notifications to write a message with image details to an Amazon Simple Queue Service (Amazon SQS) queue. Configure an AWS Lambda function to read the messages from the queue and to process the images.

B. Use S3 Event Notifications to write a message with image details to an Amazon Simple Queue Service (Amazon SQS) queue. Configure an EC2 Reserved Instance to read the messages from the queue and to process the images.

C. Use S3 Event Notifications to publish a message with image details to an Amazon Simple Notification Service (Amazon SNS) topic. Configure a container instance in Amazon Elastic Container Service (Amazon ECS) to subscribe to the topic and to process the images.

D. Use S3 Event Notifications to publish a message with image details to an Amazon Simple Notification Service (Amazon SNS) topic. Configure an AWS Elastic Beanstalk application to subscribe to the topic and to process the images.

【參考答案】A

【題號】question 905

【題目】

A company wants to improve the availability and performance of its hybrid application. The application consists of a stateful TCP-based workload hosted on Amazon EC2

instances in different AWS Regions and a stateless UDP-based workload hosted on premises.

Which combination of actions should a solutions architect take to improve availability and performance? (Choose two.)

一家公司希望提高其混合應用程式的可用性和效能。該應用程式由託管在不同 AWS 區域的 Amazon EC2 執行個體上的基於 TCP 的有狀態工作負載和本地託管的基於 UDP 的無狀態工作負載組成。

解決方案架構師應該採取哪些操作組合來提高可用性和效能？（選兩個。）

【選項】

- A.Create an accelerator using AWS Global Accelerator. Add the load balancers as endpoints.
- B.Create an Amazon CloudFront distribution with an origin that uses Amazon Route 53 latency-based routing to route requests to the load balancers.
- C.Configure two Application Load Balancers in each Region. The first will route to the EC2 endpoints, and the second will route to the on-premises endpoints.
- D.Configure a Network Load Balancer in each Region to address the EC2 endpoints. Configure a Network Load Balancer in each Region that routes to the on-premises endpoints.
- E.Configure a Network Load Balancer in each Region to address the EC2 endpoints. Configure an Application Load Balancer in each Region that routes to the on-premises endpoints.

【參考答案】AD

【題號】question 906

【題目】

A company runs a self-managed Microsoft SQL Server on Amazon EC2 instances and Amazon Elastic Block Store (Amazon EBS). Daily snapshots are taken of the EBS volumes.

Recently, all the company's EBS snapshots were accidentally deleted while running a snapshot cleaning script that deletes all expired EBS snapshots. A solutions architect needs to update the architecture to prevent data loss without retaining EBS snapshots indefinitely.

Which solution will meet these requirements with the LEAST development effort?

一家公司在 Amazon EC2 執行個體和 Amazon Elastic Block Store (Amazon EBS) 上執行自行管理的 Microsoft SQL Server。每日為 EBS 卷拍攝快照。

最近，在執行刪除所有過期 EBS 快照的快照清理腳本時，公司的所有 EBS 快照都被意外刪除。解決方案架構師需要更新架構以防止資料遺失，而無需無限期保留 EBS 快照。

哪種解決方案能夠以最少的開發工作滿足這些要求？

【選項】

- A.Change the IAM policy of the user to deny EBS snapshot deletion.
- B.Copy the EBS snapshots to another AWS Region after completing the snapshots daily.
- C.Create a 7-day EBS snapshot retention rule in Recycle Bin and apply the rule for all snapshots.
- D.Copy EBS snapshots to Amazon S3 Standard-Infrequent Access (S3 Standard-IA).

【參考答案】C

【題號】question 907

【題目】

A company wants to use an AWS CloudFormation stack for its application in a test environment. The company stores the CloudFormation template in an Amazon S3 bucket that blocks public access. The company wants to grant CloudFormation access to the template in the S3 bucket based on specific user requests to create the test environment. The solution must follow security best practices.

Which solution will meet these requirements?

一家公司希望在測試環境中為其應用程式使用 AWS CloudFormation 堆疊。該公司將 CloudFormation 範本儲存在阻止公共存取的 Amazon S3 儲存桶中。該公司希望根據特定使用者請求授予 CloudFormation 對 S3 儲存桶中範本的存取權限，以建立測試環境。該解決方案必須遵循安全最佳實踐。

哪種解決方案可以滿足這些要求？

【選項】

- A.Create a gateway VPC endpoint for Amazon S3. Configure the CloudFormation stack to use the S3 object URL.
- B.Create an Amazon API Gateway REST API that has the S3 bucket as the target. Configure the CloudFormation stack to use the API Gateway URL.
- C.Create a presigned URL for the template object. Configure the CloudFormation stack to use the presigned URL.
- D.Allow public access to the template object in the S3 bucket. Block the public access after the test environment is created.

【參考答案】C

【題號】question 908

【題目】

A company has applications that run in an organization in AWS Organizations. The company outsources operational support of the applications. The company needs to provide access for the external support engineers without compromising security.

The external support engineers need access to the AWS Management Console. The external support engineers also need operating system access to the company's fleet of Amazon EC2 instances that run Amazon Linux in private subnets.

Which solution will meet these requirements MOST securely?

一家公司擁有在 AWS Organizations 中的組織中運行的應用程式。該公司外包應用程式的營運支援。公司需要在不影響安全性的情況下為外部支援工程師提供存取權限。

外部支援工程師需要存取 AWS 管理控制台。外部支援工程師也需要作業系統存取公司在私有子網路中執行 Amazon Linux 的 Amazon EC2 執行個體佇列。

哪一種解決方案將最安全地滿足這些要求？

【選項】

A. Confirm that AWS Systems Manager Agent (SSM Agent) is installed on all instances. Assign an instance profile with the necessary policy to connect to Systems Manager. Use AWS IAM Identity Center to provide the external support engineers console access. Use Systems Manager Session Manager to assign the required permissions.

B. Confirm that AWS Systems Manager Agent (SSM Agent) is installed on all instances. Assign an instance profile with the necessary policy to connect to Systems Manager. Use Systems Manager Session Manager to provide local IAM user credentials in each AWS account to the external support engineers for console access.

C. Confirm that all instances have a security group that allows SSH access only from the external support engineers' source IP address ranges. Provide local IAM user credentials in each AWS account to the external support engineers for console access. Provide each external support engineer an SSH key pair to log in to the application instances.

D. Create a bastion host in a public subnet. Set up the bastion host security group to allow access from only the external engineers' IP address ranges. Ensure that all instances have a security group that allows SSH access from the bastion host. Provide each external support engineer an SSH key pair to log in to the application instances. Provide local account IAM user credentials to the engineers for console access.

【參考答案】A

【題號】question 909

【題目】

A company uses Amazon RDS for PostgreSQL to run its applications in the us-east-1 Region. The company also uses machine learning (ML) models to forecast annual revenue based on near real-time reports. The reports are generated by using the same RDS for PostgreSQL database. The database performance slows during business hours. The company needs to improve database performance.

Which solution will meet these requirements MOST cost-effectively?

一家公司使用 Amazon RDS for PostgreSQL 在 us-east-1 區域運行其應用程式。該公司還使用機器學習 (ML) 模型根據近乎即時的報告來預測年收入。這些報告是使用相同的 RDS for PostgreSQL 資料庫產生的。資料庫效能在工作時間內會降低。公司需要提高資料庫效能。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Create a cross-Region read replica. Configure the reports to be generated from the read replica.

B.Activate Multi-AZ DB instance deployment for RDS for PostgreSQL. Configure the reports to be generated from the standby database.

C.Use AWS Data Migration Service (AWS DMS) to logically replicate data to a new database. Configure the reports to be generated from the new database.

D.Create a read replica in us-east-1. Configure the reports to be generated from the read replica.

【參考答案】D

【題號】question 910

【題目】

A company hosts its multi-tier, public web application in the AWS Cloud. The web application runs on Amazon EC2 instances, and its database runs on Amazon RDS. The company is anticipating a large increase in sales during an upcoming holiday weekend. A solutions architect needs to build a solution to analyze the performance of the web application with a granularity of no more than 2 minutes.

What should the solutions architect do to meet this requirement?

一家公司在 AWS 雲端中託管其多層公用 Web 應用程式。Web 應用程式在 Amazon EC2 執行個體上執行，其資料庫在 Amazon RDS 上運行。該公司預計在即將到來的周末假期期間銷售額將大幅成長。解決方案架構師需要建立一個解決方案來分析 Web 應用程式的效能，粒度不超過 2 分鐘。

解決方案架構師應該做什麼來滿足這個要求？

【選項】

A.Send Amazon CloudWatch logs to Amazon Redshift. Use Amazon QuickSight to perform further analysis.

B.Enable detailed monitoring on all EC2 instances. Use Amazon CloudWatch metrics to perform further analysis.

C.Create an AWS Lambda function to fetch EC2 logs from Amazon CloudWatch Logs. Use Amazon CloudWatch metrics to perform further analysis.

D.Send EC2 logs to Amazon S3. Use Amazon Redshift to fetch logs from the S3 bucket to process raw data for further analysis with Amazon QuickSight.

【參考答案】B

【題號】question 911

【題目】

A company runs an application that stores and shares photos. Users upload the photos to an Amazon S3 bucket. Every day, users upload approximately 150 photos. The company wants to design a solution that creates a thumbnail of each new photo and stores the thumbnail in a second S3 bucket.

Which solution will meet these requirements MOST cost-effectively?

一家公司運行一個儲存和共享照片的應用程式。使用者將照片上傳到 Amazon S3 儲存桶。每天，用戶上傳約 150 張照片。該公司希望設計一種解決方案，為每張新照片建立縮圖並將縮圖儲存在第二個 S3 儲存桶中。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Configure an Amazon EventBridge scheduled rule to invoke a script every minute on a long-running Amazon EMR cluster. Configure the script to generate thumbnails for the

photos that do not have thumbnails. Configure the script to upload the thumbnails to the second S3 bucket.

B. Configure an Amazon EventBridge scheduled rule to invoke a script every minute on a memory-optimized Amazon EC2 instance that is always on. Configure the script to generate thumbnails for the photos that do not have thumbnails. Configure the script to upload the thumbnails to the second S3 bucket.

C. Configure an S3 event notification to invoke an AWS Lambda function each time a user uploads a new photo to the application. Configure the Lambda function to generate a thumbnail and to upload the thumbnail to the second S3 bucket.

D. Configure S3 Storage Lens to invoke an AWS Lambda function each time a user uploads a new photo to the application. Configure the Lambda function to generate a thumbnail and to upload the thumbnail to a second S3 bucket.

【參考答案】C

【題號】question 912

【題目】

A company has stored millions of objects across multiple prefixes in an Amazon S3 bucket by using the Amazon S3 Glacier Deep Archive storage class. The company needs to delete all data older than 3 years except for a subset of data that must be retained. The company has identified the data that must be retained and wants to implement a serverless solution.

Which solution will meet these requirements?

一家公司使用 Amazon S3 Glacier Deep Archive 儲存類別在 Amazon S3 儲存桶中跨多個前綴儲存了數百萬個物件。除了必須保留的資料子集之外，公司需要刪除所有超過 3 年的資料。該公司已確定必須保留的數據，並希望實施無伺服器解決方案。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use S3 Inventory to list all objects. Use the AWS CLI to create a script that runs on an Amazon EC2 instance that deletes objects from the inventory list.
- B. Use AWS Batch to delete objects older than 3 years except for the data that must be retained.
- C. Provision an AWS Glue crawler to query objects older than 3 years. Save the manifest file of old objects. Create a script to delete objects in the manifest.
- D. Enable S3 Inventory. Create an AWS Lambda function to filter and delete objects. Invoke the Lambda function with S3 Batch Operations to delete objects by using the inventory reports.

【參考答案】D

【題號】question 913

【題目】

A company is building an application on AWS. The application uses multiple AWS Lambda functions to retrieve sensitive data from a single Amazon S3 bucket for processing. The company must ensure that only authorized Lambda functions can access the data. The solution must comply with the principle of least privilege.

Which solution will meet these requirements?

一家公司正在 AWS 上建立應用程式。該應用程式使用多個 AWS Lambda 函數從單一 Amazon S3 儲存桶檢索敏感資料進行處理。公司必須確保只有授權的 Lambda 函數才能存取資料。解決方案必須符合最小特權原則。

哪種解決方案可以滿足這些要求？

【選項】

- A. Grant full S3 bucket access to all Lambda functions through a shared IAM role.
- B. Configure the Lambda functions to run within a VPC. Configure a bucket policy to grant access based on the Lambda functions' VPC endpoint IP addresses.

C.Create individual IAM roles for each Lambda function. Grant the IAM roles access to the S3 bucket. Assign each IAM role as the Lambda execution role for its corresponding Lambda function.

D.Configure a bucket policy granting access to the Lambda functions based on their function ARNs.

【參考答案】C

【題號】question 914

【題目】

A company has developed a non-production application that is composed of multiple microservices for each of the company's business units. A single development team maintains all the microservices.

The current architecture uses a static web frontend and a Java-based backend that contains the application logic. The architecture also uses a MySQL database that the company hosts on an Amazon EC2 instance.

The company needs to ensure that the application is secure and available globally.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司開發了一個非生產應用程式，該應用程式由公司每個業務部門的多個微服務組成。單一開發團隊維護所有微服務。

目前的架構使用靜態 Web 前端和包含應用程式邏輯的基於 Java 的後端。該架構還使用該公司託管在 Amazon EC2 執行個體上的 MySQL 資料庫。

公司需要確保應用程式在全球範圍內安全且可用。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Use Amazon CloudFront and AWS Amplify to host the static web frontend. Refactor the microservices to use AWS Lambda functions that the microservices access by using

Amazon API Gateway. Migrate the MySQL database to an Amazon EC2 Reserved Instance.

B. Use Amazon CloudFront and Amazon S3 to host the static web frontend. Refactor the microservices to use AWS Lambda functions that the microservices access by using Amazon API Gateway. Migrate the MySQL database to Amazon RDS for MySQL.

C. Use Amazon CloudFront and Amazon S3 to host the static web frontend. Refactor the microservices to use AWS Lambda functions that are in a target group behind a Network Load Balancer. Migrate the MySQL database to Amazon RDS for MySQL.

D. Use Amazon S3 to host the static web frontend. Refactor the microservices to use AWS Lambda functions that are in a target group behind an Application Load Balancer. Migrate the MySQL database to an Amazon EC2 Reserved Instance.

【參考答案】B

【題號】question 915

【題目】

A video game company is deploying a new gaming application to its global users. The company requires a solution that will provide near real-time reviews and rankings of the players.

A solutions architect must design a solution to provide fast access to the data. The solution must also ensure the data persists on disks in the event that the company restarts the application.

Which solution will meet these requirements with the LEAST operational overhead?

一家視頻遊戲公司正在為其全球用戶部署新的遊戲應用程式。該公司需要一種能夠提供近乎即時的玩家評論和排名的解決方案。

解決方案架構師必須設計一個解決方案來提供對資料的快速存取。該解決方案還必須確保在公司重新啟動應用程式時資料仍保留在磁碟上。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Configure an Amazon CloudFront distribution with an Amazon S3 bucket as the origin. Store the player data in the S3 bucket.

B. Create Amazon EC2 instances in multiple AWS Regions. Store the player data on the EC2 instances. Configure Amazon Route 53 with geolocation records to direct users to the closest EC2 instance.

C. Deploy an Amazon ElastiCache for Redis cluster. Store the player data in the ElastiCache cluster.

D. Deploy an Amazon ElastiCache for Memcached cluster. Store the player data in the ElastiCache cluster.

【參考答案】C

【題號】question 916

【題目】

A company is designing an application on AWS that processes sensitive data. The application stores and processes financial data for multiple customers.

To meet compliance requirements, the data for each customer must be encrypted separately at rest by using a secure, centralized key management solution. The company wants to use AWS Key Management Service (AWS KMS) to implement encryption.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在 AWS 上設計一個處理敏感資料的應用程式。該應用程式儲存和處理多個客戶的財務資料。

為了滿足合規性要求，必須使用安全的集中式金鑰管理解決方案單獨對每個客戶的靜態資料進行加密。該公司希望使用 AWS Key Management Service (AWS KMS) 來實施加密。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Generate a unique encryption key for each customer. Store the keys in an Amazon S3 bucket. Enable server-side encryption.

B. Deploy a hardware security appliance in the AWS environment that securely stores customer-provided encryption keys. Integrate the security appliance with AWS KMS to encrypt the sensitive data in the application.

C. Create a single AWS KMS key to encrypt all sensitive data across the application.

D. Create separate AWS KMS keys for each customer's data that have granular access control and logging enabled.

【參考答案】D

【題號】question 917

【題目】

A company needs to design a resilient web application to process customer orders. The web application must automatically handle increases in web traffic and application usage without affecting the customer experience or losing customer orders.

Which solution will meet these requirements?

公司需要設計一個彈性 Web 應用程式來處理客戶訂單。Web 應用程式必須自動處理 Web 流量和應用程式使用量的增加，而不影響客戶體驗或遺失客戶訂單。

哪種解決方案可以滿足這些要求？

【選項】

A. Use a NAT gateway to manage web traffic. Use Amazon EC2 Auto Scaling groups to receive, process, and store processed customer orders. Use an AWS Lambda function to capture and store unprocessed orders.

B. Use a Network Load Balancer (NLB) to manage web traffic. Use an Application Load Balancer to receive customer orders from the NLB. Use Amazon Redshift with a Multi-AZ deployment to store unprocessed and processed customer orders.

C. Use a Gateway Load Balancer (GWLB) to manage web traffic. Use Amazon Elastic Container Service (Amazon ECS) to receive and process customer orders. Use the GWLB to capture and store unprocessed orders. Use Amazon DynamoDB to store processed customer orders.

D. Use an Application Load Balancer to manage web traffic. Use Amazon EC2 Auto Scaling groups to receive and process customer orders. Use Amazon Simple Queue Service (Amazon SQS) to store unprocessed orders. Use Amazon RDS with a Multi-AZ deployment to store processed customer orders.

【參考答案】D

【題號】question 918

【題目】

A company is using AWS DataSync to migrate millions of files from an on-premises system to AWS. The files are 10 KB in size on average.

The company wants to use Amazon S3 for file storage. For the first year after the migration, the files will be accessed once or twice and must be immediately available. After 1 year, the files must be archived for at least 7 years.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在使用 AWS DataSync 將數百萬個檔案從本機系統遷移到 AWS。這些檔案的平均大小為 10 KB。

該公司希望使用 Amazon S3 進行文件儲存。在遷移後的第一年，文件將被存取一次或兩次，並且必須立即可用。1年後，文件必須存檔至少7年。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Use an archive tool to group the files into large objects. Use DataSync to migrate the objects. Store the objects in S3 Glacier Instant Retrieval for the first year. Use a lifecycle configuration to transition the files to S3 Glacier Deep Archive after 1 year with a retention period of 7 years.

B. Use an archive tool to group the files into large objects. Use DataSync to copy the objects to S3 Standard-Infrequent Access (S3 Standard-IA). Use a lifecycle configuration to transition the files to S3 Glacier Instant Retrieval after 1 year with a retention period of 7 years.

C.Configure the destination storage class for the files as S3 Glacier Instant Retrieval. Use a lifecycle policy to transition the files to S3 Glacier Flexible Retrieval after 1 year with a retention period of 7 years.

D.Configure a DataSync task to transfer the files to S3 Standard-Infrequent Access (S3 Standard-IA). Use a lifecycle configuration to transition the files to S3 Deep Archive after 1 year with a retention period of 7 years.

【參考答案】D

【題號】question 919

【題目】

A company recently performed a lift and shift migration of its on-premises Oracle database workload to run on an Amazon EC2 memory optimized Linux instance. The EC2 Linux instance uses a 1 TB Provisioned IOPS SSD (io1) EBS volume with 64,000 IOPS.

The database storage performance after the migration is slower than the performance of the on-premises database.

Which solution will improve storage performance?

一家公司最近對其本地 Oracle 資料庫工作負載進行了直接遷移，以在 Amazon EC2 記憶體優化的 Linux 執行個體上運行。EC2 Linux 執行個體使用 1 TB 預先設定 IOPS SSD (io1) EBS 卷，IOPS 為 64,000。

遷移後的資料庫儲存效能低於本地資料庫的效能。

哪種解決方案可以提高儲存效能？

【選項】

A.Add more Provisioned IOPS SSD (io1) EBS volumes. Use OS commands to create a Logical Volume Management (LVM) stripe.

B.Increase the Provisioned IOPS SSD (io1) EBS volume to more than 64,000 IOPS.

C.Increase the size of the Provisioned IOPS SSD (io1) EBS volume to 2 TB.

D.Change the EC2 Linux instance to a storage optimized instance type. Do not change the Provisioned IOPS SSD (io1) EBS volume.

【參考答案】A

【題號】question 920

【題目】

A company is migrating from a monolithic architecture for a web application that is hosted on Amazon EC2 to a serverless microservices architecture. The company wants to use AWS services that support an event-driven, loosely coupled architecture. The company wants to use the publish/subscribe (pub/sub) pattern.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在從 Amazon EC2 上託管的 Web 應用程式的整體架構遷移到無伺服器微服務架構。該公司希望使用支援事件驅動、鬆散耦合架構的 AWS 服務。該公司希望使用發布/訂閱 (pub/sub) 模式。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A.Configure an Amazon API Gateway REST API to invoke an AWS Lambda function that publishes events to an Amazon Simple Queue Service (Amazon SQS) queue. Configure one or more subscribers to read events from the SQS queue.

B.Configure an Amazon API Gateway REST API to invoke an AWS Lambda function that publishes events to an Amazon Simple Notification Service (Amazon SNS) topic. Configure one or more subscribers to receive events from the SNS topic.

C.Configure an Amazon API Gateway WebSocket API to write to a data stream in Amazon Kinesis Data Streams with enhanced fan-out. Configure one or more subscribers to receive events from the data stream.

D.Configure an Amazon API Gateway HTTP API to invoke an AWS Lambda function that publishes events to an Amazon Simple Notification Service (Amazon SNS) topic. Configure one or more subscribers to receive events from the topic.

【參考答案】B

【題號】question 921

【題目】

A company recently migrated a monolithic application to an Amazon EC2 instance and Amazon RDS. The application has tightly coupled modules. The existing design of the application gives the application the ability to run on only a single EC2 instance.

The company has noticed high CPU utilization on the EC2 instance during peak usage times. The high CPU utilization corresponds to degraded performance on Amazon RDS for read requests. The company wants to reduce the high CPU utilization and improve read request performance.

Which solution will meet these requirements?

一家公司最近將單體應用程式遷移到 Amazon EC2 執行個體和 Amazon RDS。該應用程式具有緊密耦合的模組。應用程式的現有設計使應用程式能夠僅在單一 EC2 執行個體上執行。

該公司注意到 EC2 執行個體在高峰使用時間的 CPU 使用率很高。高 CPU 利用率對應於 Amazon RDS 上讀取請求的效能下降。該公司希望降低高 CPU 使用率並提高讀取請求效能。

哪種解決方案可以滿足這些要求？

【選項】

A. Resize the EC2 instance to an EC2 instance type that has more CPU capacity. Configure an Auto Scaling group with a minimum and maximum size of 1. Configure an RDS read replica for read requests.

B. Resize the EC2 instance to an EC2 instance type that has more CPU capacity. Configure an Auto Scaling group with a minimum and maximum size of 1. Add an RDS read replica and redirect all read/write traffic to the replica.

C. Configure an Auto Scaling group with a minimum size of 1 and maximum size of 2. Resize the RDS DB instance to an instance type that has more CPU capacity.

D.Resize the EC2 instance to an EC2 instance type that has more CPU capacity. Configure an Auto Scaling group with a minimum and maximum size of 1. Resize the RDS DB instance to an instance type that has more CPU capacity.

【參考答案】A

【題號】question 922

【題目】

A company needs to grant a team of developers access to the company's AWS resources. The company must maintain a high level of security for the resources.

The company requires an access control solution that will prevent unauthorized access to the sensitive data.

Which solution will meet these requirements?

公司需要授予開發團隊存取公司 AWS 資源的權限。公司必須保持資源的高度安全。

該公司需要一種存取控制解決方案來防止未經授權的存取敏感資料。

哪種解決方案可以滿足這些要求？

【選項】

A.Share the IAM user credentials for each development team member with the rest of the team to simplify access management and to streamline development workflows.

B.Define IAM roles that have fine-grained permissions based on the principle of least privilege. Assign an IAM role to each developer.

C.Create IAM access keys to grant programmatic access to AWS resources. Allow only developers to interact with AWS resources through API calls by using the access keys.

D.Create an AWS Cognito user pool. Grant developers access to AWS resources by using the user pool.

【參考答案】B

【題號】question 923

【題目】

A company hosts a monolithic web application on an Amazon EC2 instance. Application users have recently reported poor performance at specific times. Analysis of Amazon CloudWatch metrics shows that CPU utilization is 100% during the periods of poor performance.

The company wants to resolve this performance issue and improve application availability.

Which combination of steps will meet these requirements MOST cost-effectively?
(Choose two.)

一家公司在 Amazon EC2 執行個體上託管一個整體 Web 應用程式。應用程式用戶最近報告在特定時間表現不佳。Amazon CloudWatch 指標分析顯示，在效能不佳期間，CPU 使用率為 100%。

該公司希望解決此效能問題並提高應用程式可用性。

哪一種步驟組合能夠最經濟有效地滿足這些要求？（選兩個。）

【選項】

A. Use AWS Compute Optimizer to obtain a recommendation for an instance type to scale vertically.

B. Create an Amazon Machine Image (AMI) from the web server. Reference the AMI in a new launch template.

C. Create an Auto Scaling group and an Application Load Balancer to scale vertically.

D. Use AWS Compute Optimizer to obtain a recommendation for an instance type to scale horizontally.

E. Create an Auto Scaling group and an Application Load Balancer to scale horizontally.

【參考答案】BE

【題號】question 924

【題目】

A company runs all its business applications in the AWS Cloud. The company uses AWS Organizations to manage multiple AWS accounts.

A solutions architect needs to review all permissions that are granted to IAM users to determine which IAM users have more permissions than required.

Which solution will meet these requirements with the LEAST administrative overhead?

一家公司在 AWS 雲端中運行其所有業務應用程式。該公司使用 AWS Organizations 來管理多個 AWS 帳戶。

解決方案架構師需要檢查授予 IAM 使用者的所有權限，以確定哪些 IAM 使用者擁有比所需更多的權限。

哪種解決方案能夠以最少的管理開銷來滿足這些要求？

【選項】

A. Use Network Access Analyzer to review all access permissions in the company's AWS accounts.

B. Create an AWS CloudWatch alarm that activates when an IAM user creates or modifies resources in an AWS account.

C. Use AWS Identity and Access Management (IAM) Access Analyzer to review all the company's resources and accounts.

D. Use Amazon Inspector to find vulnerabilities in existing IAM policies.

【參考答案】C

【題號】question 925

【題目】

A company needs to implement a new data retention policy for regulatory compliance. As part of this policy, sensitive documents that are stored in an Amazon S3 bucket must be protected from deletion or modification for a fixed period of time.

Which solution will meet these requirements?

公司需要實施新的資料保留策略以確保合規性。作為此策略的一部分，必須保護儲存在 Amazon S3 儲存桶中的敏感文件在固定的時間內不被刪除或修改。

哪種解決方案可以滿足這些要求？

【選項】

A.Activate S3 Object Lock on the required objects and enable governance mode.

B.Activate S3 Object Lock on the required objects and enable compliance mode.

C.Enable versioning on the S3 bucket. Set a lifecycle policy to delete the objects after a specified period.

D.Configure an S3 Lifecycle policy to transition objects to S3 Glacier Flexible Retrieval for the retention duration.

【參考答案】B

【題號】question 926

【題目】

A company runs its customer-facing web application on containers. The workload uses Amazon Elastic Container Service (Amazon ECS) on AWS Fargate. The web application is resource intensive.

The web application needs to be available 24 hours a day, 7 days a week for customers. The company expects the application to experience short bursts of high traffic. The workload must be highly available.

Which solution will meet these requirements MOST cost-effectively?

一家公司在容器上運行其面向客戶的 Web 應用程式。此工作負載使用 AWS Fargate 上的 Amazon Elastic Container Service (Amazon ECS)。Web 應用程式是資源密集的。

Web 應用程式需要每週 7 天、每天 24 小時為客戶提供服務。該公司預計該應用程式會經歷短暫的高流量爆發。工作負載必須具有高可用性。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Configure an ECS capacity provider with Fargate. Conduct load testing by using a third-party tool. Rightsize the Fargate tasks in Amazon CloudWatch.

B. Configure an ECS capacity provider with Fargate for steady state and Fargate Spot for burst traffic.

C. Configure an ECS capacity provider with Fargate Spot for steady state and Fargate for burst traffic.

D. Configure an ECS capacity provider with Fargate. Use AWS Compute Optimizer to rightsize the Fargate task.

【參考答案】B

【題號】question 927

【題目】

A company is building an application in the AWS Cloud. The application is hosted on Amazon EC2 instances behind an Application Load Balancer (ALB). The company uses Amazon Route 53 for the DNS.

The company needs a managed solution with proactive engagement to detect against DDoS attacks.

Which solution will meet these requirements?

一家公司正在 AWS 雲端中建立應用程式。該應用程式託管在應用程式負載平衡器 (ALB) 後面的 Amazon EC2 執行個體上。該公司使用 Amazon Route 53 作為 DNS。

該公司需要一個能夠主動參與的託管解決方案來偵測 DDoS 攻擊。

哪種解決方案可以滿足這些要求？

【選項】

- A.Enable AWS Config. Configure an AWS Config managed rule that detects DDoS attacks.
- B.Enable AWS WAF on the ALBCreate an AWS WAF web ACL with rules to detect and prevent DDoS attacks. Associate the web ACL with the ALB.
- C.Store the ALB access logs in an Amazon S3 bucket. Configure Amazon GuardDuty to detect and take automated preventative actions for DDoS attacks.
- D.Subscribe to AWS Shield Advanced. Configure hosted zones in Route 53. Add ALB resources as protected resources.

【參考答案】D

【題號】question 928

【題目】

A company hosts a video streaming web application in a VPC. The company uses a Network Load Balancer (NLB) to handle TCP traffic for real-time data processing. There have been unauthorized attempts to access the application.

The company wants to improve application security with minimal architectural change to prevent unauthorized attempts to access the application.

Which solution will meet these requirements?

一家公司在 VPC 中託管視訊串流 Web 應用程式。該公司使用網路負載平衡器 (NLB) 來處理 TCP 流量以進行即時數據處理。存在未經授權的嘗試存取該應用程式的情況。

該公司希望透過最小的架構變更來提高應用程式的安全性，以防止未經授權的嘗試存取應用程式。

哪種解決方案可以滿足這些要求？

【選項】

- A.Implement a series of AWS WAF rules directly on the NLB to filter out unauthorized traffic.
- B.Recreate the NLB with a security group to allow only trusted IP addresses.
- C.Deploy a second NLB in parallel with the existing NLB configured with a strict IP address allow list.
- D.Use AWS Shield Advanced to provide enhanced DDoS protection and prevent unauthorized access attempts.

【參考答案】B

【題號】question 929

【題目】

A healthcare company is developing an AWS Lambda function that publishes notifications to an encrypted Amazon Simple Notification Service (Amazon SNS) topic. The notifications contain protected health information (PHI).

The SNS topic uses AWS Key Management Service (AWS KMS) customer managed keys for encryption. The company must ensure that the application has the necessary permissions to publish messages securely to the SNS topic.

Which combination of steps will meet these requirements? (Choose three.)

一家醫療保健公司正在開發一個 AWS Lambda 函數，該函數將通知發佈到加密的 Amazon Simple Notification Service (Amazon SNS) 主題。通知包含受保護的健康資訊 (PHI)。

SNS 主題使用 AWS Key Management Service (AWS KMS) 客戶管理的金鑰進行加密。公司必須確保應用程式具有將訊息安全地發佈到 SNS 主題所需的權限。

哪一種步驟組合可以滿足這些要求？（選擇三項。）

【選項】

A.Create a resource policy for the SNS topic that allows the Lambda function to publish messages to the topic.

- B. Use server-side encryption with AWS KMS keys (SSE-KMS) for the SNS topic instead of customer managed keys.
- C. Create a resource policy for the encryption key that the SNS topic uses that has the necessary AWS KMS permissions.
- D. Specify the Lambda function's Amazon Resource Name (ARN) in the SNS topic's resource policy.
- E. Associate an Amazon API Gateway HTTP API with the SNS topic to control access to the topic by using API Gateway resource policies.
- F. Configure a Lambda execution role that has the necessary IAM permissions to use a customer managed key in AWS KMS.

【參考答案】ACF

【題號】question 930

【題目】

A company has an employee web portal. Employees log in to the portal to view payroll details. The company is developing a new system to give employees the ability to upload scanned documents for reimbursement. The company runs a program to extract text-based data from the documents and attach the extracted information to each employee's reimbursement IDs for processing.

The employee web portal requires 100% uptime. The document extract program runs infrequently throughout the day on an on-demand basis. The company wants to build a scalable and cost-effective new system that will require minimal changes to the existing web portal. The company does not want to make any code changes.

Which solution will meet these requirements with the LEAST implementation effort?

一家公司有員工入口網站。員工登入入口網站查看薪資詳細資料。該公司正在開發一種新系統，使員工能夠上傳掃描文件以進行報銷。該公司運行一個程式從文件中提取基於文字的數據，並將提取的資訊附加到每個員工的報銷 ID 中進行處理。

員工入口網站需要 100% 的正常運作時間。文檔提取程式全天很少運行，按需運行。該公司希望建立一個可擴展且經濟高效的新系統，只需對現有入口網站進行最少的更改。該公司不想進行任何程式碼更改。

哪種解決方案能夠以最少的實工作來滿足這些要求？

【選項】

A.Run Amazon EC2 On-Demand Instances in an Auto Scaling group for the web portal. Use an AWS Lambda function to run the document extract program. Invoke the Lambda function when an employee uploads a new reimbursement document.

B.Run Amazon EC2 Spot Instances in an Auto Scaling group for the web portal. Run the document extract program on EC2 Spot Instances. Start document extract program instances when an employee uploads a new reimbursement document.

C.Purchase a Savings Plan to run the web portal and the document extract program. Run the web portal and the document extract program in an Auto Scaling group.

D.Create an Amazon S3 bucket to host the web portal. Use Amazon API Gateway and an AWS Lambda function for the existing functionalities. Use the Lambda function to run the document extract program. Invoke the Lambda function when the API that is associated with a new document upload is called.

【參考答案】A

【題號】question 931

【題目】

A media company has a multi-account AWS environment in the us-east-1 Region. The company has an Amazon Simple Notification Service (Amazon SNS) topic in a production account that publishes performance metrics. The company has an AWS Lambda function in an administrator account to process and analyze log data.

The Lambda function that is in the administrator account must be invoked by messages from the SNS topic that is in the production account when significant metrics are reported.

Which combination of steps will meet these requirements? (Choose two.)

一家媒體公司在 us-east-1 區域擁有多帳戶 AWS 環境。該公司的生產帳戶中有一個 Amazon Simple Notification Service (Amazon SNS) 主題，用於發布效能指標。該公司在管理員帳戶中有一個 AWS Lambda 函數，用於處理和分析日誌資料。

報告重要指標時，必須由來自生產帳戶中 SNS 主題的訊息呼叫管理員帳戶中的 Lambda 函數。

哪一種步驟組合可以滿足這些要求？（選兩個。）

【選項】

A.Create an IAM resource policy for the Lambda function that allows Amazon SNS to invoke the function.

B.Implement an Amazon Simple Queue Service (Amazon SQS) queue in the administrator account to buffer messages from the SNS topic that is in the production account. Configure the SQS queue to invoke the Lambda function.

C.Create an IAM policy for the SNS topic that allows the Lambda function to subscribe to the topic.

D.Use an Amazon EventBridge rule in the production account to capture the SNS topic notifications. Configure the EventBridge rule to forward notifications to the Lambda function that is in the administrator account.

E.Store performance metrics in an Amazon S3 bucket in the production account. Use Amazon Athena to analyze the metrics from the administrator account.

【參考答案】AC

【題號】question 932

【題目】

A company is migrating an application from an on-premises location to Amazon Elastic Kubernetes Service (Amazon EKS). The company must use a custom subnet for pods that are in the company's VPC to comply with requirements. The company also needs to ensure that the pods can communicate securely within the pods' VPC.

Which solution will meet these requirements?

一家公司正在將應用程式從本地位置遷移到 Amazon Elastic Kubernetes Service (Amazon EKS)。公司必須為公司 VPC 中的 Pod 使用自訂子網路才能滿足要求。公司還需要確保 Pod 可以在 Pod 的 VPC 內安全地通訊。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure AWS Transit Gateway to directly manage custom subnet configurations for the pods in Amazon EKS.
- B. Create an AWS Direct Connect connection from the company's on-premises IP address ranges to the EKS pods.
- C. Use the Amazon VPC CNI plugin for Kubernetes. Define custom subnets in the VPC cluster for the pods to use.
- D. Implement a Kubernetes network policy that has pod anti-affinity rules to restrict pod placement to specific nodes that are within custom subnets.

【參考答案】C

【題號】question 933

【題目】

A company hosts an ecommerce application that stores all data in a single Amazon RDS for MySQL DB instance that is fully managed by AWS. The company needs to mitigate the risk of a single point of failure.

Which solution will meet these requirements with the LEAST implementation effort?

一家公司託管一個電子商務應用程式，該應用程式將所有資料儲存在完全由 AWS 管理的單一 Amazon RDS for MySQL 資料庫實例中。公司需要降低單點故障的風險。

哪種解決方案能夠以最少的實施工作來滿足這些要求？

【選項】

A.Modify the RDS DB instance to use a Multi-AZ deployment. Apply the changes during the next maintenance window.

B.Migrate the current database to a new Amazon DynamoDB Multi-AZ deployment. Use AWS Database Migration Service (AWS DMS) with a heterogeneous migration strategy to migrate the current RDS DB instance to DynamoDB tables.

C.Create a new RDS DB instance in a Multi-AZ deployment. Manually restore the data from the existing RDS DB instance from the most recent snapshot.

D.Configure the DB instance in an Amazon EC2 Auto Scaling group with a minimum group size of three. Use Amazon Route 53 simple routing to distribute requests to all DB instances.

【參考答案】A

【題號】question 934

【題目】

A company has multiple Microsoft Windows SMB file servers and Linux NFS file servers for file sharing in an on-premises environment. As part of the company's AWS migration plan, the company wants to consolidate the file servers in the AWS Cloud.

The company needs a managed AWS storage service that supports both NFS and SMB access. The solution must be able to share between protocols. The solution must have redundancy at the Availability Zone level.

Which solution will meet these requirements?

某公司擁有多台 Microsoft Windows SMB 檔案伺服器 and Linux NFS 檔案伺服器，用於在本機環境中進行檔案共用。作為該公司 AWS 遷移計畫的一部分，該公司希望整合 AWS 雲端中的檔案伺服器。

該公司需要支援 NFS 和 SMB 存取的託管 AWS 儲存服務。該解決方案必須能夠在協議之間共享。此解決方案必須在可用區層級具有冗餘。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use Amazon FSx for NetApp ONTAP for storage. Configure multi-protocol access.
- B. Create two Amazon EC2 instances. Use one EC2 instance for Windows SMB file server access and one EC2 instance for Linux NFS file server access.
- C. Use Amazon FSx for NetApp ONTAP for SMB access. Use Amazon FSx for Lustre for NFS access.
- D. Use Amazon S3 storage. Access Amazon S3 through an Amazon S3 File Gateway.

【參考答案】A

【題號】question 935

【題目】

A software company needs to upgrade a critical web application. The application currently runs on a single Amazon EC2 instance that the company hosts in a public subnet. The EC2 instance runs a MySQL database. The application's DNS records are published in an Amazon Route 53 zone.

A solutions architect must reconfigure the application to be scalable and highly available. The solutions architect must also reduce MySQL read latency.

Which combination of solutions will meet these requirements? (Choose two.)

一家軟體公司需要升級關鍵的 Web 應用程式。該應用程式目前在該公司在公有子網路中託管的單一 Amazon EC2 執行個體上執行。EC2 執行個體執行 MySQL 資料庫。應用程式的 DNS 記錄在 Amazon Route 53 區域中發布。

解決方案架構師必須重新配置應用程序，使其具有可擴展性和高可用性。解決方案架構師還必須減少 MySQL 讀取延遲。

哪種解決方案組合可以滿足這些要求？（選兩個。）

【選項】

A. Launch a second EC2 instance in a second AWS Region. Use a Route 53 failover routing policy to redirect the traffic to the second EC2 instance.

B.Create and configure an Auto Scaling group to launch private EC2 instances in multiple Availability Zones. Add the instances to a target group behind a new Application Load Balancer.

C.Migrate the database to an Amazon Aurora MySQL cluster. Create the primary DB instance and reader DB instance in separate Availability Zones.

D.Create and configure an Auto Scaling group to launch private EC2 instances in multiple AWS Regions. Add the instances to a target group behind a new Application Load Balancer.

E.Migrate the database to an Amazon Aurora MySQL cluster with cross-Region read replicas.

【參考答案】BC

【題號】question 936

【題目】

A company runs thousands of AWS Lambda functions. The company needs a solution to securely store sensitive information that all the Lambda functions use. The solution must also manage the automatic rotation of the sensitive information.

Which combination of steps will meet these requirements with the LEAST operational overhead? (Choose two.)

一家公司運行數千個 AWS Lambda 函數。該公司需要一種解決方案來安全地儲存所有 Lambda 函數使用的敏感資訊。該解決方案還必須管理敏感資訊的自動輪調。

哪種步驟組合能夠以最少的營運開銷滿足這些要求？（選兩個。）

【選項】

A.Create HTTP security headers by using Lambda@Edge to retrieve and create sensitive information

B.Create a Lambda layer that retrieves sensitive information

C.Store sensitive information in AWS Secrets Manager

D.Store sensitive information in AWS Systems Manager Parameter Store

E.Create a Lambda consumer with dedicated throughput to retrieve sensitive information and create environmental variables

【參考答案】BC

【題號】question 937

【題目】

A company has an internal application that runs on Amazon EC2 instances in an Auto Scaling group. The EC2 instances are compute optimized and use Amazon Elastic Block Store (Amazon EBS) volumes.

The company wants to identify cost optimizations across the EC2 instances, the Auto Scaling group, and the EBS volumes.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司有一個在 Auto Scaling 群組中的 Amazon EC2 執行個體上執行的內部應用程式。EC2 執行個體經過運算優化並使用 Amazon Elastic Block Store (Amazon EBS) 磁碟區。

該公司希望確定 EC2 執行個體、Auto Scaling 組和 EBS 磁碟區的成本最佳化。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A.Create a new AWS Cost and Usage Report. Search the report for cost recommendations for the EC2 instances the Auto Scaling group, and the EBS volumes.

B.Create new Amazon CloudWatch billing alerts. Check the alert statuses for cost recommendations for the EC2 instances, the Auto Scaling group, and the EBS volumes.

C.Configure AWS Compute Optimizer for cost recommendations for the EC2 instances, the Auto Scaling group and the EBS volumes.

D.Configure AWS Compute Optimizer for cost recommendations for the EC2 instances. Create a new AWS Cost and Usage Report. Search the report for cost recommendations for the Auto Scaling group and the EBS volumes.

【參考答案】C

【題號】question 938

【題目】

A company is running a media store across multiple Amazon EC2 instances distributed across multiple Availability Zones in a single VPC. The company wants a high-performing solution to share data between all the EC2 instances, and prefers to keep the data within the VPC only.

What should a solutions architect recommend?

一家公司正在跨分佈在單一 VPC 中多個可用區的多個 Amazon EC2 執行個體執行媒體儲存。該公司希望有一個高效能的解決方案來在所有 EC2 執行個體之間共享數據，並且更願意僅將數據保留在 VPC 內。

解決方案架構師該推薦什麼？

【選項】

- A.Create an Amazon S3 bucket and call the service APIs from each instance's application
- B.Create an Amazon S3 bucket and configure all instances to access it as a mounted volume
- C.Configure an Amazon Elastic Block Store (Amazon EBS) volume and mount it across all instances
- D.Configure an Amazon Elastic File System (Amazon EFS) file system and mount it across all instances

【參考答案】D

【題號】question 939

【題目】

A company uses an Amazon RDS for MySQL instance. To prepare for end-of-year processing, the company added a read replica to accommodate extra read-only queries from the company's reporting tool. The read replica CPU usage was 60% and the primary instance CPU usage was 60%.

After end-of-year activities are complete, the read replica has a constant 25% CPU usage. The primary instance still has a constant 60% CPU usage. The company wants to rightsize the database and still provide enough performance for future growth.

Which solution will meet these requirements?

一家公司使用 Amazon RDS for MySQL 執行個體。為了準備年終處理，該公司添加了唯讀副本，以適應來自公司報告工具的額外只讀查詢。唯讀副本 CPU 使用率為 60%，主實例 CPU 使用率為 60%。

年終活動完成後，唯讀副本的 CPU 使用率恆定為 25%。主執行個體的 CPU 使用率仍穩定在 60%。該公司希望調整資料庫規模並仍為未來的成長提供足夠的效能。

哪種解決方案可以滿足這些要求？

【選項】

- A.Delete the read replica Do not make changes to the primary instance
- B.Resize the read replica to a smaller instance size Do not make changes to the primary instance
- C.Resize the read replica to a larger instance size Resize the primary instance to a smaller instance size
- D.Delete the read replica Resize the primary instance to a larger instance

【參考答案】B

【題號】question 940

【題目】

A company is migrating its databases to Amazon RDS for PostgreSQL. The company is migrating its applications to Amazon EC2 instances. The company wants to optimize costs for long-running workloads.

Which solution will meet this requirement MOST cost-effectively?

一家公司正在將其資料庫遷移到 Amazon RDS for PostgreSQL。該公司正在將其應用程式遷移到 Amazon EC2 執行個體。該公司希望優化長時間運行的工作負載的成本。

哪一種解決方案能夠最經濟有效地滿足這項要求？

【選項】

- A. Use On-Demand Instances for the Amazon RDS for PostgreSQL workloads. Purchase a 1 year Compute Savings Plan with the No Upfront option for the EC2 instances.
- B. Purchase Reserved Instances for a 1 year term with the No Upfront option for the Amazon RDS for PostgreSQL workloads. Purchase a 1 year EC2 Instance Savings Plan with the No Upfront option for the EC2 instances.
- C. Purchase Reserved Instances for a 1 year term with the Partial Upfront option for the Amazon RDS for PostgreSQL workloads. Purchase a 1 year EC2 Instance Savings Plan with the Partial Upfront option for the EC2 instances.
- D. Purchase Reserved Instances for a 3 year term with the All Upfront option for the Amazon RDS for PostgreSQL workloads. Purchase a 3 year EC2 Instance Savings Plan with the All Upfront option for the EC2 instances.

【參考答案】D

【題號】question 941

【題目】

A company is using an Amazon Elastic Kubernetes Service (Amazon EKS) cluster. The company must ensure that Kubernetes service accounts in the EKS cluster have secure

and granular access to specific AWS resources by using IAM roles for service accounts (IRSA).

Which combination of solutions will meet these requirements? (Choose two.)

一家公司正在使用 Amazon Elastic Kubernetes Service (Amazon EKS) 叢集。公司必須確保 EKS 叢集中的 Kubernetes 服務帳戶透過使用服務帳戶的 IAM 角色 (IRSA) 能夠安全、精細地存取特定 AWS 資源。

哪種解決方案組合可以滿足這些要求？（選兩個。）

【選項】

- A.Create an IAM policy that defines the required permissions Attach the policy directly to the IAM role of the EKS nodes.
- B.Implement network policies within the EKS cluster to prevent Kubernetes service accounts from accessing specific AWS services.
- C.Modify the EKS cluster's IAM role to include permissions for each Kubernetes service account. Ensure a one-to-one mapping between IAM roles and Kubernetes roles.
- D.Define an IAM role that includes the necessary permissions. Annotate the Kubernetes service accounts with the Amazon ResourceName (ARN) of the IAM role.
- E.Set up a trust relationship between the IAM roles for the service accounts and an OpenID Connect (OIDC) identity provider.

【參考答案】DE

【題號】question 942

【題目】

A company regularly uploads confidential data to Amazon S3 buckets for analysis.

The company's security policies mandate that the objects must be encrypted at rest. The company must automatically rotate the encryption key every year. The company must be able to track key rotation by using AWS CloudTrail. The company also must minimize costs for the encryption key.

Which solution will meet these requirements?

一家公司定期將機密資料上傳至 Amazon S3 儲存桶以供分析。

該公司的安全策略要求必須對靜態物件進行加密。公司必須每年自動輪換加密金鑰。公司必須能夠使用 AWS CloudTrail 追蹤金鑰輪換。公司還必須最大限度地降低加密金鑰的成本。

哪種解決方案可以滿足這些要求？

【選項】

- A. Use server-side encryption with customer-provided keys (SSE-C)
- B. Use server-side encryption with Amazon S3 managed keys (SSE-S3)
- C. Use server-side encryption with AWS KMS keys (SSE-KMS)
- D. Use server-side encryption with customer managed AWS KMS keys

【參考答案】C

【題號】question 943

【題目】

A company has migrated several applications to AWS in the past 3 months. The company wants to know the breakdown of costs for each of these applications. The company wants to receive a regular report that includes this information.

Which solution will meet these requirements MOST cost-effectively?

一家公司在過去 3 個月內將多個應用程式遷移到 AWS。該公司希望了解每種應用程式的成本明細。該公司希望收到包含此資訊的定期報告。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

- A. Use AWS Budgets to download data for the past 3 months into a .csv file. Look up the desired information.

B.Load AWS Cost and Usage Reports into an Amazon RDS DB instance. Run SQL queries to get the desired information.

C.Tag all the AWS resources with a key for cost and a value of the application's name. Activate cost allocation tags. Use Cost Explorer to get the desired information.

D.Tag all the AWS resources with a key for cost and a value of the application's name. Use the AWS Billing and Cost Management console to download bills for the past 3 months. Look up the desired information.

【參考答案】C

【題號】question 944

【題目】

An ecommerce company is preparing to deploy a web application on AWS to ensure continuous service for customers. The architecture includes a web application that the company hosts on Amazon EC2 instances, a relational database in Amazon RDS, and static assets that the company stores in Amazon S3.

The company wants to design a robust and resilient architecture for the application.

Which solution will meet these requirements?

一家電子商務公司正準備在 AWS 上部署 Web 應用程式，以確保為客戶提供持續的服務。該架構包括公司在 Amazon EC2 執行個體上託管的 Web 應用程式、Amazon RDS 中的關聯式資料庫以及公司儲存在 Amazon S3 中的靜態資產。

該公司希望為該應用程式設計一個強大且有彈性的架構。

哪種解決方案可以滿足這些要求？

【選項】

A.Deploy Amazon EC2 instances in a single Availability Zone. Deploy an RDS DB instance in the same Availability Zone. Use Amazon S3 with versioning enabled to store static assets.

B. Deploy Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones. Deploy a Multi-AZ RDS DB instance. Use Amazon CloudFront to distribute static assets.

C. Deploy Amazon EC2 instances in a single Availability Zone. Deploy an RDS DB instance in a second Availability Zone for cross-AZ redundancy. Serve static assets directly from the EC2 instances.

D. Use AWS Lambda functions to serve the web application. Use Amazon Aurora Serverless v2 for the database. Store static assets in Amazon Elastic File System (Amazon EFS) One Zone-Infrequent Access (One Zone-IA).

【參考答案】B

【題號】question 945

【題目】

An ecommerce company runs several internal applications in multiple AWS accounts. The company uses AWS Organizations to manage its AWS accounts.

A security appliance in the company's networking account must inspect interactions between applications across AWS accounts.

Which solution will meet these requirements?

一家電子商務公司在多個 AWS 帳戶中執行多個內部應用程式。該公司使用 AWS Organizations 來管理其 AWS 帳戶。

公司網路帳戶中的安全設備必須檢查跨 AWS 帳戶的應用程式之間的互動。

哪種解決方案可以滿足這些要求？

【選項】

A. Deploy a Network Load Balancer (NLB) in the networking account to send traffic to the security appliance. Configure the application accounts to send traffic to the NLB by using an interface VPC endpoint in the application accounts.

B. Deploy an Application Load Balancer (ALB) in the application accounts to send traffic directly to the security appliance.

C. Deploy a Gateway Load Balancer (GWLB) in the networking account to send traffic to the security appliance. Configure the application accounts to send traffic to the GWLB by using an interface GWLB endpoint in the application accounts.

D. Deploy an interface VPC endpoint in the application accounts to send traffic directly to the security appliance.

【參考答案】C

【題號】question 946

【題目】

A company runs its production workload on an Amazon Aurora MySQL DB cluster that includes six Aurora Replicas. The company wants near-real-time reporting queries from one of its departments to be automatically distributed across three of the Aurora Replicas. Those three replicas have a different compute and memory specification from the rest of the DB cluster.

Which solution meets these requirements?

一家公司在包含六個 Aurora 副本的 Amazon Aurora MySQL 資料庫叢集上運行其生產工作負載。該公司希望其一個部門的近乎即時的報告查詢能夠自動分散到三個 Aurora 副本中。這三個副本具有與資料庫叢集的其他副本不同的計算和記憶體規格。

哪種解決方案滿足這些要求？

【選項】

A. Create and use a custom endpoint for the workload

B. Create a three-node cluster clone and use the reader endpoint

C. Use any of the instance endpoints for the selected three nodes

D. Use the reader endpoint to automatically distribute the read-only workload

【參考答案】A

【題號】question 947

【題目】

A company runs a Node.js function on a server in its on-premises data center. The data center stores data in a PostgreSQL database. The company stores the credentials in a connection string in an environment variable on the server. The company wants to migrate its application to AWS and to replace the Node.js application server with AWS Lambda. The company also wants to migrate to Amazon RDS for PostgreSQL and to ensure that the database credentials are securely managed.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在其本地資料中心的伺服器上運行 Node.js 功能。資料中心將資料儲存在 PostgreSQL 資料庫中。該公司將憑證儲存在伺服器上環境變數的連接字串中。該公司希望將其應用程式遷移到 AWS，並用 AWS Lambda 取代 Node.js 應用程式伺服器。該公司還希望遷移到 Amazon RDS for PostgreSQL，並確保資料庫憑證得到安全管理。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Store the database credentials as a parameter in AWS Systems Manager Parameter Store. Configure Parameter Store to automatically rotate the secrets every 30 days. Update the Lambda function to retrieve the credentials from the parameter.

B. Store the database credentials as a secret in AWS Secrets Manager. Configure Secrets Manager to automatically rotate the credentials every 30 days. Update the Lambda function to retrieve the credentials from the secret.

C. Store the database credentials as an encrypted Lambda environment variable. Write a custom Lambda function to rotate the credentials. Schedule the Lambda function to run every 30 days.

D. Store the database credentials as a key in AWS Key Management Service (AWS KMS). Configure automatic rotation for the key. Update the Lambda function to retrieve the credentials from the KMS key.

【參考答案】B

【題號】question 948

【題目】

A company wants to replicate existing and ongoing data changes from an on-premises Oracle database to Amazon RDS for Oracle. The amount of data to replicate varies throughout each day. The company wants to use AWS Database Migration Service (AWS DMS) for data replication. The solution must allocate only the capacity that the replication instance requires.

Which solution will meet these requirements?

一家公司希望將現有和正在進行的資料變更從本地 Oracle 資料庫複製到 Amazon RDS for Oracle。每天要複製的資料量各不相同。該公司希望使用 AWS Database Migration Service (AWS DMS) 進行資料複製。此解決方案必須僅指派複製實例所需的容量。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure the AWS DMS replication instance with a Multi-AZ deployment to provision instances across multiple Availability Zones.

B. Create an AWS DMS Serverless replication task to analyze and replicate the data while provisioning the required capacity.

C. Use Amazon EC2 Auto Scaling to scale the size of the AWS DMS replication instance up or down based on the amount of data to replicate.

D. Provision AWS DMS replication capacity by using Amazon Elastic Container Service (Amazon ECS) with an AWS Fargate launch type to analyze and replicate the data while provisioning the required capacity.

【參考答案】B

【題號】question 949

【題目】

A company has a multi-tier web application. The application's internal service components are deployed on Amazon EC2 instances. The internal service components need to access third-party software as a service (SaaS) APIs that are hosted on AWS.

The company needs to provide secure and private connectivity from the application's internal services to the third-party SaaS application. The company needs to ensure that there is minimal public internet exposure.

Which solution will meet these requirements?

一家公司有一個多層 Web 應用程式。應用程式的內部服務元件部署在 Amazon EC2 執行個體上。內部服務元件需要存取託管在 AWS 上的第三方軟體即服務 (SaaS) API。

公司需要提供從應用程式內部服務到第三方 SaaS 應用程式的安全且私密的連接。公司需要確保盡量減少公共網路暴露。

哪種解決方案可以滿足這些要求？

【選項】

A.Implement an AWS Site-to-Site VPN to establish a secure connection with the third-party SaaS provider.

B.Deploy AWS Transit Gateway to manage and route traffic between the application's VPC and the third-party SaaS provider.

C.Configure AWS PrivateLink to allow only outbound traffic from the VPC without enabling the third-party SaaS provider to establish.

D.Use AWS PrivateLink to create a private connection between the application's VPC and the third-party SaaS provider.

【參考答案】D

【題號】question 950

【題目】

A solutions architect needs to connect a company's corporate network to its VPC to allow on-premises access to its AWS resources. The solution must provide encryption of all traffic between the corporate network and the VPC at the network layer and the session layer. The solution also must provide security controls to prevent unrestricted access between AWS and the on-premises systems.

Which solution meets these requirements?

解決方案架構師需要將公司的企業網路連接到其 VPC，以允許本地存取其 AWS 資源。此解決方案必須在網路層和會話層對企業網路和 VPC 之間的所有流量提供加密。該解決方案還必須提供安全控制，以防止 AWS 和本機系統之間的無限制存取。

哪種解決方案滿足這些要求？

【選項】

A. Configure AWS Direct Connect to connect to the VPC. Configure the VPC route tables to allow and deny traffic between AWS and on premises as required.

B. Create an IAM policy to allow access to the AWS Management Console only from a defined set of corporate IP addresses. Restrict user access based on job responsibility by using an IAM policy and roles.

C. Configure AWS Site-to-Site VPN to connect to the VPC. Configure route table entries to direct traffic from on premises to the VPC. Configure instance security groups and network ACLs to allow only required traffic from on premises.

D. Configure AWS Transit Gateway to connect to the VPC. Configure route table entries to direct traffic from on premises to the VPC. Configure instance security groups and network ACLs to allow only required traffic from on premises.

【參考答案】C

【題號】question 951

【題目】

A company has a custom application with embedded credentials that retrieves information from a database in an Amazon RDS for MySQL DB cluster. The company needs to make the application more secure with minimal programming effort. The company has created credentials on the RDS for MySQL database for the application user.

Which solution will meet these requirements?

一家公司有一個帶有嵌入式憑證的自訂應用程式，用於從 Amazon RDS for MySQL 資料庫叢集中的資料庫檢索資訊。該公司需要以最少的程式設計工作使應用程式更加安全。該公司已為應用程式使用者在 RDS for MySQL 資料庫上建立了憑證。

哪種解決方案可以滿足這些要求？

【選項】

A.Store the credentials in AWS Key Management Service (AWS KMS). Create keys in AWS KMS. Configure the application to load the database credentials from AWS KMS. Enable automatic key rotation

B.Store the credentials in encrypted local storage. Configure the application to load the database credentials from the local storage. Set up a credentials rotation schedule by creating a cron job.

C.Store the credentials in AWS Secrets Manager. Configure the application to load the database credentials from Secrets Manager. Set up a credentials rotation schedule by creating an AWS Lambda function for Secrets Manager.

D.Store the credentials in AWS Systems Manager Parameter Store. Configure the application to load the database credentials from Parameter Store. Set up a credentials rotation schedule in the RDS for MySQL database by using Parameter Store.

【參考答案】C

【題號】question 952

【題目】

A company wants to move its application to a serverless solution. The serverless solution needs to analyze existing data and new data by using SQL. The company stores the data in an Amazon S3 bucket. The data must be encrypted at rest and replicated to a different AWS Region.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司希望將其應用程式遷移到無伺服器解決方案。Serverless解決方案需要使用SQL來分析現有資料和新資料。該公司將資料儲存在 Amazon S3 儲存桶中。資料必須靜態加密並複製到不同的 AWS 區域。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create a new S3 bucket that uses server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Configure Cross-Region Replication (CRR). Load the data into the new S3 bucket. Use Amazon Athena to query the data.

B.Create a new S3 bucket that uses server-side encryption with Amazon S3 managed keys (SSE-S3). Configure Cross-Region Replication (CRR). Load the data into the new S3 bucket. Use Amazon RDS to query the data.

C.Configure Cross-Region Replication (CRR) on the existing S3 bucket. Use server-side encryption with Amazon S3 managed keys (SSE-S3). Use Amazon Athena to query the data.

D.Configure S3 Cross-Region Replication (CRR) on the existing S3 bucket. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon RDS to query the data.

【參考答案】A

【題號】question 953

【題目】

A company has a web application that has thousands of users. The application uses 8-10 user-uploaded images to generate AI images. Users can download the generated AI images once every 6 hours. The company also has a premium user option that gives users the ability to download the generated AI images anytime.

The company uses the user-uploaded images to run AI model training twice a year. The company needs a storage solution to store the images.

Which storage solution meets these requirements MOST cost-effectively?

一家公司有一個擁有數千名用戶的 Web 應用程式。該應用程式使用 8-10 張用戶上傳的圖像來產生 AI 圖像。使用者每6小時可以下載一次產生的AI影像。該公司還提供高級用戶選項，使用戶能夠隨時下載生成的人工智慧圖像。

該公司使用用戶上傳的圖像每年運行兩次人工智慧模型訓練。該公司需要一個儲存解決方案來儲存影像。

哪種儲存解決方案最經濟有效率地滿足這些要求？

【選項】

A.Move uploaded images to Amazon S3 Glacier Deep Archive. Move premium user-generated AI images to S3 Standard. Move non-premium user-generated AI images to S3 Standard-Infrequent Access (S3 Standard-IA).

B.Move uploaded images to Amazon S3 Glacier Deep Archive Move all generated AI images to S3 Glacier Flexible Retrieval.

C.Move uploaded images to Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA). Move premium user-generated AI images to S3 Standard. Move non-premium user-generated AI images to S3 Standard-Infrequent Access (S3 Standard-IA).

D.Move uploaded images to Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA). Move all generated AI images to S3 Glacier Flexible Retrieval.

【參考答案】A

【題號】question 954

【題目】

A company is developing machine learning (ML) models on AWS. The company is developing the ML models as independent microservices. The microservices fetch approximately 1 GB of model data from Amazon S3 at startup and load the data into memory. Users access the ML models through an asynchronous API. Users can send a request or a batch of requests.

The company provides the ML models to hundreds of users. The usage patterns for the models are irregular. Some models are not used for days or weeks. Other models receive batches of thousands of requests at a time.

Which solution will meet these requirements?

一家公司正在 AWS 上開發機器學習 (ML) 模型。該公司正在將機器學習模型開發為獨立的微服務。微服務在啟動時從 Amazon S3 獲取大約 1 GB 的模型資料並將資料載入到記憶體中。使用者透過非同步 API 存取 ML 模型。用戶可以發送一個請求或一批請求。

該公司向數百名用戶提供機器學習模型。模型的使用模式是不規則的。有些模型幾天或幾週都沒有使用。其他模型一次接收數千個批次的請求。

哪種解決方案可以滿足這些要求？

【選項】

A. Direct the requests from the API to a Network Load Balancer (NLB). Deploy the ML models as AWS Lambda functions that the NLB will invoke. Use auto scaling to scale the Lambda functions based on the traffic that the NLB receives.

B. Direct the requests from the API to an Application Load Balancer (ALB). Deploy the ML models as Amazon Elastic Container Service (Amazon ECS) services that the ALB will invoke. Use auto scaling to scale the ECS cluster instances based on the traffic that the ALB receives.

C. Direct the requests from the API into an Amazon Simple Queue Service (Amazon SQS) queue. Deploy the ML models as AWS Lambda functions that SQS events will invoke. Use auto scaling to increase the number of vCPUs for the Lambda functions based on the size of the SQS queue.

D. Direct the requests from the API into an Amazon Simple Queue Service (Amazon SQS) queue. Deploy the ML models as Amazon Elastic Container Service (Amazon ECS)

services that read from the queue. Use auto scaling for Amazon ECS to scale both the cluster capacity and number of the services based on the size of the SQS queue.

【參考答案】D

【題號】question 955

【題目】

A company runs a web application on Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer (ALB). The application stores data in an Amazon Aurora MySQL DB cluster.

The company needs to create a disaster recovery (DR) solution. The acceptable recovery time for the DR solution is up to 30 minutes. The DR solution does not need to support customer usage when the primary infrastructure is healthy.

Which solution will meet these requirements?

一家公司在應用程式負載平衡器 (ALB) 後面的 Auto Scaling 群組中的 Amazon EC2 執行個體上執行 Web 應用程式。該應用程式將資料儲存在 Amazon Aurora MySQL 資料庫叢集中。

該公司需要創建災難復原 (DR) 解決方案。災難復原解決方案可接受的復原時間最長為 30 分鐘。當主要基礎設施正常時，災難復原解決方案不需要支援客戶使用。

哪種解決方案可以滿足這些要求？

【選項】

A. Deploy the DR infrastructure in a second AWS Region with an ALB and an Auto Scaling group. Set the desired capacity and maximum capacity of the Auto Scaling group to a minimum value. Convert the Aurora MySQL DB cluster to an Aurora global database. Configure Amazon Route 53 for an active-passive failover with ALB endpoints.

B. Deploy the DR infrastructure in a second AWS Region with an ALB. Update the Auto Scaling group to include EC2 instances from the second Region. Use Amazon Route 53 to configure active-active failover. Convert the Aurora MySQL DB cluster to an Aurora global database.

C.Back up the Aurora MySQL DB cluster data by using AWS Backup. Deploy the DR infrastructure in a second AWS Region with an ALB. Update the Auto Scaling group to include EC2 instances from the second Region. Use Amazon Route 53 to configure active-active failover. Create an Aurora MySQL DB cluster in the second Region Restore the data from the backup.

D.Back up the infrastructure configuration by using AWS Backup. Use the backup to create the required infrastructure in a second AWS Region. Set the Auto Scaling group desired capacity to zero. Use Amazon Route 53 to configure active-passive failover. Convert the Aurora MySQL DB cluster to an Aurora global database.

【參考答案】A

【題號】question 956

【題目】

A company is migrating its data processing application to the AWS Cloud. The application processes several short-lived batch jobs that cannot be disrupted. Data is generated after each batch job is completed. The data is accessed for 30 days and retained for 2 years.

The company wants to keep the cost of running the application in the AWS Cloud as low as possible.

Which solution will meet these requirements?

一家公司正在將其資料處理應用程式遷移到 AWS 雲端。該應用程式處理多個無法中斷的短期批次作業。每個批次作業完成後都會產生資料。資料的存取期限為 30 天，保留期限為 2 年。

該公司希望盡可能降低在 AWS 雲端中運行應用程式的成本。

哪種解決方案可以滿足這些要求？

【選項】

A.Migrate the data processing application to Amazon EC2 Spot Instances. Store the data in Amazon S3 Standard. Move the data to Amazon S3 Glacier Instant. Retrieval after 30 days. Set an expiration to delete the data after 2 years.

B.Migrate the data processing application to Amazon EC2 On-Demand Instances. Store the data in Amazon S3 Glacier Instant Retrieval. Move the data to S3 Glacier Deep Archive after 30 days. Set an expiration to delete the data after 2 years.

C.Deploy Amazon EC2 Spot Instances to run the batch jobs. Store the data in Amazon S3 Standard. Move the data to Amazon S3 Glacier Flexible Retrieval after 30 days. Set an expiration to delete the data after 2 years.

D.Deploy Amazon EC2 On-Demand Instances to run the batch jobs. Store the data in Amazon S3 Standard. Move the data to Amazon S3 Glacier Deep Archive after 30 days. Set an expiration to delete the data after 2 years.

【參考答案】D

【題號】question 957

【題目】

A company needs to design a hybrid network architecture. The company's workloads are currently stored in the AWS Cloud and in on-premises data centers. The workloads require single-digit latencies to communicate. The company uses an AWS Transit Gateway transit gateway to connect multiple VPCs.

Which combination of steps will meet these requirements MOST cost-effectively? (Choose two.)

某公司需要設計混合網路架構。該公司的工作負載目前儲存在 AWS 雲端和本地資料中心中。工作負載需要個位數的延遲才能進行通訊。該公司使用 AWS Transit Gateway 中轉網關連接多個 VPC。

哪一種步驟組合能夠最經濟有效地滿足這些要求？（選兩個。）

【選項】

A.Establish an AWS Site-to-Site VPN connection to each VPC.

B.Associate an AWS Direct Connect gateway with the transit gateway that is attached to the VPCs.

C.Establish an AWS Site-to-Site VPN connection to an AWS Direct Connect gateway.

D.Establish an AWS Direct Connect connection. Create a transit virtual interface (VIF) to a Direct Connect gateway.

E.Associate AWS Site-to-Site VPN connections with the transit gateway that is attached to the VPCs.

【參考答案】BD

【題號】question 958

【題目】

A global ecommerce company runs its critical workloads on AWS. The workloads use an Amazon RDS for PostgreSQL DB instance that is configured for a Multi-AZ deployment.

Customers have reported application timeouts when the company undergoes database failovers. The company needs a resilient solution to reduce failover time.

Which solution will meet these requirements?

一家全球電子商務公司在 AWS 上運行其關鍵工作負載。工作負載使用為多可用區部署配置的 Amazon RDS for PostgreSQL 資料庫執行個體。

當公司進行資料庫故障轉移時，客戶報告了應用程式逾時。該公司需要一個有彈性的解決方案來減少故障轉移時間。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon RDS Proxy. Assign the proxy to the DB instance.

B.Create a read replica for the DB instance. Move the read traffic to the read replica.

C.Enable Performance Insights. Monitor the CPU load to identify the timeouts.

D.Take regular automatic snapshots. Copy the automatic snapshots to multiple AWS Regions.

【參考答案】A

【題號】question 959

【題目】

A company has multiple Amazon RDS DB instances that run in a development AWS account. All the instances have tags to identify them as development resources. The company needs the development DB instances to run on a schedule only during business hours.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司擁有多個在開發 AWS 帳戶中執行的 Amazon RDS 資料庫執行個體。所有實例都有標籤來將它們標識為開發資源。該公司需要開發資料庫實例僅在工作時間內按計劃運行。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create an Amazon CloudWatch alarm to identify RDS instances that need to be stopped. Create an AWS Lambda function to start and stop the RDS instances.

B.Create an AWS Trusted Advisor report to identify RDS instances to be started and stopped. Create an AWS Lambda function to start and stop the RDS instances.

C.Create AWS Systems Manager State Manager associations to start and stop the RDS instances.

D.Create an Amazon EventBridge rule that invokes AWS Lambda functions to start and stop the RDS instances.

【參考答案】C

【題號】question 960

【題目】

A consumer survey company has gathered data for several years from a specific geographic region. The company stores this data in an Amazon S3 bucket in an AWS Region.

The company has started to share this data with a marketing firm in a new geographic region. The company has granted the firm's AWS account access to the S3 bucket. The company wants to minimize the data transfer costs when the marketing firm requests data from the S3 bucket.

Which solution will meet these requirements?

一家消費者調查公司多年來從特定地理區域收集了數據。該公司將此資料儲存在 AWS 區域的 Amazon S3 儲存桶中。

該公司已開始與新地理區域的一家行銷公司分享這些數據。該公司已授予該公司的 AWS 帳戶存取 S3 儲存桶的權限。當行銷公司從 S3 儲存桶請求資料時，該公司希望最大限度地降低資料傳輸成本。

哪種解決方案可以滿足這些要求？

【選項】

- A. Configure the Requester Pays feature on the company's S3 bucket.
- B. Configure S3 Cross-Region Replication (CRR) from the company's S3 bucket to one of the marketing firm's S3 buckets.
- C. Configure AWS Resource Access Manager to share the S3 bucket with the marketing firm AWS account.
- D. Configure the company's S3 bucket to use S3 Intelligent-Tiering Sync the S3 bucket to one of the marketing firm's S3 buckets.

【參考答案】A

【題號】question 961

【題目】

A company uses AWS to host its public ecommerce website. The website uses an AWS Global Accelerator accelerator for traffic from the internet. The Global Accelerator accelerator forwards the traffic to an Application Load Balancer (ALB) that is the entry point for an Auto Scaling group.

The company recently identified a DDoS attack on the website. The company needs a solution to mitigate future attacks.

Which solution will meet these requirements with the LEAST implementation effort?

一家公司使用 AWS 託管其公共電子商務網站。該網站使用 AWS Global Accelerator 加速器來處理來自網路的流量。Global Accelerator 加速器將流量轉送到作為 Auto Scaling 群組入口點的應用程式負載平衡器 (ALB)。

該公司最近發現該網站遭受了 DDoS 攻擊。該公司需要一個解決方案來減輕未來的攻擊。

哪種解決方案能夠以最少的實工作來滿足這些要求？

【選項】

- A. Configure an AWS WAF web ACL for the Global Accelerator accelerator to block traffic by using rate-based rules
- B. Configure an AWS Lambda function to read the ALB metrics to block attacks by updating a VPC network ACL
- C. Configure an AWS WAF web ACL on the ALB to block traffic by using rate-based rules
- D. Configure an Amazon CloudFront distribution in front of the Global Accelerator accelerator

【參考答案】C

【題號】question 962

【題目】

A company uses an Amazon DynamoDB table to store data that the company receives from devices. The DynamoDB table supports a customer-facing website to display recent

activity on customer devices. The company configured the table with provisioned throughput for writes and reads.

The company wants to calculate performance metrics for customer device data on a daily basis. The solution must have minimal effect on the table's provisioned read and write capacity.

Which solution will meet these requirements?

本公司使用 Amazon DynamoDB 表來儲存公司從裝置接收的資料。DynamoDB 表格支援客戶導向的網站來顯示客戶裝置上的最新活動。該公司為表配置了寫入和讀取的預先配置吞吐量。

該公司希望每天計算客戶設備數據的性能指標。此解決方案必須對錶的預先配置讀寫容量影響最小。

哪種解決方案可以滿足這些要求？

【選項】

A. Use an Amazon Athena SQL query with the Amazon Athena DynamoDB connector to calculate performance metrics on a recurring schedule.

B. Use an AWS Glue job with the AWS Glue DynamoDB export connector to calculate performance metrics on a recurring schedule.

C. Use an Amazon Redshift COPY command to calculate performance metrics on a recurring schedule.

D. Use an Amazon EMR job with an Apache Hive external table to calculate performance metrics on a recurring schedule.

【參考答案】B

【題號】question 963

【題目】

A solutions architect is designing the cloud architecture for a new stateless application that will be deployed on AWS. The solutions architect created an Amazon Machine Image (AMI) and launch template for the application.

Based on the number of jobs that need to be processed, the processing must run in parallel while adding and removing application Amazon EC2 instances as needed. The application must be loosely coupled. The job items must be durably stored.

Which solution will meet these requirements?

解決方案架構師正在為將部署在 AWS 上的新無狀態應用程式設計雲端架構。解決方案架構師為應用程式建立了 Amazon 系統映像 (AMI) 和啟動範本。

根據需要處理的作業數量，處理必須並行運行，同時根據需要新增和刪除應用程式 Amazon EC2 執行個體。應用程式必須是鬆散耦合的。作業物品必須持久保存。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon Simple Notification Service (Amazon SNS) topic to send the jobs that need to be processed. Create an Auto Scaling group by using the launch template with the scaling policy set to add and remove EC2 instances based on CPU usage.

B.Create an Amazon Simple Queue Service (Amazon SQS) queue to hold the jobs that need to be processed. Create an Auto Scaling group by using the launch template with the scaling policy set to add and remove EC2 instances based on network usage.

C.Create an Amazon Simple Queue Service (Amazon SQS) queue to hold the jobs that need to be processed. Create an Auto Scaling group by using the launch template with the scaling policy set to add and remove EC2 instances based on the number of items in the SQS queue.

D.Create an Amazon Simple Notification Service (Amazon SNS) topic to send the jobs that need to be processed. Create an Auto Scaling group by using the launch template with the scaling policy set to add and remove EC2 instances based on the number of messages published to the SNS topic.

【參考答案】C

【題號】question 964

【題目】

A global ecommerce company uses a monolithic architecture. The company needs a solution to manage the increasing volume of product data. The solution must be scalable and have a modular service architecture. The company needs to maintain its structured database schemas. The company also needs a storage solution to store product data and product images.

Which solution will meet these requirements with the LEAST operational overhead?

一家全球電子商務公司使用整體架構。該公司需要一個解決方案來管理不斷增加的產品資料量。此解決方案必須具有可擴展性並具有模組化服務架構。該公司需要維護其結構化資料庫模式。該公司還需要一個儲存解決方案來儲存產品資料和產品影像。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use an Amazon EC2 instance in an Auto Scaling group to deploy a containerized application. Use an Application Load Balancer to distribute web traffic. Use an Amazon RDS DB instance to store product data and product images.

B. Use AWS Lambda functions to manage the existing monolithic application. Use Amazon DynamoDB to store product data and product images. Use Amazon Simple Notification Service (Amazon SNS) for event-driven communication between the Lambda functions.

C. Use Amazon Elastic Kubernetes Service (Amazon EKS) with an Amazon EC2 deployment to deploy a containerized application. Use an Amazon Aurora cluster to store the product data. Use AWS Step Functions to manage workflows. Store the product images in Amazon S3 Glacier Deep Archive.

D. Use Amazon Elastic Container Service (Amazon ECS) with AWS Fargate to deploy a containerized application. Use Amazon RDS with a Multi-AZ deployment to store the product data. Store the product images in an Amazon S3 bucket.

【參考答案】D

【題號】question 965

【題目】

A company is migrating an application from an on-premises environment to AWS. The application will store sensitive data in Amazon S3. The company must encrypt the data before storing the data in Amazon S3.

Which solution will meet these requirements?

一家公司正在將應用程式從本地環境遷移到 AWS。該應用程式將在 Amazon S3 中儲存敏感資料。公司必須在將資料儲存在 Amazon S3 之前對資料進行加密。

哪種解決方案可以滿足這些要求？

【選項】

- A.Encrypt the data by using client-side encryption with customer managed keys.
- B.Encrypt the data by using server-side encryption with AWS KMS keys (SSE-KMS).
- C.Encrypt the data by using server-side encryption with customer-provided keys (SSE-C).
- D.Encrypt the data by using client-side encryption with Amazon S3 managed keys.

【參考答案】A

【題號】question 966

【題目】

A company wants to create an Amazon EMR cluster that multiple teams will use. The company wants to ensure that each team's big data workloads can access only the AWS services that each team needs to interact with. The company does not want the workloads to have access to Instance Metadata Service Version 2 (IMDSv2) on the cluster's underlying EC2 instances.

Which solution will meet these requirements?

一家公司想要創建一個供多個團隊使用的 Amazon EMR 叢集。該公司希望確保每個團隊的大數據工作負載只能存取每個團隊需要互動的 AWS 服務。該公司不希望工作負載存取叢集底層 EC2 執行個體上的執行個體元資料服務版本 2 (IMDSv2)。

哪種解決方案可以滿足這些要求？

【選項】

A. Configure interface VPC endpoints for each AWS service that the teams need. Use the required interface VPC endpoints to submit the big data workloads.

B. Create EMR runtime roles. Configure the cluster to use the runtime roles. Use the runtime roles to submit the big data workloads.

C. Create an EC2 IAM instance profile that has the required permissions for each team. Use the instance profile to submit the big data workloads.

D. Create an EMR security configuration that has the EnableApplicationScopedIAMRole option set to false. Use the security configuration to submit the big data workloads.

【參考答案】B

【題號】question 967

【題目】

A solutions architect is designing an application that helps users fill out and submit registration forms. The solutions architect plans to use a two-tier architecture that includes a web application server tier and a worker tier.

The application needs to process submitted forms quickly. The application needs to process each form exactly once. The solution must ensure that no data is lost.

Which solution will meet these requirements?

解決方案架構師正在設計一個應用程式，幫助使用者填寫和提交註冊表。解決方案架構師計劃使用兩層架構，其中包括 Web 應用程式伺服器層和工作層。

應用程式需要快速處理提交的表單。應用程式需要僅處理每個表單一次。解決方案必須確保不會遺失任何資料。

哪種解決方案可以滿足這些要求？

【選項】

A. Use an Amazon Simple Queue Service (Amazon SQS) FIFO queue between the web application server tier and the worker tier to store and forward form data.

B. Use an Amazon API Gateway HTTP API between the web application server tier and the worker tier to store and forward form data.

C. Use an Amazon Simple Queue Service (Amazon SQS) standard queue between the web application server tier and the worker tier to store and forward form data.

D. Use an AWS Step Functions workflow. Create a synchronous workflow between the web application server tier and the worker tier that stores and forwards form data.

【參考答案】A

【題號】question 968

【題目】

A finance company uses an on-premises search application to collect streaming data from various producers. The application provides real-time updates to search and visualization features.

The company is planning to migrate to AWS and wants to use an AWS native solution.

Which solution will meet these requirements?

一家金融公司使用本地搜尋應用程式收集來自各個生產商的串流資料。該應用程式提供搜尋和視覺化功能的即時更新。

該公司正計劃遷移到 AWS，並希望使用 AWS 原生解決方案。

哪種解決方案可以滿足這些要求？

【選項】

A. Use Amazon EC2 instances to ingest and process the data streams to Amazon S3 buckets for storage. Use Amazon Athena to search the data. Use Amazon Managed Grafana to create visualizations.

B. Use Amazon EMR to ingest and process the data streams to Amazon Redshift for storage. Use Amazon Redshift Spectrum to search the data. Use Amazon QuickSight to create visualizations.

C. Use Amazon Elastic Kubernetes Service (Amazon EKS) to ingest and process the data streams to Amazon DynamoDB for storage. Use Amazon CloudWatch to create graphical dashboards to search and visualize the data.

D. Use Amazon Kinesis Data Streams to ingest and process the data streams to Amazon OpenSearch Service. Use OpenSearch Service to search the data. Use Amazon QuickSight to create visualizations.

【參考答案】D

【題號】question 969

【題目】

A company currently runs an on-premises application that uses ASP.NET on Linux machines. The application is resource-intensive and serves customers directly.

The company wants to modernize the application to .NET. The company wants to run the application on containers and to scale based on Amazon CloudWatch metrics. The company also wants to reduce the time spent on operational maintenance activities.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司目前在 Linux 電腦上運行一個使用 ASP.NET 的本機應用程式。該應用程式是資源密集型的，直接為客戶提供服務。

該公司希望將應用程式現代化到 .NET。該公司希望在容器上運行該應用程式並根據 Amazon CloudWatch 指標進行擴展。該公司還希望減少營運維護活動所花費的時間。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use AWS App2Container to containerize the application. Use an AWS CloudFormation template to deploy the application to Amazon Elastic Container Service (Amazon ECS) on AWS Fargate.

B. Use AWS App2Container to containerize the application. Use an AWS CloudFormation template to deploy the application to Amazon Elastic Container Service (Amazon ECS) on Amazon EC2 instances.

C. Use AWS App Runner to containerize the application. Use App Runner to deploy the application to Amazon Elastic Container Service (Amazon ECS) on AWS Fargate.

D. Use AWS App Runner to containerize the application. Use App Runner to deploy the application to Amazon Elastic Kubernetes Service (Amazon EKS) on Amazon EC2 instances.

【參考答案】A

【題號】question 970

【題目】

A company is designing a new internal web application in the AWS Cloud. The new application must securely retrieve and store multiple employee usernames and passwords from an AWS managed service.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在 AWS 雲端中設計一個新的內部 Web 應用程式。新應用程式必須從 AWS 託管服務安全地檢索和儲存多個員工使用者名稱和密碼。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Store the employee credentials in AWS Systems Manager Parameter Store. Use AWS CloudFormation and the BatchGetSecretValue API to retrieve usernames and passwords from Parameter Store.

B.Store the employee credentials in AWS Secrets Manager. Use AWS CloudFormation and AWS Batch with the BatchGetSecretValue API to retrieve the usernames and passwords from Secrets Manager.

C.Store the employee credentials in AWS Systems Manager Parameter Store. Use AWS CloudFormation and AWS Batch with the BatchGetSecretValue API to retrieve the usernames and passwords from Parameter Store.

D.Store the employee credentials in AWS Secrets Manager. Use AWS CloudFormation and the BatchGetSecretValue API to retrieve the usernames and passwords from Secrets Manager.

【參考答案】D

【題號】question 971

【題目】

A company that is in the ap-northeast-1 Region has a fleet of thousands of AWS Outposts servers. The company has deployed the servers at remote locations around the world. All the servers regularly download new software versions that consist of 100 files. There is significant latency before all servers run the new software versions.

The company must reduce the deployment latency for new software versions.

Which solution will meet this requirement with the LEAST operational overhead?

ap-northeast-1 區域的一家公司擁有數千台 AWS Outposts 伺服器。該公司已將伺服器部署在世界各地的遠端地點。所有伺服器都會定期下載包含 100 個檔案的新軟體版本。在所有伺服器運行新軟體版本之前存在顯著的延遲。

公司必須減少新軟體版本的部署延遲。

哪種解決方案能夠以最少的營運開銷滿足這項要求？

【選項】

A.Create an Amazon S3 bucket in ap-northeast-1. Set up an Amazon CloudFront distribution in ap-northeast-1 that includes a CachingDisabled cache policy. Configure the S3 bucket as the origin. Download the software by using signed URLs.

B.Create an Amazon S3 bucket in ap-northeast-1. Create a second S3 bucket in the us-east-1 Region. Configure replication between the buckets. Set up an Amazon CloudFront distribution that uses ap-northeast-1 as the primary origin and us-east-1 as the secondary origin. Download the software by using signed URLs.

C.Create an Amazon S3 bucket in ap-northeast-1. Configure Amazon S3 Transfer Acceleration. Download the software by using the S3 Transfer Acceleration endpoint.

D.Create an Amazon S3 bucket in ap-northeast-1. Set up an Amazon CloudFront distribution. Configure the S3 bucket as the origin. Download the software by using signed URLs.

【參考答案】D

【題號】question 972

【題目】

A company currently runs an on-premises stock trading application by using Microsoft Windows Server. The company wants to migrate the application to the AWS Cloud.

The company needs to design a highly available solution that provides low-latency access to block storage across multiple Availability Zones.

Which solution will meet these requirements with the LEAST implementation effort?

一家公司目前使用 Microsoft Windows Server 執行本地股票交易應用程式。該公司希望將應用程式遷移到 AWS 雲端。

該公司需要設計一個高度可用的解決方案，提供跨多個可用區的區塊儲存的低延遲存取。

哪種解決方案能夠以最少的實工作來滿足這些要求？

【選項】

A.Configure a Windows Server cluster that spans two Availability Zones on Amazon EC2 instances. Install the application on both cluster nodes. Use Amazon FSx for Windows File Server as shared storage between the two cluster nodes.

B. Configure a Windows Server cluster that spans two Availability Zones on Amazon EC2 instances. Install the application on both cluster nodes. Use Amazon Elastic Block Store (Amazon EBS) General Purpose SSD (gp3) volumes as storage attached to the EC2 instances. Set up application-level replication to sync data from one EBS volume in one Availability Zone to another EBS volume in the second Availability Zone.

C. Deploy the application on Amazon EC2 instances in two Availability Zones. Configure one EC2 instance as active and the second EC2 instance in standby mode. Use an Amazon FSx for NetApp ONTAP Multi-AZ file system to access the data by using Internet Small Computer Systems Interface (iSCSI) protocol.

D. Deploy the application on Amazon EC2 instances in two Availability Zones. Configure one EC2 instance as active and the second EC2 instance in standby mode. Use Amazon Elastic Block Store (Amazon EBS) Provisioned IOPS SSD (io2) volumes as storage attached to the EC2 instances. Set up Amazon EBS level replication to sync data from one io2 volume in one Availability Zone to another io2 volume in the second Availability Zone.

【參考答案】A

【題號】question 973

【題目】

A company is designing a web application with an internet-facing Application Load Balancer (ALB).

The company needs the ALB to receive HTTPS web traffic from the public internet. The ALB must send only HTTPS traffic to the web application servers hosted on the Amazon EC2 instances on port 443. The ALB must perform a health check of the web application servers over HTTPS on port 8443.

Which combination of configurations of the security group that is associated with the ALB will meet these requirements? (Choose three.)

一家公司正在設計一個具有面向互聯網的應用程式負載平衡器 (ALB) 的 Web 應用程式。

該公司需要 ALB 來接收來自公共互聯網的 HTTPS Web 流量。ALB 必須僅將 HTTPS 流量傳送至連接埠 443 上 Amazon EC2 執行個體上託管的 Web 應用程式伺服器。

與 ALB 關聯的安全性群組的哪種組態組合可以滿足這些要求？（選擇三項。）

【選項】

- A.Allow HTTPS inbound traffic from 0.0.0.0/0 for port 443.
- B.Allow all outbound traffic to 0.0.0.0/0 for port 443.
- C.Allow HTTPS outbound traffic to the web application instances for port 443.
- D.Allow HTTPS inbound traffic from the web application instances for port 443.
- E.Allow HTTPS outbound traffic to the web application instances for the health check on port 8443.
- F.Allow HTTPS inbound traffic from the web application instances for the health check on port 8443.

【參考答案】ACE

【題號】question 974

【題目】

A company hosts an application on AWS. The application gives users the ability to upload photos and store the photos in an Amazon S3 bucket. The company wants to use Amazon CloudFront and a custom domain name to upload the photo files to the S3 bucket in the eu-west-1 Region.

Which solution will meet these requirements? (Choose two.)

一家公司在 AWS 上託管一個應用程式。該應用程式使用戶能夠上傳照片並將照片儲存在 Amazon S3 儲存桶中。該公司希望使用 Amazon CloudFront 和自訂網域將照片檔案上傳到 eu-west-1 區域中的 S3 儲存桶。

哪種解決方案可以滿足這些要求？（選兩個。）

【選項】

- A.Use AWS Certificate Manager (ACM) to create a public certificate in the us-east-1 Region. Use the certificate in CloudFront.

B. Use AWS Certificate Manager (ACM) to create a public certificate in eu-west-1. Use the certificate in CloudFront.

C. Configure Amazon S3 to allow uploads from CloudFront. Configure S3 Transfer Acceleration.

D. Configure Amazon S3 to allow uploads from CloudFront origin access control (OAC).

E. Configure Amazon S3 to allow uploads from CloudFront. Configure an Amazon S3 website endpoint.

【參考答案】AD

【題號】question 975

【題目】

A weather forecasting company collects temperature readings from various sensors on a continuous basis. An existing data ingestion process collects the readings and aggregates the readings into larger Apache Parquet files. Then the process encrypts the files by using client-side encryption with KMS managed keys (CSE-KMS). Finally, the process writes the files to an Amazon S3 bucket with separate prefixes for each calendar day.

The company wants to run occasional SQL queries on the data to take sample moving averages for a specific calendar day.

Which solution will meet these requirements MOST cost-effectively?

一家天氣預報公司連續收集來自各種感測器的溫度讀數。現有的資料攝取過程會收集讀數並將讀數聚合到更大的 Apache Parquet 檔案中。然後，該進程使用帶有 KMS 託管金鑰的用戶端加密 (CSE-KMS) 對檔案進行加密。最後，該過程將檔案寫入 Amazon S3 儲存桶，每個日曆日都有單獨的前綴。

該公司希望偶爾對資料執行 SQL 查詢，以獲取特定日曆日的移動平均值樣本。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Configure Amazon Athena to read the encrypted files. Run SQL queries on the data directly in Amazon S3.

B. Use Amazon S3 Select to run SQL queries on the data directly in Amazon S3.

C. Configure Amazon Redshift to read the encrypted files. Use Redshift Spectrum and Redshift query editor v2 to run SQL queries on the data directly in Amazon S3.

D. Configure Amazon EMR Serverless to read the encrypted files. Use Apache SparkSQL to run SQL queries on the data directly in Amazon S3.

【參考答案】A

【題號】question 976

【題目】

A company is implementing a new application on AWS. The company will run the application on multiple Amazon EC2 instances across multiple Availability Zones within multiple AWS Regions. The application will be available through the internet. Users will access the application from around the world.

The company wants to ensure that each user who accesses the application is sent to the EC2 instances that are closest to the user's location.

Which solution will meet these requirements?

一家公司正在 AWS 上實施一個新應用程式。該公司將在多個 AWS 區域內多個可用區的多個 Amazon EC2 執行個體上執行該應用程式。該應用程式將透過互聯網提供。用戶將從世界各地存取該應用程式。

該公司希望確保每個訪問應用程式的用戶都被傳送到距離用戶位置最近的 EC2 執行個體。

哪種解決方案可以滿足這些要求？

【選項】

A. Implement an Amazon Route 53 geolocation routing policy. Use an internet-facing Application Load Balancer to distribute the traffic across all Availability Zones within the same Region.

B.Implement an Amazon Route 53 geoproximity routing policy. Use an internet-facing Network Load Balancer to distribute the traffic across all Availability Zones within the same Region.

C.Implement an Amazon Route 53 multivalue answer routing policy. Use an internet-facing Application Load Balancer to distribute the traffic across all Availability Zones within the same Region.

D.Implement an Amazon Route 53 weighted routing policy. Use an internet-facing Network Load Balancer to distribute the traffic across all Availability Zones within the same Region.

【參考答案】A

【題號】question 977

【題目】

A financial services company plans to launch a new application on AWS to handle sensitive financial transactions. The company will deploy the application on Amazon EC2 instances. The company will use Amazon RDS for MySQL as the database. The company's security policies mandate that data must be encrypted at rest and in transit.

Which solution will meet these requirements with the LEAST operational overhead?

一家金融服務公司計劃在 AWS 上推出一款新應用程式來處理敏感的金融交易。該公司將在 Amazon EC2 執行個體上部署該應用程式。該公司將使用 Amazon RDS for MySQL 作為資料庫。該公司的安全政策要求資料在靜態和傳輸過程中必須加密。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Configure encryption at rest for Amazon RDS for MySQL by using AWS KMS managed keys. Configure AWS Certificate Manager (ACM) SSL/TLS certificates for encryption in transit.

B.Configure encryption at rest for Amazon RDS for MySQL by using AWS KMS managed keys. Configure IPsec tunnels for encryption in transit.

C.Implement third-party application-level data encryption before storing data in Amazon RDS for MySQL. Configure AWS Certificate Manager (ACM) SSL/TLS certificates for encryption in transit.

D.Configure encryption at rest for Amazon RDS for MySQL by using AWS KMS managed keys. Configure a VPN connection to enable private connectivity to encrypt data in transit.

【參考答案】A

【題號】question 978

【題目】

A company is migrating its on-premises Oracle database to an Amazon RDS for Oracle database. The company needs to retain data for 90 days to meet regulatory requirements. The company must also be able to restore the database to a specific point in time for up to 14 days.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司正在將其本地 Oracle 資料庫遷移到 Amazon RDS for Oracle 資料庫。該公司需要將資料保留 90 天以滿足監管要求。公司還必須能夠將資料庫恢復到最長 14 天的特定時間點。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create Amazon RDS automated backups. Set the retention period to 90 days.

B.Create an Amazon RDS manual snapshot every day. Delete manual snapshots that are older than 90 days.

C.Use the Amazon Aurora Clone feature for Oracle to create a point-in-time restore. Delete clones that are older than 90 days.

D.Create a backup plan that has a retention period of 90 days by using AWS Backup for Amazon RDS.

【參考答案】D

【題號】question 979

【題目】

A company is developing a new application that uses a relational database to store user data and application configurations. The company expects the application to have steady user growth. The company expects the database usage to be variable and read-heavy, with occasional writes.

The company wants to cost-optimize the database solution. The company wants to use an AWS managed database solution that will provide the necessary performance.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在開發一種新應用程式，該應用程式使用關聯式資料庫來儲存用戶資料和應用程式配置。該公司預計該應用程式的用戶將穩定成長。該公司預計資料庫的使用情況是可變的並且是大量讀取的，偶爾會有寫入。

該公司希望對資料庫解決方案進行成本優化。該公司希望使用 AWS 託管資料庫解決方案來提供必要的效能。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Deploy the database on Amazon RDS. Use Provisioned IOPS SSD storage to ensure consistent performance for read and write operations.

B. Deploy the database on Amazon Aurora Serverless to automatically scale the database capacity based on actual usage to accommodate the workload.

C. Deploy the database on Amazon DynamoDB. Use on-demand capacity mode to automatically scale throughput to accommodate the workload.

D. Deploy the database on Amazon RDS. Use magnetic storage and use read replicas to accommodate the workload.

【參考答案】B

【題號】question 980

【題目】

A company hosts its application on several Amazon EC2 instances inside a VPC. The company creates a dedicated Amazon S3 bucket for each customer to store their relevant information in Amazon S3.

The company wants to ensure that the application running on EC2 instances can securely access only the S3 buckets that belong to the company's AWS account.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司將其應用程式託管在 VPC 內的多個 Amazon EC2 執行個體上。該公司為每個客戶創建一個專用的 Amazon S3 儲存桶，以將其相關資訊儲存在 Amazon S3 中。

該公司希望確保在 EC2 執行個體上執行的應用程式只能安全地存取屬於公司 AWS 帳戶的 S3 儲存桶。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A.Create a gateway endpoint for Amazon S3 that is attached to the VPC. Update the IAM instance profile policy to provide access to only the specific buckets that the application needs.

B.Create a NAT gateway in a public subnet with a security group that allows access to only Amazon S3. Update the route tables to use the NAT Gateway.

C.Create a gateway endpoint for Amazon S3 that is attached to the VPC. Update the IAM instance profile policy with a Deny action and the following condition key:

D.Create a NAT Gateway in a public subnet. Update route tables to use the NAT Gateway. Assign bucket policies for all buckets with a Deny action and the following condition key:

【參考答案】C

【題號】question 981

【題目】

A company is building a cloud-based application on AWS that will handle sensitive customer data. The application uses Amazon RDS for the database, Amazon S3 for object storage, and S3 Event Notifications that invoke AWS Lambda for serverless processing.

The company uses AWS IAM Identity Center to manage user credentials. The development, testing, and operations teams need secure access to Amazon RDS and Amazon S3 while ensuring the confidentiality of sensitive customer data. The solution must comply with the principle of least privilege.

Which solution meets these requirements with the LEAST operational overhead?

一家公司正在 AWS 上建立基於雲端的應用程式，用於處理敏感的客戶資料。該應用程式使用 Amazon RDS 作為資料庫，使用 Amazon S3 作為物件存儲，並使用呼叫 AWS Lambda 進行無伺服器處理的 S3 事件通知。

該公司使用 AWS IAM Identity Center 來管理使用者憑證。開發、測試和營運團隊需要安全存取 Amazon RDS 和 Amazon S3，同時確保敏感客戶資料的機密性。解決方案必須符合最小特權原則。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use IAM roles with least privilege to grant all the teams access. Assign IAM roles to each team with customized IAM policies defining specific permission for Amazon RDS and S3 object access based on team responsibilities.

B. Enable IAM Identity Center with an Identity Center directory. Create and configure permission sets with granular access to Amazon RDS and Amazon S3. Assign all the teams to groups that have specific access with the permission sets.

C. Create individual IAM users for each member in all the teams with role-based permissions. Assign the IAM roles with predefined policies for RDS and S3 access to each user based on user needs. Implement IAM Access Analyzer for periodic credential evaluation.

D. Use AWS Organizations to create separate accounts for each team. Implement cross-account IAM roles with least privilege. Grant specific permission for RDS and S3 access based on team roles and responsibilities.

【參考答案】B

【題號】question 982

【題目】

A company has an Amazon S3 bucket that contains sensitive data files. The company has an application that runs on virtual machines in an on-premises data center. The company currently uses AWS IAM Identity Center.

The application requires temporary access to files in the S3 bucket. The company wants to grant the application secure access to the files in the S3 bucket.

Which solution will meet these requirements?

一家公司有一個包含敏感資料檔案的 Amazon S3 儲存桶。該公司有一個在本地資料中心的虛擬機器上運行的應用程式。該公司目前使用 AWS IAM Identity Center。

該應用程式需要暫時存取 S3 儲存桶中的檔案。該公司希望授予應用程式對 S3 儲存桶中的檔案的安全存取權。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an S3 bucket policy that permits access to the bucket from the public IP address range of the company's on-premises data center.

B.Use IAM Roles Anywhere to obtain security credentials in IAM Identity Center that grant access to the S3 bucket. Configure the virtual machines to assume the role by using the AWS CLI.

C.Install the AWS CLI on the virtual machine. Configure the AWS CLI with access keys from an IAM user that has access to the bucket.

D.Create an IAM user and policy that grants access to the bucket. Store the access key and secret key for the IAM user in AWS Secrets Manager. Configure the application to retrieve the access key and secret key at startup.

【參考答案】B

【題號】question 983

【題目】

A company hosts its core network services, including directory services and DNS, in its on-premises data center. The data center is connected to the AWS Cloud using AWS Direct Connect (DX). Additional AWS accounts are planned that will require quick, cost-effective, and consistent access to these network services.

What should a solutions architect implement to meet these requirements with the LEAST amount of operational overhead?

一家公司在其本地資料中心託管其核心網路服務，包括目錄服務和 DNS。資料中心使用 AWS Direct Connect (DX) 連接到 AWS 雲端。計劃增加更多 AWS 帳戶，這些帳戶將需要快速、經濟高效且一致地存取這些網路服務。

解決方案架構師應該實施什麼來以最少的營運開銷滿足這些要求？

【選項】

A.Create a DX connection in each new account. Route the network traffic to the on-premises servers.

B.Configure VPC endpoints in the DX VPC for all required services. Route the network traffic to the on-premises servers.

C.Create a VPN connection between each new account and the DX VPC. Route the network traffic to the on-premises servers.

D.Configure AWS Transit Gateway between the accounts. Assign DX to the transit gateway and route network traffic to the on-premises servers.

【參考答案】D

【題號】question 984

【題目】

A company hosts its main public web application in one AWS Region across multiple Availability Zones. The application uses an Amazon EC2 Auto Scaling group and an Application Load Balancer (ALB).

A web development team needs a cost-optimized compute solution to improve the company's ability to serve dynamic content globally to millions of customers.

Which solution will meet these requirements?

一家公司在跨多個可用區的一個 AWS 區域託管其主要公共 Web 應用程式。該應用程式使用 Amazon EC2 Auto Scaling 群組和應用程式負載平衡器 (ALB)。

Web 開發團隊需要成本優化的運算解決方案，以提高公司向全球數百萬客戶提供動態內容的能力。

哪種解決方案可以滿足這些要求？

【選項】

A.Create an Amazon CloudFront distribution. Configure the existing ALB as the origin.

B.Use Amazon Route 53 to serve traffic to the ALB and EC2 instances based on the geographic location of each customer.

C.Create an Amazon S3 bucket with public read access enabled. Migrate the web application to the S3 bucket. Configure the S3 bucket for website hosting.

D.Use AWS Direct Connect to directly serve content from the web application to the location of each customer.

【參考答案】A

【題號】question 985

【題目】

A company stores user data in AWS. The data is used continuously with peak usage during business hours. Access patterns vary, with some data not being used for months at a time. A solutions architect must choose a cost-effective solution that maintains the highest level of durability while maintaining high availability.

Which storage solution meets these requirements?

一家公司將用戶資料儲存在 AWS 中。數據在工作時間高峰時段持續使用。存取模式各不相同，有些資料一次幾個月都不使用。解決方案架構師必須選擇一種經濟高效的解決方案，在保持高可用性的同時保持最高水準的耐用性。

哪種儲存解決方案可以滿足這些要求？

【選項】

- A.Amazon S3 Standard
- B.Amazon S3 Intelligent-Tiering
- C.Amazon S3 Glacier Deep Archive
- D.Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)

【參考答案】B

【題號】question 986

【題目】

A company is testing an application that runs on an Amazon EC2 Linux instance. A single 500 GB Amazon Elastic Block Store (Amazon EBS) General Purpose SSO (gp2) volume is attached to the EC2 instance.

The company will deploy the application on multiple EC2 instances in an Auto Scaling group. All instances require access to the data that is stored in the EBS volume. The company needs a highly available and resilient solution that does not introduce significant changes to the application's code.

Which solution will meet these requirements?

一家公司正在測試在 Amazon EC2 Linux 執行個體上執行的應用程式。單一 500 GB Amazon Elastic Block Store (Amazon EBS) 通用 SSO (gp2) 磁碟區附加到 EC2 執行個體。

該公司將在 Auto Scaling 組中的多個 EC2 執行個體上部署該應用程式。所有實例都需要存取儲存在 EBS 磁碟區中的資料。該公司需要一個高度可用且具有彈性的解決方案，並且不會對應用程式程式碼進行重大更改。

哪種解決方案可以滿足這些要求？

【選項】

A.Provision an EC2 instance that uses NFS server software. Attach a single 500 GB gp2 EBS volume to the instance.

B.Provision an Amazon FSx for Windows File Server file system. Configure the file system as an SMB file store within a single Availability Zone.

C.Provision an EC2 instance with two 250 GB Provisioned IOPS SSD EBS volumes.

D.Provision an Amazon Elastic File System (Amazon EFS) file system. Configure the file system to use General Purpose performance mode.

【參考答案】D

【題號】question 987

【題目】

A company recently launched a new application for its customers. The application runs on multiple Amazon EC2 instances across two Availability Zones. End users use TCP to communicate with the application.

The application must be highly available and must automatically scale as the number of users increases.

Which combination of steps will meet these requirements MOST cost-effectively?
(Choose two.)

一家公司最近為其客戶推出了一款新應用程式。該應用程式在跨兩個可用區的多個 Amazon EC2 執行個體上執行。最終用戶使用 TCP 與應用程式進行通訊。

應用程式必須具有高可用性, 並且必須隨著使用者數量的增加而自動擴展。

哪一種步驟組合能夠最經濟有效地滿足這些要求? (選兩個。)

【選項】

A.Add a Network Load Balancer in front of the EC2 instances.

B.Configure an Auto Scaling group for the EC2 instances.

C.Add an Application Load Balancer in front of the EC2 instances.

D.Manually add more EC2 instances for the application.

E.Add a Gateway Load Balancer in front of the EC2 instances.

【參考答案】AB

【題號】question 988

【題目】

A company is designing the architecture for a new mobile app that uses the AWS Cloud. The company uses organizational units (OUs) in AWS Organizations to manage its accounts. The company wants to tag Amazon EC2 instances with data sensitivity by using values of sensitive and nonsensitive. IAM identities must not be able to delete a tag or create instances without a tag.

Which combination of steps will meet these requirements? (Choose two.)

一家公司正在為使用 AWS 雲端的新行動應用程式設計架構。該公司使用 AWS Organizations 中的組織單位 (OU) 來管理其帳戶。該公司希望透過使用敏感和不敏感的值來標記 Amazon EC2 執行個體的資料敏感度。IAM 身分不得刪除標籤或建立沒有標籤的實例。

哪一種步驟組合可以滿足這些要求? (選兩個。)

【選項】

A.In Organizations, create a new tag policy that specifies the data sensitivity tag key and the required values. Enforce the tag values for the EC2 instances. Attach the tag policy to the appropriate OU.

B.In Organizations, create a new service control policy (SCP) that specifies the data sensitivity tag key and the required tag values. Enforce the tag values for the EC2 instances. Attach the SCP to the appropriate OU.

C.Create a tag policy to deny running instances when a tag key is not specified. Create another tag policy that prevents identities from deleting tags. Attach the tag policies to the appropriate OU.

D.Create a service control policy (SCP) to deny creating instances when a tag key is not specified. Create another SCP that prevents identities from deleting tags. Attach the SCPs to the appropriate OU.

E.Create an AWS Config rule to check if EC2 instances use the data sensitivity tag and the specified values. Configure an AWS Lambda function to delete the resource if a noncompliant resource is found.

【參考答案】AD

【題號】question 989

【題目】

A company runs database workloads on AWS that are the backend for the company's customer portals. The company runs a Multi-AZ database cluster on Amazon RDS for PostgreSQL.

The company needs to implement a 30-day backup retention policy. The company currently has both automated RDS backups and manual RDS backups. The company wants to maintain both types of existing RDS backups that are less than 30 days old.

Which solution will meet these requirements MOST cost-effectively?

一家公司在 AWS 上執行資料庫工作負載，AWS 是該公司客戶入口網站的後端。該公司在 Amazon RDS for PostgreSQL 上運行多可用區資料庫叢集。

公司需要實施 30 天的備份保留政策。該公司目前擁有自動 RDS 備份和手動 RDS 備份。該公司希望維護這兩種類型的 30 天以內現有的 RDS 備份。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Configure the RDS backup retention policy to 30 days for automated backups by using AWS Backup. Manually delete manual backups that are older than 30 days.

B. Disable RDS automated backups. Delete automated backups and manual backups that are older than 30 days. Configure the RDS backup retention policy to 30 days for automated backups.

C. Configure the RDS backup retention policy to 30 days for automated backups. Manually delete manual backups that are older than 30 days.

D. Disable RDS automated backups. Delete automated backups and manual backups that are older than 30 days automatically by using AWS CloudFormation. Configure the RDS backup retention policy to 30 days for automated backups.

【參考答案】C

【題號】question 990

【題目】

A company is planning to migrate a legacy application to AWS. The application currently uses NFS to communicate to an on-premises storage solution to store application data. The application cannot be modified to use any other communication protocols other than NFS for this purpose.

Which storage solution should a solutions architect recommend for use after the migration?

一家公司正計劃將舊應用程式遷移到 AWS。該應用程式目前使用 NFS 與本地儲存解決方案通訊以儲存應用程式資料。為此，不能修改應用程式以使用 NFS 以外的任何其他通訊協定。

解決方案架構師應建議在遷移後使用哪種儲存解決方案？

【選項】

- A.AWS DataSync
- B.Amazon Elastic Block Store (Amazon EBS)
- C.Amazon Elastic File System (Amazon EFS)
- D.Amazon EMR File System (Amazon EMRFS)

【參考答案】C

【題號】question 991

【題目】

A company uses GPS trackers to document the migration patterns of thousands of sea turtles. The trackers check every 5 minutes to see if a turtle has moved more than 100 yards (91.4 meters). If a turtle has moved, its tracker sends the new coordinates to a web application running on three Amazon EC2 instances that are in multiple Availability Zones in one AWS Region.

Recently, the web application was overwhelmed while processing an unexpected volume of tracker data. Data was lost with no way to replay the events. A solutions architect must prevent this problem from happening again and needs a solution with the least operational overhead.

What should the solutions architect do to meet these requirements?

一家公司使用 GPS 追蹤器記錄數千隻海龜的遷徙模式。追蹤器每 5 分鐘檢查一次，看看海龜移動的距離是否超過 100 碼(91.4 公尺)。如果海龜移動了，它的追蹤器會將新座標傳送到在一個 AWS 區域的多個可用區中的三個 Amazon EC2 執行個體上執行的 Web 應用程式。

最近，Web 應用程式在處理大量追蹤器資料時不堪重負。資料遺失，無法重播事件。解決方案架構師必須防止此問題再次發生，並且需要一個營運開銷最少的解決方案。

解決方案架構師應該怎麼做才能滿足這些要求？

【選項】

A.Create an Amazon S3 bucket to store the data. Configure the application to scan for new data in the bucket for processing.

B.Create an Amazon API Gateway endpoint to handle transmitted location coordinates. Use an AWS Lambda function to process each item concurrently.

C.Create an Amazon Simple Queue Service (Amazon SQS) queue to store the incoming data. Configure the application to poll for new messages for processing.

D.Create an Amazon DynamoDB table to store transmitted location coordinates. Configure the application to query the table for new data for processing. Use TTL to remove data that has been processed.

【參考答案】C

【題號】question 992

【題目】

A company's software development team needs an Amazon RDS Multi-AZ cluster. The RDS cluster will serve as a backend for a desktop client that is deployed on premises. The desktop client requires direct connectivity to the RDS cluster.

The company must give the development team the ability to connect to the cluster by using the client when the team is in the office.

Which solution provides the required connectivity MOST securely?

公司的軟體開發團隊需要 Amazon RDS 多可用區叢集。RDS 叢集將充當本機部署的桌面用戶端的後端。桌面用戶端需要直接連接到 RDS 叢集。

公司必須讓開發團隊能夠在團隊在辦公室時使用客戶端連接到叢集。

哪種解決方案最安全地提供所需的連接？

【選項】

A.Create a VPC and two public subnets. Create the RDS cluster in the public subnets. Use AWS Site-to-Site VPN with a customer gateway in the company's office.

B.Create a VPC and two private subnets. Create the RDS cluster in the private subnets. Use AWS Site-to-Site VPN with a customer gateway in the company's office.

C.Create a VPC and two private subnets. Create the RDS cluster in the private subnets. Use RDS security groups to allow the company's office IP ranges to access the cluster.

D.Create a VPC and two public subnets. Create the RDS cluster in the public subnets. Create a cluster user for each developer. Use RDS security groups to allow the users to access the cluster.

【參考答案】B

【題號】question 993

【題目】

A solutions architect is creating an application that will handle batch processing of large amounts of data. The input data will be held in Amazon S3 and the output data will be stored in a different S3 bucket. For processing, the application will transfer the data over the network between multiple Amazon EC2 instances.

What should the solutions architect do to reduce the overall data transfer costs?

解決方案架構師正在創建一個應用程式來處理大量資料的批次。輸入資料將保存在 Amazon S3 中，輸出資料將儲存在不同的 S3 儲存桶中。為了進行處理，應用程式將透過網路在多個 Amazon EC2 執行個體之間傳輸資料。

解決方案架構師應該如何降低整體資料傳輸成本？

【選項】

A.Place all the EC2 instances in an Auto Scaling group.

B.Place all the EC2 instances in the same AWS Region.

C.Place all the EC2 instances in the same Availability Zone.

D.Place all the EC2 instances in private subnets in multiple Availability Zones.

【參考答案】C

【題號】question 994

【題目】

A company hosts a multi-tier web application that uses an Amazon Aurora MySQL DB cluster for storage. The application tier is hosted on Amazon EC2 instances. The company's IT security guidelines mandate that the database credentials be encrypted and rotated every 14 days.

What should a solutions architect do to meet this requirement with the LEAST operational effort?

一家公司託管一個多層 Web 應用程式，該應用程式使用 Amazon Aurora MySQL 資料庫叢集進行儲存。應用程式層託管在 Amazon EC2 執行個體上。該公司的 IT 安全準則要求對資料庫憑證進行加密並每 14 天輪換一次。

解決方案架構師應該如何做才能以最少的操作工作來滿足此要求？

【選項】

A.Create a new AWS Key Management Service (AWS KMS) encryption key. Use AWS Secrets Manager to create a new secret that uses the KMS key with the appropriate credentials. Associate the secret with the Aurora DB cluster. Configure a custom rotation period of 14 days.

B.Create two parameters in AWS Systems Manager Parameter Store: one for the user name as a string parameter and one that uses the SecureString type for the password. Select AWS Key Management Service (AWS KMS) encryption for the password parameter, and load these parameters in the application tier. Implement an AWS Lambda function that rotates the password every 14 days.

C.Store a file that contains the credentials in an AWS Key Management Service (AWS KMS) encrypted Amazon Elastic File System (Amazon EFS) file system. Mount the EFS file system in all EC2 instances of the application tier. Restrict the access to the file on the file system so that the application can read the file and that only super users can modify the file. Implement an AWS Lambda function that rotates the key in Aurora every 14 days and writes new credentials into the file.

D.Store a file that contains the credentials in an AWS Key Management Service (AWS KMS) encrypted Amazon S3 bucket that the application uses to load the credentials. Download the file to the application regularly to ensure that the correct credentials are used.

Implement an AWS Lambda function that rotates the Aurora credentials every 14 days and uploads these credentials to the file in the S3 bucket.

【參考答案】A

【題號】question 995

【題目】

A streaming media company is rebuilding its infrastructure to accommodate increasing demand for video content that users consume daily.

The company needs to process terabyte-sized videos to block some content in the videos. Video processing can take up to 20 minutes.

The company needs a solution that will scale with demand and remain cost-effective.

Which solution will meet these requirements?

一家串流媒體公司正在重建其基礎設施，以滿足用戶日常消費的視訊內容日益增長的需求。

該公司需要處理 TB 大小的影片以阻止影片中的某些內容。視訊處理最多可能需要 20 分鐘。

該公司需要一種能夠根據需求擴展並保持成本效益的解決方案。

哪種解決方案可以滿足這些要求？

【選項】

A. Use AWS Lambda functions to process videos. Store video metadata in Amazon DynamoDB. Store video content in Amazon S3 Intelligent-Tiering.

B. Use Amazon Elastic Container Service (Amazon ECS) and AWS Fargate to implement microservices to process videos. Store video metadata in Amazon Aurora. Store video content in Amazon S3 Intelligent-Tiering.

C. Use Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer (ALB) to process videos. Store video content in Amazon S3 Standard. Use Amazon Simple Queue Service (Amazon SQS) for queuing and to decouple processing tasks.

D. Deploy a containerized video processing application on Amazon Elastic Kubernetes Service (Amazon EKS) on Amazon EC2. Store video metadata in Amazon RDS in a single Availability Zone. Store video content in Amazon S3 Glacier Deep Archive.

【參考答案】B

【題號】question 996

【題目】

A company runs an on-premises application on a Kubernetes cluster. The company recently added millions of new customers. The company's existing on-premises infrastructure is unable to handle the large number of new customers. The company needs to migrate the on-premises application to the AWS Cloud.

The company will migrate to an Amazon Elastic Kubernetes Service (Amazon EKS) cluster. The company does not want to manage the underlying compute infrastructure for the new architecture on AWS.

Which solution will meet these requirements with the LEAST operational overhead?

一家公司在 Kubernetes 叢集上運行本機應用程式。該公司最近增加了數百萬新客戶。該公司現有的本地基礎設施無法處理大量新客戶。該公司需要將本機應用程式遷移到AWS雲端。

該公司將遷移到 Amazon Elastic Kubernetes Service (Amazon EKS) 叢集。該公司不想管理 AWS 上新架構的底層運算基礎架構。

哪種解決方案能夠以最少的營運開銷滿足這些要求？

【選項】

A. Use a self-managed node to supply compute capacity. Deploy the application to the new EKS cluster.

B. Use managed node groups to supply compute capacity. Deploy the application to the new EKS cluster.

C. Use AWS Fargate to supply compute capacity. Create a Fargate profile. Use the Fargate profile to deploy the application.

D. Use managed node groups with Karpenter to supply compute capacity. Deploy the application to the new EKS cluster.

【參考答案】C

【題號】question 997

【題目】

A company is launching a new application that requires a structured database to store user profiles, application settings, and transactional data. The database must be scalable with application traffic and must offer backups.

Which solution will meet these requirements MOST cost-effectively?

一家公司正在推出一款新應用程式，該應用程式需要結構化資料庫來儲存用戶設定檔、應用程式設定和交易資料。資料庫必須能夠隨著應用程式流量進行擴展，並且必須提供備份。

哪一種解決方案能夠最具成本效益地滿足這些要求？

【選項】

A. Deploy a self-managed database on Amazon EC2 instances by using open source software. Use Spot Instances for cost optimization. Configure automated backups to Amazon S3.

B. Use Amazon RDS. Use on-demand capacity mode for the database with General Purpose SSD storage. Configure automatic backups with a retention period of 7 days.

C. Use Amazon Aurora Serverless for the database. Use serverless capacity scaling. Configure automated backups to Amazon S3.

D. Deploy a self-managed NoSQL database on Amazon EC2 instances. Use Reserved Instances for cost optimization. Configure automated backups directly to Amazon S3 Glacier Flexible Retrieval.

【參考答案】C

【題號】question 998

【題目】

A company runs its legacy web application on AWS. The web application server runs on an Amazon EC2 instance in the public subnet of a VPC. The web application server collects images from customers and stores the image files in a locally attached Amazon Elastic Block Store (Amazon EBS) volume. The image files are uploaded every night to an Amazon S3 bucket for backup.

A solutions architect discovers that the image files are being uploaded to Amazon S3 through the public endpoint. The solutions architect needs to ensure that traffic to Amazon S3 does not use the public endpoint.

Which solution will meet these requirements?

一家公司在 AWS 上運行其舊版 Web 應用程式。Web 應用程式伺服器在 VPC 公有子網路中的 Amazon EC2 執行個體上執行。Web 應用程式伺服器從客戶收集映像並將映像檔案儲存在本機連接的 Amazon Elastic Block Store (Amazon EBS) 磁碟區中。映像檔每天晚上上傳到 Amazon S3 儲存桶進行備份。

解決方案架構師發現映像檔正在透過公共終端節點上傳到 Amazon S3。解決方案架構師需要確保流向 Amazon S3 的流量不會使用公共終端節點。

哪種解決方案可以滿足這些要求？

【選項】

A.Create a gateway VPC endpoint for the S3 bucket that has the necessary permissions for the VPC. Configure the subnet route table to use the gateway VPC endpoint.

B.Move the S3 bucket inside the VPC. Configure the subnet route table to access the S3 bucket through private IP addresses.

C.Create an Amazon S3 access point for the Amazon EC2 instance inside the VPCConfigure the web application to upload by using the Amazon S3 access point.

D.Configure an AWS Direct Connect connection between the VPC that has the Amazon EC2 instance and Amazon S3 to provide a dedicated network path.

【參考答案】A

【題號】question 999

【題目】

A company is creating a prototype of an ecommerce website on AWS. The website consists of an Application Load Balancer, an Auto Scaling group of Amazon EC2 instances for web servers, and an Amazon RDS for MySQL DB instance that runs with the Single-AZ configuration.

The website is slow to respond during searches of the product catalog. The product catalog is a group of tables in the MySQL database that the company does not update frequently. A solutions architect has determined that the CPU utilization on the DB instance is high when product catalog searches occur.

What should the solutions architect recommend to improve the performance of the website during searches of the product catalog?

一家公司正在 AWS 上建立電子商務網站的原型。本網站由應用程式負載平衡器、用於 Web 伺服器的 Amazon EC2 執行個體 Auto Scaling 群組以及使用單一可用區配置執行的 Amazon RDS for MySQL 資料庫執行個體組成。

搜尋產品目錄時網站反應緩慢。產品目錄是MySQL資料庫中公司不常更新的一組表。解決方案架構師確定，當進行產品目錄搜尋時，資料庫執行個體上的 CPU 使用率很高。

解決方案架構師應該建議什麼來提高產品目錄搜尋期間網站的效能？

【選項】

A.Migrate the product catalog to an Amazon Redshift database. Use the COPY command to load the product catalog tables.

B.Implement an Amazon ElastiCache for Redis cluster to cache the product catalog. Use lazy loading to populate the cache.

C.Add an additional scaling policy to the Auto Scaling group to launch additional EC2 instances when database response is slow.

D.Turn on the Multi-AZ configuration for the DB instance. Configure the EC2 instances to throttle the product catalog queries that are sent to the database.

【參考答案】B

【題號】question 1000

【題目】

A company currently stores 5 TB of data in on-premises block storage systems. The company's current storage solution provides limited space for additional data. The company runs applications on premises that must be able to retrieve frequently accessed data with low latency. The company requires a cloud-based storage solution.

Which solution will meet these requirements with the MOST operational efficiency?

一家公司目前在本地區塊儲存系統中儲存了 5 TB 的資料。該公司目前的儲存解決方案為額外資料提供的空間有限。該公司在本地運行的應用程式必須能夠以低延遲檢索頻繁存取的資料。該公司需要基於雲端的儲存解決方案。

哪種解決方案能夠以最高的營運效率滿足這些要求？

【選項】

A. Use Amazon S3 File Gateway. Integrate S3 File Gateway with the on-premises applications to store and directly retrieve files by using the SMB file system.

B. Use an AWS Storage Gateway Volume Gateway with cached volumes as iSCSI targets.

C. Use an AWS Storage Gateway Volume Gateway with stored volumes as iSCSI targets.

D. Use an AWS Storage Gateway Tape Gateway. Integrate Tape Gateway with the on-premises applications to store virtual tapes in Amazon S3.

【參考答案】B
