SCHOTT BG3, 50mm Sq., 2mm Thick, Colored Glass Bandpass Filter

#14-404



SCHOTT Colored Glass Bandpass Filters are available in 16 different standard SCHOTT colored glass types. Featuring high transmission and deep blocking, these filters are available with a variety of wavelength ranges spanning the ultraviolet (UV), visible, and near-infrared (NIR) spectra. The 50 x 50mm size enables easy integration into optical systems with 1, 2, or 3mm thickness options. SCHOTT Colored Glass Bandpass Filters come in custom sizes ranging from 5 to 160mm. These custom sizes are available upon request. For more information, visit our Colored Glass Filter Manufacturing capabilities webpage.

Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA

General

Type:	Bandpass Filter

Physical & Mechanical Properties

Dimensions (mm):	50.0 x 50.0
Length (mm):	50.00
Thickness (mm):	2.00 ±0.2
Width (mm):	50.00
Bevel:	Protective as needed

Optical Properties

Center Wavelength CWL (nm):	356.00
Glass/Filter Number:	SCHOTT BG3
Coating:	Uncoated
Color:	Deep Blue
Index of Refraction (n_d):	1.51
Surface Quality:	60-40
Wavelength:	UV-VIS

Material Properties

Density (g/cm^3):	2.56
Transformation Temperature (°C):	478

Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA





Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA





Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA

April 16, 2026

Stock No.	Description
14-404	SCHOTT BG3, 50mm Sq., 2mm Thick, Colored Glass Bandpass Filter

Edmund Optics certifies that all articles included in this shipment are in compliance with the terms and conditions of this order. The company also certifies that the articles included in this shipment are in accordance to all agreed upon specifications and quality assurance provisions. Please call 1-800-363-1992 should any questions arise from this shipment.

Jeff Harvey- EVP of Operations

Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA

NOTES:

1. SUBSTRATE: BG3

2. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN 1 ARCMIN

FOR INFORMATION ONLY:
DO NOT MANUFACTURE PARTS TO THIS DRAWING







BANDPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1
SHAPE	PLANO
TRANSMISSION RNAGE	DEEP BLUE
SURFACE QUALITY	60-40
CLEAR APERTURE	48.50 x 48.50
BEVEL MAX FACE	PROTECTIVE AS NEEDED

Edmund Optics®

THIRD ANGLE PROJECTION		TITLE	SCHOTT BG3 50 x 50mm COLORED BANDPASS FILTER, 2mm THK	
ALL DIMS IN	mm	DWG NO	14404	SHEET 1 OF 1