# SCHOTT RG630, 50mm Sq., 3mm Thick, Colored Glass Longpass Filter

**#14-516**



SCHOTT Colored Glass Longpass Filters are available in 27 standard SCHOTT colored glass types, providing cut-on wavelengths in the ultra-violet (UV), visible, or near-infrared (NIR) spectra. The color glass substrates feature high spectral transmittance within their wavelength ranges. SCHOTT Colored Glass Longpass Filters are designed with standard circular and square sizes for easy integration into optical systems and have a 1, 2, or 3mm thickness. Custom sizes from 5 to 160mm are available upon request.

**Note:** Due to supply chain issues, our kits may be delivered with an alternative packaging solution in place of a wooden box. For any questions, please contact kits@edmundoptics.com.



Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA

## General

| | |
|---|---|
| Type: | Longpass Filter |

## Physical & Mechanical Properties

| | |
|---|---|
| Dimensions (mm): | 50.0 x 50.0 |
| Length (mm): | 50.00 |
| Thickness (mm): | 3.00 ±0.2 |
| Width (mm): | 50.00 |
| Dimensional Tolerance (mm): | ±0.2 |
| Bevel: | Protective as needed |

## Optical Properties

| | |
|---|---|
| Cut-On Wavelength (nm): | 630.00 ±6 |
| Glass/Filter Number: | SCHOTT RG630 |
| Coating: | Uncoated |
| Color: | Red |
| Passband Limit 1 $\lambda_{p1}$ (nm): | 710 |
| Index of Refraction ($n_d$): | 1.52 |
| Spectral Transmittance $t_{ip}$ (%): | 94 |
| Stopband Limit $\lambda_s$(nm): | 540 |
| Surface Quality: | 60-40 |
| Wavelength: | VIS |
| Reflection Factor $P_d$: | 0.92 |

## Material Properties

| | |
|---|---|
| Density (g/cm$^3$): | 2.65 |
| Transformation Temperature (°C): | 527 |


Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA








Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA




March 16, 2026

To Whom It May Concern,

This document certifies that the product stated below has been reviewed as requested by Edmund Optics:

| *Stock No.* | *Description* |
|---|---|
| 14-516 | SCHOTT RG630, 50mm Sq., 3mm Thick, Colored Glass Longpass Filter |

This item is EU RoHS (2015/863/EU) exempt based on **Exemption 13b**: Cadmium and lead in filter glasses used for reflectance standards.

This certification means that:

- EO's suppliers have confirmed the material composition of this product.
- EO has implemented rigorous procedures to document this compliance.
- The information provided may, or may not, be based upon actual test data, or on information from our Vendors, Raw Material Suppliers or Subcontractors.

Jay Budd, Director of Corporate Compliance
March 16, 2026

Edmund Optics Inc. - 101 E Gloucester Pike, Barrington, NJ 08007 | 1-800-363-1992 | Compliance@edmundoptics.com



Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA

March 16, 2026

| Stock No. | Description |
|---|---|
| 14-516 | SCHOTT RG630, 50mm Sq., 3mm Thick, Colored Glass Longpass Filter |

Edmund Optics certifies that all articles included in this shipment are in compliance with the terms and conditions of this order. The company also certifies that the articles included in this shipment are in accordance to all agreed upon specifications and quality assurance provisions. Please call 1-800-363-1992 should any questions arise from this shipment.

Jeff Harvey- EVP of Operations



Phone: 1-800-363-1992 or 1-856-573-6250, Fax: 1-856-573-6295
101 EAST GLOUCESTER PIKE | P.O BOX 9000
BARRINGTON, NJ 08007-1380 USA

NOTES:

1. SUBSTRATE: SCHOTT RG630
2. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN 1 ARCMIN

**FOR INFORMATION ONLY:**
**DO NOT MANUFACTURE PARTS TO THIS DRAWING**










LONGPASS FILTER

| | VALUE |
|---|---|
| SHAPE | PLANO |
| CUT-ON WAVELENGTH (nm) | 630 ±6 |
| PASSBAND LIMIT 1 (nm) | 710 |
| STOPBAND LIMIT (nm) | 540 |
| SURFACE QUALITY | 60-40 |
| CLEAR APERTURE | 48.50 x 48.50 |
| BEVEL MAX FACE | PROTECTIVE AS NEEDED |

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

Edmund Optics®

| | | | | |
|---|---|---|---|---|
| THIRD ANGLE PROJECTION | | TITLE | SCHOTT RG630 50 x 50mm COLORED LONGPASS FILTER, 3mm THK | |
| ALL DIMS IN | mm | DWG NO | 14516 | SHEET 1 OF 1 |