

```

' Tariefstelsel GS_2012
' TAR_T01: Invoerrechten
' TAR_T02: Benzine per Liter
' TAR_T04: Accijns op Bier per Liter
' TAR_T05: Accijns op Sigaretten per 100 Stuks
' TAR_T06: Accijns op Gedestilleerd per Liter
' TAR_T07: OB
' TAR_T08: Invoerrechten per stuk
' TAR_T09: Invoerrechten op Liter ad 50%
' TAR_T10: Invoerrecht op Liter
' TAR_T12: Invoerrechten op 100KG

' Delete records from table Cost_Calc_PO_Det_Benaming_Sum_Fin
stDocName = "Qry_Cost_Calc_PO_Det_Benaming_Sum_Del_Fin"
DoCmd.OpenQuery stDocName, acNormal, acEdit
' Totalize FOB, Freight, Inland Freight, Liters in Cost_Calc_PO_Det_Benaming_Sum_Fin
' Not for vendors for Store Delivery
stDocName = "Qry_Cost_Calc_PO_Det_Benaming_Sum_App_Fin"
DoCmd.OpenQuery stDocName, acNormal, acEdit

' Read Table Cost_Calc_PO_Det_Benaming_Sum to Calculate Duties and Economic Surcharge
Set bdd = CurrentDb
Set rs = Nothing
SQL = "Select CCPDS_LMPoNo, CCPDS_HandelsBenam, CCPDS_GoedCode, " & _
      "CCPDS_Tot_Inland_Freight, CCPDS_Tot_Freight, CCPDS_Tot_Waarde, CCPDS_Tot_Liters "
& _
      "From Cost_Calc_PO_Det_Benaming_Sum_Fin Where CCPDS_Calc_Number = " & _
Me.FCalc_Number & ""
Set rs = bdd.OpenRecordset(SQL)
If Not rs.EOF Then
    While Not rs.EOF
        LMPoNo = rs.Fields("CCPDS_LMPoNo")
        HandelsBenam = rs.Fields("CCPDS_HandelsBenam")
        GoedCode = rs.Fields("CCPDS_GoedCode")

        ' Create Key_1 and Key_2 to read table GS_2012_Link
        GS_2012_Key_1 = ""
        GS_2012_Key_1 = Left(rs.Fields("CCPDS_GoedCode"), 6)
    
```

GS_2012_Key_2 = ""

GS_2012_Key_2 = Right(rs.Fields("CCPDS_GoedCode"), 2)

W_TAR_T01 = 0

W_TAR_T02 = 0

W_TAR_T04 = 0

W_TAR_T05 = 0

W_TAR_T06 = 0

W_TAR_T07 = 0

W_TAR_T08 = 0

W_TAR_T09 = 0

W_TAR_T10 = 0

W_TAR_T12 = 0

Set rs2 = Nothing

SQL = "Select TAR_T01, TAR_T02, TAR_T04, TAR_T05, TAR_T06, TAR_T07, TAR_T08,
TAR_T09, TAR_T10, TAR_T12 " & _

"From GS_2012_Link Where " & _

"HS6_COD = " & """" & GS_2012_Key_1 & """" & " And " & _

"TAR_PR1 = " & """" & GS_2012_Key_2 & """"

Set rs2 = bdd.OpenRecordset(SQL)

If Not rs2.EOF Then

W_TAR_T01 = CDbI(Nz(rs2.Fields("TAR_T01")))

W_TAR_T02 = CDbI(Nz(rs2.Fields("TAR_T02")))

W_TAR_T04 = CDbI(Nz(rs2.Fields("TAR_T04")))

W_TAR_T05 = CDbI(Nz(rs2.Fields("TAR_T05")))

W_TAR_T06 = CDbI(Nz(rs2.Fields("TAR_T06")))

W_TAR_T07 = CDbI(Nz(rs2.Fields("TAR_T07")))

W_TAR_T08 = CDbI(Nz(rs2.Fields("TAR_T08")))

W_TAR_T09 = CDbI(Nz(rs2.Fields("TAR_T09")))

W_TAR_T10 = CDbI(Nz(rs2.Fields("TAR_T10")))

W_TAR_T12 = CDbI(Nz(rs2.Fields("TAR_T12")))

Douane_Waarde = 0

Cust_Tot_Waarde = Round((rs.Fields("CCPDS_Tot_Waarde") + 0.49), 0)

Douane_Waarde = Douane_Waarde + Cust_Tot_Waarde

```
Cust_Inland_Freight = Round((rs.Fields("CCPDS_Tot_Inland_Freight") + 0.49), 0)
Douane_Waarde = Douane_Waarde + Cust_Inland_Freight
```

```
Cust_Freight = Round((rs.Fields("CCPDS_Tot_Freight") + 0.49), 0)
Douane_Waarde = Douane_Waarde + Cust_Freight
```

```
'      Douane_Waarde = Round((Douane_Waarde + 0.49), 0)
      Econ_Surch = 0
      If Not rs2.Fields("TAR_T01") = "" And Not rs2.Fields("TAR_T01") = 0 And Not
IsNull(rs2.Fields("TAR_T01")) Then
        'econ_surch = Int((((Douane_Waarde * rs2.Fields("TAR_T01") / 100) * 100) + 0.5) /
100
```

```
        Econ_Surch = Round(Douane_Waarde * rs2.Fields("TAR_T01") / 100, 2)
        AmountWork = Econ_Surch * 10
        AmountWorkDec = AmountWork - Int(AmountWork)
        If AmountWorkDec = 0 Then
            Econ_Surch = Int(AmountWork) / 10
        Else
            Econ_Surch = (Int(AmountWork) + 1) / 10
        End If
    End If
```

```
End If
```

```
OB = 0
If Not rs2.Fields("TAR_T07") = "" And Not rs2.Fields("TAR_T07") = 0 And Not
IsNull(rs2.Fields("TAR_T07")) Then
    'OB = Int((((Douane_Waarde * (rs2.Fields("TAR_T07") / 2) / 100) * 100) + 0.5) / 100
    OB = Round(Douane_Waarde * (rs2.Fields("TAR_T07") / 100), 2)
    AmountWork = OB * 10
    AmountWorkDec = AmountWork - Int(AmountWork)
    If AmountWorkDec = 0 Then
        OB = Int(AmountWork) / 10
    Else
        OB = (Int(AmountWork) + 1) / 10
    End If
End If
```

```
OB = Round(OB / 2, 2)
End If
```

' Liters and Hectoliters have to be calculated same as asycuda.
 ' Hectoliters: If Liters has decimals always round up hectoliters
 ' Liters: If < 100, Do not round. If > 100 then Round acording decimals

' Tar_T04 (Kolom H): LITERS AD 50%
 ' Tar_T05 (Kolom I): Invoerrechten (Percentage on Douanewaarde)
 ' Tar_T06 (Kolom J): Benzine per Liter (Liters * (Tarif / 100)
 ' Tar_T07 (Kolom K): Accijns op Bier
 ' Tar_T08 (Kolom L): Accijns op Sigaretten
 ' Tar_T09 (Kolom M): Accijns op Gedistilleerd
 ' Tar_T10 (Kolom N): OB(Percentage op Douanewaarde)

Duties = 0

TotLiters = 0

TotHectoliters = 0

TotLitersDec = 0

TotLitersInt = 0

TotLiters = TotLiters + rs.Fields("CCPDS_Tot_Liters")

Liters_To_HLiters = TotLiters

' Check if TotLiters has Decimals

TotLiters_Dec = TotLiters - Int(TotLiters)

If TotLiters_Dec = 0 Then

 TotHectoliters = (Int(Liters_To_HLiters)) / 100

Else

 DecaLiters = TotLiters * 10

 PosPoint = InStr(TotLiters, ".")

 If Not PosPoint = 0 Then

 If TotLiters < 100 Then

 If IsNull(Mid(TotLiters, (PosPoint + 2), 1)) Or (Mid(TotLiters, (PosPoint + 2), 1)) =

"" Then

 HonderdTal = 0

 Else

 HonderdTal = Mid(TotLiters, (PosPoint + 2), 1)

 End If

 If Not HonderdTal > 5 Then

 TotLiters = (Int(DecaLiters)) / 10

 Else

 TotLiters = (Int(DecaLiters) + 1) / 10

```

        End If
    Else
        TienTal = Mid(TotLiters, (PosPoint + 1), 1)
        If Not TienTal > 5 Then
            TotLiters = (Int(TotLiters))
        Else
            TotLiters = (Int(TotLiters) + 1)
        End If
    End If
End If

```

```

HonderdTal = Mid(Liters_To_HLiters, (PosPoint + 1), 2)
If PosPoint = 0 Then
    TotHectoliters = Liters_To_HLiters / 100
Else
    If HonderdTal = 0 Then
        TotHectoliters = (Int(Liters_To_HLiters)) / 100
    Else
        TotHectoliters = ((Int(Liters_To_HLiters)) + 1) / 100
    End If
End If
End If

```

```

Tar_T04_Duty = 0
Tar_T06_Duty = 0
Tar_T09_Duty = 0
Tar_T10_Duty = 0
If Not rs2.Fields("TAR_T04") = "" And Not rs2.Fields("TAR_T04") = 0 And Not
IsNull(rs2.Fields("TAR_T04")) Then
    'Tar_T04_Duty = Int((((TotLiters * (rs2.Fields("TAR_T04")) * 100) + 0.5) / 100
    Tar_T04_Duty = Round(TotHectoliters * (rs2.Fields("TAR_T04")), 2)
End If
If Not rs2.Fields("TAR_T06") = "" And Not rs2.Fields("TAR_T06") = 0 And Not
IsNull(rs2.Fields("TAR_T06")) Then
    'Tar_T06_Duty = Int((((TotLiters / 100) * (rs2.Fields("TAR_T06")) * 100) + 0.5) / 100
    Tar_T06_Duty = Round(TotLiters * ((rs2.Fields("TAR_T06")) / 100), 2)
End If

```

```

If Not rs2.Fields("TAR_T09") = "" And Not rs2.Fields("TAR_T09") = 0 And Not
IsNull(rs2.Fields("TAR_T09")) Then
    'Tar_T09_Duty = Int(((TotLiters * (rs2.Fields("TAR_T09")) / 100) * 100) + 0.5) / 100
    Tar_T09_Duty = Round(TotHectoliters * (rs2.Fields("TAR_T09")), 2)
End If
If Not rs2.Fields("TAR_T10") = "" And Not rs2.Fields("TAR_T10") = 0 And Not
IsNull(rs2.Fields("TAR_T10")) Then
    'Tar_T10_Duty = Int(((TotLiters * (rs2.Fields("TAR_T10")) / 100) * 100) + 0.5) / 100
    Tar_T10_Duty = Round(TotHectoliters * (rs2.Fields("TAR_T10")), 2)
End If
Duties = Tar_T04_Duty + Tar_T06_Duty + Tar_T09_Duty + Tar_T10_Duty

```

```

AmountWork = Duties * 10
AmountWorkDec = AmountWork - Int(AmountWork)
If AmountWorkDec = 0 Then
    Duties = Int(AmountWork) / 10
Else
    Duties = (Int(AmountWork) + 1) / 10
End If

```

```

SQL = "Update Cost_Calc_PO_Det_Benaming_Sum_Fin Set " & _
    "CCPDS_Duties = " & Duties & ", " & _
    "CCPDS_Econ_Surch = " & Econ_Surch & ", " & _
    "CCPDS_OB = " & OB & ", " & _
    "CCPDS_TAR_T01 = " & W_TAR_T01 & ", " & _
    "CCPDS_TAR_T02 = " & W_TAR_T02 & ", " & _
    "CCPDS_TAR_T04 = " & W_TAR_T04 & ", " & _
    "CCPDS_TAR_T05 = " & W_TAR_T05 & ", " & _
    "CCPDS_TAR_T06 = " & W_TAR_T06 & ", " & _
    "CCPDS_TAR_T07 = " & W_TAR_T07 & ", " & _
    "CCPDS_TAR_T08 = " & W_TAR_T08 & ", " & _
    "CCPDS_TAR_T09 = " & W_TAR_T09 & ", " & _
    "CCPDS_TAR_T10 = " & W_TAR_T10 & ", " & _
    "CCPDS_TAR_T12 = " & W_TAR_T12 & " " & _
    "Where CCPDS_Calc_Number = " & Me.FCalc_Number & " And " & _
    "CCPDS_LMPoNo = " & """" & LMPoNo & """" & " And " & _
    "CCPDS_HandelsBenam = " & """" & HandelsBenam & """" & ""
On Error Resume Next

```

```
        bdd.Execute (SQL)
    If Err Then
        MsgBox Err.Description
    End If
End If
rs.MoveNext
Wend
End If
```

```
'Empty table Cost_Calc_PO_Det_Benaming_Tot_Fin
stDocName = "Qry_Cost_Calc_PO_Det_Benaming_Tot_Del_Fin"
DoCmd.OpenQuery stDocName, acNormal, acEdit

'Totalize Duties and Economic Surcharge in Cost_Calc_PO_Det_Benaming_Tot_Fin
stDocName = "Qry_Cost_Calc_PO_Det_Benaming_Tot_App_Fin"
DoCmd.OpenQuery stDocName, acNormal, acEdit

'Totalize Duties and Econ_Surch on Header Level
stDocName = "Qry_Cost_Calc_PO_Head_Duties_Upd_Fin"
DoCmd.OpenQuery stDocName, acNormal, acEdit

'Divide Duties and Econ_Surch on Detail Level
stDocName = "Qry_Cost_Calc_PO_Det_Duties_Upd_Fin"
DoCmd.OpenQuery stDocName, acNormal, acEdit
```