ROCK UC FOODS: AI Builder Prompt Playbook v2

Oct 15, 2026 · @Obi

1. How to use this playbook

Run one phase per AI session, and never accept a phase as done until its exit gate passes with pasted evidence. This playbook replaces the single 'build everything' master prompt, which is the main reason AI-built apps ship half-working.

1. Fill the Owner Decisions register (section 4) first. Anything still open stays switched off behind a config flag.
2. Open a fresh AI session. Paste the Global Rules block (section 3), the Brand Kit block (section 4B), then that phase's prompt.
3. The AI must answer under four headings: **Findings**, **Risk blocked**, **Changes**, **How to verify**.
4. You run the verification pack (section 14) yourself and paste the output back. 'Tests pass' without output does not count.
5. Commit with a phase tag (for example `phase-2-menu-done`). Only then open the next session.

What changed from v1. The menu is now a first-class, owner-editable system, and the brand kit and public website are built from your flyer. The scope is sized to your real volume (section 2). Alerts, order expiry, daily capacity, a payment-verification checklist, a ₦ font fix and guest-order tokens are now explicit requirements. Invoice versioning, receipt versioning and delivery logs move to the end, built only once real events need them.

2. Operating profile: what your volume means for the build

At 15+ orders and 2+ bulk events a week, ROCK UC FOODS needs a reliable small system, not a scalable one. The biggest risk is a missed or stale order, not traffic.

Fact	Number	What it means for the build
Individual orders	15+ per week, about 2 per day	One Postgres database and one Next.js app are plenty. No queues, caching layers or microservices.
Bulk and event orders	2+ per week, about 9 per month	Worth a real invoice workflow, but lean. Each one is high value, so manual review stays.
Cost of one missed order	about 7% of a week's individual orders	Alerts, a visible 'needs attention' list and automatic expiry are the highest-value features.
Payment confirmations	about 17+ per week	A human can verify each one. Build a verification checklist first, automation second.
Data growth	under 1,500 orders a year	Simple pagination and CSV export are enough.
Headroom target	5 times today's volume (75 orders, 10 events a week)	Must work with no architecture change. Anything beyond that is out of scope.

Ruled out for v1: native apps, live rider tracking, inventory forecasting, loyalty programmes, multi-region hosting, background job queues.

Ruled in because of your volume: new-order alerts, order expiry, daily capacity limits, an editable menu that works one-handed on a phone, a payment-verification checklist, and an owner weekly summary.

Assumption to confirm: peaks probably cluster on Friday to Sunday and around event dates. Check this against your last 30 days of orders in Phase 0.

3. Global Rules block (paste at the start of every session)

This block is the controlling contract. Paste it unchanged before each phase prompt.

```
YOU ARE the senior full-stack engineer, database engineer and security
reviewer building ROCK UC FOODS: a premium Nigerian food-ordering and
catering platform. Stack: Next.js (App Router) + TypeScript + Tailwind,
Supabase (Postgres, Auth, Storage), Paystack, server-side PDF generation.
```

```
Scale: about 15-75 orders/week and 2-10 bulk events/week. Build a small,
reliable system. Do not over-engineer.

REPLY FORMAT (mandatory, every reply):
1. FINDINGS - what the data/fixtures/repo actually show (row counts, nulls,
duplicates, outliers, price ranges). If no fixture exists, STOP and ask for
it.
2. RISK BLOCKED - the specific production mistake this change prevents.
3. CHANGES - files and migrations, with complete working code. When
correcting a file, give the complete corrected file, never a fragment.
4. HOW TO VERIFY - exact commands/queries I can run, and the expected output.

MONEY
- Store every amount as bigint kobo in columns named *_kobo. Never float,
numeric or double for money.
- Parse user-typed amounts from strings with integer arithmetic only. Reject
negatives, more than 2 decimals, non-numeric text and values above the
configured maximum.
- Display the naira sign U+20A6 (₦) with thousands separators. Never display
'NGN'. Never display a placeholder square. Use a font that contains U+20A6 in
the web UI AND embedded in PDFs.
- Rounding rule: percentages round half up to the nearest kobo, applied once
per line, then summed.

SECURITY
- Never trust client-supplied prices, totals, IDs, roles or statuses.
Recompute on the server from the database.
- Public order and document access uses a random 128-bit token, never a
sequential ID or the human reference.
- Row Level Security on every exposed table. Authorize every server action
and API route. Test with two different users.
- Secrets only in server environment variables. Never log customer phone
numbers, addresses or payment payloads.
- Rate-limit every public form. Validate input at every trust boundary.
- Audit log is append-only. Financial history is never deleted, only reversed
by a new record.

TRUTH RULES
- Never invent menu items, prices, bank details, delivery fees, addresses,
policies, reviews or awards. Use clearly marked TEST-ONLY fixtures or an
owner-decision flag.
- Never derive an expected test value from the code under test. Expected
values come from hand-computed golden fixtures.
```

```
- Do not claim a test passed unless you ran it and pasted the output. Label
every item Completed, Tested, Partial or Unverified.
- Never silently drop a requirement. Report conflicts instead.

EVERY FEATURE MUST HANDLE: empty state, loading, error, permission denied,
duplicate submission, expired item, outlier values (huge quantity, 1-kobo
price, very long text), Nigerian phone formats (normalize to +234...), and
Africa/Lagos time zone boundaries.

UX: mobile-first for low-cost Android phones on slow networks. Tap targets at
least 44px. Compressed images. Brand: ROCK UC FOODS, 'Taste the Luxury'. Use
only the colours in the BRAND KIT block pasted after these rules.

WORKING METHOD: small verifiable steps, migrations committed, no unrelated
refactors, no new libraries without stating why. Report what you did not do.
```

4. Owner decisions register

Seventeen decisions gate go-live, and the AI must not guess any of them. Until you answer, each one stays a config flag that defaults to 'off' or 'manual review'.

#	Decision	Blocks	Behaviour until decided
1	Menu items, prices, portions, extras, real photos	Phase 2 go-live	Menu loads from your CSV; items stay in draft
2	Who may edit prices versus only toggle availability	Phase 2	Owner edits everything; staff toggle availability only
3	Sold-out items: hidden or shown greyed	Phase 2	Shown greyed as 'Sold out today'
4	Confirmation window and order expiry (hours)	Phase 3	Configurable; no default is assumed
5	Who is alerted on a new order, and how	Phase 3	Dashboard alert plus email
6	Max orders per day and max events per day	Phase 3	Unlimited, with a warning flag
7	Order cut-off time and same-day rules	Phase 3	None enforced

#	Decision	Blocks	Behaviour until decided
8	Delivery zones, fees, outside-zone rule	Phase 3	Every delivery goes to manual review
9	Collection address and public phone numbers	Phase 3	Collection disabled
10	Event minimum guests, minimum value, lead time, deposit rule	Phase 5	None enforced; all events manual
11	VAT, TIN and invoice tax fields (ask your accountant)	Phase 5	Tax lines off; invoice shows no tax claim
12	Bank account for manual transfers, verified by you	Phase 6	Manual payments disabled
13	Paystack account, who bears the fee	Phase 6	Online payment disabled
14	Refund and cancellation policy	Phase 6	All refunds are owner-only and manual
15	Who may issue invoices, confirm payments, approve refunds	Phases 5-6	Owner only
16	Allergen wording and food-safety disclaimer	Phase 2	Allergen field empty; no claims made
17	Domain, hosting, database ownership, monthly budget, backup plan	Phase 8	No production deploy

The developer account is a separate, audited, MFA-protected account. Decide in writing how it is revoked.

4B. Brand kit from the flyer and Chef Esther's portrait

The flyer is black-and-gold luxury set against deep emerald velvet and candlelight. The website keeps that mood and uses your colour guide (gold, cream, yellow, purple, wine, black, red) in fixed roles, so every screen looks deliberate rather than decorated.

Every flyer detail and where it lands on the site

Flyer element	Website use	Confirm before using
Logo: the gold RUC seal (crowned chef hat above an RUC monogram, double gold ring, laurel wreath)	Header, footer, invoices, receipts	A transparent-background PNG (1200 px or larger) or an SVG of the seal. The image supplied sits on a white background, which would show as a white box on the dark site. The AI must not redraw, trace or recolour it. The seal carries only the letters RUC, so every lockup adds the live text 'ROCK UC FOODS'.
'Authentic Nigerian Cuisine Redefined'	Logo lockup and footer	Nothing
'Taste the Luxury'	Hero headline (live text, not an image)	Nothing
'Premium Nigerian dishes, crafted with tradition, served with class.'	Hero subline and meta description	Nothing
Crown seal 'Premium Nigerian Cuisine' with five stars	Small seal near the hero	Remove.
Four pillars: Exquisite Menu, Fresh & Quality Ingredients, Elegant Ambience, Unforgettable Experience	Four-icon strip under the hero	Remove entirely. 'Elegant Ambience' implies a place guests can visit. Keep it only if that is true; otherwise reword.
'ORDER NOW' button	Primary call to action, sticky on mobile	Nothing
Phone 08033729125	Tap-to-call, and a WhatsApp link to the same number	That this number is on WhatsApp

Flyer element	Website use	Confirm before using
'Lagos'	Contact and footer	Collection address is still missing (decision 9). Use - 5 Aro street, Lagos.
Instagram '@Esther Kwentua'	Footer link	Handles cannot contain spaces. Get the exact handle. Use- @rock-uc-foods
'We deliver to your door step'	Delivery banner, written 'doorstep'	Delivery zones and fees (decision 8)
Jollof rice, grilled chicken, fried plantain, salad	Featured-dish imagery	If these flyer images are rendered or composited, do not use them as menu photos. Use real photos.
Chef Esther's portrait (green velvet, gold frames)	'Meet Chef Esther' section	Written consent for web use. No invented bio, titles or awards.
Official spelling	One spelling everywhere	The flyer says 'ROCK UC FOODS'; the earlier ad used 'ROCK U C'. Pick one. Use 'ROCK UC FOODS'

Palette (proposed values: the owner approves them)

Token	Hex	Role	Rule
ink	#0B0A09	Page background, hero, footer, dashboard sidebar	The base of the brand
ink-2	#17120F	Cards and panels on ink	Slightly lighter than ink
gold	#D4AF37 (light #F3D98B, deep #9C7A1E)	Headlines on dark, rules, icons, button borders	Text on dark only. Never gold text on cream.
cream	#F7EFD9	Body text on dark, light sections, invoices, receipts	The paper colour for all documents

Token	Hex	Role	Rule
yellow	#F2C230	One highlight per screen: offers, 'Featured', hover	Restrained. Never a large fill.
purple	#5B2A6E	Events and bulk catering, Chef Esther section, receipt header band	Secondary accent only
wine	#6B1230	Primary button fills, selected states, invoice header band	Cream text on wine. Never wine text on ink.
red	#B3261E	Errors, cancellations, sold-out, destructive buttons, 'needs attention'	Always paired with an icon and words

Approximate contrast (my estimates; the build must verify with a checker): gold on ink about 9 to 1, cream on ink about 17 to 1, cream on wine about 10 to 1, wine on cream about 10 to 1, purple on cream about 9 to 1, gold on wine about 5.7 to 1, red on cream about 5.7 to 1. Gold on cream is about 1.8 to 1 and fails, which is why gold never carries text on light backgrounds.

Decision: emerald. The flyer's dominant green is not in your colour guide. Recommendation: keep emerald inside photography and background texture only, and add no green UI token. A success state then uses a gold check mark plus words, so meaning never depends on colour alone.

Typography

- **Display:** a high-contrast serif like the flyer headline (Playfair Display or a similar open-licence face) for headlines, with an italic serif for taglines such as 'We deliver to your doorstep'.
- **Body:** a clean sans-serif (Inter or Lato) with tabular numerals for every price.
- **Test rule:** every font that shows a price must render ₦ (U+20A6). If the display serif lacks it, prices use the body sans. The Phase 1 test proves this.

Brand kit block (paste after the Global Rules in every session)

```
BRAND KIT - ROCK UC FOODS (single source of truth; use only these tokens, no
other colours)

:root {
  --ink: #0B0A09;  --ink-2: #17120F;
  --gold: #D4AF37; --gold-light: #F3D98B; --gold-deep: #9C7A1E;
  --cream: #F7EFD9; --yellow: #F2C230;
  --purple: #5B2A6E; --wine: #6B1230; --red: #B3261E;
}

ROLES: ink = base. gold = headlines/rules/icons on dark only. cream = text on
dark and document paper. wine = primary button fill with cream text. purple =
events and chef accents. yellow = one highlight per screen. red = errors,
cancellations, sold-out, always with icon + words.
GOLD HEADLINE EFFECT: linear-gradient(180deg, gold-light, gold 55%, gold-
deep) on live text of 32px or larger only. Never apply it to the logo. Body
text stays solid.
LOGO: use the supplied gold RUC seal exactly as given. Never redraw, trace,
recolour, stretch, add effects or put text over it. Use a transparent-
background file (PNG 1200 px or larger, or SVG). Place it on ink, wine or
purple only; on documents it sits inside the wine or purple header band,
never directly on cream or white. Keep clear space around it equal to the
height of the crown. Suggested minimum width 56 px; below that use a
simplified favicon mark supplied by the designer, not an automatic crop. The
seal contains only the letters RUC, so every lockup pairs it with live text
'ROCK UC FOODS' and the tagline.
MOOD: dark, warm, candlelit, premium; generous spacing; real food
photography; subtle gold hairlines; soft glow allowed, no heavy shadows.
DOCUMENTS: cream paper, black text, gold hairline rule, readable in black-
and-white print. Invoice header band = wine with the word INVOICE. Receipt
header band = purple with the word RECEIPT.
NEVER: gold text on cream, wine text on ink, colour as the only signal, stock
or AI-generated dishes presented as the real food, star ratings or reviews
that do not exist.
CHECK: all text/background pairs at WCAG AA (4.5:1 body, 3:1 large). Report
the measured ratios.
```

5. Phase 0: Discovery, gap report and fixtures

Goal: find out what exists and what the real data looks like before any code is written. This phase changes no files.

Bring to this session (scrub customer names and numbers):

- Your menu as a CSV or spreadsheet: item, category, price in ₦, portion
- Your last 30 days of orders (WhatsApp or notebook, typed into a sheet is fine)
- Three real event quotes you have sent
- One sample bank statement showing how a transfer appears (account numbers removed)

```
[PASTE GLOBAL RULES FIRST]

PHASE 0 - DISCOVERY. Do not write or change any application code.

A. REPO AUDIT (skip if there is no repository): inspect framework, structure,
migrations, auth, env handling, deployment config. Produce a PRD-to-code GAP
REPORT as a table: requirement | status
(Completed/Partial/Missing/Unverified) | evidence (file path) | risk.

B. DATA PROFILE: for each attached fixture, report row count, columns, null
counts, duplicate rows, duplicate names within a category, price
min/median/max in kobo, price outliers (more than 3x the category median),
items with no category, inconsistent portion wording, and non-ASCII names.
Then profile the orders: orders per weekday, per hour, items per order, share
of delivery versus collection, repeat phone numbers.

C. SIZING: from the order data, state peak orders per day and per hour, and
confirm or correct the assumption of 15+ orders and 2+ events a week.

D. RISK REGISTER: top 10 production risks for this exact business, ranked,
each with the phase that blocks it.

E. QUESTIONS: list owner decisions still open (use the register in the
playbook).

Output the four mandatory headings. End with the proposed order of work and a
list of anything you need from me. Stop and wait.
```

Exit gate: you have a gap report (or a confirmed empty repo), a profile of your own menu and orders, a ranked risk register and at least decisions 1, 2, 4, 5 and 8 answered. If the AI invented menu data to fill a gap, reject the output and repeat.

6. Phase 1: Foundation, security and money utilities

Goal: a secure skeleton where money, roles and audit history are correct before any feature exists.

Risks blocked: float money, black-square ₦ in PDFs, role escalation, editable audit history, secrets in the browser.

```
[PASTE GLOBAL RULES FIRST]

PHASE 1 - FOUNDATION.

1. Scaffold Next.js App Router + TypeScript (strict) + Tailwind. Three
environments: development, preview, production, each with its own Supabase
project and its own Paystack keys (test keys everywhere except production).
Provide .env.example with variable names only.

2. Migrations (committed, repeatable): profiles (id = auth.users.id, role
enum 'owner'|'staff'|'developer', is_active boolean, full_name),
business_settings (single row, key/value json, updated_by), audit_logs (id,
actor_id, actor_role, action, entity, entity_id, before jsonb, after jsonb,
ip_hash, created_at).

3. audit_logs MUST be append-only: revoke UPDATE and DELETE from every role
and add a trigger that raises on update/delete. Write a test that proves an
UPDATE fails.

4. Auth: Supabase Auth email + password. Owner and developer accounts require
MFA. Revoked (is_active=false) accounts lose access on the next request.
Customers do NOT need accounts (guest checkout).

5. Authorization: one server-side helper requireRole(['owner']) used by every
protected action. Row Level Security enabled on every table with least-
privilege policies. Staff cannot change roles, settings or prices.

6. Money module (lib/money.ts) with unit tests: formatNaira(kobo: bigint):
string, parseNairaToKobo(input: string): bigint,
applyPercentRoundHalfUp(kobo, bps), MAX_KOBO constant. Use integer math only.
```

```
7. Font and brand tokens: choose a web font that contains U+20A6, embed the
same font file for PDFs, and add a test that renders ₦1,500.00 to a PDF and
asserts the extracted text contains the ₦ character. Tailwind tokens
generated from the BRAND KIT block (section 4B), including a gold-gradient
headline utility. Contrast must meet WCAG AA.

8. Rate-limit utility (per IP and per phone) for later public forms. Security
headers. A generic error page that never leaks stack traces.

Do not build any menu, order or payment UI in this phase.
```

Exit gate (all must pass, with output pasted):

Check	Expected result
formatNaira(123456789n)	₦1,234,567.89
parseNairaToKobo('1,500.5')	150050n
parseNairaToKobo('1.999'), '-5', 'abc', ''	all rejected with a clear error
applyPercentRoundHalfUp(333n, 750)	25n (7.5% of 333 = 24.975, rounds to 25)
UPDATE or DELETE on audit_logs	fails for every role
Staff user calls an owner-only action	403, and the attempt is audited
Deactivated user's next request	rejected
PDF with ₦1,500.00 run through pdftotext	contains ₦, no placeholder glyph
Secret-scan of the repo and the client bundle	no keys found

7. Phase 2: The editable menu

Goal: the owner changes dishes, prices, photos, extras and availability from a phone, with no developer, and no edit can ever corrupt an old order.

Risks blocked: a typed price becoming the wrong kobo amount, a price change rewriting past orders, a deleted dish breaking order history, two people overwriting each other, a sold-out dish still being ordered, uploads that crash or leak, and a stale public menu.

Design rules

- Items move through three states: **draft** (invisible), **published**, **archived** (hidden, kept). Items are never hard-deleted once an order references them. The foreign key is RESTRICT.
- Every edit saves a version row (before and after) and one tap restores the previous version.
- A price change shows a confirmation: 'Jollof Rice ₦3,500.00 to ₦4,000.00. Applies to new orders only.' Past orders keep their snapshot.
- 'Sold out today' is one tap and clears itself at 00:00 Africa/Lagos. Permanent unavailability is a separate toggle.
- Optimistic locking: each row has a `version` integer. A stale save is rejected with 'Someone else changed this item, reload'.
- Staff can toggle availability only. Owner edits everything (decision 2).
- Reordering works with up and down buttons, not only drag-and-drop, because drag fails on cheap phones.

Schema (kobo only)

```
create table menu_categories (
  id uuid primary key default gen_random_uuid(),
  name text not null check (length(name) between 1 and 60),
  sort_order int not null default 0,
  is_visible boolean not null default true,
  version int not null default 1
);
create unique index menu_categories_name_uq on menu_categories (lower(name));

create table menu_items (
  id uuid primary key default gen_random_uuid(),
  sku text unique,                       -- stable key for CSV re-import
  category_id uuid not null references menu_categories(id) on delete
restrict,
  name text not null check (length(name) between 1 and 80),
  description text check (length(description) <= 500),
  price_kobo bigint not null check (price_kobo >= 0 and price_kobo <=
100000000000),
  portion_label text,                    -- e.g. 'Serves 1' (owner-supplied)
  allergens text[] not null default '{}',
  image_path text,
```

```
  image_alt text,
  status text not null default 'draft' check (status in
('draft','published','archived')),
  is_available boolean not null default true,
  sold_out_until timestamptz,            -- set to next 00:00 Lagos by 'Sold
out today'
  is_featured boolean not null default false,
  sort_order int not null default 0,
  version int not null default 1,
  updated_by uuid references profiles(id),
  updated_at timestamptz not null default now()
);
create unique index menu_items_cat_name_uq on menu_items (category_id,
lower(name));

create table menu_option_groups (
  id uuid primary key default gen_random_uuid(),
  item_id uuid not null references menu_items(id) on delete cascade,
  name text not null,                    -- e.g. 'Protein', 'Extras'
  min_select int not null default 0,
  max_select int not null default 1,
  check (max_select >= min_select)
);

create table menu_options (
  id uuid primary key default gen_random_uuid(),
  group_id uuid not null references menu_option_groups(id) on delete cascade,
  name text not null,
  price_delta_kobo bigint not null default 0 check (price_delta_kobo >= 0),
  is_available boolean not null default true,
  sort_order int not null default 0
);

create table menu_item_versions (
  id bigint generated always as identity primary key,
  item_id uuid not null references menu_items(id),
  version int not null,
  snapshot jsonb not null,
  changed_by uuid references profiles(id),
  changed_at timestamptz not null default now()
);
```

Prompt

```
[PASTE GLOBAL RULES FIRST]

PHASE 2 - EDITABLE MENU. Phase 1 is complete and merged.

Build the menu data model exactly as in the playbook schema (migrations +
RLS), then:

A. OWNER MENU EDITOR (dashboard, mobile-first, usable one-handed):
   - List grouped by category with search and filters (published / draft /
archived / sold out).
   - Item form: name, description, category, price typed in naira and
converted with parseNairaToKobo ON THE SERVER (never trust a client-converted
number), portion label, allergens, photo, alt text, featured, option groups
and options with price deltas.
   - One-tap 'Sold out today' and 'Available' toggles on the list itself.
   - Up/down reorder buttons for items and categories.
   - Price-change confirmation dialog showing old and new values in ₦.
   - Version history per item with one-tap restore.
   - Archive instead of delete. Block hard delete when any order_items or
invoice line references the item.
   - Optimistic locking using the version column.
   - Every save writes menu_item_versions and audit_logs.

B. IMAGE UPLOAD: accept JPEG/PNG/WebP up to 5 MB, verify magic bytes (not
just the extension), strip EXIF, generate 400/800/1600 px WebP, store in a
public bucket with random file names. Reject everything else with a clear
message. If an item has no photo, show a neutral 'Photo coming soon' tile.
Never use stock or AI-generated food images.

C. CSV IMPORT/EXPORT: export the full menu. Import with a mandatory DRY-RUN
step that shows: rows to create, rows to update (old to new price), rows
rejected and why. Nothing is written until the owner presses Confirm. Match
on sku (or category+name). Reject duplicate names in a category, prices that
parse to more than MAX_KOBO, prices under 1 kobo, blank names, unknown
categories (offer to create). The commit is one database transaction: all
rows or none. Importing the same file twice must change nothing the second
time (idempotent). Cap at 500 rows.

D. PUBLIC MENU: server-rendered, shows only published items in visible
categories, hides empty categories, shows unavailable and sold-out items
greyed with 'Sold out today' (per decision 3) and disables add-to-cart.
```

```
Revalidate the public pages immediately on any menu change. Include a
complete empty-menu state and a failed-load state.

E. PRICE SAFETY: expose a server function getOrderablePrice(itemId,
optionIds) that is the ONLY source of prices for later phases. Add a database
check that raises if any published item has price 0 unless the owner flags it
as 'free item'.

F. TESTS: unit and integration tests for every rule above, using the golden
menu fixture in the playbook section 14. Show me output.

Do not build the cart or checkout yet.
```

Owner cheat sheet (give this to whoever edits the menu)

1. Change a price: open the item, type the new ₦ amount, confirm the old to new screen.
2. Dish finished for the day: tap 'Sold out today'. It resets itself at midnight.
3. New dish: add it as draft, add a photo and alt text, then press Publish.
4. Wrong edit: open Version history and tap Restore.
5. Many prices at once: export the CSV, edit it, import it, and read the dry-run before confirming.

Exit gate: the owner changes a price, adds a dish with an extra, marks a dish sold out and publishes a new photo from a phone, and the public menu updates within seconds. Past-order totals do not move. Importing the same CSV twice changes nothing the second time. A staff login cannot change a price.

7B. Phase 2B: Brand website built from the flyer

Goal: a premium public site that looks like the flyer, loads fast on a cheap phone and turns visitors into orders. It uses the live menu from Phase 2, so there are no hard-coded dishes or prices.

Risks blocked: the flyer pasted in as an image (no text for search or screen readers, slow, blurry on phones), invented claims, a five-star seal that reads as fake reviews, and a homepage with no clear way to order.

Homepage, section by section

#	Section	Content	Colour and style
1	Hero	Gold RUC seal with the 'ROCK UC FOODS' wordmark, 'Taste the Luxury', the supporting line, Chef Esther's approved portrait, 'ORDER NOW', a Call button	Ink background, gold-gradient headline, wine button with cream text
2	Four pillars	Exquisite Menu, Fresh & Quality Ingredients, Elegant Ambience (if true), Unforgettable Experience	Gold line icons on ink, gold hairline dividers
3	Featured dishes	Items flagged featured in the menu, with real photos, name and ₦ price	ink-2 cards, one yellow 'Featured' tag
4	How ordering works	1 Choose your dishes. 2 Our team confirms your request. 3 We deliver or you collect.	Cream section with ink text and wine numbers
5	Events and bulk catering	Short pitch and the enquiry button	Purple band, cream text, gold button border
6	Meet Chef Esther	Owner-approved short text and her portrait	Ink with a gold frame echoing the portrait's gold frames
7	Delivery and contact	Doorstep delivery line, delivery areas, phone, WhatsApp, Instagram, Lagos	Italic serif tagline, gold icons
8	Footer	Gold RUC seal, 'Authentic Nigerian Cuisine Redefined', links, privacy, terms	Ink, gold hairline

On mobile, a sticky bottom bar holds **Order Now**, **Call** and **WhatsApp** at all times.

Other pages: `/menu` with category jump links, `/events`, `/about`, `/contact`, `/privacy`, `/terms`.

```
[PASTE GLOBAL RULES AND BRAND KIT FIRST]

PHASE 2B - BRAND WEBSITE. Phases 1-2 are merged. Use the live menu from the database and the brand tokens only.

1. Build the homepage sections and pages in the playbook table, mobile-first, server-rendered, accessible.

2. TRUTH RULES FOR CONTENT: use only text from the playbook flyer table. Do not invent testimonials, ratings, awards, years in business, addresses, opening hours, prices or a chef biography. Where a fact is missing, show nothing or a clearly marked placeholder that cannot ship (a build-time check fails if any placeholder remains in production). Use the crown seal WITHOUT stars. Write 'doorstep'. Show the Elegant Ambience pillar only when the settings flag show_ambience_pillar is true.

3. HEADLINE: 'Taste the Luxury' is live HTML text with the gold gradient from the brand kit, not an image. The logo is the gold RUC seal supplied by the owner, as a transparent PNG or SVG in /public/brand. Use it unchanged: no redrawing, tracing, recolouring, effects or text over it. Build the lockup from the seal plus LIVE text 'ROCK UC FOODS' and the tagline, because the seal contains only the letters RUC. If only the white-background image exists, report it as a blocker and do not fake transparency; use a plain text lockup only as a temporary development placeholder marked TODO-LOGO, so the placeholder build check fails in production. Export 1x, 2x and 3x sizes.

4. CONTACT: tap-to-call tel:+2348033729125 and a WhatsApp link https://wa.me/2348033729125 with a prefilled greeting. Read the number from business_settings, never hard-code it in components. Instagram link comes from settings and stays hidden until the owner confirms the exact handle.

5. IMAGES: only owner-approved photos. Hero and dish images as responsive WebP, hero under 150 KB on mobile, explicit width and height, lazy-load below the fold, alt text on every image. No video autoplay. Decorative steam or glow animations respect prefers-reduced-motion.

6. ORDER NOW goes to /menu with the cart open, never only to WhatsApp. WhatsApp is a secondary option and is described as a shortcut.

7. SEO: unique title and meta description per page using the flyer's own lines, Open Graph image from an owner-approved asset, sitemap and robots, canonical URLs, and JSON-LD of type Restaurant containing only known facts (name, phone, area, logo). No address until decision 9, and NO
```

```
aggregateRating or review markup.

8. PERFORMANCE AND ACCESSIBILITY BUDGETS: Lighthouse mobile performance 85 or
higher and accessibility 95 or higher on a throttled 4G profile, Largest
Contentful Paint under 2.5 s, no layout shift from images, keyboard focus
visible in gold, every text/background pair at WCAG AA with the measured
ratios reported.

9. STATES: loading, empty menu ('Our menu is being updated, call us'),
closed-for-today banner from settings, offline message.

10. TESTS: placeholder check, contrast check, link check (tel, WhatsApp,
internal), Lighthouse run output pasted, and a screenshot at 360 px and 1280
px widths.
```

Exit gate: Lighthouse output pasted and within budget; the homepage on a real low-cost Android phone shows the hero and a tappable Order Now within three seconds on mobile data; no placeholder text, no star rating and no invented claim anywhere; tap-to-call and WhatsApp open the right number.

8. Phase 3: Ordering, alerts and expiry

Goal: a customer can place a request from a phone in under two minutes, staff are told immediately, and no request can sit unseen.

Risks blocked: manipulated totals, guessable order links, double submits, spam, overbooked days, orders nobody sees, and a WhatsApp click being mistaken for acceptance.

```
[PASTE GLOBAL RULES FIRST]

PHASE 3 - INDIVIDUAL ORDERING. Phases 1-2 are merged.

SCHEMA (migrations + RLS): delivery_zones (name, fee_kobo, is_active),
orders, order_items, order_events (status history).
- orders: id uuid, public_token (random 128-bit hex, unique), ref (human
label like ROC-251015-K7M2: date + 4 random base32 characters, unique, NEVER
used for authorization), order_status, payment_status (separate columns),
fulfilment_type ('delivery'|'collection'), zone_id, customer_name,
phone_e164, address, requested_for timestamptz, notes, subtotal_kobo,
delivery_fee_kobo, total_kobo, expires_at, idempotency_key unique,
created_at.
```

```
- order_items: order_id, menu_item_id, name_snapshot, option_snapshot jsonb, unit_price_kobo, quantity, line_total_kobo. Snapshot = copied at order time. Later menu edits never change it.
- All money columns bigint kobo with CHECK constraints (>= 0). total_kobo = subtotal + delivery fee, enforced by a CHECK.

CART: client-side for display only. The client sends ONLY item ids, option ids and quantities. The server loads prices from the database through getOrderablePrice, recomputes everything, and ignores any price, total or fee sent by the browser.

CHECKOUT VALIDATION: quantity 1-50 per line (configurable); total above a configurable ceiling goes to 'needs review'; unavailable, archived, sold-out or draft items are rejected with the item named; phone normalized to +234 E.164 (accept 080..., 234..., +234...); address required for delivery; requested time must be in the future; delivery zone must be active or the order is flagged 'manual delivery review'; honeypot field; rate limit per IP and per phone; idempotency key so a double tap creates ONE order; same phone + same items within 2 minutes returns the existing order instead of creating a second.

CAPACITY AND CUT-OFF: read max_orders_per_day and cut-off from business_settings. When a day is full, show 'We are fully booked for that date' and offer other dates. Defaults are 'unlimited' until the owner sets them.

AFTER SUBMIT: status 'awaiting_confirmation'. Show a confirmation page at /order/<public_token> that says plainly: 'Request received. It is NOT confirmed until our team confirms it.' A prefilled WhatsApp link is OPTIONAL and must be described as a shortcut, not as proof of sending. Guest status page shows status and items only, no other customer data.

ALERTS (mandatory): on every new order create an in-dashboard alert with a sound, and send an email to the configured recipients. Include ref, total in ₦, fulfilment type and requested time. Log delivery failures. Provide a 'needs attention' list for any order awaiting confirmation longer than the configured threshold.

EXPIRY: a scheduled job (database cron or scheduled function) marks unconfirmed orders 'expired' after the configured window, tells the customer by the channel they gave, and writes an order_event. A stale guest link shows a clear 'expired' state.
```

```
STATES: loading, empty cart, closed day, item went unavailable mid-checkout,
network failure on submit (safe to retry), expired order, unknown token
(generic 404, no hint whether it exists).

TESTS using the golden fixtures: manipulated total rejected; price edited in
the menu after ordering does not change the old order; sequential token
guessing returns 404; double submit creates one order; full day blocks;
expiry fires; alert row created.
```

Exit gate: twenty scripted test orders on a real phone, including a manipulated-total attempt, a double tap, a sold-out item and a full day. Your phone buzzes or the dashboard alerts within a minute of each. No order exists without a snapshot.

9. Phase 4: Staff dashboard and status rules

Goal: staff can see, confirm, prepare and complete every order from a phone, and illegal status jumps are impossible.

Risks blocked: orders prepared before confirmation, status changed by the wrong person, lost phone and WhatsApp orders, and the owner not knowing which day is overloaded.

Allowed order status transitions (anything else is rejected by the database, not just the UI):

From	To	Who
awaiting_confirmation	confirmed, rejected, expired, cancelled	owner, staff
confirmed	preparing, cancelled	owner, staff
preparing	ready, cancelled	owner, staff
ready	out_for_delivery, collected	owner, staff
out_for_delivery	delivered, failed_delivery	owner, staff
failed_delivery	out_for_delivery, cancelled	owner

From	To	Who
delivered, collected, rejected, expired, cancelled	none (final)	nobody

Payment status is a separate field: `unpaid`, `awaiting_verification`, `part_paid`, `paid`, `refunded`, `refund_pending`. An order can be `delivered` and still `unpaid`.

```
[PASTE GLOBAL RULES FIRST]

PHASE 4 - OPERATIONS DASHBOARD. Phases 1-3 are merged.

1. ORDER QUEUE (mobile-first): tabs Needs attention / Today / Upcoming /
Completed. Each card shows ref, customer, total in ₦, fulfilment type,
requested time, age of the request. Search by ref, name or phone. A new order
triggers the sound and a visible badge.

2. ORDER DETAIL: items from the snapshot, fees, notes, status timeline from
order_events, payment status, one-tap call and WhatsApp links to the
customer, internal notes.

3. STATE MACHINE: implement the allowed-transition table in the database (a
trigger or a function), plus UI buttons showing only legal next steps. Every
change writes order_events with actor and optional reason. Cancellation
requires a reason from a list. Write tests for every illegal transition.

4. PHONE / WHATSAPP ORDER ENTRY: staff form that builds an order through the
SAME server pricing function as the website, with source = 'phone' or
'whatsapp'. Staff cannot type a custom total. A price override needs owner
role, a reason and an audit record.

5. CAPACITY VIEW: a week calendar showing orders and events per day against
the configured limits, with days over capacity highlighted.

6. DELIVERY SETTINGS: owner edits delivery zones and fees (kobo), collection
address and cut-off times. Changes apply to new orders only.

7. ROLES: staff see operational pages only. Owner sees settings, menu prices,
staff accounts, reports and audit log. Add tests for both.

8. WEEKLY OWNER SUMMARY: an email every Monday 07:00 Africa/Lagos with last
week's orders, events, collected payments, outstanding balances, expired
orders and top five dishes.
```

Exit gate: try every illegal transition and confirm each is rejected. Enter a phone order as staff and confirm the total matches the website total for the same basket. Confirm a staff login cannot open settings or reports.

10. Phase 5: Event enquiries, invoices and receipts

Goal: an event enquiry turns into a correct, branded invoice and, after verified payment, a correct receipt, with a trustworthy history.

Risks blocked: invoice totals typed by hand, a changed invoice that overwrites the one the customer agreed to, a fake 'paid' receipt, two events on one date, and ₦ rendering as a blank box.

Lean first, full later. At about two events a week, build a draft/issued/revised invoice cycle. Add the full version-comparison screens only after real revisions become common.

Event statuses: `submitted`, `under_review`, `clarification_needed`, `quote_ready`, `invoice_issued`, `awaiting_payment`, `part_paid`, `paid`, `confirmed`, `preparing`, `ready`, `delivered_or_collected`, plus `rejected`, `cancelled`, `expired`. Same rule as orders: transitions are enforced in the database.

```
[PASTE GLOBAL RULES FIRST]

PHASE 5 - EVENTS, INVOICES, RECEIPTS. Phases 1-4 are merged. Decision 11
(tax) and decision 10 (event rules) may still be open: build them as
configuration, off by default.

1. EVENT ENQUIRY FORM (public): name, phone (+234 normalized), email
optional, organization, event type, event date, guest count, dishes and
quantities from the live menu OR free text, fulfilment type, address, arrival
time, notes. Validate date in the future, guest count 1-5000 (configurable),
phone format. Rate-limit. Guest tracking by random token. Alert staff exactly
like Phase 3. Check the event date against the daily event capacity and show
a warning to staff, not an error to the customer.

2. REVIEW SCREEN (owner/authorized staff): edit proposed items and unit
prices (from the menu by default, overridable with a reason), delivery
charge, discount (fixed kobo or percent, owner only), payment terms,
deadline, proposed timeframe. Show a running total computed on the server.

3. INVOICES: tables invoices, invoice_items (snapshot lines),
invoice_versions. Number from a database sequence formatted INV-YYYY-000123,
generated server-side only; document that sequence gaps can occur and explain
why they are acceptable. Status draft -> issued -> (revised | cancelled |
superseded). Drafts are editable. An issued invoice is immutable: a material
change creates a new version, the old one is marked superseded and stays
viewable. Totals: sum of line_total_kobo + delivery - discount (+ tax only if
enabled), checked by a database CHECK and a test.

4. PAYMENT INSTRUCTIONS: print only bank details stored in business_settings
by the owner. If none are configured, the invoice shows 'Payment details will
be sent by ROCK UC FOODS' and issue is blocked until the owner confirms.
Never invent bank details.

5. RECEIPTS: generated ONLY from a verified payment record (Phase 6 rules;
until then, an owner-confirmed manual payment). Numbered RCT-YYYY-000123.
Shows payment date, method, amount received, invoice total, paid to date,
balance. 'PAID IN FULL' only when verified payments >= invoice total;
otherwise 'PART PAYMENT' and the balance. If the delivery timeframe is not
yet confirmed, record the payment, keep fulfilment pending and mark the
receipt 'Timeframe to be confirmed'.

6. PDF: server-side, same brand tokens as the website, the gold RUC seal
embedded at print resolution inside the wine (invoice) or purple (receipt)
```

```
header band, ₦ glyph from the embedded font, A4, readable on a phone. Add a
test that extracts text from the PDF and asserts the amounts and ₦ appear.
Invoice and receipt must be visually distinct (title, colour band).

7. DOCUMENT ACCESS: private storage; customer links are signed, expire after
the configured period, and are tied to the document token. A customer can
never reach another customer's document. Add the IDOR test.

8. SHARING: PDF download, print, and a WhatsApp share link. Describe WhatsApp
as a convenience, never as proof of delivery.
```

Exit gate: a full event with a revision: issue, revise, confirm the old version remains and is labelled superseded. A receipt cannot be generated for an unpaid invoice. A PDF opened on a phone shows ₦ correctly. Guessing another invoice token returns 404.

11. Phase 6: Payments and reconciliation

Goal: the system records only money that was really received, once, in the right amount, against the right invoice.

Risks blocked: fake transfer screenshots and alerts, a customer's browser redirect treated as proof of payment, duplicate webhooks double-counting, wrong-amount payments, overpayment, and refunds that erase history.

Build order. Manual transfer verification first, because most of your customers will pay by transfer. Paystack second, behind a flag. Never test with live money.

Manual transfer verification checklist (built into the confirm screen)

The 'Confirm payment' button stays disabled until the person ticks every item:

1. The money is visible in the business bank account or official bank statement. A screenshot or an SMS alert alone is not proof.
2. The amount matches the invoice or the agreed instalment exactly.
3. The sender name or the narration matches the customer or the invoice number.
4. The credit date and the bank reference are typed in.
5. The confirming user is recorded. By default only the owner confirms (decision 15).

A payment starts as `awaiting_verification`. Only a confirmed payment counts toward the balance.

```
[PASTE GLOBAL RULES FIRST]

PHASE 6 - PAYMENTS.

SCHEMA: payments (id, invoice_id or order_id, provider 'manual'|'paystack',
provider_ref text, method, amount_kobo bigint CHECK > 0, fee_kobo bigint
nullable, status 'awaiting_verification'|'verified'|'failed'|'reversed',
verified_by, verified_at, bank_reference, created_at) with UNIQUE (provider,
provider_ref); payment_events (raw webhook ids, event type, received_at,
processed boolean, no card data, no secrets). Balance = invoice_total_kobo -
sum(verified payments) - approved adjustments, computed in SQL, never stored
as a trusted client value. CHECK that a verified total never exceeds the
invoice total unless an overpayment record with an owner reason exists.

PART A - MANUAL: build the checklist confirm screen above, the audit record,
correction by REVERSAL (a new negative-effect record with a reason, never an
edit or delete), and receipt generation from the verified record.

PART B - PAYSTACK (behind a feature flag, test keys only):
  1. Initialize on the SERVER with amount_kobo from the database and a
server-generated reference that includes the invoice or order id. Never
accept an amount from the browser.
  2. Webhook endpoint: read the RAW request body, compute HMAC-SHA512 of it
with the secret key, compare with the x-paystack-signature header using a
constant-time comparison, reject on mismatch with 401. Reject missing
signatures.
  3. On charge.success: look up by reference, call Paystack's transaction
verify endpoint server-side, and require status success, currency NGN, amount
equal to the expected kobo, and reference matching. Only then insert a
verified payment. Wrap in one database transaction.
  4. Idempotency: the UNIQUE (provider, provider_ref) constraint plus an
early return means a replayed webhook creates nothing new and still returns
200.
  5. Handle: webhook arriving before the customer's redirect, redirect with
no webhook yet (show 'awaiting confirmation', never 'paid'), failed,
abandoned, underpaid, overpaid, reversed and refunded events.
  6. The browser redirect or callback URL NEVER marks anything paid.
  7. Record fee_kobo if the verify response provides it, and keep gross and
net separate in reports (decision 13: who bears the fee).
  8. Daily reconciliation view: Paystack-verified payments versus internal
payment rows, flagging anything missing on either side.

TESTS (with golden fixtures): invalid signature rejected; same webhook sent
```

```
three times gives one payment; wrong amount rejected; wrong currency
rejected; part payment shows 'PART PAYMENT' and the right balance;
overpayment is blocked or routed to owner review; reversal restores the
balance and preserves history; failed payment generates no receipt.
```

Exit gate: in Paystack test mode, replay one signed webhook three times and show exactly one payment row. Confirm a manual payment through the checklist, then reverse it, and show both records. Show that the browser redirect alone leaves the invoice unpaid.

Open decision: ask Paystack whether pay-with-transfer or dedicated virtual accounts are available on your account. If they are, they remove most manual transfer checking. Treat this as a question for Paystack, not an assumption.

12. Phase 7: Reports, promotions and exports

Goal: the owner sees true numbers that reconcile to the cash received, and never mistakes gross sales for profit.

Risks blocked: unconfirmed requests inflating sales, a date range cutting at UTC midnight instead of Lagos midnight, popular-dish counts that mix quantity with orders, and spreadsheet formula injection through customer-typed text.

Definitions (put these on the report screen itself):

Metric	Exact definition
Gross order value	Sum of total_kobo for confirmed orders and issued event invoices in the period, before refunds and costs
Collected payments	Sum of verified payments received in the period, minus reversals
Outstanding balance	Issued invoice and order totals minus verified payments, for open items
Cancellations	Count and value of cancelled orders, with reasons
Expired requests	Count of unconfirmed orders that expired. Shown separately, never in sales
Popular dishes	Per dish: total quantity sold AND number of distinct orders containing it

Metric	Exact definition
Online versus manual	Collected payments split by provider

Nothing on any report is labelled profit.

```
[PASTE GLOBAL RULES FIRST]

PHASE 7 - REPORTS AND PROMOTIONS.

1. Build the report pages and SQL views for the definitions above. Date filters use Africa/Lagos day boundaries (start of day 00:00 to 23:59:59.999 Lagos), converted correctly for the database. Add a test with an order at 23:30 Lagos time that must land on that Lagos day.
2. Every report figure is computed from order_items snapshots and payments, never from the current menu prices.
3. Reports exclude awaiting_confirmation, expired and rejected orders from sales.
4. CSV export for orders, payments, reconciliation and popular dishes: UTF-8 with BOM so Excel shows ₦ correctly, money as plain decimal numbers in a column headed 'Amount (₦)' converted from kobo with integer math, no thousands separators inside numbers. PROTECT AGAINST FORMULA INJECTION: any text cell beginning with =, +, -, @ or a tab is prefixed with a single quote.
5. Reconciliation page: for any date range, orders total, invoices total, verified payments, outstanding, and a list of mismatches.
6. Promotions, simple only: featured dishes and a single optional banner or fixed-amount/percentage offer with start and end dates in Lagos time. Offers are applied by the server pricing function and appear as a separate line on the order and invoice. Expired offers stop applying automatically. No stacking.
7. Empty states for a day with no orders, and a clear message for a date range with no data.
```

Exit gate: pick a week and show that dish quantities sum to the same line totals as the orders, that collected payments equal the bank statement for that week, and that a customer note beginning with `=` is exported as plain text.

13. Phase 8: Production readiness and launch gate

Goal: prove the system is safe to take real money, and launch small first.

Risks blocked: a free-tier project pausing or having no backups, a launch on terms that forbid commercial use, a backup that has never been restored, and a launch before the owner has actually tested the flow.

```
[PASTE GLOBAL RULES FIRST]

PHASE 8 - PRODUCTION READINESS. Do not claim production readiness without
evidence. For each item below, report Completed / Tested / Partial /
Unverified and paste the evidence.

1. Run type-check, lint, build, and the full test suite. Paste the output.
2. Row Level Security audit: for every table list its policies. Then, with
two different test users, prove user A cannot read or change user B's orders,
invoices, receipts or documents. Prove staff cannot call owner-only actions.
3. Secret scan of the repository history and the built client bundle. Confirm
service-role and Paystack secret keys appear nowhere client-side.
4. Configure security headers, HTTPS only, production error handling with no
stack traces, and logging that contains no phone numbers, addresses or
payment payloads.
5. Dependency audit with the exact vulnerabilities and what was done.
6. Backups: state the plan's backup coverage, including storage files and
generated documents. Perform a RESTORE into a separate project and show that
orders, invoices, payments and menu images come back.
7. Monitoring: uptime check on the public site and the webhook endpoint,
error alerts to the owner, and an alert if the new-order alert or expiry job
fails to run.
8. Load sanity at 5x volume: submit 75 orders and 10 events in an hour on a
test environment, with no errors and no duplicate numbers.
9. Accessibility and performance on a low-cost Android phone with throttled
network: menu loads usably, tap targets 44px, contrast AA.
10. Legal pages: privacy notice written for the Nigeria Data Protection Act
2023 principles (collection limits, retention, access requests, consent for
marketing), terms, and cancellation policy with the owner's actual wording.
Mark them 'needs lawyer review' if unreviewed.
11. Deployment and rollback instructions, environment variable names (no
values), and a maintenance and incident runbook.
12. Produce the COMPLETION REPORT: features per phase, migrations, tests run
with results, security controls verified, payment and document flows tested,
known limitations, open owner decisions, rollback steps.
```

Hosting checks you do yourself before paying for anything:

- Confirm the hosting plan's terms allow a commercial business (some free tiers do not).

- Confirm the database plan includes automated backups and does not pause the project when idle.
- Confirm who owns the domain, database and hosting accounts. They must be in the owner's name.

Launch gate: all must be true, with evidence

Gate	Evidence
Menu, prices and photos approved by the owner	Owner sign-off message
Bank details and payment instructions verified by the owner	Screenshot of the settings page
Delivery zones, fees and collection rules approved	Settings export
Critical payment tests pass	Pasted test output
RLS cross-user test passes	Pasted test output
Restore test succeeded	Restore log
New-order alert reaches the owner's phone	Screen recording
Owner completes five real-style orders and one event end to end	Order refs
Refund and cancellation policy published	Link
Rollback tested once	Log

Soft launch: open to a small group of known customers for the first week, with the daily order cap set low, then raise it. Keep payments on manual verification until the first ten Paystack test-to-live reconciliations match the bank.

14. Golden fixtures and verification pack

Expected values below are computed by hand, so a test can never pass by agreeing with its own bug. **All names and prices are TEST-ONLY. They are not ROCK UC FOODS menu prices.** Load them only into development and preview databases.

Golden fixture A: test menu

SKU	Name	Price (₦)	Price (kobo)
T-001	Test Jollof Rice	3,500.00	350000
T-002	Test Peppersoup	4,200.00	420000
T-003	Test Plantain Side	1,200.00	120000
T-001-X	Option: Extra protein on T-001	+1,000.00	100000
ZONE-A	Test delivery zone A	1,500.00	150000

Golden fixture B: expected results

Case	Input	Expected
G1 delivery order	2 x T-001, 1 x T-003, zone A	subtotal 820000, total 970000 (₦9,700.00)
G2 option, collection	3 x (T-001 + extra protein)	unit 450000, total 1350000 (₦13,500.00)
G3 percent offer	10% (1000 bps) on 970000	discount 97000, total 873000
G4 rounding	7.5% (750 bps) of 333 kobo	25 kobo (24.975 rounds half up)
G5 part payment	invoice 1350000, deposit 500000	balance 850000, receipt says PART PAYMENT
G6 settle	then 850000	balance 0, receipt says PAID IN FULL
G7 overpay	then 850001 more	blocked or sent to owner review
G8 price edit after order	change T-001 to 400000 after G1	G1 total stays 970000

Edge fixtures (the cases that break real apps)

Case	Expected behaviour
Two dishes with the same name in one category	Rejected by the unique index
Price of 1 kobo and price of 0	1 kobo accepted; 0 blocked unless flagged as a free item
Price typed as '3,500.555' or '-100' or '3.5k'	Rejected with a clear message
Quantity 0, 51, or 999999	Rejected
Unicode name such as 'Ọfọ nsọ' and an emoji in notes	Stored and displayed correctly, exported correctly
Archived dish present in an old order	Old order still displays and totals correctly
Empty category	Hidden on the public menu
Order expired, then customer opens the link	Clear 'expired' state, no error
Phone typed as 0803..., 234803..., +234803...	All normalized to the same E.164 value
Order at 23:30 Lagos time	Counted on that Lagos date in reports
Customer note beginning with =	Exported as plain text

Verification queries (each must return the stated result)

```
-- 1. Order totals reconcile to line items (expect 0 rows)
select o.ref from orders o
join (select order_id, sum(line_total_kobo) s from order_items group by
order_id) i on i.order_id = o.id
where o.subtotal_kobo <> i.s or o.total_kobo <> o.subtotal_kobo +
o.delivery_fee_kobo;

-- 2. Line totals are quantity x unit price (expect 0 rows)
select id from order_items where line_total_kobo <> unit_price_kobo *
quantity;

-- 3. No money column is anything but bigint kobo (expect 0 rows)
select table_name, column_name, data_type from information_schema.columns
where table_schema = 'public'
```

```
  and ((column_name like '%kobo%' and data_type <> 'bigint')
    or (data_type in ('real','double precision','numeric')
        and column_name ~ '(price|amount|total|fee|balance|discount)'));

-- 4. Duplicate provider references (expect 0 rows)
select provider, provider_ref, count(*) from payments group by 1,2 having
count(*) > 1;

-- 5. Verified payments exceeding the invoice (expect 0 rows)
select i.id from invoices i
join payments p on p.invoice_id = i.id and p.status = 'verified'
group by i.id, i.total_kobo having sum(p.amount_kobo) > i.total_kobo;

-- 6. Manual verified payments with no verifier (expect 0 rows)
select id from payments where provider = 'manual' and status = 'verified' and
verified_by is null;

-- 7. Receipts not backed by a verified payment (expect 0 rows)
select r.id from receipts r
left join payments p on p.id = r.payment_id and p.status = 'verified'
where p.id is null;

-- 8. Orders with no item snapshot (expect 0 rows)
select o.ref from orders o left join order_items i on i.order_id = o.id where
i.id is null;

-- 9. Overdue unconfirmed orders that the expiry job missed (expect 0 rows)
select ref, now() - created_at as age from orders
where order_status = 'awaiting_confirmation' and expires_at < now();

-- 10. Guest tokens are random 32-hex strings (expect 0)
select count(*) from orders where public_token !~ '^[0-9a-f]{32}$';

-- 11. Audit log is immutable (expect an ERROR)
begin; update audit_logs set action = 'x' where id = (select id from
audit_logs limit 1); rollback;
```

Command-line checks

```
# Guest link guessing must return 404 every time
for i in 1 2 3 4 5; do curl -s -o /dev/null -w "%{http_code}\n"
https://STAGING-HOST/order/$i; done

# Webhook: use the body of a real Paystack TEST-mode charge so the verify
step can succeed
sig=$(printf '%s' "$BODY" | openssl dgst -sha512 -hmac
"$PAYSTACK_TEST_SECRET" | awk '{print $NF}')
for n in 1 2 3; do
  curl -s -o /dev/null -w "%{http_code}\n" -X POST https://STAGING-
HOST/api/paystack/webhook \
    -H "x-paystack-signature: $sig" -H 'content-type: application/json' --
data-binary "$BODY"
done   # expect 200 three times, then exactly ONE payments row for that
reference
curl -s -o /dev/null -w "%{http_code}\n" -X POST https://STAGING-
HOST/api/paystack/webhook \
  -H 'x-paystack-signature: bad' -H 'content-type: application/json' --data-
binary "$BODY"   # expect 401

# PDF must contain the naira sign and no placeholder squares
pdftotext receipt.pdf - | grep -c '₦'     # expect 1 or more
pdftotext receipt.pdf - | grep -c '■'     # expect 0
```

15. Recovery prompts: when the AI builder goes wrong

Paste the right line straight back into the session. Most failures are repeats of the same few mistakes.

If the AI…	Say this
Says 'all tests pass' with no output	'Paste the exact command and its full output. Anything not shown is Unverified.'
Uses float, decimal or numeric for money, or divides prices by 100 in the browser	'Money is bigint kobo only. Convert with parseNairaToKobo on the server. Show me every money column and its type.'

If the AI…	Say this
Shows ■ or 'NGN' instead of ₦	'Display the ₦ sign (U+20A6). Prove it with pdftotext on a generated PDF and a screenshot of the web page.'
Invents menu items, prices, bank details, reviews, awards or an address	'Remove every invented fact. Use only the playbook flyer table and owner data. Mark gaps as owner decisions.'
Adds the five-star seal or a rating	'There are no customer reviews. Remove stars and any rating markup.'
Trusts totals, prices or statuses sent by the browser	'The client sends ids and quantities only. Recompute everything on the server and add a test that sends a manipulated total.'
Uses order numbers or the ref in URLs for access	'Access is by the random 128-bit public_token only. Add a test that guesses sequential values and must get 404.'
Deletes a menu item or rewrites old order prices	'Archive only. Orders keep snapshots. Show me the foreign key and the test that changes a price after an order.'
Marks a payment as paid from the browser redirect	'Only a verified, signature-checked, amount-matched server record counts. The redirect never marks anything paid.'
Edits or deletes financial or audit rows	'Corrections are new reversal records with a reason. Show that UPDATE and DELETE are revoked on these tables.'
Skips Row Level Security or tests with one user	'List every table's policies, then prove cross-user access fails with two users.'
Builds the whole project in one reply	'Stop. Work only on the current phase. List what you did not do.'
Changes files outside the task or adds libraries unasked	'Revert unrelated changes. Justify every new dependency in one sentence or remove it.'
Gives code fragments for a fix	'Give the complete corrected file to replace the old one.'

If the AI...	Say this
Uses UTC for reports	'Use Africa/Lagos day boundaries. Show the 23:30 test.'
Leaves placeholders such as lorem ipsum or TODO text in production paths	'Add a build check that fails on placeholders, and list every remaining one.'
Reports a feature as complete when a dependency is an open owner decision	'Label it Partial. Name the decision from the register it waits on.'

If a session gets long and confused, start a fresh one. Paste the Global Rules, the Brand Kit, the phase prompt and a three-line summary of what is already merged. Never ask the AI to 'remember' earlier work.

16. Appendix

A. Menu CSV template

The `price_ngn` column is plain text such as 3500.00, parsed to kobo on the server. Edit the file in a text editor or import the price column as text, because spreadsheets can silently change numbers. The three rows below are **TEST-ONLY** and are not your menu.

```
sku,category,name,description,price_ngn,portion_label,allergens,status,availa
ble,featured,sort_order
T-001,Test Rice,Test Jollof Rice,TEST ONLY,3500.00,Serves
1,,draft,true,false,10
T-002,Test Soups,Test Peppersoup,TEST ONLY,4200.00,Serves
1,fish,draft,true,false,20
T-003,Test Sides,Test Plantain Side,TEST ONLY,1200.00,Serves
1,,draft,true,false,30
```

B. Who can do what

Action	Owner	Staff	Developer	Customer or guest
Browse menu, place order or enquiry	yes	yes	yes	yes
View own order by token	yes	yes	yes	yes, own only

Action	Owner	Staff	Developer	Customer or guest
Confirm or reject orders, move status	yes	yes	yes	no
Toggle sold-out and availability	yes	yes	yes	no
Edit dishes, prices, photos, extras	yes	no	yes	no
Import menu CSV	yes	no	yes	no
Enter phone or WhatsApp order	yes	yes	yes	no
Override a price on an order	yes, with reason	no	no	no
Issue or revise invoices	yes	only if the owner grants it	no	no
Confirm manual payments	yes	only if the owner grants it	no	no
Approve refunds	yes	no	no	no
View reports and export CSV	yes	no	yes	no
Manage staff accounts and settings	yes	no	yes	no
Read the audit log	yes	no	yes	no

The developer role is a separate account with MFA, full audit logging and a written revocation step. The developer cannot confirm payments or approve refunds, so the person who builds the system cannot also move its money.

C. Environment variable names (values never go in the repository)

Variable	Secret	Note
NEXT_PUBLIC_SITE_URL	no	Public site address

Variable	Secret	Note
NEXT_PUBLIC_SUPABASE_URL	no	Safe in the browser
NEXT_PUBLIC_SUPABASE_ANON_KEY	no	Safe in the browser only because RLS is on
SUPABASE_SERVICE_ROLE_KEY	yes	Server only. Never prefixed NEXT_PUBLIC_.
PAYSTACK_SECRET_KEY	yes	Server only. Test key outside production.
PAYSTACK_PUBLIC_KEY	no	Needed only if inline checkout is used
FEATURE_PAYSTACK_ENABLED	no	Defaults to false
FEATURE_MANUAL_PAYMENTS_ENABLED	no	Defaults to false until decision 12
ORDER_ALERT_EMAILS	yes	Recipients of new-order alerts
EMAIL_PROVIDER_API_KEY	yes	For alerts and the weekly summary
CRON_SECRET	yes	Protects the expiry and summary endpoints
DOCUMENT_LINK_TTL_HOURS	no	Signed document link lifetime

Any variable beginning with NEXT_PUBLIC_ is visible to every visitor. Never put a secret in one.

D. Suggested git tags

`phase-0-gap-report`, `phase-1-foundation`, `phase-2-menu`, `phase-2b-website`, `phase-3-ordering`, `phase-4-ops`, `phase-5-events-docs`, `phase-6-payments`, `phase-7-reports`, `phase-8-launch`. If a later phase breaks something, you can return to the last tag that passed its gate.