

1 / 50 · chats

The list of chats: Will, the people, “Your queue” (12 examples, 2 models) and, under the people, “AI models”.




2 / 50 · models

AI models: search, “For you”, “Ready to use”, “Still learning”, “What do I get?”, the models from most mature, each with “Started by” and how far it is.




3 / 50 · models-empty

A search that finds nothing: “No models here yet.” and “Start the first one”.




4 / 50 · whatget

“What do I get?”: three cards, for teachers, founders of a model and businesses.




5 / 50 · model-public

A public model's page as anyone sees it: how far it is, who teaches it, “Teach it” and “Try it”.




6 / 50 · door

The door before teaching a public model: three bubbles and “This is my field”.




7 / 50 · teach-judge

Teaching a confidence model: the coach panel's Judge, the clip, “Does the speaker sound confident here?”, Yes, In-between, No, Audio unclear. No machine guess.




8 / 50 · teach-counts-both

One answer for two models: the same question on the same scale, with “Counts for Speaking confidence and Interview voice: both ask this question”.




9 / 50 · teach-scale

A newcomer teaching a 1 to 5 model (the quiet trust check runs behind it).




10 / 50 · teach-follow

A different question about the same clip, right after: “Pitch feedback for founders asks something else about the same clip: …”.




11 / 50 · teach-pick

A company's own text example: “A client writes:”, the question, three replies, “Your company’s own example: it teaches only Northwind sales replies.”




12 / 50 · teach-words

After the pick: “Now say how you would answer them, in your own words.” with “Record your answer”.




13 / 50 · admitted

The trust check let them in: “Your answers now count.”




14 / 50 · not-yet

After 20 answers the trust check is not sure yet (drafted words).




15 / 50 · queue

Your queue: one row per model taught, its count, Pause; “Start” and “Add an example you know well”.




16 / 50 · queue-empty

The queue with nothing waiting: “Nothing waits for you.”




17 / 50 · add

Add an example: which model, “Record one”, “Upload a file”, “It counts once another teacher agrees with your answer.”




18 / 50 · setup-1

Describe · 1 of 3: “What problem should your model solve?”




19 / 50 · setup-2

Describe · 2 of 3: “How do you solve it today?”




20 / 50 · setup-3

Describe · 3 of 3: “How will you teach your model?”




21 / 50 · setup-similar

The sheet over the third answer: “A model like yours already exists”, “Teach this one”, “Set up mine anyway”.




22 / 50 · setup-5

Shape: what it will do (a score, a pick, an answer) and its name.




23 / 50 · setup-6

Shape: the scale, a word for every point; “Start with this, finish the rest later”.




24 / 50 · setup-20

Shape: the teachers' question and the list to pick from (N570, drafted words).




25 / 50 · setup-7

Shape: the AI behind each part; GPT-4o, Mistral, Llama marked Soon.




26 / 50 · setup-8

Shape, optional: starting rules from research, each with its source.




27 / 50 · setup-9

Shape, optional: existing data to upload.




28 / 50 · setup-10

Shape: what each column holds; a column that names a person is left out.




29 / 50 · setup-11

Shape: “We checked your data.” The counts, how the scores spread, the consent box.




30 / 50 · setup-12

Shape: the final exam, 100 clips set aside by two experts.




31 / 50 · setup-13

Shape: the teachers' steps, Shorter and Longer.




32 / 50 · setup-21

Shape: the founder answers the first 10 (N570, drafted words).




33 / 50 · setup-14

Share: “Who can see your model?” Private or Public.




34 / 50 · setup-15

Share: the disclaimer before going public.




35 / 50 · setup-16

Share: invite teachers, or the whole company team.




36 / 50 · owner-new

A model just started: “ready to learn”, the checklist, “Sell it through an API” locked.




37 / 50 · owner-needs

The owner's page weeks later: “Needs you now” (points 3 and 4), how far, agreement, the folds.




38 / 50 · version

“Version 1 is ready”: the case-by-case comparison and “Release version 1”.




39 / 50 · price

“Set your price”: − and +, suggestions, the split with Infrastructure, the slider.




40 / 50 · earnings

A teacher's earnings: their share of the version, the answers that trained it, the next payout.




41 / 50 · card

A ready model's card: good at, not so good at, not for, its exam, when it isn't sure, its version.




42 / 50 · try

Trying a model: “I’m not sure about this one, so I won’t guess.” and “Not sure · a coach will answer”.




43 / 50 · use

“Use it in your business”: the price, the free test key, the monthly limit.



44 / 50 · key

The secret key, shown once.




45 / 50 · code

The code: JavaScript, Python, curl; “sure” in every answer.




46 / 50 · usage-free-used

Usage after the test key's 100 free answers (drafted words).




47 / 50 · usage-pinned

Usage after version 2 passed: the key stays on version 1 until the business switches (drafted words).




48 / 50 · profile

The profile's AI models: make public, archive, download its data.



49 / 50 · download

Download its data: what it holds, and the licence.



50 / 50 · invite

An invite stays in the chat after “Not now”.

