The App Model: the stories

The developer's reference (N574): compare each story with the code; the decisions log wins.

A checklist to compare with the code · 9 November 2026 · from the backend's decisions log (newest wins), the rules pages and both repos' main

Each story is a test: tick it when the code does what it says. Its thumbnail is the model's phone at the story's screen (app-model.html, Show), with its prototype linked as a reference; a story with no screen there has its own locked prototype, linked. The decisions log wins over the code: a story marked "differs" is a bug to fix in the code.

312 stories built 202 partly 20 not built 71 differs 19

The way in 12

☐ `WAY-01` **The first page is the link field** built

Given a person who is not signed in opens willpowerlab.com or the iPhone app; **when** the first page loads:

- "Sign in" sits in the top corner; under the breathing mark and "WillpowerLab" comes "See an example"
- a field drawn like Will's message field reads "Paste your link"; the send arrow shows only once something is typed
- under it: "No link yet? Join the waitlist"; "Enter the lab" is not on this page
- the iPhone app opens on this page, not on sign-in

Rules N471 items 4 and 5 · consent-screens.md "Amended 2026-11-04: by invitation"

Code `frontend src/components/invite/InviteLanding.tsx:24` `frontend src/components/invite/InviteLanding.tsx:60` `frontend src/components/invite/inviteCopy.ts:8`

Tests `src/components/invite/invite.test.tsx`



screen `landing`

☐ `WAY-02` **A pasted link opens its join page; a bad one says so** built

Given the first page with the link field; **when** the person pastes something and taps the arrow:

- a link (or its token) of the form /c/<token> opens that person's join page
- anything else shows "This link doesn't work. Ask whoever sent it for a new one." under the field

Rules N471 items 2 and 5

Code `frontend src/components/invite/LinkField.tsx:17` `frontend src/components/invite/inviteCopy.ts:26`

Tests `src/components/invite/invite.test.tsx`



screen `landing`

☐ `WAY-03` **The waitlist, by one of the sign-in ways** built

Given a person with no link; **when** they tap "No link yet? Join the waitlist":

- "Join the waitlist with:" and one button per way, in order: Google, LinkedIn, WhatsApp, Email
- in the iPhone app Apple's own "Sign in with Apple" comes first; on the web there is none
- one email "{Name} wants to join WillpowerLab" reaches contact@willpowerlab.com with the person as Reply-To; the founder answers by hand; the app sends the person nothing

Rules N471 items 3, 5 and 9 · N480

Code `frontend src/components/auth/SignupForm.tsx:200` `backend services/membership.py:253`

Tests `src/components/invite/invite.test.tsx` `tests/test_membership.py`



screen `waitlist`

☐ WAY-04 A waiting account sees the waitlist every time built

Given a person signed up after 4 November 2026 12:00 UTC without joining through a link; **when** they open the app:

- "You're on the waitlist" and "If we say yes, we'll email a link to {email}." with the link field
- nothing else of the app opens until they join through a link

Rules N471 item 3 · N480 item 1

Code `frontend src/components/invite/WaitingScreen.tsx:15` `frontend src/components/invite/MembersOnly.tsx:17` `backend services/membership.py:63`

Tests `src/components/invite/invite.test.tsx` `tests/test_membership.py`



screen `waiting`

☐ WAY-05 No guest path: nobody records without an account built

Given a visitor who is not signed in; **when** they try to reach the chat or record:

- /chat sends them to the first page (a deep link such as the coach's feedback goes to sign-in and back)
- the processing-authorization path refuses any account that is not in, so no recording reaches a provider

Rules N471 item 1 · Never 3

Code `frontend src/components/invite/MembersOnly.tsx:17` `backend services/membership.py:77`

Tests `tests/test_membership.py` `src/components/invite/invite.test.tsx`

Note The walk page's A4 (a guest's "Done" and account ask, ReadySignUpScreen.tsx) and N273 still describe a guest's first Take; N471 retired the guest path, so A4 and that screen are dead weight to tidy in the docs.



screen `landing`

☐ WAY-06 The join page: who invites you, then one tap built

Given someone opens a colleague's link /c/<token>; **when** the join page loads:

- it says who invites them and what they get, with "Join" (signing in first if they must)
- after joining they land on the list of chats: Will on top, the inviter's chat under him marked new with "You joined through {name}'s link."

Rules N308 · N457 items 1 and 2 · N471 item 2

Code `frontend src/app/c/[token]/JoinPage.tsx:48` `backend services/chat_links.py:154`

Tests `src/app/c/[token]/JoinPage.test.tsx` `tests/test_chat_links.py`



screen `join`

☐ WAY-07 Your own link never expires, ten joins a day built

Given a member with their link (☰ "Copy my link"); **when** people open it:

- the link keeps working until its owner renews it
- after 10 people join through one link in a day, the next go to the waitlist

Rules N471 item 7

Code `backend services/chat_links.py:106` `backend services/membership.py:81`

Tests `tests/test_chat_links.py` `tests/test_membership.py`



screen `add.link`

claude.ai/artifact/HSELYXuS99xctnHRVBo1e4

WAY-08 Sign up and sign in: the ways offered partly

Given a person on /signup or /login; **when** they pick a way:

- Google, LinkedIn, WhatsApp and Email are offered; Apple only in the iPhone app
- a "Microsoft" button beside Google (N401 item 6, signed)
- an existing email on sign-up is told it is in use; a failed provider sign-in retries once

Rules N401 items 6 and 7 · N365 item 2

Code `frontend src/components/auth/LoginForm.tsx:16` `frontend src/components/auth/GoogleAuthButton.tsx:1` `frontend src/components/auth/AppleAuthButton.tsx:14`

Tests `src/components/auth/LoginForm.test.tsx` `src/lib/auth/oauthRetry.test.ts` `tests/test_signup_email_in_use.py`

Note No Microsoft sign-in exists in the code; N401 item 6 decided and signed it.



screen `signin`

WAY-09 WhatsApp as a way in: number, code, name built

Given a person who picks WhatsApp; **when** they give their number:

- the number field finds a country by flag, name or code
- a code arrives on WhatsApp (only when the sign-in service asked for it); a new person then gives their name
- they are in without an email or a password

Rules N214 · N230 · N232

Code `frontend src/components/auth/WhatsAppAuth.tsx:1` `backend services/login_code.py:1`

Tests `src/components/auth/WhatsAppAuth.test.tsx` `src/components/phone/PhoneNumberField.test.tsx` `tests/test_login_code.py`



screen `signin`

WAY-10 Everyone lands on the list of chats, Will first built

Given any signed-in member, on the web or in the iPhone app; **when** they open /chat with no link:

- the list of chats: Will pinned first, then their chats, newest first
- with nobody yet: Will and "Add someone to chat with", and no demo chats
- the loader, never Will's chat, stands in front until the list has answered (or a kept list draws at once)

Rules N456 item 1 · N401 item 6 · customer-requests.md C1

Code `frontend src/components/willab/chats/ChatList.tsx:298` `frontend src/components/willab/chats/chatsKept.ts:1`

Tests `src/components/willab/chats/chats.test.tsx`



screen `list`

WAY-11 One top bar per place built

Given a member moving between the list and a chat; **when** they open a chat, Will's included:

- the WillpowerLab bar shows on the list only
- every chat has its own top bar: back, the circle (or Will's mark), the name
- back from a chat goes to the list; from the list it goes nowhere

Rules N456 item 2 · N321 · N334 · N378

Code `frontend src/components/willab/chats/TopBar.tsx:19` `frontend src/components/willab/chats/TopBar.tsx:71`

Tests `src/components/willab/chats/chats.test.tsx`



screen `list`

☐ `WAY-12` **Links open where they say, in the app too** built

Given a speaker taps a coach's or an invite link in Messages, WhatsApp or Mail; **when** the iPhone app is installed:

- the link opens in the app on that page, never in Safari
- signed in to another account, the person is told so and taken to log in with the right one

Rules N401 item 6 · N357

Code `frontend src/lib/nativeLinks.ts:1` `frontend src/components/willab/OtherAccountLink.tsx:1`

Tests `src/lib/nativeLinks.test.ts` `src/components/willab/OtherAccountLink.test.tsx` `src/app/api/auth/callback/route.test.ts`



screen `other.account`

claude.ai/artifact/5RQsbVpt1F8NMtSbTs7wwB

Consent 7

☐ `CON-01` **One acceptance screen, one tick** built

Given a new member after the in-app welcome ("Enter the lab"); **when** the acceptance screen shows:

- the voice mark, the agreement text, and "Terms of Service · Privacy Policy · How AI is used here" as links, each "read ✓" once opened
- "Choose your country *" (Poland, United States (California), then by name; nothing preselected but an earlier answer)
- one tick: "I agree that WillpowerLab may process my recordings. *"
- "Agree and continue" opens only after a country and the tick; "Do not agree" beside it; no heading, no Back
- the documents open in a window and never gate the button

Rules consent-screens.md "Amended 2026-10-18: one screen" · N111

Code `frontend src/components/willab/Phase1AcceptanceFlow.tsx:229` `frontend src/lib/legal/acceptanceSteps.ts:1`

Tests `src/components/willab/Phase1AcceptanceFlow.test.tsx` `src/lib/legal/acceptanceSteps.test.ts`



screen `accept`

☐ `CON-02` **"Do not agree" records nothing** built

Given the acceptance screen; **when** the person taps "Do not agree":

- "Nothing was recorded" with "Go back" (back to the screen) and "Read the documents again" (the Terms window)
- no processing permit exists, so nothing can be recorded

Rules consent-screens.md "Amended 2026-10-18: one screen"

Code `frontend src/components/willab/Phase1AcceptanceFlow.tsx:330`

Tests `src/components/willab/Phase1AcceptanceFlow.test.tsx`



screen `accept`

☐ `CON-03` **What you accept is exactly the signed text** built

Given a policy version in force (today Terms 3.10, Privacy 3.12); **when** the person agrees:

- the receipt records exactly the stored text they were shown; the Terms and Privacy pages show that same text, readable signed out
- a page that cannot load the policy says so plainly, never an endless spinner

Rules N472 · N482 · N95

Code `frontend src/components/legal/PublishedPolicyText.tsx:1` `backend services/processing_authorization.py:93`

Tests `src/lib/legal/policyText.test.ts` `src/services/api/processingAuthorization.test.ts` `src/components/legal/PublishedPolicyText.test.tsx` `tests/test_phase1_policy_3_12.py` `tests/test_published_policy_text.py`



screen `accept`

CON-04 A newer policy is accepted in one tap built

Given a speaker who agreed to an older policy; **when** they open the app or their Take is refused for it:

- the policy update card says what changed and opens the normal acceptance screen with their last country filled in
- a Take refused for the old policy goes through once they accept

Rules N111 · consent-screens.md "Amended 2026-10-21"

Code `frontend src/components/willab/PolicyUpdate.tsx:1` `frontend src/components/account/PolicyUpdateCard.tsx:1`

Tests `src/components/willab/PolicyUpdate.test.tsx` `src/components/account/PolicyUpdateCard.test.tsx` `tests/test_country_asked_once.py` `tests/test_reacceptance_signal_postgres.py`



screen `accept`

CON-05 Every provider call carries the speaker's own permit built

Given any recording, transcription, summary or AI call about a speaker; **when** the server reaches a provider:

- it goes through the processing-authorization path under that speaker's permit, background threads and admin calls included
- with no permit it is refused; an expired permit on a retry is reissued; a brief database hiccup does not fail the Take

Rules CLAUDE.md "How to ship" · N58

Code `backend services/processing_authorization.py:82` `backend services/authorized_provider.py:1`

Tests `tests/test_authorized_provider_scope.py` `tests/test_phase1_processing_postgres.py` `tests/test_admin_speaker_permit.py` `tests/test_provider_permit_reissue.py` `tests/test_provider_permit_dropped_connection.py`



screen `wait.permit`

claude.ai/artifact/6v4vE
hppupQc9LC2tzbD6H

CON-06 A consent asked in the chat means what you tapped built

Given Will asks for an optional consent in the chat; **when** the speaker answers:

- Yes saves it exactly as the Data & consent page would; No saves nothing
- a No stops the same ask for 30 days

Rules N111 · feedback-walk-and-chat.md J7

Code `frontend src/components/willab/ConsentAsk.tsx:1` `backend services/person_asks.py:1`

Tests `src/components/willab/ConsentAsk.test.tsx` `tests/test_person_asks.py`



screen `will.after`

CON-07 Optional consents never block recording built

Given a speaker who declines coach review, training or personalised practice; **when** they record:

- they can still record and get their Ideal Text and walk
- the training switch is hidden until offered, off by default, and turned off only after a signed confirm; withdrawing reaches the next model

Rules N7 · Never 3

Code `frontend src/components/account/TrainingConsentCard.tsx:1` `backend services/training_consent.py:1`

Tests `tests/test_optional_consent_postgres.py` `src/components/account/TrainingConsentCard.test.tsx` `tests/test_withdrawal_reaches_the_model.py` `tests/test_training_switch.py`



screen `settings`

The first Take 15

FT-01 Will's welcome, then one button built

Given a new member who has just agreed; **when** Will's chat opens for the first time:

- four grey bubbles: "Hi {name}, and welcome. We'd like to learn what you know and what you could teach others."; "Your first Take is a short introduction: five questions, one slide each. Answer out loud, as you'd explain it to a friend. At the end, you'll get a few words on how you came across."; the Wozniak line; "Record somewhere quiet, ..."
- no question in the chat; the bar's middle is "Start your first recording"
- nothing of the notebook, the Sunday note or life goals shows while onboarded

Rules N492 · N401 item 1 · N483 item 2 · the-plan.md A1, A5

Code `backend services/plan.py:51` `backend services/plan_flow.py:418` `frontend src/components/willab/Lounge.tsx:1559`

Tests `src/lib/willab/firstTake.test.ts` `tests/test_plan_flow.py`

screen `will.hi`

FT-02 "Start your first recording" opens the five questions at once built

Given Will's welcome with "Start your first recording" in the bar; **when** the speaker taps it:

- the recording screens open at once on the five questions: no set-up, no "How do you feel?"
- the strip's clock counts up, with no length chosen
- Back, Next slide, and Finish take on the fifth slide

Rules N401 item 2 · N449 · the-plan.md §2 "The first Take is the onboarding"

Code `frontend src/lib/willab/firstTake.ts:1` `frontend src/components/willab/Lounge.tsx:1559`

Tests `src/lib/willab/firstTake.test.ts`



screen `first.slide`

FT-03 The five slides, as signed built

Given the first Take's recording screen; **when** the speaker moves through it:

- "Your field": "What do you know better than most people you meet?" ("The thing people come to you for.")
- "Worth sharing": "What could you teach someone in five minutes that would save them a year?" ("Something you learned the hard way.")
- "Who it's for": "Who would be glad you told them?" ("Picture one person: a colleague, a customer, a friend.")
- "A moment": "When did it make a difference? Take us to that day." ("Where you were, what happened, what changed.")
- "Your one thing": "If they remember one sentence from you, what should it be?" ("Say it the way you'll say it.")

Rules N462 item 2 · Never 4

Code `frontend src/lib/willab/firstTake.ts:45` `backend services/plan.py:161`

Tests `src/lib/willab/firstTake.test.ts`



screen `first.slide`

FT-04 The slide is a centered poster built

Given a Take with no uploaded deck (the five questions, the default presentation, an answer's question); **when** a slide is on screen:

- one idea in the middle of the dark slide: the label in small spaced capitals, the question large and heavy a little above the middle, the hint quiet under it, no orange line
- with no helper words it fills the space down to the strip with a mark per slide; with helper words it keeps the 16:9 box so they keep their place
- an uploaded deck is drawn as itself

Rules N462 items 4 and 5 · recording-screens.md "The poster"

Code `frontend src/components/willab/SlideStage.tsx:22` `frontend src/components/willab/pdfSlides.tsx:328`

Tests `src/components/willab/recordingPoster.test.tsx`



screen `first.slide`

FT-05 While Take 1 is processed, Will checks what he heard `not built`

Given the speaker has finished their first Take; **when** it is processed:

- the processing labels sit in a thin row at the top of Will's chat instead of the processing screen
- Will says "While your feedback is being prepared, check what I heard.", then one tap each: "Here's how others will see you", the plan card, "Which team are you in?" (only with no link), the agreement, "You're set"
- the walk's row turns orange when the walk is ready; nothing waits for the checks

Rules N401 item 3 · N453 · the-plan.md §2 "Next"

Code `frontend src/components/willab/ProcessingWait.tsx:29`

Tests *none*

Note Take 1 still shows the full processing wait (ProcessingWait.tsx) and opens the walk after it; the signed line "While your feedback is being prepared, check what I heard." is in no code. the-plan.md §2 lists it as Next.



screen `first.wait`

FT-06 "Here's how others will see you" `not built`

Given Take 1's slide 1 ("Your field") is heard; **when** Will shows the profile card:

- the role, one line of About, up to three topics said most, as "Ask about {topic}"; the name from sign-up
- "That's right" keeps it; "Change it" brings "Tell me what to change.", answered out loud
- others see the card only after "That's right"; the topics go on the person's profile

Rules N400 · N453 item 2

Code `backend services/plan_flow.py:1081`

Tests *none*

Note Locked with the setup prototype (N400) but not built; until it is, N503 asks the join questions when a person first shares their link.



screen `first.wait`

FT-07 After Take 1's walk, the plan from its answers `differs`

Given the first Take's walk has ended; **when** Will reads the five answers:

- the answers are kept for Will and the plan (slide 2 as the voice message and slide 5 as the key line, each with its voice, for the coach's blind pick)
- "You're all set. Here's your plan." and the plan card; with no day heard, the plan takes two months and nothing is asked

Rules N564 · N401 item 4 · N459 item 1 · N462 item 3 · the-plan.md E1

Code `backend services/plan_flow.py:1172` `backend services/plan_flow.py:1065`

Tests `tests/test_plan_flow.py` `tests/test_plan.py`

Note N564: the plan has no deadline unless the speaker chose to prepare a talk; its length is three levels of four Takes, not two months. the-plan.md §2 still says Will "asks 'When is your deadline?' when no day was said"; the code follows N459 (no deadline question after a Take). The page's line is stale.



screen `plan.card`

FT-08 Take 1's Ideal Text is the five answers `built`

Given Take 1 is processed; **when** the speaker opens its Ideal Text:

- one paragraph per question, the questions as its slides
- Take 1 stays in the history as the five answers

Rules N401 item 4 · Never 5

Code `backend services/transcript_document.py:1` `frontend src/lib/willab/firstTake.ts:1`

Tests `tests/test_transcript_document_build.py` `src/lib/willab/firstTake.test.ts`



screen `ideal`

FT-09 "Record Take 2" is the real talk, in the same project built

Given the first Take's goodbye; **when** the speaker taps "Record Take 2" (it is there at once, no extra tap):

- "How do you feel?" with its Skip, then the set-up afresh with the plan's topic
- the slides step says "Skip for now" when no slides were added
- the recording screen says "Take 2 · Slide 1 of 3"; the project takes its new slides from Take 2

Rules N449 items 1 to 3 · N401 item 4 · N257

Code `frontend src/components/willab/Lounge.tsx:1565` `frontend src/components/willab/RecordingSetup.tsx:65`

Tests `src/lib/willab/firstTake.test.ts` `src/components/willab/recordingSetup.test.tsx`



screen `setup`

WID-04 While Take 1 is processed, one question: what would you like to do here first? not built

Given a newcomer whose Take 1 is being processed, after "Here's how others will see you:" and, on a member's link, the business's community; **when** the wait goes on:

- "What would you like to do here first?" with "Something else" (first, it opens the typing box), "Learn from others", "Share what I know" and "Prepare a talk"
- several may be tapped, then "Send" in the bar's middle; each answer opens its own branch
- a coach's link goes the coach's own way and never sees it; nothing is asked that the five slides answered

Rules N487 item 1 · N453 · Never 3 · Never 4 · N572 · N573

Tests *none*

Note Drafted words, for the founder's OK. N573 replaces the hand-off's draft answers; the choice is drawn here as N573 words it, not the hand-off's onb.first.



screen `first.choice`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

FT-10 "Prepare a talk" asks when it is, with "No date yet" not built

Given a newcomer who tapped "Prepare a talk" in the first choice; **when** they send it:

- "When is it?" once, with "No date yet" (or a date); nobody else is asked a date
- with a date the plan card shows it and the summary session is offered before it

Rules N564 items 1 and 6 · N572 · N573

Tests *none*



screen `first.talk`

FT-11 "Share what I know" brings the questions for people who join into the wait not built

Given a newcomer who tapped "Share what I know"; **when** the wait goes on:

- the questions for people who join (N487), with the languages for someone who spoke two
- until that is built they come at the first share (N503, N534)

Rules N572 item 1 · N573 item 3 · N487

Tests *none*



screen `first.share`

FT-12 The agreement for people in a team or sharing partly

Given a newcomer in a team, or one who chose "Share what I know"; **when** the plan card has come:

- the data processing agreement and "Do you accept it?" with "I agree"
- nobody else is asked it on the way in

Rules N572 item 4 · N453 item 5

Tests *none*

Note Built for people in a team (N453 item 5); for sharers it is decided (N572 item 4), not built.



screen `first.agree`

FT-13 One "You're set."; sharers also find their link and their questions not built

Given a newcomer at the end of the way in; **when** the agreement (if any) is accepted:

- one "You're set."
- for sharers also "Copy my link ›" and "Your questions for people who join ›"
- then the walk

Rules N572 item 1

Tests *none*



screen `first.set`

FT-14 "Learn from others": where it leads awaits the founder's OK not built

Given a newcomer who tapped "Learn from others"; **when** they send it:

- it takes the place "Ask my team something" had in N572's tree
- where it leads is drafted; its new words wait for the founder's OK (Never 4)

Rules N573 item 2 · Never 4

Tests *none*



screen `first.learn`

Recording 12

REC-01 "How do you feel?" opens on the tap built

Given a speaker with a Take behind them; **when** they tap the black "Record Take N":

- "How do you feel?" is on screen at once, no fade and no wait for the consent read
- Nervous, Excited, Calm, Not sure, and Skip; a pick or Skip starts the Take only once the fresh consent read agrees
- it is the only thing before any Take but the first

Rules N549 · N151 · the-plan.md A4, D4 · Never 3

Code `frontend src/components/willab/FeelingsCheckIn.tsx:37` `frontend src/components/willab/LabOverlay.tsx:362`

Tests `src/components/willab/FeelingsCheckIn.test.tsx` `src/components/willab/labEntryOpensAtOnce.test.tsx`



screen `feel`

REC-02 The set-up of a new talk built

Given a new project's first Take (or Take 2 after the introduction); **when** the set-up opens:

- the topic first (filled from what Will heard), then the length, then the slides, then start
- "Skip for now" when no slides were added; "Start recording" with slides
- a slide deck that is not a PDF or is over 20 MB gets a plain reason before upload

Rules N449 item 3 · N141 · recording-screens.md §2

Code `frontend src/components/willab/RecordingSetup.tsx:72` `frontend src/components/willab/presentation.ts:1`

Tests `src/components/willab/recordingSetup.test.tsx` `src/components/willab/presentation.test.ts` `tests/test_presentation_extract.py`



screen `setup`

REC-03 Getting your mic ready, then the Take starts by itself built

Given a later Take, after the feelings check; **when** the Lab opens:

- "Getting your mic ready" with "Same presentation as Take 1" (or the stand-in's line) under it
- the recording screen glides in and recording starts by itself; nothing to approve
- the helper words are on the first slide already, never waited for more than 1.5 s

Rules recording-screens.md "The flow" 2 · N70

Code `frontend src/components/willab/LabOverlay.tsx:535` `frontend src/hooks/useDualCaptureMic.ts:1`

Tests `src/components/willab/labRootsBeforeTake.test.tsx` `src/hooks/useDualCaptureMic.test.tsx` `src/components/willab/presentationInPlay.test.ts`



screen `rec`

REC-04 The recording screen built

Given a Take is recording; **when** the speaker looks at the screen:

- top bar: "Take N · Slide n of m" on the left, close on the right; no "Recording" label
- the slide close under the bar, then every helper word in orange (none on Take 1); no slide dots
- the strip: dot, clock, bar; under it "Back" (greyed on slide 1) and "Next slide"; on the last slide "Finish take", red, the only way to end

Rules recording-screens.md "The flow" 3 · N70

Code `frontend src/components/willab/LabOverlay.tsx:2046` `frontend src/components/willab/recordingCopy.ts:16`

Tests `src/components/willab/recordingStillFrame.test.tsx`



screen `rec`

REC-05 Only the buttons move a slide; keys never end a Take built

Given the recording screen; **when** the speaker swipes, scrolls or uses the keyboard:

- a swipe, scroll, wheel or trackpad never moves a slide; ← and → do what Back and Next slide do
- Next slide sends slide and helper words left, the next in from the right; the bar, strip and buttons never move
- on the last slide → and Space only bounce; only the red Finish take ends a Take

Rules recording-screens.md "How it moves" · N70.1

Code `frontend src/components/willab/useRecordingGestures.ts:1` `frontend src/lib/willab/recordingGesture.ts:1`

Tests `src/components/willab/recordingStillFrame.test.tsx`



screen `rec`

REC-06 Closing asks first built

Given a Take recording; **when** the speaker taps close:

- "Discard this take?" / "This recording has not been saved." / "Keep recording" / "Discard take"
- the dialog takes the keyboard when it opens; a stray Escape never discards

Rules recording-screens.md "The flow" 4

Code `frontend src/components/willab/DiscardTakeDialog.tsx:41`

Tests `src/components/willab/discardTakeDialog.test.tsx`



screen `rec`

REC-07 Never a reload, never a silent loss built

Given a Take exists only in the tab; **when** the speaker pulls down, refreshes or closes the page:

- pulling down never reloads, on a phone or the web
- refreshing or closing before the server has the Take shows the browser's own "Leave page?" warning

Rules N553 item 1 · recording-screens.md "How it moves" · Never 3

Code `frontend src/components/willab/labLeaveGuard.ts:1` `frontend src/lib/willab/useNoPullToRefresh.ts:1`

Tests `src/components/willab/labLeaveGuard.test.tsx` `src/components/willab/recordingNoPullRefresh.test.tsx` `src/lib/willab/useNoPullToRefresh.test.tsx`



screen `rec`

REC-08 A finished Take waits on the device until the server has it built

Given the upload of a finished Take did not complete (no signal, app killed); **when** the app next opens or the connection comes back:

- the Take, saved once at Finish, goes up again with the same upload key, so the server never makes it twice; it then shows as processing
- while it goes up the record button waits with "One moment — finishing your last take."
- it is deleted once the server has it, when discarded, after 7 days, or when a newer Take of the project already reached the server; never sent under another account

Rules N556 · N553 item 2 · Never 3 · Never 5

Code `frontend src/lib/willab/takeOutbox.ts:1` `frontend src/components/willab/useTakeResend.ts:1`

Tests `src/lib/willab/takeOutbox.test.ts`

Note N556 item 4: the Privacy line about the device copy waits for the next privacy version.



screen `rec`

REC-09 A bad Take can be discarded while it uploads built

Given a Take still uploading; **when** the speaker discards it:

- it leaves no trace
- once the server has it, discarding is no longer offered

Rules recording-screens.md "The rules" (LIVE LOOP)

Code `frontend src/components/willab/labUploadStage.ts:1`

Tests `src/components/willab/labProcessingDiscard.test.tsx`



screen `wait`

REC-10 Each word lands on the slide it was said on built

Given a speaker taps Next slide while talking; **when** the Take is transcribed:

- slide taps are lined up with the recording's clock, even when the recorder started late
- the transcript splits into one paragraph per slide at the moment of each slide change; silent slides are kept

Rules contract 8, 10 · N29

Code `frontend src/components/willab/willabHelpers.ts:1` `backend services/slide_word_split.py:61`

Tests `src/components/willab/willabHelpers.test.ts` `tests/test_slide_word_split.py` `tests/test_slide_clock_offset.py` `src/components/willab/readout.test.ts`



screen `rec`

REC-11 The server sets the Take's thresholds built

Given a short or a very long Take; **when** it is recorded:

- the minimum-speech floor and the "this Take is getting long" warning come only from the server
- a short but valid Take is not rejected; progress is shown only with a real threshold and total

Rules recording-screens.md "The rules"

Code `frontend src/services/api/recordingConfig.ts:1` `backend services/min_content_gate.py:1`

Tests `src/services/api/recordingConfig.test.ts` `src/services/api/recordingProgress.test.ts` `tests/test_a_short_take_meets_the_served_floor.py`



screen `rec`

REC-12 Uploading a file instead of recording built

Given a speaker who uploads an audio file; **when** it is too large or a video:

- it is refused before upload with a plain reason

Rules recording-screens.md "The rules"

Code `frontend src/components/willab/audioUploadValidation.ts:1`

Tests `src/components/willab/audioUploadValidation.test.ts`



screen `setup`

Processing 8

PRO-01 The wait: one quiet column built

Given the speaker tapped Finish take; **when** the Take is processed:

- the breathing mark, the stage label and its percent, a rounded bar, and "Usually about a minute."; nothing to read or scroll
- the bar shows 1% from the first second and never full before the Ideal Text is ready
- once the server holds the Take the Lounge takes the wait over at once, full screen, never the chat in between

Rules feedback-walk-and-chat.md A1 · N110 · recording-screens.md "The flow" 5 · N271 · N273

Code `frontend src/components/willab/RecordingAnalysisPresentation.tsx:22` `frontend src/lib/willab/waitProgress.ts:1` `backend services/processing_progress.py:91`

Tests `src/lib/willab/waitProgress.test.ts` `tests/test_processing_progress.py`



screen `wait`

☐ PRO-02 The progress talks in words built

Given the processing wait; **when** a stage changes:

- the message is words about the Take, at most two sentences, no counts
- the percent moves on real work only

Rules Never 1 (a processing percent is allowed) · feedback-walk-and-chat.md A1

Code `frontend src/components/willab/flowCopy.ts:1` `backend services/processing_progress.py:104`

Tests `src/components/willab/flowCopy.test.ts` `tests/test_processing_progress.py`



screen `wait`

☐ PRO-03 The chat while it waits built

Given the processing wait; **when** the speaker taps its ✕:

- the chat shows, where "Processing your recording" waits with the typing dots
- a tap on it opens the wait again; the bar's "Record Take N" is faded while the Take is processed

Rules feedback-walk-and-chat.md A1, B8 · N483 item 2

Code `frontend src/components/willab/ProcessingWait.tsx:29`

Tests `src/components/willab/useLoungeThread.test.tsx`



screen `wait`

☐ PRO-04 From the Take straight into the walk built

Given processing finishes, on the wait or in the chat, or after the speaker came back to the app; **when** the Take is ready:

- the walk opens by itself; the wait stays over it until the walk's first step is on screen
- the chat is never shown in between; with nothing to walk, the wait lifts onto the Ideal Text
- the wait lifts at the latest after 90 s of asking for marks plus the eight-second last resort, or when no lens came after five seconds

Rules feedback-walk-and-chat.md A2 · N110 · N319 item 10 · contract 44

Code `frontend src/lib/willab/waitHandover.ts:1` `frontend src/lib/willab/lensScreen.ts:1`

Tests `src/components/willab/takeIntoWalk.test.tsx` `src/lib/willab/waitHandover.test.ts` `src/lib/willab/lensScreen.test.ts` `src/lib/willab/documentSettle.test.ts`



screen `wait`

☐ PRO-05 The marks are ready with the Take built

Given the Take's core analysis is done; **when** the speaker hears "ready":

- the feedback marks are baked in the same run, on the Take just told ready
- the page asks for late marks until 90 s are up, then says so; a placeholder with nothing to report closes

Rules feedback-walk-and-chat.md A1 · WIL-76

Code `backend services/ideal_text_feedback_bake.py:1` `backend services/analysis_worker.py:125`

Tests `tests/test_bake_after_ready.py` `tests/test_ideal_text_bake_fresh_head.py` `tests/test_ideal_text_bake_in_flight.py` `src/lib/willab/enrichmentSettle.test.ts` `tests/test_analysis_worker.py`



screen `wait`

PRO-06 Processing survives a dying worker built

Given a worker dies, a job is delivered twice, the queue is down, or a deploy lands; **when** a Take is in processing:

- it is processed once; a stuck Take is recovered or closed off instead of spinning forever
- a retry reuses the same Recording Attempt and never adds a Take

Rules contract 5, 43

Code `backend services/job_queue.py:1` `backend services/lab_analysis_dispatch.py:1`

Tests `tests/test_processing_jobs.py` `tests/test_wedged_job_wall_clock.py` `tests/test_lab_analysis_dispatch.py` `tests/test_orphan_sweep_and_concurrency.py` `tests/test_scheduler_keeper.py` `tests/test_take_promotion_survives_a_dropped_connection.py`



screen `will.failed`

claude.ai/artifact/4zD6T jw4MWjooqWq6z4FAL

PRO-07 When feedback can't be made built

Given the Take's feedback or Ideal Text failed; **when** the app learns it:

- it tries once more by itself, then says so with "Try again"
- an Ideal Text that could not be built gets one message with Retry and "view feedback"
- a "failed" note is cleared when the server says the Take finished after all; no failure is claimed without asking the server

Rules contract 43 · Never 3

Code `frontend src/components/willab/FeedbackFailedNotice.tsx:1` `frontend src/components/willab/useFailedTakeRecheck.ts:1` `frontend src/components/willab/loungeReports.ts:1`

Tests `src/components/willab/FeedbackFailedNotice.test.tsx` `src/components/willab/useFailedTakeRecheck.test.ts` `src/components/willab/loungeReports.test.ts` `src/components/willab/useLabReadoutLive.test.tsx`



screen `will.after`

PRO-08 The progress poll shows only progress built

Given the app polls a processing job; **when** the job is unknown or someone else's:

- the answer is the same as for an unknown job: no stage, transcript or owner leaks
- any error shows only generic text, no paths or secrets

Rules Never 1 · Security

Code `backend routes/jobs.py:1`

Tests `tests/test_jobs_status_route.py` `tests/test_error_sanitization.py` `tests/integration/test_api_seams.py`



screen `wait.permit`

claude.ai/artifact/4zD6T jw4MWjooqWq6z4FAL

The walk 22

WALK-01 The walk opens with hello and, from Take 2, last time built

Given the walk opens after a Take; **when** its first bubbles land:

- "Hi {name}." ("Hi." with no name on the account)
- when the last Take's fix (one the walk opened on screen) rose on this Take: "Last time: {the tip}. You did." with this Take's clip on that slide; a fix never seen is never named

Rules feedback-walk-and-chat.md C0, C0a · N309 item 1 · N347 item 3

Code `frontend src/lib/willab/walkThread.ts:1` `backend services/take_progress.py:117`

Tests `src/components/willab/walk/oneThingWalk.test.tsx` `tests/test_take_progress.py`



screen `walk.hi`

☐ WALK-02 The coach's word comes first, when there is one built

Given this Take has a word from the coach; **when** the walk opens:

- "Your coach:", the coach's bubble (video or words), then "Continue"
- only this Take's word opens it; an earlier Take's word stays in the chat

Rules feedback-walk-and-chat.md C1 · N48.3 Q11 A · N80

Code `frontend src/components/willab/useCoachStep.ts:1` `frontend src/components/willab/walk/FeedbackWalk.tsx:1`

Tests `src/components/willab/coachMessageStep.test.tsx` `src/components/willab/walk/feedbackWalk.test.tsx` `tests/test_bake_serves_the_coachs_answer_fresh.py`

screen `walk.coach`

☐ WALK-03 Their best, and why it worked built

Given the walk after the hello; **when** the praise step lands:

- the clip with its words, then "To our ears, this one sounded really sure." or "To us, this one sounded really sure." in turn, and "Why it worked: {the moment's signed cue line}"
- praise compares the speaker only with themselves and never shows a number

Rules N565 item 7 · feedback-walk-and-chat.md C2 · N309 item 1 · Never 1

Code `frontend src/components/willab/idealEditCopy.ts:541` `frontend src/components/willab/idealEditCopy.ts:542` `backend services/moment_pick.py:193`

Tests `src/components/willab/walk/oneThingWalk.test.tsx` `src/lib/willab/praiseLane.test.ts` `tests/test_moment_pick.py`

Note Built (frontend #1328): "To our ears..." and "To us..." in turn (N565 item 7). With rings.WALK_VOICE on, Will writes the line by the founder's rules and falls back to these.



screen `walk.best`

☐ WALK-04 The fix opens as a moment to try built

Given the walk has a fix after their best; **when** the fix step begins:

- the line "And here's one moment to try another way:"
- words to a speaker describe a moment and invite a try; they never say the speaker is lacking

Rules N557 items 1 and 3 · feedback-walk-and-chat.md C2, K · Never 4

Code `frontend src/components/willab/idealEditCopy.ts:545` `frontend src/components/willab/walk/FeedbackWalk.tsx:2315`

Tests `src/components/willab/walk/walkCopy.test.ts`

Note Built (frontend #1317, N557 item 1).



screen `walk.fix`

☐ WALK-05 A good Take says the rest held up built

Given a One thing walk with no fix and no moment below the floor; **when** the walk passes their best:

- "The rest of this Take held up just as well." after their best and before its helper words, said once in the chat too
- a walk whose weak moment went to a coach, or whose fix was lost, says nothing new

Rules N557 item 2 · N551 · feedback-walk-and-chat.md C2, K

Code `frontend src/components/willab/idealEditCopy.ts:549` `frontend src/components/willab/walk/FeedbackWalk.tsx:654` `backend services/take_feedback_policy_v3.py:1264`

Tests *none*

Note Built (frontend #1317, N557 item 2).



screen `walk.best`

☐ WALK-06 One fix, one moment, the tool by the kind of weakness built

Given a Take with a moment whose voice shows a problem; **when** the server picks the walk's moments:

- two moments: their best, praised, and the fix on the less confident moment (the weakest whose voice shows what the AI clip teaches)
- when its words need help too and its Clearer version passes the gate, the Clearer version first; when its words are fine, its AI clip
- a Clearer version that does not reach the walk gives its place to the same moment's AI clip; never "the closest exercise"

Rules N548 · N547 · N536 · feedback-walk-and-chat.md C2, H1

Code `backend services/moment_pick.py:259` `backend services/take_feedback_policy_v3_service.py:597` `frontend src/lib/willab/walkPlan.ts:1`

Tests `tests/test_moment_pick.py` `src/lib/willab/walkPlan.test.ts` `tests/test_take_feedback_policy_v3.py`



screen `walk.fix`

☐ WALK-07 The moments move through the talk built

Given a speaker with helper words on some slides and earlier walks; **when** the moments are picked:

- a sentence holding its slide's helper words is never a fix; a fix that worked last time is not given again there
- a worked slide counts a little lower unless its moment clearly stands out
- the fix prefers another part of the talk than their best's; across Takes the praised and fixed parts move on

Rules N546 · N543 · N359 · N246

Code `backend services/moment_pick.py:345`

Tests `tests/test_moment_pick.py`



screen `walk.best`

☐ WALK-08 The Clearer version: Try it or Keep mine built

Given the fix is a Clearer version (the words need help: fillers or hedges at 3+ per 100 words, or a word that undermines the speaker); **when** it is shown:

- the speaker's words with their clip, then "Say it straight:" and the sentence in bold
- "Try it" (with the record dot) records on the new sentence; "Keep mine" says "Your words it is." and records on their own
- the rewrite marks only what changed and invents no words

Rules feedback-walk-and-chat.md C5, H3 · N309 item 1 · N435

Code `frontend src/components/willab/idealEditCopy.ts:547` `backend services/rewrite_gate.py:92` `frontend src/lib/willab/clearerPieces.ts:1`

Tests `tests/test_rewrite_gate.py` `src/lib/willab/clearerPieces.test.ts` `tests/test_clearer_versions_reach_the_manager.py` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.fix`

☐ WALK-09 The AI clip: your voice, saying it like your best built

Given the fix is the AI clip; **when** it is shown:

- the fix moment's clip with its words (the phrase bold), "Say this one like your confident moment:", their best's clip again, then the tip ending ", like this:" and the AI clip
- the clip is made once, checked before it is shown, remade once with a new seed if it fails, never a third time; a failed one is never shown
- with no clip, the tip in words; the moment is trimmed so a clip can always be made

Rules feedback-walk-and-chat.md C4, H2 · N309 item 1 · N425 · N459 item 3 · ai-voice-practice.md §2

Code `backend services/ai_voice_clip.py:454` `frontend src/components/willab/walk/WalkAiVoice.tsx:1`

Tests `tests/test_ai_voice.py` `src/components/willab/LoungeAiVoiceBubble.test.tsx`



screen `walk.fix`

☐ WALK-10 Practise: two tries, answered in words built

Given the fix step's recorder (the one recording bar in the dock); **when** the speaker tries:

- a try that lands: "Yes. That's it." and Next; one miss: "Close. Once more." with "Try it" and Skip; two: "Good try. Take it with you." and Next
- a try not heard: "We couldn't hear that clearly. Try again."
- a try is a Good job when its voice score rises 0.05 over the original; the number never reaches the screen

Rules feedback-walk-and-chat.md C7 · ai-voice-practice.md §2 item 2 · N84 · Never 1

Code `frontend src/components/willab/walk/useWalkPractise.ts:142` `backend services/practice_check.py:1` `frontend src/components/willab/walk/RecordingStrip.tsx:25`

Tests `src/components/willab/walk/walkPractise.test.tsx` `src/lib/willab/walkPractise.test.ts` `src/services/api/practiceCheck.test.ts` `tests/test_practice_check.py` `tests/test_a_practise_try_is_read_fast_postgres.py`



screen `walk.practise`

☐ WALK-11 The tempo game in a pace week built

Given a Take whose pace scale finds a rushed or dragged stretch (ring row tempo_step); **when** the walk reaches the fix:

- the stretch marked over its clip; "That part went fast. 🏃 Let's try a little game." (or slowed down 🐢); "Tell me more about {topic}, and keep the ball in the green."; "🤫 Find a quiet spot first."
- "I'm ready" wakes the scale and starts the recording bar; Will guides each try ("That landed. 🎯 Really better. Let's move on.")
- after a third try without landing, a one-line summary and Next

Rules feedback-walk-and-chat.md T1 to T7 · the-plan.md G8 · N245 · N323 item 6

Code `frontend src/lib/willab/tempoStep.ts:1` `frontend src/components/willab/walk/WalkTempo.tsx:1` `backend services/tempo_stretch.py:58`

Tests `src/lib/willab/tempoStep.test.ts` `tests/test_tempo_stretch.py` `src/lib/willab/pace/paceSignal.test.ts`



screen `walk.tempo`

☐ WALK-12 From Take 2, one moment of another speaker built

Given Take 2 or later, right after the speaker's try; **when** the judged moment lands:

- "Let's see how you find this voice. It helps us understand you and serve you better.", then the clip and "Does this sound confident to you?"
- 👍 Yes, 😐 In-between, 👎 No, large and full width; the answer is blind and becomes a label only with another matching answer
- Take 1 judges no one; no new Take is shared with other speakers; the training corpus fills the gap

Rules feedback-walk-and-chat.md C8, I1 · N309 item 2 · N508 · N479 item 2

Code `frontend src/components/willab/idealEditCopy.ts:573` `frontend src/components/willab/walk/WalkOthers.tsx:1` `backend services/label_quorum.py:1`

Tests `tests/test_label_quorum.py` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.judge`

☐ WALK-13 The helper words, on their own built

Given after the fix and the judged moment; **when** the helper-words step lands:

- "These are your helper words. They'll appear on screen during your next take, to remind you of what you learned here.", then the words alone, in bold
- they stay until the speaker picks new ones; an answered step's pill reads "Edit the helper words"

Rules feedback-walk-and-chat.md C3 · N309 item 3 · Never 5

Code `frontend src/components/willab/idealEditCopy.ts:577` `backend services/recording_roots.py:1`

Tests `tests/test_helper_words_own_text.py` `tests/test_recording_roots.py` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.helpers`

WALK-14 "Lesson done." and Close built

Given the last step of the walk; **when** the speaker reaches the end:

- "Lesson done." and a Close pill; Close writes the review's end and goes back to the chat
- no "Record Take N" and no summary inside the walk

Rules feedback-walk-and-chat.md C9 · N309 item 4

Code `frontend src/components/willab/walk/FeedbackWalk.tsx:281`

Tests `src/components/willab/walkEnd.test.tsx` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.end`

WALK-15 The lens is one chat that grows by taps built

Given the walk is open (the lens); **when** the speaker moves through it:

- full screen, 18.5px text, 22px corners, no picture beside a bubble, ‹ › and ✕ in the bar, no message box, no scrollbar
- nothing swaps: each step lands under the one before; the typing dots are the only wait
- the step's buttons are a dock; a tap in the One thing walk adds no bubble of the speaker's
- on a phone a swipe left is next and right is back; scrolls and short drags do nothing

Rules feedback-walk-and-chat.md B2, B5, B7, B8 · N452 item 1 · N435 item 2 · feedback-walk-and-chat.md J3, J4

Code `frontend src/components/willab/walk/WalkThread.tsx:1` `frontend src/components/willab/walk/useWalkSwipe.ts:1` `frontend src/lib/willab/walkMotion.ts:1`

Tests `src/components/willab/walk/walkSwipe.test.tsx` `src/components/willab/walk/feedbackWalk.test.tsx` `src/lib/willab/walkThread.test.ts`



screen `walk.best`

WALK-16 A walk opened again keeps what is left to do built

Given a walk already opened once; **when** the speaker opens it again from the chat:

- what was done is read only: every answered step and try, no Next
- the first thing left to do (a step never reached, a choice not made, a practise stopped) stands at the bottom with its own buttons
- Close at the bottom once nothing is left; a changed coach word not yet seen still goes step by step from the word

Rules N542 · N539 · feedback-walk-and-chat.md B9, B10

Code `frontend src/components/willab/walk/FeedbackWalk.tsx:1`

Tests `src/components/willab/walk/walkReplay.test.tsx` `src/lib/willab/walkReplay.test.ts` `src/components/willab/wave2Walk.test.tsx`



screen `walk.replay`

WALK-17 Every door opens the walk the same way built

Given a Feedback walk bubble, a step's bubble, a paragraph, the coach's word; **when** the speaker taps it:

- the whole Take's walk opens, standing on that step, the parts before and after there to scroll
- ✕ goes back where it was opened from (the chat, or the Ideal Text page)

Rules feedback-walk-and-chat.md B10, B11 · N89

Code `frontend src/components/willab/IdealTextOverlay.tsx:1255`

Tests `src/components/willab/wave2Walk.test.tsx` `src/components/willab/walk/coachUpdateLens.test.tsx`



screen `walk.best`

WALK-18 Every moment the walk shows reaches a coach built

Given a speaker meets a moment in the walk (opened or skipped); **when** the walk shows it:

- the moment is in the coach's queue
- a weak moment no tool reaches goes to a coach as a blind moment to judge, with nothing new for the speaker
- an alarm fires when new speakers' moments stop reaching coaches

Rules CLAUDE.md promise 1 · feedback-walk-and-chat.md I5 · coach-panel.md D3 · N550

Code `backend services/coach_moments_queue.py:270` `backend services/judgement_follow_up.py:195`

Tests `src/components/willab/walkReachesCoach.test.ts` `tests/test_coach_reach_alarm.py` `tests/test_exercise_coach_requests_postgres.py`



screen `coach.queue`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

WALK-19 The walk never waits for a coach built

Given no coach has answered yet; **when** the Take's walk opens:

- every moment still gets its practice step
- the coach's word opens the walk only when it is there

Rules feedback-walk-and-chat.md A3 · Never 3

Code `frontend src/lib/willab/feedbackWalkModel.ts:1`

Tests `src/lib/willab/feedbackWalkModel.test.ts`



screen `walk.best`

WALK-20 The walk never asks you to judge yourself built

Given any walk; **when** it runs:

- no "Judgement time!", no judging your own moments, no self-judging a try, no "Not sure"; Will's question is the chat's, not the walk's

Rules feedback-walk-and-chat.md C10 · feedback-walk-and-chat.md I2

Code `frontend src/lib/willab/walkPlan.ts:1`

Tests `src/lib/willab/walkPlan.test.ts` `src/lib/willab/walkReplay.test.ts`



screen `walk.best`

WALK-21 The walk reads what you noted, and may quote it built

Given a speaker with kept notes, strengths, goals or a why (ring row walk_inner_context; the notebook's yes); **when** the walk is built and a Clearer version try is a Good job:

- one verbal read weighs which moment the walk fixes; no line ever says a note was used
- at most one quote per Take of their own kept words with its date, e.g. "That's your 💪 {strength} again."
- the first quote carries "From your notebook. Only you and Will see this." and "Not here", which keeps the notebook out of every later walk

Rules principles.md R1 to R6, S1 to S4 · N268 · N326

Code `backend services/inner_context.py:60` `backend services/walk_quote.py:73` `frontend src/components/willab/walk/useWalkQuote.ts:1`

Tests `tests/test_the_walk_reads_my_notes.py` `tests/test_walk_quote.py`



screen `walk.practise`

☐ WALK-22 Edited, never re-sent built

Given a step of a Take's walk changes after it was said (new helper words, a coach's changed word, the summary a coach's note rewrites); **when** the speaker sees it again:

- the bubble shows its new words in place with "Edited", small and grey
- the Feedback walk bubble's line reads "Edited"

Rules feedback-walk-and-chat.md B13 · N192

Code `frontend src/components/willab/Lounge.tsx:3215`

Tests `src/components/willab/walk/coachUpdateLens.test.tsx`



screen `lounge.pair`

Will's chat 14

☐ WILL-01 After a Take, the chat in its order built

Given a walk has ended; **when** the speaker is back in Will's chat:

- the speaker's recording with who hears it as one line under its player
- the pair: the "Feedback walk" bubble ("🔒 Take N" for an older Take, the date) and 3px under it the Take's Ideal Text card, both 80% wide, at most 384px
- the chain after the Take ending on "Good job. See you next time."; the bar's middle is "Record Take N"

Rules feedback-walk-and-chat.md B3, D4 · N202 · N294 item 6

Code `frontend src/components/willab/Lounge.tsx:3173` `frontend src/components/willab/afterTake.ts:1` `backend services/after_take.py:177`

Tests `src/components/willab/afterTake.test.ts` `tests/test_after_take.py` `src/components/willab/unreadFeedback.test.ts`



screen `lounge.pair`

☐ WILL-02 One ask at most, after the summary built

Given the chain after a Take; **when** something waits to be asked:

- only the first that waits: Will's question, then "Did this help?" when the Take looks off; the rest wait for a later Take
- "Did this help?" answers are kept for Will and the coach

Rules feedback-walk-and-chat.md E1 · N189 · N391

Code `backend services/after_take.py:177` `backend services/feedback_check.py:1`

Tests `tests/test_after_take.py` `tests/test_feedback_check.py` `src/components/willab/afterTake.test.ts`



screen `will.after`

☐ WILL-03 Will's question, with answers to tap built

Given something about the Take is off or missing (who it is for, what they should do, a breather, "On purpose?"); **when** Will asks, once per Take:

- tap answers come from the recording first, then an earlier talk, then the signed answers for their field; orange on the right; "Something else" opens "Type your answer"
- who it is for fills the next Take's audience; what they should do its call to action

Rules feedback-walk-and-chat.md E2, E3, E4 · N82 · N297 item 2

Code `frontend src/components/willab/WillQuestion.tsx:1` `backend services/will_question.py:192`

Tests `src/components/willab/WillQuestion.test.tsx` `tests/test_will_question.py` `tests/test_take_context.py`



screen `will.after`

☐ WILL-04 The key line is said, in a small recording bar built

Given Will asks "If {they} remember one sentence from you, what is it? Say it the way you'll say it."; **when** the question waits:

- the bar's middle is "Record your answer" with "Not now" under the question; no "Type your answer"
- the tap records in the bar itself (the time, the bin, "Stop"): no recording screens, no slides; the words heard show as the speaker's bubble
- "Not now" gives the middle back to "Record Take N"

Rules N544 · N294 item 2 · N483 items 1 and 2

Code `frontend src/components/willab/WillVoiceAnswer.tsx:1` `frontend src/components/willab/RecordingBar.tsx:24` `backend services/will_question.py:217`

Tests `src/components/willab/willVoiceAnswer.test.tsx` `tests/test_will_question.py`



screen `will.after`

☐ WILL-05 A question is the last bubble built

Given Will asks something with answers to tap (the plan's yes, the ratings, a new project's question, an ask after a Take); **when** the chat draws it:

- nothing he says comes between the question and its answers
- while his question or its follow-up waits, nothing after the Take (the goodbye, the plan's lines, the progress) is let go under it

Rules N537 · N545 · feedback-walk-and-chat.md B16, D4

Code `backend services/after_take.py:74` `backend services/will_question.py:1290`

Tests `tests/test_after_take.py`



screen `will.after`

☐ WILL-06 Will learns about each speaker built

Given any answer, any Take's outcome, the speaker's private note; **when** Will chats or writes a summary:

- every answer and every Take's outcome is kept (speaker memory, kind "answer")
- Will reads the speaker's private note in the chat and in the summary; he looks up the speaker's own Takes before answering
- the founder reads and corrects it on the person's admin page

Rules CLAUDE.md promise 3 · feedback-walk-and-chat.md I4 · docs/SPEAKER-MEMORY.md

Code `backend services/speaker_memory.py:228` `frontend src/app/admin/users/[id]/SpeakerMemory.tsx:1`

Tests `tests/test_speaker_memory.py` `tests/test_will_looks_up_history.py` `tests/test_chat_answers.py` `tests/test_chat_talk.py`



screen `will.after`

☐ WILL-07 The closing summary partly

Given a walk ends; **when** the summary is written once per Take:

- two to four short sentences by GPT-4o, cheeky and curious, "you", at most one emoji, no numbers, never "cue" or metric names
- it ends on what the Take showed, never with a question or a push to the next Take

Rules feedback-walk-and-chat.md D1 to D3 · N89 · N294 item 6 · Never 1

Code `backend services/take_summary.py:184`

Tests `tests/test_take_summary.py` `src/services/api/reviewSummaryText.test.ts`

Note Open in feedback-walk-and-chat.md §3: the summary is drawn nowhere (C9 has no summary step, D4 hides it in the chat), yet the chat after the walk waits on its model call.



screen `will.after`

WILL-08 Will's bar: the one thing to do now `built`

Given Will's chat; **when** the bar is drawn:

- the left is the stack, Your projects; no mic, no ✕ beside a record button
- the middle is the first that holds: "Type your answer" when Will asks for words; "Record your answer" when he needs to hear you; else "Record Take N" (faded while processed) or "Start your first recording"
- "Continue review" is gone; closing a walk any way leaves "Record Take N"

Rules N483 items 1, 2 and 7 · N532 · N498 item 2 · feedback-walk-and-chat.md B14

Code `frontend src/components/willab/Lounge.tsx:510`

Tests `src/components/willab/chats/chats.test.tsx`



screen `will.after`

WILL-09 Every choice in a chat looks the same `partly`

Given any choice in any chat (Will's, the plan's, a person's); **when** it is offered:

- your answers on your side, under the question; one answer look, the orange pill, the likely answer filled
- "Not now", "Skip", "Cancel" and "Close" as grey words; a way to go as a link with ›, no card
- Will's chat starts at the bottom, by the bar

Rules feedback-walk-and-chat.md J7 · N467 · N415

Code `frontend src/components/willab/SymmetricPair.tsx:1` `frontend src/components/willab/walk/WalkChoices.tsx:1`

Tests *none*

Note feedback-walk-and-chat.md §3 lists choices N467's page did not show, left as built until the founder rules: the Ideal Text cards' own buttons, "See your plan" and "Choose a date" (PlanRows.tsx), "Try processing again" (Lounge.tsx) and Will's bubbles with ›.



screen `will.after`

WILL-10 The chat keeps its place `built`

Given a long chat on a weak connection; **when** the speaker answers, scrolls back or loses signal:

- after an answer the chat lands on the newest bubble, even scrolled up
- "Load earlier messages" brings older ones in above, never jumping to the bottom
- the chat stays on screen when the server cannot be reached for a moment; every turn is saved with its buttons

Rules feedback-walk-and-chat.md B15 · N319 item 9

Code `frontend src/components/willab/useLoungeThread.ts:1` `frontend src/components/willab/usePinThreadBottom.ts:1`

Tests `src/components/willab/loadEarlierMessages.test.tsx` `src/components/willab/useLoungeThread.test.tsx` `tests/test_chat_persist.py` `src/components/willab/loungeScreen.test.ts`



screen `will.after`

WILL-11 Notices come as a bar at the top `built`

Given a question or a price the founder sent, or the WhatsApp ask; **when** it is due:

- it comes as a bar at the top of the chat, one at a time, never in the buttons the speaker records with

Rules N391

Code `frontend src/components/willab/NoticeBar.tsx:1`

Tests `src/components/willab/NoticeBar.test.tsx`



screen `will.after`

☐ WILL-12 The coach's later word lands at the bottom built

Given the coach shares a word after the walk ran; **when** it is shared:

- one bubble at the bottom under "Later · from your coach", outlined in orange like a new message
- a tap opens the walk at the coach's place; Continue marks it seen; one message tells the speaker (WhatsApp, email or push), not one per answer

Rules feedback-walk-and-chat.md D5 · coach-panel.md G4 · N90 · N385

Code `frontend src/components/willab/useCoachBubbleFocus.ts:1` `backend services/coach_feedback_notice.py:1`

Tests `src/components/willab/walk/coachUpdateLens.test.tsx` `tests/test_coach_feedback_notice.py` `tests/test_coach_message_read.py` `tests/test_push_devices.py`



screen `will.after`

☐ WILL-13 The shape and rhythm of a run built

Given any chat, Will's and every chat with a person; **when** bubbles are drawn:

- no bubble has a tail; the open side is round at both corners
- two rows of the same side sit 2px apart, 12px where the side changes; the walk keeps 16px between bubbles
- a bottom bar keeps 8px from the bottom and each side

Rules feedback-walk-and-chat.md J6, J8, J9 · N286 · N469 · N505

Code `frontend src/components/willab/Lounge.tsx:1`

Tests *none*



screen `will.after`

☐ WILL-14 A Take's bubble in Will's chat opens its words not built

Given a Take in Will's chat, a voice bubble with its slides; **when** the speaker taps "Read it":

- what was said opens under it, one paragraph per slide in the slides' order; "Hide" closes it
- closed by default, so the voice is heard first

Rules N576 items 1 to 3

Tests *none*

Note N576 item 3: what is new is Will's chat; the chats with people, the inquiry and the website chat have it (N331).



screen `will.readit`

Ideal Text 16

☐ IT-01 The page, from its card built

Given the Take's Ideal Text card under its Feedback walk; **when** the speaker taps it:

- the page opens on the text from the top; it is never the landing screen and never shows before the walk
- "Record Take N" is the main button with a grey "Close" under it; the ✕ beside ⋯ closes too; history is under ⋯

Rules feedback-walk-and-chat.md F1, F2, F6 · ideal-text.md "Record Take N and sharing"

Code `frontend src/components/willab/IdealTextActions.tsx:1` `frontend src/components/willab/IdealTextOverlay.tsx:1`

Tests `src/components/willab/idealTextActions.test.tsx` `src/lib/willab/lensScreen.test.ts`



screen `ideal`

IT-02 Only what you said in your latest Take built

Given Take 2 covers some slides; **when** its Ideal Text is built:

- every slide it spoke is rewritten from exactly what was said (fillers, repeats and punctuation smoothed only)
- a slide not spoken keeps the speaker's current words; never a best-of across Takes

Rules Never 5 · contract 8, 9 · feedback-walk-and-chat.md F7

Code `backend services/take_review.py:1` `backend services/transcript_smoothing.py:1`

Tests `tests/test_take_review.py` `tests/test_living_transcript.py` `tests/test_ideal_text_block.py` `tests/test_take_two_rewrites_an_edited_slide_postgres.py` `tests/test_single_deliverable.py`



screen `ideal`

IT-03 Helper words stay until new ones are picked built

Given a speaker picked helper words on a paragraph; **when** a new Take or an edit rewrites the text:

- the helper words stay, orange in the text, on their slide
- words the speaker deleted never come back; a pick takes up to eight words from any Take, deleted with one confirm

Rules Never 5 · ideal-text.md B1, B3, D4, D5 · feedback-walk-and-chat.md F3

Code `frontend src/components/willab/HelperWordsSheet.tsx:1` `backend services/recording_roots.py:1`

Tests `tests/test_helper_words_own_text.py` `src/services/api/ownerEditHelperWords.test.ts` `src/lib/willab/presentationDocument.test.ts` `src/components/willab/helperWordsSheet.test.tsx` `tests/test_helper_words_any_words.py`



screen `ideal`

IT-04 Every old version stays in the history built

Given a paragraph changed over several Takes; **when** the speaker opens its history:

- each Take's version is listed, accepted corrections kept apart
- the Take 2 rewrite is a Paragraph revision tied to that Take

Rules Never 5 · contract 16

Code `backend services/paragraph_history.py:1` `frontend src/services/api/bookmarkHistory.ts:1`

Tests `src/services/api/bookmarkHistory.test.ts` `tests/test_part_histories_batch.py` `tests/test_a_take_rewrite_is_a_paragraph_revision_postgres.py`



screen `ideal`

IT-05 An older Take's card opens that Take's words built

Given a project at 3.0; **when** the speaker taps the 1.0 card:

- the words that Take made, as they were, slide by slide on the deck it was said on, saying which Take it is

Rules ideal-text.md "An older Take's Ideal Text" · N375 · N380 · feedback-walk-and-chat.md F1

Code `frontend src/components/willab/IdealTextPastVersion.tsx:1` `frontend src/lib/willab/pastIdealText.ts:1`

Tests `src/components/willab/idealTextPastVersion.test.tsx` `tests/test_document_history_slides.py`



screen `ideal`

☐ IT-06 A paragraph opens the walk at its step built

Given the Ideal Text page; **when** the speaker taps a paragraph:

- a black margin line means a step still waits; it opens the whole walk at that step with its buttons
- a paragraph without the line opens the same walk at the step it answered, read only; plain text with no moment stays plain

Rules feedback-walk-and-chat.md F3 to F5

Code `frontend src/lib/willab/answeredBookmark.ts:1` `frontend src/lib/willab/deckChunks.ts:1`

Tests `src/components/willab/paragraphTapBookmark.test.tsx` `src/lib/willab/answeredBookmark.test.ts` `src/lib/willab/deckChunks.test.ts` `src/components/willab/readoutFeedbackPending.test.tsx`



screen `ideal`

☐ IT-07 When the page can't load, it tries again built

Given the Ideal Text read fails; **when** the page shows "Couldn't load your ideal text. Try again in a moment.":

- it tries again by itself after 3 and 10 seconds
- a "Try again" button under the line reads it again at once

Rules N552 · ideal-text.md "When the page can't load"

Code `frontend src/components/willab/IdealTextOverlay.tsx:1345`

Tests `src/components/willab/idealTextCantLoad.test.tsx` `tests/test_ideal_text_cold_open.py`



screen `ideal`

☐ IT-08 The page never goes blank built

Given the Ideal Text page open while a new read loads or the coach's note arrives; **when** the data changes:

- the feedback shown stays while the new read loads; the coach's note shows as soon as it arrives
- it opens instantly from what the chat already loaded

Rules Never 3 · feedback-walk-and-chat.md F1

Code `frontend src/components/willab/idealTextLoad.ts:1`

Tests `src/components/willab/idealTextLoad.test.ts` `src/services/api/idealText.handoff.test.ts` `src/services/api/idealText.coreEnrichment.test.ts`



screen `ideal`

☐ IT-09 One paragraph per slide, on the slide the server names built

Given a Take over a deck; **when** the Ideal Text is drawn:

- one block per slide, in slide order, silent slides included
- a paragraph sits on a slide only when the server says which; nothing is guessed

Rules contract 10, 11 · N29

Code `frontend src/components/willab/readout.ts:1` `backend services/ideal_text_pieces.py:1`

Tests `src/components/willab/readout.test.ts` `src/services/api/idealText.pieces.test.ts` `tests/test_transcript_document_build.py` `tests/test_ideal_text_slide_linkage.py` `src/components/willab/TranscriptReviewDeck.test.tsx`



screen `ideal`

IT-10 A suggestion is an offer until you say it built

Given a Clearer version or an earlier Take's better passage is offered; **when** the speaker accepts or keeps their words:

- nothing is applied without their yes
- an accepted version is saved, but the text changes only when they say it in the next Take
- "Keep my words" is remembered and the same rewrite is not offered again until the words change

Rules Never 5 · contract 29b · N48.3 Q7 A

Code `frontend src/lib/willab/idealTextDecisions.ts:1` `backend services/prior_take_changes.py:1`

Tests `src/services/api/idealText.changes.test.ts` `src/components/willab/acceptRewrite.test.tsx` `src/components/willab/paragraphSheetKeepWording.test.ts` `tests/test_prior_take_changes.py` `tests/test_rewrite_declines_q3.py`



screen `ideal`

IT-11 Editing the text by hand built

Given the speaker edits a paragraph; **when** they save:

- only the paragraphs changed are saved; the others keep their locks and history
- the edit is sent as the whole document against the version edited, never over a newer Take
- opening and saving with no change sends back exactly the text received

Rules contract 9, 12

Code `frontend src/components/willab/useSaveIdealText.ts:1` `backend services/ideal_text_user_edit.py:1`

Tests `src/components/willab/slideEditor.test.tsx` `src/services/api/idealText.userEdit.test.ts` `src/lib/willab/markedEditorSerialize.test.ts` `src/services/api/piecesForOwnerEdit.test.ts`



screen `ideal`

IT-12 New slides inside the same project built

Given a project with or without a deck; **when** the speaker adds or changes slides from the page or the chat:

- the project stays the same: its Take count, the coach's history and the plan carry on
- the next Take writes the whole Ideal Text fresh on the new slides; helper words move to a slide with the same title

Rules N257 · contract 4 (amended) · ideal-text.md "The project's slides"

Code `frontend src/components/willab/UpdateSlides.tsx:1` `backend services/slide_deck_update.py:1`

Tests `src/components/willab/updateSlides.test.tsx` `tests/test_deck_update_inside_project.py`



screen `ideal`

IT-13 AI-written text is marked as AI built

Given any Ideal Text surface, copy or export; **when** AI-written words are shown or exported:

- they carry the AI-generated mark, with no score in the label
- every exported PDF carries the mark and still opens

Rules EU AI Act Art. 50 · decisions log 2026-09-22 "Article 50(2)"

Code `frontend src/lib/willab/aiGeneratedMark.ts:1` `frontend src/components/willab/AiGeneratedNote.tsx:1`

Tests `src/lib/willab/aiGeneratedMark.test.ts` `src/lib/willab/presentationPdfMarking.test.ts`



screen `ideal`

☐ IT-14 At most three open feedbacks on the page `built`

Given a Take with many candidate moments; **when** the page is read:

- at most three open feedbacks, up to two of one colour (green above the threshold, orange below with a practise)
- a paragraph saved with helper words is done, frees its slot and carries no bar

Rules ideal-text.md D8, T11, B7 · Q2 · Q3

Code `backend services/feedback_window.py:1` `backend services/intervention_candidates.py:1`

Tests `tests/test_feedback_window.py` `tests/test_intervention_candidates.py` `src/components/willab/savedParagraphNoBar.test.tsx` `src/lib/willab/bookmarkTier.test.ts`



screen `ideal`

☐ IT-15 The paragraph sheet `built`

Given a paragraph with a moment; **when** its sheet opens:

- playback, a small judgement label, one main card and one History row; never the paragraph text, never a score
- it opens complete, the chosen helper words at once; Practise opens the walk's practise screens on the right clip

Rules ideal-text.md B5, D6, D7

Code `frontend src/components/willab/ParagraphSheet.tsx:1` `frontend src/lib/willab/paragraphOverlay.ts:1`

Tests `src/components/willab/paragraphSheet.test.tsx` `src/components/willab/instantParagraphSheet.test.tsx` `src/lib/willab/paragraphOverlay.test.ts` `src/components/willab/paragraphPractise.test.tsx` `src/components/willab/paragraphSheetSaved.test.tsx`



screen `ideal`

☐ IT-16 Presentation Mode and export `built`

Given the Ideal Text page's ⋯; **when** the speaker presents or exports:

- only the current helper words show; the export opens in the chosen format with the AI mark

Rules feedback-walk-and-chat.md F8 · ideal-text.md "Signed"

Code `frontend src/lib/willab/presentationDocument.ts:1` `frontend src/components/willab/ExportFormatDialog.tsx:1`

Tests `src/lib/willab/presentationDocument.test.ts` `src/lib/willab/presentationPdfMarking.test.ts`



screen `ideal.menu`

claude.ai/artifact/AeRVS91VUAiJLCePB82s3d

The plan 20

☐ PLAN-01 The plan card `differs`

Given the plan is drawn (after Take 1's walk, or a new plan's questions); **when** Will shows it:

- "You're all set. Here's your plan." then the card: "Plan", its bar, the practice days ("15 minutes, 3 times a week: Mon, Wed, Fri" or "15 minutes every day") and "Your deadline: {date}"
- one typeface, three sizes; text colours that read on white

Rules N564 · the-plan.md E1, E4 · N319 item 6 · N161

Code `frontend src/components/willab/plan/PlanCard.tsx:1` `backend services/plan.py:194`

Tests `src/components/willab/plan/plan.test.tsx` `tests/test_plan.py`

Note N564: the card shows the level's name and its four marks; practice days and "Your deadline" go (a date shows only for someone preparing a talk).



screen `plan.card`

PLAN-02 No date gives two months, said in words differs

Given no deadline heard or "No date yet"; **when** the plan is made:

- the plan runs two months, and Will says so: "That's fine. Let's give it two months, until {date}."
- two weeks or less: every day; otherwise three practices a week on the days picked

Rules N564 · the-plan.md B2, G1 · N135 · N137

Code `backend services/plan_flow.py:212`

Tests `tests/test_plan.py` `tests/test_plan_flow.py`

Note N564 retires the two-month default (N135): with no date the plan is three levels of four Takes.



screen `plan.card`

PLAN-03 The diagnosis names the next step of excellence built

Given a plan's first read of the voice and the words; **when** a level is chosen:

- one of "Say it once, and it lands", "Let your key line land", "Pauses that hold the room", "A voice that moves", "Make it yours"
- only from what is measured today; "um" and "uh" don't count for fillers
- nothing on screen says the speaker will be fixed or that something is wrong

Rules the-plan.md C1 to C4 · N132 · N134

Code `backend services/plan.py:1` `backend services/plan_flow.py:1208`

Tests `tests/test_plan.py`



screen `plan.card`

PLAN-04 The coach's level always wins, picked blind built

Given a new plan waiting on a coach; **when** the coach picks a level:

- the coach hears the voice message and the key line, never the machine's level first
- the coach's level wins and the machine never moves it

Rules the-plan.md C5 · coach-panel.md K3, K4 · Never 2 · N213

Code `backend services/plan_coach.py:1` `frontend src/components/willab/coachpanel/CoachPlanFlow.tsx:1`

Tests `src/components/willab/coachpanel/coachPlan.test.tsx` `tests/test_plan_coach.py`



screen `coach.plan`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

PLAN-05 Stress and readiness, never shown back built

Given a plan's first and last practice; **when** the two 1 to 10 ratings are asked (with the plan's own yes):

- one question at a time, its scale in the thread under it, the bar under it
- the number they tapped is never shown back; Will speaks of it only in words; the founder and the coach see it

Rules the-plan.md D1 to D3 · N178 · Never 1

Code `backend services/plan_flow.py:1` `frontend src/components/willab/plan/PlanDock.tsx:1`

Tests `src/components/willab/plan/plan.test.tsx` `tests/test_plan_flow.py`



screen `plan.rate`

☐ PLAN-06 The plan's own yes before anything personal built

Given a speaker on a plan; **when** a personal question (the worry, the ratings, "How did it go?", the feelings check) would come:

- Will asks for its own yes once first, with Read more opening Privacy section 4e
- Data & consent turns it on or off and says only what was really deleted

Rules the-plan.md D5 · N211 · N217

Code `backend services/plan_consent.py:14` `frontend src/components/account/PlanConsentCard.tsx:1`

Tests `tests/test_plan_consent.py` `src/components/account/PlanConsentCard.test.tsx` `src/lib/legal/policySection.test.ts`



screen `plan.rate`

☐ PLAN-07 A practice day's hello differs

Given a practice day, the first time the app opens; **when** Will says hello:

- "Hi {name}, good to see you back! Today is practice 2 of 9: {level}.", the bar, and "See your plan"
- then "Today, one thing: ..." with the key line
- never right after a Take, never on a day off; missed days leave no trace (no catch-up, no count)

Rules N564 · the-plan.md G4 to G6 · N140 · Never 1 (a plan position is allowed)

Code `backend services/plan_flow.py:180` `backend services/plan.py:93`

Tests `tests/test_plan_flow.py`

Note N564: no practice days; the hello's "Today is practice {n} of {total}" gives way to the level's marks (words drafted for the founder's OK).



screen `plan.day`

☐ PLAN-08 This week's level takes the walk's slot that fits it built

Given a Take on a plan; **when** the walk's moments are picked:

- the level takes the slot whose tool fits it, never a fourth moment and never their best's paragraph
- a level is reached when its check no longer fires on the whole Take, never shown; two in a row moves it on, three without moving goes to the coach

Rules the-plan.md G7, G10 · N209 · N289 item 8

Code `backend services/plan_walk.py:1` `backend services/moment_pick.py:193`

Tests `tests/test_plan.py` `tests/test_moment_pick.py`



screen `walk.fix`

☐ PLAN-09 After the walk on a plan differs

Given a practice's walk ends; **when** the chain after it is drawn:

- "That's your 15 minutes for today.", the goodbye naming the next practice day ("Good job. See you Monday."), then the plan's bar with "{n} of {total} practices done."
- the bar fills with what the speaker did, never a measure of the voice

Rules N564 · the-plan.md E3, G13 · N347 item 2 · N537 item 2

Code `frontend src/components/willab/plan/usePlanLounge.tsx:1` `backend services/after_take.py:177`

Tests `tests/test_after_take.py` `src/components/willab/plan/plan.test.tsx`

Note N564: "That's your 15 minutes for today.", the goodbye naming a practice day and "{n} of {total} practices done." give way to the level's marks.



screen `plan.day`

PLAN-10 Changing the plan `differs`

Given "See your plan" → "Change your plan"; **when** the speaker opens it:

- rows: Deadline, Practice days and "I have a new event"; the level is not among them (it is the coach's)
- "I have a new event" is out of the way while a Take is processing

Rules N564 · the-plan.md H1 · N497

Code `frontend src/components/willab/plan/PlanSheet.tsx:1` `frontend src/components/willab/plan/PlanRows.tsx:1`

Tests `src/components/willab/plan/planNewEvent.test.tsx` `src/components/willab/plan/plan.test.tsx`

Note N564: the Practice days row goes; the Deadline row stays only for someone preparing a talk.



screen `plan.sheet`

PLAN-11 A new project on a running plan `built`

Given a plan already running; **when** a new project's first Take is processed:

- Will asks "Is this for {date}?" after it, never before
- Yes: the ratings it came in place of (the plan's yes first if needed), then "You're all set. Here's your plan." and the card; No: the questions for a new plan

Rules the-plan.md H2 · N538 · N178

Code `backend services/plan_flow.py:1`

Tests `tests/test_plan_flow.py`



screen `plan.card`

PLAN-12 The plan's end `differs`

Given the first time the app opens on or after the deadline; **when** Will greets the speaker:

- "How did it go?" as a voice message
- then "What's next?": "I have a new event" or "Keep practising" (a new two-month plan)

Rules N564 · the-plan.md I1, I2

Code `backend services/plan_flow.py:26`

Tests `tests/test_plan_flow.py`

Note N564: the plan ends after the third level: the summary session, then new levels; not on a deadline.



screen `plan.day`

PLAN-13 The coach calls, hidden `built`

Given the ring row plan_calls does not reach the speaker (no row: off for everyone); **when** the plan is drawn:

- no kickoff or summary call asks, no "Book now", no calendar, no call lines on the card

Rules the-plan.md F0 · N315

Code `frontend src/components/willab/plan/PlanCalendar.tsx:1`

Tests `src/components/willab/plan/PlanCalendar.test.tsx`



screen `plan.card`

PLAN-16 A date is asked only of someone preparing a talk not built

Given a newcomer, while Take 1 is processed; **when** they say what they want to do here:

- only if they choose to prepare a talk does Will ask "When is it?", once, with "No date yet"
- anyone else is never asked a date; "When is your deadline?" is not asked

Rules N564 item 1 · N401 item 3 · N459 item 1 · Never 3

Tests *none*

Note The choice of what to do here is drafted on the onboarding proposal; until it is built, nobody is asked a date.



screen `will.after`

PLAN-17 The training is three levels of four Takes not built

Given anyone with a plan; **when** they record Takes:

- each Take fills one of the current level's four marks; after four, the next level starts
- each level is one of the plan's five, picked from their Takes strongest first, skipping the ones this plan had
- no schedule of practice days; nothing is missed

Rules N564 items 2 and 4 · N132 · N209 item 3

Code `backend services/plan.py:387`

Tests `tests/test_plan.py`

Note next_level is built; levels by four Takes are not (today a level runs by the plan's length, level_days).



screen `plan.card`

PLAN-18 The bar shows the level and its marks, never points not built

Given the plan's bar anywhere it shows; **when** it is drawn:

- the level's name and its four marks, the done ones filled
- never a points total, a score or a percentage about the speaker

Rules N564 item 3 · Never 1 · Never 4

Tests *none*

Note Its words are drafted for the founder's OK.



screen `plan.card`

PLAN-19 Every Take fills a mark not built

Given a speaker with a plan; **when** they practise a talk, answer a teammate or ask a question:

- each of these Takes fills one mark of the current level

Rules N564 item 4

Tests *none*



screen `plan.card`

☐ PLAN-20 After the third level: the summary, then new levels not built

Given the twelfth Take's walk has ended; **when** the plan's third level is done:

- the summary session with the coach is offered (N248)
- then a new set of three levels starts, on the next skills their Takes show

Rules N564 item 5 · N248

Tests *none*



screen `plan.day`

☐ PLAN-14 Practice reminders not built

Given a speaker on a plan; **when** a practice day comes:

- no reminder for now; when it comes: opt-in, at most one a day between 8:00 and 21:00 local, never "come back" or a count of missed days

Rules the-plan.md G11, G12 · N155

Code `backend services/life_reminders.py:1`

Tests *none*

Note Deliberately not built (N155); consent-screens.md §2 has the "Messages" place in flight (BE #1360).



screen `settings`

claude.ai/artifact/X4gDmGfHH7ivuoRZ9ufiy9

☐ PLAN-15 A day line before each day's first message partly

Given a chat that spans several days; **when** it is drawn:

- a small grey day line ("Monday 26 October") before the first message of each day, in the speaker's time zone

Rules the-plan.md G3 · N169

Code `frontend src/components/willab/Lounge.tsx:1`

Tests *none*

Note the-plan.md §3: the day line comes with the practice day's hello and the day after the deadline, not yet before every day's first message.



screen `plan.day`

Sharing / sends 7

☐ SEND-01 Who hears this Take, asked once built

Given the speaker taps "Record Take 2" for the first time (never before Take 1); **when** the share screen opens:

- the top bar names the Take; three grey bubbles as one run: "Your knowledge is worth sharing, and so are your questions.", "The people below are the ones you trust.", "Choose who can answer you best, or send it to all of them and practise speaking."
- "Select all", then one row per person in their chats (avatar, name, title) with a tick box; the one sent to last on top with "Last sent"; Continue

Rules feedback-walk-and-chat.md G1 · N470 items 1 and 6 · N513 · N479 item 5

Code `frontend src/components/willab/NextTakeShareScreen.tsx:57` `frontend src/components/willab/idealEditCopy.ts:448`

Tests `src/components/willab/NextTakeShareScreen.test.tsx` `src/lib/willab/nextTakeShare.test.ts`



screen `share`

SEND-02 Everyone ticked; nobody unticked means wait built

Given the share screen; **when** it opens:

- everyone is ticked (Select all), or the last choice
- unticking all leaves Continue waiting, the only time it waits
- there is no "Everyone on WillpowerLab" and no "Only me"

Rules feedback-walk-and-chat.md G2 · N470 item 2 · N479 item 1 · N482 item 4

Code `frontend src/lib/willab/nextTakeShare.ts:1`

Tests `src/components/willab/NextTakeShareScreen.test.tsx` `src/lib/willab/nextTakeShare.test.ts`



screen `share`

SEND-03 Each ticked person gets the Take as your message built

Given the speaker pressed Continue and the Take uploaded; **when** it is sent:

- each ticked person gets it in your chat with them, by name, its recording and its words slide by slide
- never its Ideal Text, feedback, moments or levels
- nothing is unsent; only blocking stops someone getting your Takes

Rules feedback-walk-and-chat.md G3 · N470 item 4 · N479 items 3 and 8 · N482 · Never 1 · Never 2

Code `backend services/take_sends.py:374` `frontend src/services/api/takeSends.ts:1`

Tests `tests/test_take_sends.py` `src/app/api/v2/user/takes/[takeSessionId]/share/route.test.ts`

Note N470 item 8 and N479 item 6 make "every Take a speaker sends reaches the people they chose" a promise; the frontend CLAUDE.md lists it, the backend CLAUDE.md (the source of truth) still lists only three promises.



screen `chat.sent`

SEND-04 The line under the recording, and adding people built

Given a Take that was sent; **when** the speaker looks under its recording:

- one line names who it went to ("Artur", "Artur, Maya Lindqvist" or "Everyone in my list")
- on the latest Take the line opens the same screen to add people, never to remove
- someone who joins later is included silently when the choice was "Everyone in my list"

Rules feedback-walk-and-chat.md G4 · N470 item 4 · N479 items 3 and 5

Code `frontend src/lib/willab/nextTakeShare.ts:218`

Tests `src/lib/willab/nextTakeShare.test.ts`



screen `lounge.pair`

SEND-05 A send is never lost silently built

Given a send fails; **when** it was from a Take's line, or chosen before the Take:

- from the line: the screen stays open with the ticks and says "Couldn't share this take. Try again."
- chosen before a Take: the choice is kept on the phone and retried a few seconds later, then at the next open; nothing ever waits on it

Rules N541 · CLAUDE.md promise "every Take a speaker sends"

Code `frontend src/components/willab/idealEditCopy.ts:426` `frontend src/lib/willab/nextTakeShare.ts:1`

Tests `src/lib/willab/nextTakeShare.test.ts` `src/components/willab/NextTakeShareScreen.test.tsx`



screen `share`

SEND-06 Nobody's list is empty built

Given a speaker with no chat with a person; **when** the share screen or the list is drawn:

- they have a chat with Artur, speaking coach (the founder), as if invited by him
- the list holds real people only: no demo or guest accounts, nobody blocked either way

Rules N470 item 3 · N479 item 7

Code `backend services/take_sends.py:68`

Tests `tests/test_take_sends.py`



screen `share`

SEND-07 Takes shared before stay until stopped built

Given a Take shared with a community before N479; **when** the speaker opens Data & consent:

- the Take shows where it is shared, with "Stop sharing"; stopping removes it from every queue at once
- no new Take is shared with a community; the exact sharing words agreed are kept with the share

Rules N479 items 2 and 9 · N482 item 1 · feedback-walk-and-chat.md G4 (old)

Code `frontend src/components/account/SharedTakes.tsx:1` `backend services/communities.py:1`

Tests `tests/test_a_take_may_be_shared_with_a_community_postgres.py` `tests/test_a_share_records_the_words_the_speaker_saw_postgres.py` `tests/test_communities.py`



screen `settings`

Chats with people 8

CHAT-01 A new message lights up its row built

Given the list of chats; **when** something new arrives for the person:

- the row's name bold, the time orange, the last line bold and orange, the orange dot; never a number
- an emoji from the other person counts as new; your own message never does
- the list reads the chats again while open and each time you come back

Rules N500 · customer-requests.md C1 · Never 1

Code `frontend src/components/willab/chats/ChatList.tsx:137`

Tests `src/components/willab/chats/chats.test.tsx`



screen `list`

CHAT-02 A chat with a person built

Given a chat with a colleague; **when** it opens:

- its own top bar (back, circle, name), the day and each message's time
- the bar: the "+" on the left, 👍 👀 🙏 in the middle; no mic, no box, no typing
- the "+" is a filled orange circle until you have asked anyone a question

Rules N483 items 3 and 4 · N298 item 4 · customer-requests.md C1

Code `frontend src/components/willab/chats/ChatThread.tsx:871` `frontend src/components/willab/chats/ChatThread.tsx:80`

Tests `src/components/willab/chats/chats.test.tsx`



screen `chat.person`

☐ CHAT-03 A person's profile, as on WhatsApp built

Given a chat's top bar, or your own circle in ☰; **when** it is tapped:

- their name, who they are, About (with the pencil on your own), Photos, Files; your photo and Edit
- Block and Report from the profile; the reports reach the CEO panel

Rules N366 · N466

Code `frontend src/components/willab/chats/Profile.tsx:50` `frontend src/components/willab/chats/BlockReport.tsx:151` `backend services/chat_safety.py:70`

Tests `src/components/willab/chats/Profile.test.tsx` `tests/test_people_profiles.py` `tests/test_chat_safety.py`



screen `profile`

☐ CHAT-04 The ☰ menu built

Given a signed-in person; **when** they open ☰:

- their circle, name and email; "Copy my link" ("Whoever opens it joins you here", then "✓ Copied"); Settings; Tokens with the balance; a thin line; "Sign out" in red
- in the iPhone app "Tokens" opens a page with no plans and no way to buy

Rules N367 · N495 · consent-screens.md "the ☰ menu, redesigned"

Code `frontend src/components/AppMenu.tsx:1`

Tests `src/components/AppMenu.test.tsx`



screen `menu`

☐ CHAT-05 Your link waits for your join questions built

Given a person who has not set the questions for people who join; **when** they tap "Add someone to chat with" (the "+" or the list's row):

- a small note at the bottom: "Before you share your link, set the questions for people who join." with "Set them" and ×
- "Set them" opens Will's setup one question at a time; it ends on "You're set." with "Copy my link ›" and "All is set. You can now start practising."
- once set, the "+" opens the add sheet with no note

Rules N534 · N533 · N503 · N487

Code `frontend src/components/willab/chats/ChatList.tsx:203` `frontend src/components/willab/chats/JoinSetup.tsx:59` `backend services/join_setup.py:1`

Tests `tests/test_join_questions.py` `src/components/willab/chats/chats.test.tsx`



screen `add`

☐ CHAT-06 Whoever joins answers your questions built

Given someone joins through a person's link whose questions are set; **when** their chat opens:

- the line at the top of their chat, then the questions one at a time, answered by tapping only (several answers where allowed)
- an emoji sent while a question waits leaves the question standing

Rules N487 · N496 · N502

Code `backend services/join_questions.py:122` `frontend src/components/willab/chats/ChatThread.tsx:521`

Tests `tests/test_join_questions.py`



screen `chat.person`

CHAT-07 Back to the chat you came from built

Given the list of chats on a phone; **when** the person swipes from the right edge:

- the chat they were in opens again

Rules N436

Code `frontend src/components/willab/chats/useEdgeSwipe.ts:1`

Tests `src/components/willab/chats/chats.test.tsx`



screen `list`

CHAT-08 Read it under every voice bubble with words built

Given a voice bubble with words in a chat with a person: a Take sent, an answer, a question; **when** the person taps "Read it":

- its words open under the player, closed by default so the voice is heard first; "Hide" closes them
- a Take's words are one paragraph per slide; nothing shows before there are words

Rules N331 · N576 item 1

Code `frontend src/components/willab/chats/ChatThread.tsx:109`

Tests *none*



screen `chat.sent`

Asking and answering 4

ASK-01 "Ask {name}": one sheet, one button built

Given a chat with a person; **when** the "+" is tapped:

- a sheet built like "Add someone to chat with": the title "Ask {name}", the black "Record your question", Cancel
- the three steps ("1. Ask one thing · A clear question gets a clear answer", "2. {name} answers · Out loud, when they have a moment", "3. It stays here · Play it again whenever you need it") only before your first question; no line about their topics

Rules N483 items 4 and 6 · N498 item 1

Code `frontend src/components/willab/chats/AskSheet.tsx:23`

Tests `src/components/willab/chats/chats.test.tsx`



screen `ask`

ASK-02 A question is recorded over the default presentation built

Given "Record your question"; **when** it is tapped:

- the recording screens open at once on Opening, Main points, Summary (the poster), with no "How do you feel?"
- the top bar reads "To {name} · Slide {n} of 3"; the clock counts up
- Finish take goes back to the chat: "Sending to {name}... {n}" with Undo; no wait, no walk in between; its project "To {name}" never becomes the current one

Rules recording-screens.md "The flow" 7 · N483 item 4 · N441

Code `frontend src/components/willab/LabOverlay.tsx:174` `frontend src/components/willab/chats/ChatThread.tsx:730`

Tests `src/lib/willab/chatAnswer.test.ts` `src/lib/willab/defaultDeck.test.ts`



screen `rec.ask`

☐ ASK-03 Answering someone is a Take built

Given someone asked you something to answer properly; **when** the bar's middle reads "Record your answer" with "Not now" under their question:

- the recording screens open on one poster slide, "{name} asks" as its label and the question as its heading; the top bar is their name alone
- Finish take goes back to the chat; the answer goes by itself after 5 seconds with Undo until then, even if you leave the app
- "Not now" is never told to them; the system counts it as behavioural data

Rules recording-screens.md "The flow" 6 · N483 item 5 · N481 item 1 · N504 item 2

Code `frontend src/lib/willab/chatAnswer.ts:1` `frontend src/components/willab/chats/ChatThread.tsx:679` `backend services/chat_not_now.py:1`

Tests `src/lib/willab/chatAnswer.test.ts`



screen `chat.person`

☐ ASK-04 A Take sent to you built

Given someone you chat with sent you a Take; **when** it lands:

- "{name} sent you Take {n}" with its tile, already open: its recording and its words slide by slide behind "Read it"
- the bar asks "Record your answer" and "Not now"; your answer is recorded over the Take's own slides
- the sender's own copy is the tile with "Sent" under it; the list's line says "{name} sent you Take {n}"

Rules N504 items 1 and 3 · N493 · N470 item 6 · customer-requests.md §2

Code `frontend src/components/willab/chats/ChatThread.tsx:318` `frontend src/components/willab/chats/ChatList.tsx:41`

Tests `src/components/willab/chats/chats.test.tsx` `tests/test_take_sends.py`



screen `chat.sent`

Matching 13

☐ MATCH-01 Someone new who fits, offered once after a Take built

Given the speaker's Take is about something a person outside their chats knows (ring row take_match, ring 2); **when** the page that chose who hears the Take comes back once after it:

- "Someone new might be a good match for this Take." with that person on top, by a pseudonym and their role, never a name
- they are sent the Take only if ticked and sent; this is the only place people are matched

Rules N477 · N476 item 2 · N512 item 3 · N515

Code `frontend src/components/willab/TakeMatchSuggestion.tsx:59` `backend services/take_match.py:117`

Tests `src/components/willab/TakeMatchSuggestion.test.tsx` `tests/test_take_match.py`



screen `share.match`

☐ MATCH-02 The suggested person answers first built

Given a matched Take arrives; **when** its chat opens in the list:

- who asks (a pseudonym and their role) and what it is about, never a name; "Open Take" in the bar's middle accepts, "Not now" declines and nobody is told
- names show to both only once the answer is sent; left unanswered it stays as it is

Rules N478 · N485 · N486 · N504 item 1

Code `frontend src/components/willab/chats/InquiryThread.tsx:38` `backend services/take_match.py:134`

Tests `tests/test_take_match.py`



screen `chat.inquiry`

☐ MATCH-03 The match weighs knowledge only, for now partly

Given matching after a Take; **when** a match is drawn:

- it weighs what people know against what the Take needs
- speaking skills, progress and the communication profile wait until the Terms carry them (TAKE_MATCH_SKILLS unset); none of it is ever shown

Rules N481 items 2 to 4 · N515 item 2 · Never 1

Code `backend services/take_match_knowledge.py:1` `backend services/take_match_signals.py:1`

Tests `tests/test_take_match.py`

Note By decision: the voice-based arms wait for counsel and the next Terms (N481 item 4, N515 item 4).



screen `share.match`

☐ MATCH-04 Whoever answers teaches Will not built

Given someone answers a Take; **when** they send their answer:

- no card after Sent; whoever answers rates the moments first, inside the answer, one vote each and two to settle
- the job in their profile picks the model their answer feeds

Rules N518

Code `frontend src/components/willab/coachwalk/CoachChatRow.tsx:7`

Tests *none*

Note N518 is not in force until built; only its item 7 (the profile job names the coach's row) is used, by CoachChatRow.tsx.



screen `chat.answer518`

claude.ai/artifact/EAjR9DTKFJsbxEKVtpc1VU

☐ MATCH-05 Someone new comes from the speaker's business differs

Given a speaker who said Join to their business's community; **when** the page after a Take looks for someone new:

- only people in the same business's community can be suggested, never someone outside it
- people already in the speaker's chats, or suggested before, are never suggested again

Rules N559 item 1 · N473 item 2 · N485 item 3

Code `backend services/take_match.py:151`

Tests `tests/test_take_match.py`

Note The code's pool reads the passcode communities (community_members) that N471 retired; N559 item 1 makes the pool the business's community, a bug to fix (N95).



screen `share.match`

☐ MATCH-06 A newcomer is offered their business's community once not built

Given a newcomer who came by the link of someone at a business; **when** Take 1 is being processed:

- Will offers once to join that business's community, with Join and Not now
- Not now is never asked again on its own; joining is how a person belongs to the community
- the walk is never delayed by it

Rules N559 item 1 · Never 3 · Never 4

Tests *none*

Note Its question's words are drafted for the founder's OK (Never 4).



screen `will.after`

MATCH-07 Your own chats: the best fit comes first not built

Given the screen of who hears a Take, with several people in your chats; **when** it opens:

- the person who can best answer this Take is first, by the fit the matcher uses
- "Last sent" stays under the name of whoever you sent to last; everyone is still ticked; no new words

Rules N559 item 2 · N470 items 1 and 2

Code `frontend src/components/willab/NextTakeShareScreen.tsx:104`

Tests *none*

Note As built, the person sent to last is on top, then the list's order (N470 item 1, the Was of N559 item 2).



screen `share`

MATCH-08 The matcher learns from answers and conversations only partly

Given a suggestion was sent; **when** the matcher learns from it:

- it counts as good when the person suggested answers within seven days, and better when the two exchange three or more times within 14 days
- nobody is asked to rate anybody; nothing is shown as a score

Rules N559 item 3 · N477 item 3 · Never 1

Code `backend services/take_match.py:107`

Tests `tests/test_take_match.py`

Note Each suggestion keeps its pick's chance (built); the outcome signals of N559 item 3 are not yet read back into the pick.



screen `share.match`

MATCH-09 By how people speak: a step ahead differs

Given matching by how people speak is switched on (after the Terms and Privacy carry it, N481 item 4); **when** a match is drawn:

- it prefers someone a little further along in what the speaker practises
- never someone chosen for the same level or an opposite style; nothing about how anyone speaks is shown

Rules N559 item 4 · N463 item 5 · N481 item 4 · Never 1

Code `backend services/take_match.py:88`

Tests `tests/test_take_match.py`

Note The code still has the same-level arm; N559 item 4 retires it (one in, one out). Switched off (TAKE_MATCH_SKILLS unset).



screen `share.match`

MATCH-10 The matcher's limits built

Given anyone who could be suggested; **when** the matcher picks:

- only someone with a Take in the last 14 days, a fit of at least 2.0, at most 3 Takes waiting for their answer and 5 suggestions a week
- the best fit 8 times in 10, otherwise the second or the third

Rules N559 item 5

Code `backend services/take_match.py:104`

Tests `tests/test_take_match.py`



screen `share.match`

☐ MATCH-11 Anyone can turn off matching by how they speak not built

Given matching by how people speak is on; **when** the person opens Settings:

- the signed card "Matching by how you speak" with Turn off
- turning it off deletes what Will learned from how they speak; their chats stay

Rules N559 item 6 · N465 items 1 and 2

Tests *none*

Note Built before the speaking part is switched on (N559 item 6).



screen `settings`

☐ MATCH-12 Nobody is asked to rate a person built

Given two people matched have talked; **when** any time after:

- no card asks "How was practising with {name}?"

Rules N559 item 7 · N463 item 6

Tests *none*

Note Retired before it was built: holds because nothing asks it.

screen `chat.inquiry`

☐ MATCH-13 The asking chat's Take opens its words built

Given someone suggested for a Take opens the asking chat; **when** they open the Take and tap "Read it":

- the Take's words open under its player, one paragraph per slide

Rules N331 · N576 item 1

Code `frontend src/components/willab/chats/InquiryThread.tsx:120`

Tests *none*



screen `chat.inquiry`

Settings & deletion 10

☐ SET-01 Settings: one page of your choices built

Given ☰ → Settings; **when** the page opens:

- Personalised practice, Sensitive information in recordings, Help improve WillpowerLab, Your projects, Email and password, the WhatsApp card, Delete my account
- each change asks first where it takes something away, and takes effect only on confirm, with its outcome line

Rules consent-screens.md "What it covers" 2 · N196

Code `frontend src/components/account/DataConsentChoices.tsx:1`

Tests `src/components/account/DataConsentChoices.test.tsx` `tests/test_consent_choices.py` `tests/test_consent_choices_postgres.py`



screen `settings`

SET-02 Practice off means no Practise anywhere built

Given the speaker turned personalised practice off, or withdrew sensitive information; **when** they open a sheet or the walk:

- no Practise and no "Accept and practise" are offered, so nothing is recorded the server would refuse

Rules consent-screens.md "What it covers" 2

Code `frontend src/components/willab/usePractiseOffered.ts:1`

Tests `src/components/willab/practiseOff.test.tsx` `src/services/api/consentChoices.test.ts`



screen `settings`

SET-03 Email and password built

Given the Email and password card; **when** the speaker changes either, or forgot the password:

- they change their email and their password; a forgotten password gets a link

Rules N190 · consent-screens.md "Email and password"

Code `frontend src/components/account/AccountSignInCard.tsx:1` `backend services/account_security.py:1`

Tests `src/components/account/AccountSignInCard.test.tsx` `tests/test_account_security.py`



screen `settings`

SET-04 Delete my account, with seven days to change your mind built

Given Delete my account; **when** the speaker confirms:

- one request is sent; processing stops at once; they see how long they have to change their mind
- the app shows one true line, a way to Data & consent, and "Cancel deletion" only while it can still land
- after seven days it completes by itself; a refusal changes nothing

Rules consent-screens.md "What it covers" 2 · N8 · Q3a

Code `frontend src/components/account/DeleteAccountCard.tsx:1` `frontend src/components/willab/AccountEndedState.tsx:1` `backend services/account_deletion.py:92`

Tests `src/components/account/DeleteAccountCard.test.tsx` `src/services/api/accountDeletion.test.ts` `src/components/willab/AccountEndedState.test.tsx` `src/components/willab/Phase1AcceptanceGate.test.tsx` `tests/test_a_deletion_completes_after_seven_days_postgres.py` `tests/test_deletion_window.py` `tests/test_account_deletion_starts_postgres.py`



screen `settings`

SET-05 Deletion really erases built

Given an account deletion completes; **when** the erasure runs:

- every recording, Take, transcript and project is erased; copies held by providers are deleted or a lawful retention is recorded
- lesson bookings deleted (a paid one kept only as a bare accounting record); coach videos made for them deleted; training releases holding their pairs voided
- a skip is kept only as an empty receipt

Rules N6 · N8 · retention v1.4

Code `backend services/deletion_completion.py:1` `backend services/data_purge.py:69`

Tests `tests/test_phase1_deletion_completion.py` `tests/test_take_purge_postgres.py` `tests/test_booking_erase.py` `tests/test_coach_answer_video_erase.py` `tests/test_an_erasure_voids_the_released_copies_postgres.py` `tests/test_purge_user_locators.py` `tests/test_a_skip_keeps_an_empty_receipt_postgres.py`



screen `settings`

claude.ai/artifact/4jDJsvBAquMUgaGkJgHR76

SET-06 Deleting or archiving one project built

Given Your projects, or the project picker; **when** the speaker deletes or archives a project:

- "Delete "<project name>"?" with the signed text, "Request deletion", then "Deletion pending" and "Cancel deletion"; finished within 7 days, locked until then
- only that project's rows are erased; the picker only archives, never deletes; an archived project comes back

Rules N8 · N254 · ideal-text.md "an archived project's next Take"

Code `frontend src/components/account/ProjectsCard.tsx:1` `frontend src/lib/willab/projectDeletionCopy.ts:28` `backend services/project_deletion.py:94`

Tests `src/components/account/ProjectsCard.test.tsx` `src/components/willab/ProjectPicker.archive.test.tsx` `src/services/api/projectDeletionClient.bff.test.ts` `tests/test_project_deletion.py` `tests/test_project_purge_scope.py` `tests/test_project_archive.py`



screen `settings`

SET-07 Deleting one Take, honestly built

Given a Take the speaker wants gone; **when** they delete it:

- it is really deleted, or the app says in approved words why it cannot (it is part of their history)

Rules Never 5 · contract 16

Code `backend services/take_lifecycle.py:1`

Tests `tests/test_take_delete_lineage.py` `src/services/api/strengths.test.ts` `tests/test_presentation_delete.py`



screen `ideal`

SET-08 Nobody erases through the app's routes built

Given the app's server routes; **when** anyone calls the erase-my-data route:

- it is unreachable through the app; a speaker can still cancel their own deletion

Rules Security

Code `frontend src/app/api/v2/processing-authorization/[[...path]]/route.ts:1`

Tests `src/app/api/v2/processing-authorization/[[...path]]/route.test.ts`



screen `settings`

claude.ai/artifact/4jDJsvBAquMUgaGkJgHR76

SET-09 WhatsApp: one message when your coach is done built

Given the speaker left their WhatsApp number (checked once with a code); **when** their coach first shares feedback:

- one WhatsApp message; replying STOP stops them; the number also signs them in

Rules N207 · N214

Code `frontend src/components/account/WhatsAppCard.tsx:1` `backend services/whatsapp_notify.py:307`

Tests `src/components/willab/whatsappOffer.test.tsx` `tests/test_whatsapp_number.py` `tests/test_whatsapp_stop.py`



screen `settings`

☐ `SET-10` **One "Messages" place** not built

Given Data & consent; **when** the speaker wants to choose their messages:

- WhatsApp on or off with the number, email on or off, practice reminders on or off with their time, in one place

Rules N189 · N338 item 4 · consent-screens.md §2

Code `frontend src/components/account/WhatsAppCard.tsx:1`

Tests *none*

Note In flight (consent-screens.md §2, BE #1360), drawn later.



screen `settings`

Payments/tokens 8

☐ `PAY-01` **Tokens are one-time packages** built

Given a speaker's wallet; **when** they buy or look at their balance:

- the free grant comes once and never renews; every purchase is a one-time package bought at the published price, tokens given exactly once
- no subscriptions, billing periods or renewal dates; no streaks, scores or comparisons in the wallet's words

Rules contract 48 to 50 · Never 1 (a token price is allowed)

Code `frontend src/components/tokens/copy.ts:66` `backend services/token_packages.py:88`

Tests `src/components/tokens/copy.test.ts` `tests/test_token_packages.py` `tests/test_pricing_v4.py`



screen `tokens`

☐ `PAY-02` **A charge never blocks the loop** built

Given a speaker low on or out of tokens; **when** they record or open feedback:

- each action is charged once at its price and never when it cannot be covered
- "You're out of tokens." never removes recording, projects, Ideal Text, feedback, exports or the Voice Album

Rules contract 51 · Never 3

Code `backend services/token_account.py:592` `frontend src/components/tokens/copy.ts:169`

Tests `tests/test_token_charge_postgres.py` `tests/test_token_pricing.py` `src/services/api/tokens.test.ts` `src/services/api/labRecording.test.ts`



screen `tokens`

☐ `PAY-03` **No top-up while recording** built

Given the Lab (the recording screens) is on screen; **when** the balance is low:

- no top-up offer shows

Rules Never 3 · N111

Code `frontend src/components/willab/topUpCardGate.ts:1`

Tests `src/components/willab/topUpCardGate.test.ts`



screen `rec`

PAY-04 The balance you see is true built

Given the wallet or ☰ Tokens; **when** the balance is read:

- read once per page and again right after a charge; never from before a purchase
- a failed check shows "unknown", never zero; the price list shows at once from the last visit and disappears when pricing is off

Rules contract 49

Code `frontend src/services/api/tokens.ts:1`

Tests `src/services/api/tokens.shared.test.ts` `src/services/api/tokens.test.ts` `src/services/api/arcFeedback.tokens.test.ts` `src/services/api/tokens.prices.test.ts` `src/app/api/v2/tokens/prices/route.test.ts`



screen `tokens`

PAY-05 No buying in the iPhone app built

Given the iPhone app; **when** the speaker opens Tokens or the bar would offer a lesson:

- the Tokens page shows what things cost and recent activity, no plans and no way to buy
- the bar's lesson offer never shows in the app; Will's booking link opens Safari

Rules N495 · N555 · N365 item 1

Code `frontend src/components/tokens/TokenWalletScreen.tsx:1` `frontend src/components/willab/LoungeTopUpCard.tsx:1`

Tests `src/components/AppMenu.test.tsx`



screen `tokens`

PAY-06 Never charged while the Terms say no payment built

Given a Terms version that says the service takes no payment; **when** a charge would happen:

- no charge is made

Rules contract 8 · the legal pack

Code `backend services/token_account.py:140`

Tests `tests/test_payment_copy_contract.py`



screen `tokens`

claude.ai/artifact/4jDJsvBAquMUgaGkJgHR76

PAY-07 Booking a call with the coach built

Given the founder's link or a price link; **when** a member books:

- a link without a price books a short kick-off; a price link charges exactly its price, by card, now
- someone signed up with WhatsApp gives their email only when booking; the join link comes on WhatsApp 10 minutes before

Rules N471 item 8 · the-plan.md F4

Code `backend services/booking.py:992`

Tests `tests/test_booking_link_length.py` `tests/test_booking_price_link.py` `tests/test_booking_email.py` `tests/test_booking_whatsapp.py`



screen `book`

claude.ai/artifact/X4gDmGfHH7ivuoRZ9ufiy9

☐ `PAY-08` **What you bought is yours only** built

Given a paid audit or plan checkout; **when** it is opened:

- checkout opens with the right plan and return pages, or a clear message when plans are unavailable
- a purchased audit is unlocked for the buyer only, and stays locked on a database hiccup

Rules contract 49

Code `backend services/arc_entitlement.py:1`

Tests `src/services/api/planClients.bff.test.ts` `tests/test_arc_entitlement.py`



screen `tokens`

AI voice 2

☐ `AIV-01` **The AI version of your voice in practice** built

Given a fix whose voice shows a problem (pace, pause, stress, fillers) against the speaker's own usual delivery; **when** the voice Exercise runs:

- the library video only when it fits exactly; else the AI clip in its place
- after a try that isn't better yet, a new AI clip; at most 3 per exercise, the Exercise screen's included
- the AI clip is never a label and never enters a training set

Rules ai-voice-practice.md §1 2 · feedback-walk-and-chat.md H2, I2 · N93 · N188

Code `backend services/ai_voice_clip.py:81` `backend services/ai_voice_limits.py:1` `backend services/ai_voice_validator.py:1`

Tests `tests/test_ai_voice.py`



screen `walk.ai`

claude.ai/artifact/G8Am3fR3f3SzAdTkwyUGKZ

☐ `AIV-02` **The AI voice card in Data & consent** built

Given Data & consent; **when** the speaker opens the AI voice card:

- they turn it off and delete the AI version of their voice fully

Rules ai-voice-practice.md §1 3 · consent-screens.md "What it covers"

Code `frontend src/components/account/AiVoiceCard.tsx:1` `backend services/ai_voice_store.py:1`

Tests `tests/test_ai_voice.py`



screen `settings`

claude.ai/artifact/1AUfoqBtZThxVbQKz1BTih

Coach panel 13

COACH-01 The coach's way in is a row in the list built

Given a coach (anyone who may hear speakers); **when** they open the list of chats:

- a row right under Will: the round Speakers icon, the job in their own profile ("Your queue" with none), and "Open your queue" with the new look while someone waits
- nothing of the coach stays at the bottom of Will's chat

Rules coach-panel.md B1 · N521

Code `frontend src/components/willab/coachwalk/CoachChatRow.tsx:1`

Tests `src/components/willab/coachwalk/coachChatRow.test.tsx`



screen `coach.list`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-02 Your queue, drawn whole built

Given the coach opens the row; **when** the queue loads:

- a chat's top bar (‹, the icon, "Your queue"); the typing dots until everything is read, then every section together
- their speakers only, the one who sent most recently on top, each with how many moments wait and an orange dot; an answered speaker drops out
- below, "Also waiting · blind" (switched off)

Rules coach-panel.md B2, B3 · N525

Code `frontend src/components/willab/coachpanel/CoachPanel.tsx:1` `backend services/coach_queue.py:1`

Tests `src/components/willab/coachpanel/coachPanel.test.tsx` `tests/test_coach_queue_bookmarks.py`



screen `coach.queue`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-03 A speaker, by pseudonym built

Given a speaker's card in the queue; **when** the coach opens it:

- the pseudonym as the title, never a name, email or id; "Goal: ..."; "Who it's for: ..." and "What they should do: ..." in the speaker's words
- their Takes newest first, "{n} of {m} moments waiting"; answered Takes faded under "Answered"
- the emotion the speaker named before recording, as their own word

Rules coach-panel.md C1 to C4 · N87

Code `backend services/coach_students.py:1` `backend services/coach_pseudonym.py:1`

Tests `tests/test_coach_students.py` `tests/test_coach_queue_talk_setup.py` `tests/test_named_emotion.py`



screen `coach.speaker`

claude.ai/artifact/UiZzNZs5623NkforaeR4PM

COACH-04 Judge this moment, blind built

Given an open moment; **when** the coach judges it:

- the player, "Does the speaker sound confident here?", 👍 Yes, 😐 In-between, 👎 No, and the small "Audio unclear"; nothing else: no passage, kind, machine read or slide
- it moves on by itself; the moment's read is fetched only after the rating saves
- Audio unclear sends it to another coach; twice and the clip is quarantined

Rules coach-panel.md D1, D2 · Never 2 · feedback-walk-and-chat.md I1

Code `frontend src/components/willab/coachwalk/CoachJudgeSheet.tsx:1` `backend services/coach_blind_gate.py:19`

Tests `src/components/willab/coachwalk/coachJudgeSheet.test.tsx` `src/lib/willab/coachPanel.test.ts` `src/lib/willab/coachWalk.test.ts` `tests/test_coach_blind_gate.py` `tests/test_blind_coach_evidence_postgres.py`



screen `coach.judge`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-05 What happened, after the answer built

Given the coach's rating saved; **when** "What happened" opens:

- the passage with its player; You, the speaker, The machine heard, and last "Willfidence" in whole percent (the coach's only number)
- G1: an answered moment reopened shows "Your answer" and "Change my answer"; every earlier answer is kept

Rules coach-panel.md E1, G1 · N104

Code `backend services/coach_moment_read.py:1`

Tests `tests/test_coach_answer_brings_what_happened.py` `tests/test_the_machine_heard.py` `src/services/api/stateRatings.momentRead.test.ts` `tests/test_a_coach_may_change_their_answer_postgres.py`



screen `coach.happened`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-06 The diagnosis first, then the cure built

Given an error moment; **when** the coach answers:

- "What kind of error is it?": the errors the machine heard first, marked "The machine heard this", then the others, "Something else · Name a new error" and "I don't hear an error"
- Choose exercise: Keep it, Swap it (only exercises for that error), Make a new one, Nothing to add

Rules coach-panel.md E2, E3

Code `backend services/coach_diagnosis.py:1`

Tests `tests/test_the_coach_s_diagnosis_comes_first_postgres.py` `tests/test_exercise_pick_view.py`



screen `coach.diagnosis`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-07 The coach's words, video and share built

Given the coach has diagnosed; **when** they write and record:

- their words below the speaker's passage, with a pencil; an empty field stays open so Next is never stuck
- an optional video "Say the instruction in your own words · under a minute"
- "Ready for {p}" shows exactly what the speaker will get, with "Share with {p}" or "Share without the library"

Rules coach-panel.md F1 to F4 · N80

Code `frontend src/components/willab/coachpanel/CoachWords.tsx:1` `backend services/coach_answer_video.py:1`

Tests `tests/test_coach_answers_in_words_postgres.py`



screen `coach.words`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-08 A word for the Take built

Given the coach reaches a Take's summary; **when** they write a word:

- "Optional · it opens first in {p}'s feedback", then its video step, Send; "Send without a video" sends words only
- coming back: "Send to {p}", "Record again", "Remove the video"; the speaker sees one "Later · from your coach" bubble

Rules coach-panel.md G2 to G4

Code `backend services/coach_take_word.py:1`

Tests `tests/test_coach_message_read.py` `tests/test_coach_take_word_permit.py`



screen `coach.takeword`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

COACH-09 The coach's link opens the coach's feedback built

Given a speaker taps the WhatsApp or email link about their coach's word; **when** something else is processing, or a newer Take exists:

- the link opens the coach's feedback on the Take the word was written on, whatever else is processing

Rules CLAUDE.md promise 2 · N77

Code `frontend src/lib/willab/coachLink.ts:1` `frontend src/app/chat/page.client.tsx:1`

Tests `src/app/chat/page.test.tsx` `src/components/willab/coachLinkTake.test.tsx`

screen `walk.coach`

COACH-10 A speaker's plan in the queue built

Given a plan that waits on a coach; **when** the coach opens it:

- "New plan", "Asked about their level" or "{level} · three Takes without moving"
- "Which level comes first?" with their voice message and key line, then the five levels; nothing of the machine's level shows first
- a stuck level asks for the coach's video: "Three Takes without moving. Next in the row: your video."

Rules coach-panel.md K1 to K6 · N213

Code `frontend src/components/willab/coachpanel/CoachPlanFlow.tsx:1` `backend services/plan_coach.py:1`

Tests `src/components/willab/coachpanel/coachPlan.test.tsx` `tests/test_plan_coach.py`



screen `coach.plan`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

☐ COACH-11 The founder's rows built

Given the founder's own queue; **when** they look under the blind lists:

- "Will · only you" → "Will's questions" with "N questions · M empty slots"; Will asks the new words from the next Take
- the ⋯ on a waiting speaker deletes their waiting moments behind a confirmation; on a blind line it clears the week's

Rules coach-panel.md B4, B5 · feedback-walk-and-chat.md E5 · N83

Code `frontend src/components/willab/coachpanel/WillBankScreen.tsx:1`

Tests `src/components/willab/coachpanel/willBank.test.tsx` `tests/test_coach_founder_closes_moments.py` `tests/test_founder_clears_a_blind_line.py`



screen `coach.founder`

claude.ai/artifact/WLZ1KY6dX1RBLXiNU73F9N

☐ COACH-12 The training corpus is the founder's differs

Given the admin ☰, under Data; **when** the founder opens "Training corpus":

- imports (several files at once, newest 50 first) cut into moments judged blind, mixed across imports, never the same speaker twice in a row
- no coach sees it; a corpus clip is processed only under the founder's written basis

Rules coach-panel.md H0 to H4 · N416 · N511 · N58

Code `frontend src/components/admin/AdminMenu.tsx:29` `frontend src/components/willab/coachpanel/CoachCorpusJudge.tsx:1` `backend services/corpus_mixed_queue.py:1`

Tests `src/components/willab/coachpanel/coachPanelCorpus.test.tsx` `src/components/willab/coachpanel/coachCorpusJudge.test.tsx` `tests/test_corpus_mixed_queue.py` `tests/test_a_corpus_import_is_processed_under_the_founders_basis_postgres.py` `src/app/admin/libraryAndErrorsGate.test.ts`

Note N511 item 1 puts the Training corpus row in the admin ☰ under Data, beside Project deletions; the code (AdminMenu.tsx, FE #1256, 4 November) moved it to Overview in the Roadmap's place, citing the founder, with no decision logged. Drawn as N511 has it, with the red chip.



screen `coach.corpus`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

☐ COACH-13 Blind lists and video words wait for a yes built

Given the coach panel's other lanes; **when** they would run:

- "Do you hear it?" and "Pick the most confident moment" are built and switched off
- a coach's exercise video for a speaker is turned into words only when that speaker gave the training yes

Rules coach-panel.md B3, F5 · N79

Code `frontend src/components/willab/coachpanel/V4BlindSheets.tsx:1` `backend services/coach_take_word.py:1`

Tests `src/components/willab/coachpanel/v4BlindSheets.test.tsx` `tests/test_v4_coach_sheets.py` `tests/test_coach_take_word_permit.py`



screen `coach.queue`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

Principles / Sunday note 6

PRI-01 The note rests: no mic in Will's chat built

Given Will's chat; **when** the speaker looks for the mic or types "#":

- no mic and no "#" note; Will no longer introduces the notebook or asks "Keep a voice notebook?"
- everything already kept stays; the dump screen is the notebook's way in

Rules principles.md A0 · N483 item 7 · N507 item 1

Code `frontend src/components/willab/Lounge.tsx:1`

Tests `src/components/willab/voiceNotebook.test.tsx`



screen `will.after`

PRI-02 The dump screen, in the iPhone app only partly

Given "Open to the dump screen" on (Settings), ring rows dump_screen and voice_notebook, the notebook's Yes; **when** the app opens plainly (never from a link, never over another screen):

- the whole screen listens: tap to start, tap to stop and keep, double tap to close; a light tick when it starts
- what is said is a voice note: "Noted." in Will's chat; kept even with no signal
- in a browser it never opens and Settings shows no switch

Rules principles.md T1 to T6 · N506 · N507 · N519 · N522 · N540

Code `frontend src/components/willab/DumpScreen.tsx:1` `frontend src/components/willab/DumpScreenHost.tsx:1` `frontend src/lib/willab/dumpScreen.ts:1`

Tests `src/lib/willab/dumpScreen.test.ts` `src/components/willab/dumpScreenHost.test.tsx` `src/lib/phone/dumpScreen.test.ts` `src/components/willab/voiceNoteOutbox.test.tsx`

Note The web side ships; the native capture screen waits in FE #1251 for the founder's build (principles.md §2).



screen `pri.dump`

claude.ai/artifact/5X4M3cnSBxX8YcuKFEFY3a

PRI-03 The Sunday note built

Given a ring-5 speaker whose last seven days of # notes show a pattern; **when** Sunday from 6 pm in their time zone, or they ask any day:

- "We spotted a pattern!" and the case in one sentence, with Not now | Investigate
- the lens "‹ Sunday note ›": "What one of those was it?" (👾 Too much pleasure, Blind spots, Hubris, Wishful thinking, "Add a new bug"), "Did you have a principle in place already?", "Reflections: what do you take from this?" (never written by Will)
- "Will suggests a new principle:" with Accept, Edit, Not now; propose, never commit

Rules principles.md L1 to L8 · N158 · N170

Code `frontend src/components/willab/SundayLens.tsx:1` `backend services/sunday_note.py:147`

Tests `src/components/willab/sundayLens.test.tsx` `tests/test_sunday_note.py`



screen `pri.sunday`

claude.ai/artifact/Bt2YEZLKhu9fLTA1deWTvo

PRI-04 Life goals, one per sitting built

Given a ring-5 speaker after their first # note, or who asks; **when** the life goals lens opens:

- "Which matters most right now?", three open questions, Will's draft only from their words, the long run or a want, "Is it ambitious enough?", "What will you give up for it?", "By when?"
- worked back from the horizon to this quarter with real dates; the ladder kept with every version dated

Rules principles.md M1 to M16 · N172

Code `frontend src/components/willab/LoungeLifeGoals.tsx:1` `backend services/life_goals.py:102` `frontend src/lib/willab/lifeGoals.ts:1`

Tests `src/components/willab/loungeLifeGoals.test.tsx` `src/lib/willab/lifeGoals.test.ts` `tests/test_life_goals.py` `src/components/life/lifeGoalsLadders.test.tsx`



screen `pri.goals`

claude.ai/artifact/HaWehtwfg1jzJvGeGM1c24

☐ `PRI-05` **Strengths, your control, your why, the sale** partly

Given a ring-5 speaker's notes; **when** Will reads them:

- a strength only when it shows on two different days, kept in words they accept; one brought back the day before a talk
- a worry outside their hands is sorted once into what is theirs and one thing they control now
- their why, vision and how they treat people, kept in their words, the why shown each day
- a lost sale points at the step that stalled and one change, never "you were..."

Rules principles.md N, O, Q, P · N241 · N255 · N258

Code `backend services/strengths.py:91` `backend services/in_control.py:143` `backend services/your_why.py:89` `backend services/sales_framing.py:66`

Tests `src/components/willab/loungeStrengths.test.tsx` `tests/test_strengths.py` `tests/test_in_control.py` `src/components/willab/loungeYourWhy.test.tsx` `tests/test_your_why.py` `tests/test_sales_framing.py`

Note P4 open: the sales framing is done only once tried with salespeople on ring 5 (principles.md §3).



screen `pri.why`

claude.ai/artifact/1hfLf8mCif8pgC1X1Z6caJ

☐ `PRI-06` **The notebook stays private** built

Given anything of the notebook, the Sunday note, life goals; **when** the coach panel, the plan or a Take's summary is drawn:

- none of them reads or shows it; never on the recording screens
- whenever Will spots something, a short reminder to keep names and fragile things out

Rules principles.md A3, A4, S4 · N411 · Never 2

Code `frontend src/components/willab/NotebookPrivacy.tsx:1` `backend services/voice_notebook.py:88`

Tests `src/components/willab/notebookPrivacy.test.tsx` `tests/test_voice_notebook.py`



screen `pri.privacy`

claude.ai/artifact/Bt2YEZLKhu9fLTA1deWTvo

Customer requests 5

☐ `CR-01` **A client's widget: the pill, the popup, the form** not built

Given a client (a head spa) pasted one script line on its site; **when** a visitor comes:

- "Ask our trichologist" pill at the bottom right; a popup once per visitor with Ask and Not now (30 days)
- the form in an iframe: a photo first, a few words, the first name, the mobile number, one consent tick; then "Sent" and Done

Rules customer-requests.md B1 to B7 · N223 · N225

Code `backend services/chats.py:160`

Tests *none*

Note customer-requests.md §2: "Nothing else built" beyond the chats; the code ref is the chats the requests would land in.



screen `cr.widget`

claude.ai/artifact/1u6UrevnTpo9jRZdfa9w83

CR-02 The request in the answerer's chat not built

Given a customer sent a request; **when** the answerer opens her list:

- one chat per customer, a status (Waiting for you, Sent, Booked) and filters All, Waiting, Sent, Done
- the request as the customer's bubble; "{customer} asks for your advice." with Not now | Answer; it waits until the last Take's chain is done
- unanswered for 24 hours: one email to the founder and one to the client

Rules customer-requests.md C1 to C7 · N256

Code `frontend src/components/willab/chats/ChatList.tsx:298`

Tests *none*



screen `cr.list`

claude.ai/artifact/CeeWQpvUrZT31aj8Lm3Fsa

CR-03 The answer is a Take, sent before the walk not built

Given the answerer taps Answer; **when** she picks what she sees and recommends, then records over the slides:

- the Take goes through the processing-authorization path like any Take
- once processed, "Send this answer to {customer} on WhatsApp?" with Not yet | Send; a Take 2 changes nothing until a second Send

Rules customer-requests.md D1 to D6

Code `backend services/processing_authorization.py:82`

Tests *none*



screen `cr.send`

claude.ai/artifact/CeeWQpvUrZT31aj8Lm3Fsa

CR-04 The customer meets the answer as a chat not built

Given the customer opens the link on WhatsApp or SMS; **when** the answer page loads in the client's colours:

- the answerer's photo and name, her voice and full answer, the treatment as a card with its price
- one ask at a time in the footer (Skip | Book, Not now | Buy · {price}); booking and payment in the client's own systems; the money never passes through WillpowerLab

Rules customer-requests.md E1 to E11, G4

Code `backend services/chats.py:160`

Tests *none*



screen `cr.answer`

claude.ai/artifact/1u6UrevnTpo9jRZdfa9w83

CR-05 The photo is kept 30 days, the model learns blind not built

Given a request's photo and answer; **when** time passes and pairs accumulate:

- the photo in a private bucket read by signed URL only, deleted 30 days after the answer
- no AI visible in the first version; drafts start blind and are shown only after the golden set passes and after she answered

Rules customer-requests.md G1, H5 · Never 2

Code `backend services/retention_cleaner.py:143`

Tests *none*



screen `cr.chat`

claude.ai/artifact/CeeWQpvUrZT31aj8Lm3Fsa

Never rules 9

NEV-01 Never a score on a speaker's screen built

Given any screen a speaker sees: the walk, the recording screens, the Ideal Text, the waits, the wallet; **when** it is drawn:

- no score, number, rank, star or verdict about the speaker; every walk and recording line is signed copy with no digit
- pitch, pace and pauses are never numbers; a practise try is "praise or try again", never the machine's number
- allowed: a processing percent, a token price, the Take number, "Practice 2 of 9"

Rules Never 1 · N178

Code `frontend src/components/willab/walk/useWalkLines.ts:1` `frontend src/components/willab/recordingCopy.ts:1` `backend services/line_bank.py:1`

Tests `src/components/willab/walk/walkCopy.test.ts` `src/components/willab/recordingCopy.test.ts` `src/components/willab/noStarsOnUserSurfaces.test.ts` `src/lib/willab/f1LoopContract.test.ts` `tests/test_take_comparison.py` `tests/test_pieces_slide_stickiness.py` `src/services/api/practiceCheck.test.ts` `tests/test_line_bank.py`



screen `walk.best`

NEV-02 Never your own 1 to 10 shown back built

Given the stress and readiness ratings; **when** the speaker taps a number:

- the number is never shown back to them, in the chat or the plan; Will speaks of it only in words

Rules Never 1 · N178 · the-plan.md D2, D3

Code `frontend src/components/willab/plan/PlanDock.tsx:1`

Tests `src/components/willab/plan/plan.test.tsx`



screen `plan.rate`

NEV-03 Never a count of unread built

Given the list of chats, the Ideal Text bubble, the coach's word; **when** something is new:

- the new look or the word "new" shows, never a number

Rules Never 1 · N500 item 4

Code `frontend src/lib/willab/newCoachFeedback.ts:1`

Tests `src/components/willab/loungeNewCoachFeedback.test.tsx` `src/components/willab/chats/chats.test.tsx` `tests/test_new_coach_feedback_waits_on_the_lounge_bubble_postgres.py`



screen `list`

NEV-04 Will never talks in scores built

Given the chat with Will and the messages after Takes; **when** Will answers:

- never scores, ratios, KPIs or retired constructs; the Voice Album's message speaks in words, never counts or rankings

Rules Never 1

Code `backend services/master_doc_rag.py:1` `backend services/arc_notifications.py:1`

Tests `tests/test_master_doc_output_guards.py` `tests/test_arc_notifications.py` `tests/test_journey_messages.py`



screen `will.after`

☐ `NEV-05` **No coach sees the machine's guess before answering** built

Given any coach surface: the Judge, the corpus, the blind sheets, the plan's level, training imports; **when** the coach has not answered yet:

- no machine read, kind, rating, rank or other answer reaches the coach's screen or packet
- a moment is listed only once the speaker was shown it; the read comes back only with the saved answer

Rules Never 2 · coach-panel.md D1, D2, K3 · feedback-walk-and-chat.md I2

Code `backend services/coach_blind_gate.py:44` `frontend src/services/api/coachReview.ts:204`

Tests `tests/test_coach_blind_gate.py` `tests/test_mlc2_confidence.py` `src/services/api/trainingCorpus.test.ts` `tests/test_training_import_on.py` `src/services/api/willabMappers.test.ts` `src/components/willab/coachpanel/v4BlindSheets.test.tsx` `tests/test_the_machine_heard.py`



screen `coach.judge`

claude.ai/artifact/TEBvGMehRF6wXCvJTEYTUA

☐ `NEV-06` **Nothing between a Take and the next** built

Given record → process → Ideal Text → next Take; **when** anything else wants to be asked:

- before any Take but the first, only "How do you feel?" with its Skip
- the plan's questions come once, inside the first Take; settings asks, matching, requests and the dump screen never stand in front of a Take or its walk
- an unfinished walk never holds the next Take back

Rules Never 3 · N401 item 5 · N532 · N540 item 2 · the-plan.md A4

Code `frontend src/components/willab/useWillabFlow.ts:1` `frontend src/components/willab/loungeOpenAsks.ts:1`

Tests `src/components/willab/useWillabFlow.test.ts` `src/components/willab/loungeOpenAsks.test.ts` `src/components/willab/plan/planNewEvent.test.tsx` `src/lib/willab/f1LoopContract.test.ts`



screen `feel`

☐ `NEV-07` **No new words without the founder's OK** built

Given any word on any screen; **when** the code shows it:

- it is in the rules page's signed words (§1 K) or the line bank, exactly
- a commit that changes a locked screen's file carries "Founder-Approved:"; a flow file's change changes its rules page too

Rules Never 4 · feedback-walk-and-chat.md K · N107

Code `frontend scripts/check-design-lock.mjs:1` `backend services/line_bank.py:1`

Tests `scripts/checkDesignLock.test.ts` `tests/test_line_bank.py` `src/components/willab/walk/walkCopy.test.ts` `src/app/api/bffEnvelopes.contract.test.ts`

Note The guard checks that every line is in its copy file; N557's and N565's signed lines are there now (frontend #1317, #1328).



screen `walk.fix`

☐ `NEV-08` **The Ideal Text never holds words you did not say** built

Given the Ideal Text after any Take, edit or suggestion; **when** it is read:

- it is only what the speaker said in their latest Take (plus their own edits and accepted words until the next Take)
- the coach's unfinished edit never shows; an older Take never becomes the Ideal Text

Rules Never 5 · contract 7 to 9 · N556 item 3

Code `backend services/ideal_text_read.py:1` `frontend src/lib/willab/takeOutbox.ts:1`

Tests `tests/test_single_deliverable.py` `src/lib/willab/f1LoopContract.test.ts` `tests/test_ideal_text_parts.py` `src/services/api/idealText.test.ts`



screen `ideal`

☐ `NEV-09` **Your recordings are never public** built

Given any stored recording of a speaker's voice; **when** it is played:

- it is served only through a short-lived signed link, fixed by itself when it expires; one player plays at a time
- a speaker's project is never shown to another account on a shared device

Rules Security · contract 2

Code `backend services/user_media_storage.py:1` `frontend src/lib/media/mediaRefresh.tsx:1`

Tests `tests/test_user_content_not_public.py` `tests/test_object_key_prefixes_are_classified.py` `src/lib/media/playback.test.tsx` `src/lib/willab/exploreArc.test.ts` `tests/test_project_tenant_isolation.py`



screen `will.media`

claude.ai/artifact/X4gDmGfHH7ivuoRZ9ufiy9

AI models 55

☐ `MOD-01` **A newcomer meets nothing of the models while joining** built

Given Kasia joins WillpowerLab through RASP's link and has never recorded; **when** she goes through the welcome, records Take 1, waits for it, and opens its walk:

- no screen, question or tap about AI models, teaching or the training yes appears before, during or after Take 1
- the acceptance screen offers nothing optional: the training choice is not on it

Rules Never 3 · N518 item 5 · N528 item 12 · N575

Code `frontend src/components/willab/Phase1AcceptanceFlow.tsx:312`

Tests *none*

Note N575 (9 November): the training yes, "Help improve WillpowerLab", is asked only in Settings (Data & consent) or a consent ask the founder sends one person; never at joining or in onboarding (amends N518 item 5 and N528 item 12).



screen `mod.meet`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-02` **The speaker's training yes decides whether her Takes can teach a voice model** partly

Given Kasia has recorded Takes and has not turned on the training yes; **when** a voice model (Speaking confidence) gathers examples from WillpowerLab Takes:

- none of Kasia's Takes or moments is offered to any model's teachers
- once she turns on "Help improve WillpowerLab" in Settings, her later Takes may be
- "Turn off training?" takes them out again

Rules N518 item 5 · N563 item 4 · N528 item 10 · N575

Code `frontend src/lib/legal/dataConsentCopy.ts:64` `frontend src/lib/legal/dataConsentCopy.ts:65` `frontend src/components/account/TrainingConsentCard.tsx:34` `backend services/person_asks.py:34`

Tests `src/components/account/TrainingConsentCard.test.tsx` `src/services/api/trainingConsent.test.ts` `tests/test_training_consent_postgres.py` `tests/test_person_asks.py`

Note The switch is built and asked in Settings or in a founder's consent ask in the chat; no model reads it yet, because no model gathers examples from Takes. N575 (9 November): the training yes, "Help improve WillpowerLab", is asked only in Settings (Data & consent) or a consent ask the founder sends one person; never at joining or in onboarding (amends N518 item 5 and N528 item 12).



screen `mod.meet`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-03 A speaker never sees a model's page or its numbers not built

Given Kasia is a speaker who teaches no model; **when** she opens her list of chats:

- she sees the "AI models" row like everyone, and no model's jars, stage, agreement or teacher numbers about her

Rules N526 item 3 · Never 1

Tests *none*



screen `mod.meet`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-04 The AI models row sits under the people in the list of chats not built

Given Marta's list of chats, with Will on top and her people under him; **when** she looks under the people:

- a row "AI models" with the line "Teach one, or start your own"
- above it, the coach's row "Your queue" with "12 examples wait · 3 models"

Rules N528 item 1 · N563 item 1 · N566 item 11

Tests *none*



screen `mod.d-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-05 The list of models, the most mature first, with search and filters not built

Given Marta taps "AI models"; **when** the list opens:

- "Each model learns one skill from people who know it well. The ones furthest along are at the top."
- filters "For you", "Ready to use", "Still learning"
- each model shows "Started by ..." and how far it is, as "62% of the way to its first training · 6 teachers"
- her own draft on top: "Your draft", "You stopped at the scale. Nothing is lost.", "Continue"

Rules N528 item 1 · N566 item 2 · N566 item 11

Tests *none*



screen `mod.d-2`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-06` **A public model's page in totals only** not built

Given Marta opens Speaking confidence from the list; **when** the page opens:

- "Speaking confidence is 62% of the way to its first training. Six people teach it."
- "Teach it" and "Try it"

Rules N526 item 2 · N526 item 3 · N528 item 1

Tests *none*



screen `mod.d-3`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-07` **A disclaimer at the door before anyone teaches** not built

Given Marta taps "Teach it" on a public model; **when** the door opens:

- "Before you teach"
- "Teach it only what you know well. If this is not your field, your answers would make it worse for all of us."
- "It learns from your ratings and the words of your answers. Your voice recordings stay with WillpowerLab."
- "This is my field" and "Not now"

Rules N528 item 2 · N528 item 10

Tests *none*



screen `mod.d-4`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-08` **Teaching a voice model looks like the coach panel's Judge** partly

Given Marta came through the door of Speaking confidence; **when** her first example opens:

- "Judge this moment"
- "Does the speaker sound confident here?"
- "Yes", "In-between", "No", "Audio unclear", "Skip"

Rules N563 item 2 · N520 item 1 · Never 2

Code `frontend src/components/willab/coachpanel/CoachPanelScreens.tsx:498` `backend services/label_quorum.py:292`

Tests `src/components/willab/coachpanel/coachPanel.test.tsx` `tests/test_label_quorum.py`

Note Built as the coach panel's Judge for the speaking coaches' moments; no model joined through the AI models row reaches it yet.



screen `mod.d-5`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-09` **A teacher never sees the machine's guess before answering** partly

Given Marta is on an example of any model; **when** she has not answered it yet:

- nothing of the machine's read (its label, score, draft or "what happened") is shown or fetched until her answer is saved

Rules Never 2 · N518 item 4

Code `frontend src/components/willab/coachpanel/CoachPanelScreens.tsx:498`

Tests `src/components/willab/coachpanel/coachPanel.test.tsx`

Note Holds today for the coach panel (the moment's read is asked for only after the rating saves); the launchpad's teaching screens are not built.



screen `mod.d-5`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-10` **The quiet trust check: a newcomer's answers count once they hear what experts hear** not built

Given Marta has answered fewer than 20 examples of Speaking confidence; **when** her answers include hidden known clips:

- no screen says she is on trial and no score is shown
- once her reliability passes: "Your answers now count." and "You earn a token for each answer that counts."

Rules N520 item 8 · N520 item 12 · N528 item 2 · N523 item 2 · Never 1

Tests *none*



screen `mod.d-6`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-11` **Two matching votes settle an example; one vote never does** built

Given an example has one teacher's answer; **when** a second teacher answers it the same way:

- it settles and can train a model
- with one answer it stays a weak signal, never for training
- a clash goes to a third teacher

Rules N518 item 3 · N520 item 11 · N570 item 4 · N563 item 4

Code `backend services/label_quorum.py:147` `backend services/label_quorum.py:152`

Tests `tests/test_label_quorum.py`



screen `mod.q-7`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-12` **"What do I get?" in three short cards** not built

Given Marta taps "What do I get?" on the list; **when** it opens:

- "Teach a model", "Start a model", "Use a model in your business", each with one line
- "Back to the list"

Rules N566 item 11 · N523 item 2 · N531

Tests *none*



screen `mod.d-7`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-13` **An empty search says so and offers to start one** not built

Given Marta searches for a field nobody has started a model about; **when** the list finds nothing:

- "No models here yet."
- "Nobody has started a model about this. You could be the first."
- "Start the first one" and "Clear the search"

Rules N566 item 11

Tests *none*



screen `mod.d-8`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-14` **The coach's row is the one queue for every model a person teaches** differs

Given Marta teaches Speaking confidence, Pitch Coach and RASP sales replies; **when** she looks at her list of chats:

- one row "Your queue", right under Will, with "12 examples wait · 3 models"
- nothing of the queue sits at the bottom of Will's chat

Rules N563 item 1 · N521 item 1 · N521 item 7

Code `frontend src/components/willab/coachwalk/CoachChatRow.tsx:30` `frontend src/components/willab/coachwalk/CoachChatRow.tsx:24` `frontend src/components/willab/chats/useChatsDoor.tsx:297`

Tests `src/components/willab/coachwalk/coachChatRow.test.tsx`

Note Built for the speaking coaches only: the row is named by the person's profile job (or "Your queue") with the line "Open your queue" or "Nobody is waiting for you." (N521), and holds the speaking moments; no other model, no "... examples wait · 3 models" line.



screen `mod.q-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-15` **The queue orders what helps most first, with Pause per model** differs

Given Marta opens Your queue; **when** the queue opens:

- "12 examples are waiting. The ones that help most come first."
- one row per model with its count and "Pause", and "Your company · you joined when Tomek invited the team" on RASP's
- "Pause a model to stop its examples for a while. Tap a model to teach only it."
- "Start" and "Add an example you know well"

Rules N563 item 1 · N566 item 11

Code `frontend src/components/willab/coachpanel/CoachPanelScreens.tsx:232`

Tests `src/components/willab/coachpanel/coachPanel.test.tsx`

Note The built queue (coach panel B2) lists speakers, the one who sent most recently on top, for the speaking model only, with no Pause and no per-model rows.



screen `mod.q-2`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-16` **One answer counts for two models only when both ask the same question on the same scale** not built

Given a public clip is wanted by Speaking confidence and Interview voice, which ask the same question on the same scale; **when** Marta answers it once:

- "Counts for Speaking confidence and Interview voice: both ask this question"
- her answer counts for both

Rules N566 item 7 · N563 item 3

Tests *none*



screen `mod.q-3`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-17` **Another model's question on the same clip follows right after** not built

Given Pitch Coach asks something else about the same public clip; **when** Marta has answered Speaking confidence's question:

- "Pitch Coach asks something else about the same clip: how rushed does it sound?"
- its own scale, 1 "Calm" to 5 "Racing", without loading the clip again

Rules N566 item 7

Tests *none*



screen `mod.q-4`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-18` **A private example teaches only its company's model** not built

Given RASP's own example in Marta's queue; **when** she picks a reply:

- "Your company's own example: it teaches only RASP sales replies."
- the answer never counts for a public model

Rules N563 item 3 · N563 item 6

Tests *none*



screen `mod.q-5`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-19` **A recipe card that picks from a list shows the list** partly

Given RASP sales replies' recipe card asks for a pick, then an answer; **when** Marta opens its example:

- "Which first reply would you send?" with the three replies

Rules N563 item 2 · N570 item 2

Code `frontend src/lib/willab/coachPanelCopy.ts:150`

Tests `src/components/willab/coachpanel/coachPanel.test.tsx`

Note Built only as the speaking coach's pick of an exercise ("Choose exercise", coach panel E3); no model's own list is.



screen `mod.q-5`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-20` **A recipe card that asks for an answer in words takes it spoken** partly

Given the same example after the pick; **when** the next step opens:

- "Now say how you would answer them, in your own words."
- "Record your answer" and "Skip"

Rules N563 item 2 · N520 item 7 · N518 item 2

Code `frontend src/lib/willab/planCopy.ts:12`

Tests `src/components/willab/chats/chats.test.tsx`

Note "Record your answer" is built for answering a person's Take or question in their chat (N481); it does not feed a model.

screen `mod.q-6`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-21` **A teacher adds an example; it counts once another teacher agrees** not built

Given Marta knows a case the model should learn from; **when** she taps "Add an example you know well":

- "Do you know a case this model should learn from? Add it, then answer it yourself."
- "Record one" and "Upload a file"
- "It counts once another teacher agrees with your answer."
- added examples are never more than 1 in 5 of what a model learns from

Rules N563 item 4 · N566 item 6

Tests *none*



screen `mod.q-7`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-22` **Release is the founder's choice, and only when the gap is not luck** not built

Given version 2 of Pitch Coach finished its final exam; **when** Marta, its founder, opens it:

- "Version 2 is ready"
- "On the 100 exam cases:" with better, worse and the same
- "Version 2 is clearly better: a gap of 14 against 3 is very unlikely to be luck."
- "Releasing it is your choice. Businesses on version 1 keep it until they decide to switch."
- "Release version 2" and "Not yet"
- with a close result: "Not clearly better yet" and no Release button

Rules N566 item 5 · N563 item 5 · N566 item 9

Tests *none*



screen `mod.q-8`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-23` **An empty queue says so** differs

Given nothing waits for Marta in any model; **when** she opens Your queue:

- "Nothing waits for you."
- "Thank you. New examples come when your models need you."
- "Back to your chats"

Rules N566 item 11

Code `frontend src/lib/willab/coachWalkCopy.ts:14`

Tests `src/components/willab/coachwalk/coachChatRow.test.tsx`

Note The built speaking queue says "Nobody is waiting for you." (signed for the coach panel, J), on the row and in the queue.



screen `mod.q-9`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-24` **Starting a model in three chapters, with a thin bar** not built

Given Marta taps "Start your own"; **when** the setup opens:

- "Describe · 1 of 3" and the chapters "Describe", "Shape", "Share"
- "What problem should your model solve?", then "How do you solve it today?", then "How will you teach your model?", one per screen
- optional steps say "Optional"

Rules N566 item 2 · N528 item 4

Tests *none*

screen `mod.s-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-25` **✕ keeps a draft, shown in the list with Continue** not built

Given Marta is partway through the setup; **when** she taps ✕:

- the list shows "Your draft", "You stopped at the scale. Nothing is lost." and "Continue"

Rules N566 item 2

Tests *none*



screen `mod.d-2`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-26` **A model like yours already exists** not built

Given a public model is close to what Marta described; **when** she answers the third question:

- a sheet slides up: "A model like yours already exists", the model's card, "If you teach it, it learns faster, and you share what it earns."
- "Teach this one" and "Set up mine anyway"

Rules N566 item 2 · N528 item 4

Tests *none*



screen `mod.s-4`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-27` **The app proposes what the model does; the founder unticks** not built

Given Marta finished Describe; **when** Shape opens:

- "From your answers, your model will do three things. Untick what it should not do."
- "It gives a score on a scale", "It picks from a list", "It learns to answer like you"
- "That's right"

Rules N528 item 4 · N520 item 1

Tests *none*



screen `mod.s-5`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-28` **One example and a scale with words for every point; a model can start right there** not built

Given the model gives a score; **when** the scale step opens:

- "One example is a pitch clip of about 30 seconds. Your teachers will rate each clip on this scale."
- five points with words, 1 "Calm" to 5 "Racing"
- "Use this scale" and "Start with this, finish the rest later"

Rules N566 item 2 · N563 item 5 · N520 item 4

Tests *none*



screen `mod.s-6`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-29` **Each part gets the AI that fits it** not built

Given the model scores a voice, picks from a list and answers in words; **when** the step opens:

- "Score how rushed it sounds": "WillpowerLab's voice scorer"
- "Pick the exercise" and "Answer like you": "GPT-4o mini"
- "GPT-4o", "Mistral", "Llama" marked "Soon"

Rules N566 item 3

Tests *none*



screen `mod.s-7`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-30 Research sets starting rules, each checked against the first ratings not built

Given Marta has a study; **when** she uploads it on the optional step:

- each rule with its source and who it was measured on
- "We check each rule against your teachers' first 50 ratings. If they disagree with a rule, we stop using it and tell you why."
- "Use these rules" and "Skip"

Rules N528 item 4 · N566 item 2

Tests *none*



screen `mod.s-8`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-31 Uploading an existing dataset, mapping its columns and checking it not built

Given Marta has 1,240 rated pitch clips; **when** she uploads them and confirms the columns:

- "We checked your data." with "Rows we can use", "Repeats removed", "Near repeats removed", "Rows with no score, skipped", "Rows that look mislabelled", "Names and places removed" and how the scores spread
- a column that names a person: "Left out: it names a person"
- "Before your data counts, your teachers re-rate 60 of its examples." and none of it goes into the final exam
- the tick "I have the right to use this data, and the people in it agreed to its use for training." before "Upload it"

Rules N566 item 4 · N531 item 2

Tests *none*



screen `mod.s-11`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-32 Two experts set aside a final exam of 100 cases first differs

Given Marta reaches the exam step; **when** it opens:

- "Before anyone teaches it, two experts set aside a final exam: 100 clips your model never learns from."
- "It can be sold only when it does clearly better on this exam than it does today."
- "Ask Daniel" for the second expert

Rules N566 item 5 · N528 item 8 · N520 item 9

Code `backend services/golden_set.py:42` `backend services/golden_set.py:218`

Tests `tests/test_golden_set_pool.py`

Note Only the speaking golden set exists: 50 clips judged and sealed by the founder (N523 item 6 grows it toward 150); no per-model exam of 100 set aside by two experts.



screen `mod.s-12`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-33` **The teachers' journey, shorter or longer** not built

Given the app generated what each teacher will do; **when** Marta opens the step:

- "Here is what each teacher will do. Make it shorter or longer."
- "Shorter", "Longer", "Looks good"

Rules N528 item 4

Tests *none*



screen `mod.s-13`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-34` **Private or Public, with a disclaimer before going public** not built

Given Marta reaches Share; **when** she taps Public:

- "Who can see your model?" with "Private" and "Public"
- "Anyone will be able to see your model and teach it." and "Recordings never leave WillpowerLab."
- "Make it public" and "Keep it private"

Rules N528 item 5 · N526 item 2

Tests *none*



screen `mod.s-15`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-35` **Inviting teachers: each person chooses whether to join** not built

Given Marta's model is RASP's, or her own; **when** she reaches "Who should teach it with you?":

- "Everyone in RASP sales team" with "14 people · each one chooses whether to join"
- people from her chats (Kasia, Tomek, Daniel)
- "Invite them" and "Copy an invite link"

Rules N563 item 6 · N528 item 4

Tests *none*



screen `mod.s-16`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-36 The model is ready to learn, with what is left as a checklist not built

Given Marta finished, or started after the scale; **when** the last step opens:

- "Pitch Coach is ready to learn. Today it answers from your starting rules and examples."
- "To finish setting it up" with each part
- "Sell it through an API": "This opens once its first training beats today's version on the final exam."
- "Try it" and "Back to the list"

Rules N566 item 2 · N528 item 7

Tests *none*



screen `mod.s-17`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-37 The owner's page: Needs you now on top not built

Given Pitch Coach has been taught for two weeks; **when** Marta opens it:

- "Needs you now": where teachers disagree, with "Make those two clearer"
- "Pitch Coach is 36% of the way to its first training: about 4 to 6 weeks more. The slowest jar decides: different voices."
- "How often your teachers agree": "Within one point 9 times in 10 · exactly 6 in 10"
- "Where its examples come from" with the four sources
- "What runs by itself"

Rules N566 item 6 · N563 item 4 · N563 item 5 · N526 item 3

Tests *none*



screen `mod.s-18`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-38 The founder sets the teachers' question and list and answers the first 10 not built

Given Marta set her model's scale; **when** the setup continues:

- the app drafts the question every teacher is asked, and she corrects its words
- a picking model names its list, at least two options
- she answers the first 10 examples on the teachers' screen; none is in the exam

Rules N570 item 1 · N570 item 2 · N570 item 3 · N570 item 4

Tests *none*



screen `mod.s-6`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-39` **A model card before a business uses a model** not built

Given a careers website finds Job interview coach, ready to use; **when** it opens the model:

- "Good at", "Not so good at", "Not for", "On its final exam", "When it isn't sure", "Version"
- "Use it in your business" and "Try it"

Rules N566 item 9 · N528 item 7

Tests *none*



screen `mod.b-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-40` **Trying a model on its link; it says when it is not sure** not built

Given the business tries Job interview coach; **when** it asks something the model is not sure about:

- "I'm not sure about this one, so I won't guess. One of the coaches who taught me will answer it here within a day."
- "Not sure · a coach will answer"

Rules N566 item 8 · N528 item 9

Tests *none*



screen `mod.b-2`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ `MOD-41` **A free test key, a monthly limit, and the users' data not used without a yes** not built

Given the business taps "Use it in your business"; **when** the terms open:

- "€0.03 an answer"
- "Start with a test key": "Free for your first 100 answers. It never bills you."
- "Set a monthly limit"
- "Your users' questions are not used to train it unless you allow it."
- "Create a key"

Rules N566 item 9 · N528 item 7

Tests *none*



screen `mod.b-3`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

MOD-42 The key is shown once not built

Given the business created a key; **when** it opens:

- "This is your secret key."
- "This is a test key: free for 100 answers. You see it only once."
- "Copy" and "I copied it"

Rules N566 item 9

Tests *none*

screen `mod.b-4`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

MOD-43 The code in three languages, with "sure" in every answer not built

Given the key is copied; **when** the code screen opens:

- "JavaScript", "Python", "curl"
- "Each answer comes with “sure”: true or false."
- "Send it to your developer"

Rules N566 item 8 · N566 item 9

Tests *none*

screen `mod.b-5`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

MOD-44 Usage, the unsure questions back to the teachers, and pinned versions not built

Given a month of use; **when** the business opens Your usage:

- "Job interview coach answered 1,240 questions for your users this month."
- "Send the questions it wasn’t sure about to its teachers"
- "You use version 1. When version 2 passes the same exam, you choose when to switch."
- "Delete this key"

Rules N566 item 9 · N563 item 4

Tests *none*



screen `mod.b-6`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-45 A model not yet for sale can be tried on its link not built

Given Pitch Coach has not passed its final exam; **when** Marta opens it to try:

- "trying it · not for sale yet"
- a chat with the model, in text

Rules N528 item 7 · N528 item 9

Tests *none*



screen `mod.u-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-46 Setting the price with – and +, with Infrastructure as one row not built

Given Pitch Coach passed its exam; **when** Marta sets its price:

- "Set your price"
- "–" and "+" around "for one answer", suggestions "€0.02", "€0.03", "€0.05", and a slider for uses a month
- "Similar models charge €0.02 to €0.05. The lowest is €0.006, what an answer costs to run."
- the split live: "Infrastructure", "You, who started it", "The teachers, by their points"
- "–" stops at the running cost

Rules N566 item 10 · N531 item 1 · N531 item 3 · N577

Tests *none*

Note N577 (9 November) settles the fee: WillpowerLab takes a stable 20% of the margin for every model and version; a model's founder keeps 10% of what is left; the teachers get the rest by points (v8's sample numbers match). Still open: the minimum payout, the payment provider and the legal terms.



screen `mod.u-2`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-47 A teacher's earnings, fixed per version, paid monthly above a minimum not built

Given version 1 of Pitch Coach earned money; **when** Marta opens Your earnings:

- "Your share of version 1" as a percentage
- "Your answers that trained it"
- "Next payout"
- "We pay once a month when you have earned €20 or more."

Rules N531 item 2 · N531 item 4 · N566 item 10 · N523 item 2 · N577

Tests *none*

Note N577 (9 November) settles the fee: WillpowerLab takes a stable 20% of the margin for every model and version; a model's founder keeps 10% of what is left; the teachers get the rest by points (v8's sample numbers match). Still open: the minimum payout, the payment provider and the legal terms. The €20 minimum shown is the prototype's.



screen `mod.u-3`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

MOD-48 A model's own API key not built

Given Pitch Coach is for sale; **when** Marta creates a key for her own product:

- "Use Pitch Coach in your own product."
- "This is a test key: free for 100 answers."

Rules N528 item 7 · N566 item 9

Tests *none*



screen `mod.u-4`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

MOD-49 An invite to teach stays in the chat after Not now not built

Given Kasia started Short news cuts and invited Marta to teach it, and Marta said not now; **when** Marta opens the chat with Kasia:

- "Kasia invited you to teach Short news cuts with her."
- "You said not now. The invite stays here; open it whenever you like."
- "Open"

Rules N528 item 3

Tests *none*



screen `mod.p-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

MOD-50 The profile lists the models a person started and teaches not built

Given Marta opens her profile; **when** she looks under About:

- a section "AI models"
- "Pitch Coach", "Private", "You started it · 36% of the way · 3 teachers" with "Make public", "Archive", "Download its data"
- "Speaking confidence", "Public", "You teach it · 86 answers counted this month"

Rules N528 item 1 · N528 item 5

Tests *none*



screen `mod.p-2`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-51 Downloading a model's data partly

Given Marta owns Pitch Coach; **when** she taps "Download its data":

- "You get your teachers' ratings and answers, and what speakers said with names and places removed. Recordings stay with WillpowerLab."
- "To sell a product built on it, you need a licence"
- "Download the data" and "Not now"
- until the training yes carries its new line, the download holds the teachers' own ratings and answers only

Rules N528 item 12 · N526 item 2

Code `backend services/feedback_pairs.py:232`

Tests *none*

Note Only the founder's export of the speaking feedback pairs exists (feedback_pairs.exportable); no model owner can download anything.



screen `mod.p-3`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-52 Fine-tuning runs on enough settled pairs, as the founder's step differs

Given a model's surface has enough trusted pairs; **when** the founder starts a training run:

- a fine-tune runs and is evaluated before anything is served

Rules N528 item 8 · N520 item 9

Code `backend services/model_training.py:59` `backend services/model_training.py:445`

Tests *none*

Note Built for WillpowerLab's own feedback surfaces at 200 pairs a run (model_training.py), started by the founder; the launchpad's first training needs about 500 trusted ratings and the 100-case exam.



screen `mod.s-17`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-app-model-2026-11-09/the-launchpad-app-model.html

☐ MOD-53 "For you" is chosen by the knowledge score, at 2.0 or more partly

Given Marta's profile words; **when** "For you" is on:

- Only models whose words match her profile at 2.0 or more, and the ones she teaches

Rules N518 item 7 · N520 item 7

Code `backend services/take_match_knowledge.py:90` `backend services/take_match.py:76`

Tests `tests/test_take_match.py`

Note The score and the threshold are built for matching a Take to a person (take_match); matching a person to a model is not. From the test drive's MOD-04 (renumbered).



screen `tdr.models`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-2026-11-09/the-launchpad-test-drive.html

☐ `MOD-54` **After the first Take, the setup opens filled from its answers** not built

Given Kasia recorded her first Take; **when** She taps “Start your own”:

- The problem from “Your field”, how she solves it today from “Worth sharing”
- Drafted: “Filled from your first Take. Change any word.”

Rules N571 items 1 to 3 · Never 3

Tests *none*

Note From the test drive's MOD-17 (renumbered); its drafted words await the founder's OK (Never 4).



screen `tdr.setup-1`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-2026-11-09/the-launchpad-test-drive.html

☐ `MOD-55`

The founder answers the first 10; the model reads them from day one and trains on each once a second teacher agrees

not built

Given The setup’s last Shape step; **when** They answer 10 examples:

- Drafted: “Now answer the first 10 yourself, the way your teachers will.”
- Drafted: “None of these 10 goes into the final exam.”

Rules N570 items 3 and 4 · N520 item 11

Tests *none*

Note From the test drive's MOD-25 (renumbered); its drafted words await the founder's OK (Never 4).



screen `tdr.setup-21`

github.com/wilplus/backend-cursor/blob/main/docs/design/model-launchpad-2026-11-09/the-launchpad-test-drive.html

Your chat on any website 27

☐ `WID-01` **The owner sets how far ahead they plan** built

Given Ariel shares what she knows and has not set her questions for people who join; **when** Will asks the first of her questions:

- Will says "Everyone who joins through your link builds a knowledge base with you. I'll ask them a few questions first."
- then "How far ahead do you like to plan?" with "A month at a time", "A week at a time", "A quarter at a time" and "No deadline" as taps

Rules N487 item 2 · N503 · N534 · N569 item 3 · customer-requests.md C1 · Never 3

Code `backend services/join_setup.py:61` `backend services/join_setup.py:59`

Tests `tests/test_join_questions.py`

Note Built where N503 and N534 put it: the first time "+" is tapped, after the note "Before you share your link, set the questions for people who join." The prototype shows it in the onboarding's wait (step c), as N487 item 1 placed it; that move waits for the founder's OK. Built at the first share (N503, N534); for those who share it comes in Take 1's wait once built (N573 item 3).



screen `web.onb.plan`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

WID-02 The owner adds a practical question of their own built

Given Ariel has picked her plan; **when** Will asks "Anything else practical you'd like to ask?" and she taps "Something else" and says one:

- her words appear as her message
- Will says "They answer by tapping, so I've given it answers. Change them if you like."

Rules N487 item 2 · N483 item 2

Code `backend services/join_setup.py:66` `backend services/join_setup.py:68`

Tests `tests/test_join_questions.py`

Note Built at the first share (N503, N534); in Take 1's wait for sharers once built (N573 item 3).



screen `web.onb.more`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

WID-03 The owner sees what someone new will be asked built

Given Ariel has answered Will's setup; **when** Will shows the summary:

- "This is what someone new will see when they open your chat:" with each question and its answers
- "Change it" and "That's right" as taps; "Change it" asks "What should change?"

Rules N487 item 3 · N569 item 3

Code `backend services/join_setup.py:72` `backend services/join_setup.py:74`

Tests `tests/test_join_questions.py`

Note Built at the first share (N503, N534); in Take 1's wait for sharers once built (N573 item 3).



screen `web.onb.peek`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

WID-05 The owner confirms what their model will learn, from the five slides not built

Given Ariel shares what she knows and has set her questions; **when** Will shows her model:

- "Your website chat teaches a model. From your five answers, here is what it will learn:"
- a card: "The problem", "How you solve it today", "It picks from a list", "It gives a score on a scale"
- "Change it" and "That's right" as taps

Rules N569 item 3 · N566 · Never 4 · N572 item 5 · N573 item 3

Tests *none*

Note Drafted. Fills the launchpad's Describe and Shape (N566) from the slides "Your field" and "Worth sharing" instead of asking "What problem should your model solve?" and "How do you solve it today?". N572 item 5, N573 item 3: after the walk, in AI models → Start your own, never in Take 1's wait.



screen `web.onb.model`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ WID-06 The owner confirms the scale each call is rated on `not built`

Given Ariel has confirmed her model; **when** Will shows the scale:

- "After each call back, you'll rate how it went. Clear words for each point help your model learn:"
- "Bought on the call", "Will buy soon", "Wants to think", "Not for now", "Not a fit"
- "Change it" and "That's right"

Rules N569 item 5 · N566 · Never 4 · N572 item 5 · N573 item 3

Tests *none*

Note Drafted words. N572 item 5, N573 item 3: after the walk, in AI models → Start your own, never in Take 1's wait.



screen `web.onb.scale`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ WID-07 The website switch is hidden until its new design is signed `built`

Given Ariel opens "Add someone to chat with"; **when** the sheet opens:

- the title "Add someone to chat with", her link, "Copy my link" and "Only the two of you are in it."
- no "Put this chat on your website"

Rules N569 item 1 · customer-requests.md §B8 to B13

Code `frontend src/components/willab/chats/AddSomeoneSheet.tsx:23` `frontend src/components/willab/chats/joinCopy.ts:63`

Tests `src/components/willab/chats/chats.test.tsx` `src/components/AppMenu.test.tsx`



screen `web.own.add`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ WID-08 The switch turns the link into one line of code `partly`

Given the website switch is shown (once N569's design is signed); **when** Ariel turns on "Put this chat on your website":

- the line `<script src="https://willpowerlab.com/w.js" data-link="{token}" async></script>`
- "Paste this line just before </body> on your website, or send it to whoever builds your site."
- "Copy my code", then "✓ Copied"
- "Each customer has a chat of their own with you."

Rules N567 item 1 · N569 item 1 · customer-requests.md §B8 to B13

Code `frontend src/components/willab/chats/joinCopy.ts:61` `frontend src/components/willab/chats/joinCopy.ts:67`

Tests `src/components/AppMenu.test.tsx`

Note Built and hidden (WEBSITE_SWITCH_SHOWN = false). The card's line on main is N567's "Customers ask you there, and you answer here. Each answer teaches your chat, so it learns from real questions as they come in."; N569's design draws "Customers answer your questions there, and you call them back. Each call you rate teaches your model." (drafted).



screen `web.own.code`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-09` **Copy my link in the menu opens the same sheet as the +** built

Given Ariel is signed in; **when** she taps "Copy my link" in the ☰ menu:

- "Add someone to chat with" opens; nothing is copied until she taps "Copy my link" there

Rules N567 item 1 · consent-screens.md §1

Code `frontend src/components/AppMenu.tsx:332`

Tests `src/components/AppMenu.test.tsx`



screen `web.own.add`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-10` **A pasted line draws one pill on any site** built

Given Invita's site has Ariel's line before </body>; **when** a visitor opens the page:

- one pill at the bottom right: Ariel's circle and "Ask Ariel"
- the chat opens in a frame from willpowerlab.com; the site's page never sees the taps

Rules N567 items 2 and 3 · customer-requests.md §B8 to B13

Code `frontend public/w.js:20` `frontend src/components/willab/chats/joinCopy.ts:70`

Tests `src/components/willab/chats/WidgetChat.test.tsx`



screen `web.vis.pill`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-11` **Only the widget's page may be framed** built

Given any page of willpowerlab.com; **when** another site tries to frame it:

- /w/{token} answers with frame-ancestors *
- every other page answers with frame-ancestors 'none'

Rules N567 item 3 · customer-requests.md §B8 to B13

Code `frontend src/middleware.ts:37`

Tests `src/lib/security/csp.test.ts`



screen `web.vis.pill`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-12` **A wrong or replaced link opens nothing** built

Given Ariel replaced her link; **when** an old pasted line loads:

- no pill is drawn; the widget's read answers 404, the same as for a wrong link

Rules N567 item 2 · customer-requests.md §B8 to B13

Code `backend services/chat_widget.py:79` `backend routes/v2/chats.py:630`

Tests `tests/test_chat_widget.py`



screen `web.vis.pill`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-13` **Nothing is sent before the visitor agrees** built

Given the visitor opened the pill; **when** the chat opens:

- "Your taps go to Ariel through WillpowerLab." with "Privacy"
- "Agree and start"; only then is the visitor's chat made

Rules N567 item 4 · N567 item 9 · customer-requests.md §B8 to B13

Code `frontend src/components/willab/chats/joinCopy.ts:72` `backend services/chat_widget.py:99`

Tests `src/components/willab/chats/WidgetChat.test.tsx` `tests/test_chat_widget.py`



screen `web.vis.agree`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-14` **The widget's greeting says the visitor will be called back** differs

Given the visitor opened the chat; **when** it shows Ariel's first line:

- "Hi, I'm Ariel. Tap a few answers, and I'll call you back."

Rules N569 item 2 · Never 4

Code `frontend src/components/willab/chats/joinCopy.ts:71`

Tests `src/components/willab/chats/WidgetChat.test.tsx`

Note The code says "Hi, I'm {name}. Tap to answer, and I'll answer you out loud." (N567); N569 item 2 removes it. The new line is drafted.



screen `web.vis.agree`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-15` **The visitor taps the owner's own questions** built

Given the visitor agreed; **when** Ariel's questions come:

- "Are you in a hurry?" with "No" and "Yes" ("Yes" opens a date with "Send")
- then Ariel's own question, "Which shop is nearest?", one at a time, answered by taps
- no closing line about "+"

Rules N569 item 3 · N567 item 4 · N487 item 4 · customer-requests.md §B8 to B13

Code `backend services/join_questions.py:309` `backend services/chat_widget.py:175`

Tests `tests/test_chat_widget.py` `src/components/willab/chats/WidgetChat.test.tsx`



screen `web.vis.q1`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-16` **No fixed questions are offered** differs

Given the visitor answered Ariel's questions; **when** the widget moves on:

- it asks for a number (WID-17); no "What would you like to ask Ariel?" and no fixed questions

Rules N569 item 2

Code `backend services/chat_widget.py:56`

Tests `tests/test_chat_widget.py`

Note The code offers "What would you like to ask {name}?" with "What do you do?", "How do you work with people?" and "Can we talk?" (N567 item 5); N569 item 2 removes them.



screen `web.vis.number`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-17` **The visitor leaves a number to be called back** not built

Given the visitor answered Ariel's questions; **when** the widget asks for a number:

- "What number should I call?"
- one field for the number, "Ariel calls you about your answers and keeps your number for nothing else." with "Privacy"
- "Call me back"

Rules N569 item 4 · Never 4

Tests *none*

Note Drafted words; counsel reads the consent line (N569, open).



screen `web.vis.number`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ WID-18 The wait: the visitor is told they will be called differs

Given the visitor tapped "Call me back"; **when** the widget answers:

- their number as their message with "Sent"
- "Thank you. I'll call you soon, usually within a day."
- the three emoji in the bar

Rules N569 item 4 · N567 item 4

Code `frontend src/components/willab/chats/joinCopy.ts:76`

Tests `src/components/willab/chats/WidgetChat.test.tsx`

Note The code says "{name} answers out loud when there's a moment. Come back here to listen." (N567); the new line is drafted.



screen `web.vis.sent`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ WID-19 Each visitor is a chat of its own in the owner's list partly

Given a visitor tapped "Call me back"; **when** Ariel opens her list:

- a row "Widget / Visitor 7" with "From invitaheadspa.com" under the name, marked new
- its line "📞 Call back"

Rules N567 item 6 · N569 item 4 · customer-requests.md §B8 to B13

Code `backend services/chat_widget.py:58` `backend services/chat_widget.py:60`

Tests `tests/test_chat_widget.py`

Note The row and its name are built; the line "📞 Call back" is not (the code shows the visitor's last message).



screen `web.own.list`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ WID-20 The visitor's answers carry the visitor's name built

Given Ariel opens the visitor's chat; **when** the answers card shows:

- "Visitor 7's answers", each answer under its question
- once kept, "{name}'s answers"

Rules N569 item 6 · N487 item 7

Code `frontend src/components/willab/chats/ChatList.tsx:48`

Tests `src/components/willab/chats/chats.test.tsx`



screen `web.own.chat`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-21` **The owner calls the visitor back from the chat** not built

Given a visitor left a number; **when** Ariel opens the chat:

- the bar's middle is "Call {number}"
- tapping it calls the number

Rules N569 item 4 · N483 · Never 4

Tests *none*

Note Drafted words.



screen `web.own.chat`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-22` **The owner no longer records a spoken answer for a visitor** differs

Given a visitor's chat is open; **when** Ariel looks at the bar:

- no "Record your answer" for the visitor; the call takes its place

Rules N569 item 2

Code `backend services/chat_widget.py:205`

Tests `tests/test_chat_widget.py`

Note The code marks the visitor's question for "Record your answer" and plays the answer in the widget (N567 item 6); N569 item 2 removes it.



screen `web.own.chat`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-23` **After the call, one tap teaches the model** not built

Given Ariel ended the call; **when** the chat asks how it went:

- "How did the call go?" with the five steps set in the onboarding
- a tap saves it: "Saved. Your model learns from it."
- "Not now" leaves it for later

Rules N569 item 5 · Never 1 · Never 4

Tests *none*

Note Drafted words. The rating is the owner's own and never shown to the visitor.



screen `web.own.rate`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-24` **Keep this chat makes it the visitor's** built

Given a visitor in the widget; **when** they tap "Keep this chat ›" and then "Continue with Google":

- "Keep this chat", "Join WillpowerLab to keep it, and hear Ariel's answers on your phone.", "Continue with Google", "Not now"
- the join page opens; after Join the chat is theirs, and Ariel's list says "Widget / {name}"

Rules N567 item 7 · customer-requests.md §B8 to B13

Code `frontend src/components/willab/chats/joinCopy.ts:80` `backend services/chat_widget.py:244`

Tests `src/components/willab/chats/WidgetChat.test.tsx` `tests/test_chat_widget.py`



screen `web.vis.keep`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-25` **Only the visitor's browser holds their chat** built

Given a visitor started a chat; **when** anyone reads or plays it:

- only a request with the visitor's secret gets the messages or the answer's sound; the secret is kept only as a hash

Rules N567 item 4 · customer-requests.md §B8 to B13

Code `backend services/chat_widget.py:151`

Tests `tests/test_chat_widget.py`



screen `web.vis.sent`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-26` **Website chats never fill the day's joins** built

Given many visitors start chats; **when** someone joins through Ariel's link:

- the join is not sent to the waitlist because of website chats

Rules N567 item 6 · N471 item 7

Code `backend services/chat_widget.py:109`

Tests `tests/test_chat_widget.py`



screen `web.own.list`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-27` **Website chats go with the owner's account** built

Given Ariel deletes her account; **when** the purge runs:

- every website chat of hers, its messages, its visitor's seat and its guest row are deleted

Rules N567 · CLAUDE.md, deletion

Code `backend services/data_purge_registry.py:340`

Tests *none*



screen `web.own.list`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

☐ `WID-28` **The website chat's voice bubbles open their words** built

Given a voice bubble with words in a website chat; **when** the owner or the visitor taps "Read it":

- its words open under the player; "Hide" closes them

Rules N331 · N576 item 1

Code `frontend src/components/willab/chats/WidgetChat.tsx:101`

Tests *none*



screen `web.own.chat`

github.com/wilplus/backend-cursor/blob/main/docs/design/your-chat-on-any-website-2026-11-09/your-chat-on-any-website.html

Will's voice 19

☐ `VOICE-01` **Their best is praised in Will's own words when his voice is on** built

Given a One thing walk with their best, the walk_voice ring on for the speaker; **when** the praise step lands:

- Will's written message stands in for "To our ears, this one sounded really sure." / "To us, this one sounded really sure." and "Why it worked: ..."
- it says how it sounded to us ("to us" or "to our ears"), never a verdict or a ranking such as "your most confident moment"
- it was asked as the walk opened, so it is usually ready when the step lands

Rules N565 items 1, 2 and 7 · N557 · Never 1 · Never 4

Code `backend services/walk_voice.py:206` `backend services/prompts/walk_voice.py:15` `frontend src/components/willab/walk/useWalkVoice.ts:74` `frontend src/components/willab/walk/FeedbackWalk.tsx:1445`

Tests `tests/test_walk_voice.py` `tests/evals/golden/walk_voice.jsonl` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ VOICE-02 The signed line whenever Will's words are off, late or refused built

Given any step Will may write for (their best, the moment to try, a good Take, after a try); **when** the walk_voice ring is off for the speaker, or his words do not come in time, or the check refuses every draft:

- the walk shows the step's signed line exactly
- with the ring off no request is made and nothing waits
- the walk never waits longer than four seconds (three after a try's check)

Rules N565 items 3 and 5 · Never 3

Code `backend services/walk_voice.py:206` `frontend src/services/api/walkVoice.ts:31` `frontend src/components/willab/walk/useWalkVoice.ts:36`

Tests `tests/test_walk_voice.py` `tests/evals/golden/walk_voice.jsonl` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ VOICE-03 Only plain, kind words reach the speaker built

Given a message Will wrote; **when** the server checks it before it is sent:

- no digit
- none of: fix, improve, wrong, mistake, weak, error, problem, score, metric, cue, willfidence, perfect, amazing, settle
- no measurement name (loudness range, pause ratio, words per minute, pitch) and no coaching idiom (draw us in, make it land, resonate, space to breathe, gives weight, as if you, you should, you need to, great job)
- otherwise the draft is refused

Rules N565 item 3 · N557 · Never 1

Code `backend services/walk_voice.py:84`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ VOICE-04 Short: two sentences, 220 characters, one question built

Given a message Will wrote; **when** the server checks it:

- at most two sentences, at most 220 characters, at most one question
- a full stop inside a quotation of the speaker's words does not count as a sentence end
- otherwise the draft is refused

Rules N565 items 1 and 3

Code `backend services/walk_voice.py:84` `backend services/prompts/walk_voice.py:15`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-05` **A quote is only ever the speaker's own words** built

Given a message Will wrote that quotes something; **when** the server checks it:

- every quoted phrase is found in the moment's words or the speaker's own turns
- a slide name or anything else quoted is refused

Rules N565 item 3

Code `backend services/walk_voice.py:84`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-06` **A refused draft gets another try, then the signed line** built

Given Will's draft fails the check; **when** the server writes the message:

- up to three drafts in all, each told what was refused and why
- after the third, or a failed call, the answer is null and the walk says its signed line

Rules N565 item 3 · Never 3

Code `backend services/walk_voice.py:135` `backend services/walk_voice.py:143`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-07` **Will reads the Take's facts in words, never numbers** built

Given the walk asks Will for a message; **when** the server gathers what Will knows:

- the moment's own words; how it sounded against the speaker's own usual on this Take (faster, few pauses, flatter, more fillers), only what stands out
- the last Take's fix when it rose, this week's level, the speaker's private note
- no number reaches the model's context as a fact to repeat

Rules N565 item 2 · Never 1

Code `backend services/walk_voice.py:257` `backend services/walk_voice.py:279`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ VOICE-08 A sound is named only when it was measured built

Given a moment with no sound read that stands out; **when** Will praises it:

- Will says why from the words themselves
- he names no pace, pause or loudness

Rules N565 item 7

Code `backend services/prompts/walk_voice.py:15`

Tests `tests/evals/golden/walk_voice.jsonl`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ VOICE-09 The moment to try opens with Will's line, told its tool built

Given a One thing walk whose fix is a moment (a Clearer version or the AI clip), the ring on; **when** the fix step begins:

- Will's line stands in for "And here's one moment to try another way:"
- the request names what the moment is walked with: a clearer way to say it, or the AI clip
- it is an invitation about the moment, never a correction of the speaker
- the Sniper's opener is never replaced

Rules N565 · N557 item 1 · Never 4

Code `backend services/walk_voice.py:171` `frontend src/components/willab/walk/FeedbackWalk.tsx:458`

Tests `tests/test_walk_voice.py` `tests/evals/golden/walk_voice.jsonl` `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.fix`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ VOICE-10 After a try, Will says how it went and offers a try only when one is left built

Given the speaker has just tried the moment, the ring on; **when** the walk's check answers (it landed, one more try, or the last):

- Will's reply stands in for "Yes. That's it.", "Close. Once more." or "Good try. Take it with you."
- landed: what moved, no further try offered, nothing asked
- one more: what stayed the same, then the one try left
- last: a plain, kind close; a miss is never spun into praise
- a try the walk does not name gets no written reply

Rules N565

Code `backend services/walk_voice.py:179` `backend services/walk_voice.py:196` `frontend src/components/willab/walk/FeedbackWalk.tsx:1404` `frontend src/components/willab/walk/WalkPractiseScreens.tsx:82`

Tests `tests/test_walk_voice.py` `tests/evals/golden/walk_voice.jsonl`



screen `walk.practise`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-11` **A good Take gets Will's line, and never an invented last time** built

Given a One thing walk with no fix and no moment below the floor, the ring on; **when** the walk passes their best:

- Will's line stands in for "The rest of this Take held up just as well." before the helper words
- he asks and suggests nothing
- he mentions last time only when the context has the last Take

Rules N565 · N557 item 2 · N551

Code `backend services/prompts/walk_voice.py:15` `frontend src/components/willab/walk/FeedbackWalk.tsx:458`

Tests `tests/evals/golden/walk_voice.jsonl`



screen `walk.helpers`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-12` **Will never delays the walk, and a bubble lands once** built

Given the ring on; **when** a step Will writes for is reached:

- the typing dots while his words come, at most four seconds (three after a try's check)
- his words or the signed line land once; the bubble is never swapped in place
- while the page's ring read is still on its way, the walk waits rather than draw the signed line and swap it

Rules N565 item 3 · Never 3 · N377

Code `frontend src/components/willab/walk/useWalkVoice.ts:36` `frontend src/services/api/walkVoice.ts:13`

Tests `src/components/willab/walk/oneThingWalk.test.tsx`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-13` **The chat says what the walk drew** built

Given a step Will wrote for; **when** the walk tells the chat what it showed:

- the chat records Will's words when the walk drew them, else the signed line
- it waits for his words before telling, so the two never differ

Rules N565 · D-FW-3

Code `frontend src/components/willab/walk/FeedbackWalk.tsx:690` `frontend src/lib/willab/walkThread.ts:541`

Tests `src/components/willab/walk/oneThingWalk.test.tsx`



screen `will.after`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

VOICE-14 Off for everyone until the founder turns it on built

Given any speaker; **when** they walk a Take:

- Will writes only for a speaker the walk_voice ring reaches, on their own Take, at a step the walk has
- no row in the panel: off for everyone, the founder included

Rules N565 item 5

Code `backend services/rings.py:95` `backend services/walk_voice.py:206` `frontend src/components/willab/walk/useWalkVoice.ts:15`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

VOICE-15 The founder sets the rules; their ratings grade them built

Given the founder edits the rules or marks a reply; **when** the rules change:

- the rules live in one file the founder approves; no line is fixed in advance
- a reply the founder turns down becomes a row of the golden set
- each row passes when two of up to three runs pass (best of three)

Rules N565 items 1 and 4 · Never 4

Code `backend services/prompts/walk_voice.py:15`

Tests `tests/evals/golden/walk_voice.jsonl`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

VOICE-16 Every provider call goes through the processing authorization built

Given the ring on; **when** Will's message is written:

- the GPT-4o call runs inside the Take's protected provider scope when the authorization mode enforces

Rules CLAUDE.md How to ship

Code `backend services/walk_voice.py:333`

Tests *none*



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-17` **The speaker's private note is never quoted** partly

Given the speaker's private note is in Will's context; **when** Will writes:

- a quotation of the note is refused (only the speaker's spoken words may be quoted)
- a paraphrase of the note is not yet prevented by a check

Rules N565 item 2 · docs/SPEAKER-MEMORY.md

Code `backend services/walk_voice.py:84`

Tests `tests/test_walk_voice.py`



screen `walk.best`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-18` **A walk played again shows what Will wrote** not built

Given a walk Will wrote for, played again later; **when** the replay draws those steps:

- the replay should show the words Will wrote; today it draws the signed lines (the written words are kept for the page's life only)

Rules N373 item 2 · N565

Code `frontend src/components/willab/walk/useWalkVoice.ts:29`

Tests *none*



screen `walk.replay`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json

☐ `VOICE-19` **Will replies to what the speaker says in the walk** partly

Given the speaker answers Will in the walk ("That wasn't my best part.", "This is pointless, I can't do it.", "What did my coach say?"); **when** Will replies:

- he does not argue with the speaker's view; he says plainly what he knows and invites at most one try
- he never invents the coach's words: when no answer has come, he says so
- today the server can write this reply (step "reply", with the conversation), but no walk screen asks for it yet

Rules N565

Code `backend services/walk_voice.py:206` `backend services/walk_voice.py:245`

Tests `tests/evals/golden/walk_voice.jsonl`

screen `walk.coach`

github.com/wilplus/backend-cursor/blob/main/docs/design/will-voice-2026-11-09/stories.json