

Teacher User Manual

Reaching the course-team panel, reading the tutorial briefs, managing accounts, and moving a lecture date — with a clear line around what the panel can and cannot see.

AUDIENCE	ACCESS	PANEL ADDRESS	SCREENS SHOWN
Course team	Your ID must be on the staff list	<code>/admin</code>	Captured from the live app

01

Reaching the panel

There is **no separate teacher login**. You sign in with an ordinary account — your student/staff ID and a password — and the panel unlocks only because your ID is on the staff list the server keeps. That means a course-team member goes through the same door as everyone else.




FIGURE 1 Sign in as normal. The account behaves like a student account everywhere except the panel.

Once you are signed in, your home screen gains a link students never see: a **"You're on the course team"** banner and a **Course team** → button. Either one opens the panel. If you would rather type it, the address is `/admin` .




FIGURE 2 The staff-only entry point. A student signing in sees the plain dashboard with no banner, and a student who guesses the `/admin` address is refused by the server.

Being on the staff list is the only thing that grants access

The link is hidden from students as a courtesy, but the real boundary is on the server: every panel action re-checks that your ID is on the staff list, so nothing here can be reached by hiding or forging a link.

02

Accounts

The **Accounts** view is your roster at a glance. Across the top you see how many accounts exist, how many have signed up, and how many have withdrawn. Below is a searchable list — find anyone by ID or name — with each student's section and whether they have signed up yet.

ADMIN

Accounts

Correct a section, or reset a password for a student who has lost theirs. Every change here is logged with your SID. Answers and scores are not on this page — those come out of the pseudonymised export.

ACCOUNTS SIGNED UP WITHDRAWN

1386 1381 9

A class list is configured, so it decides each student's section. Sign-in re-reads it every time, so changing a section here would be undone — edit `enrolled_sids.txt` instead.

22074221D Wilson

• Section A

Manage

24000001A no name yet

• Section A

◦ Not signed up

Manage

24000002B Test Student

• Section B

◦ Not signed up

Manage

24000003C Test Student

• Section C

◦ Not signed up

Manage

24000004D Test Student

• Section A

◦ Not signed up

Manage

24000005E Test Student

• Section B

◦ Not signed up

Manage

FIGURE 3 Accounts. Search for a student, then use **Manage** to act on one row.

Manage opens the two things a teacher occasionally needs to do for one student:

- **Correct a section** — move a student between A, B and C if they were placed wrongly.
- **Reset a password** — for a student who has lost theirs. You set a new one; you can never see the old one.

22074221D Wilson

Section A

Close

SECTION

A · Tue

B · Wed

C · Thu

RESET PASSWORD

☐ also sign them out everywhere

Set it

A forgotten password is not a compromise, so their existing sessions stay alive unless you tick the box.

24000001A	no name yet	Section A Not signed up	Manage
24000002B	Test Student	Section B Not signed up	Manage
24000003C	Test Student	Section C Not signed up	Manage
24000004D	Test Student	Section A Not signed up	Manage
24000005E	Test Student	Section B Not signed up	Manage
24E00001A	E2E Student	Section B	Manage
24E00002A	E2E Student	Section C	Manage
24E00003A	E2E Student	Section A	Manage

FIGURE 4 Managing one student. Both actions are written to the audit trail with your ID.

If a class list is loaded, edit the list, not the row

When a roster file is configured it decides every student's section and is re-read at each sign-in — so a section changed here would be silently undone. In that case, correct the roster file instead. The panel tells you when this applies.

03

Tutorial briefs — what to teach today

This is the part built for the thirty minutes before a tutorial. For any lectured topic you can generate a short **brief** that reads the class's own answers and tells you where they actually landed — so you spend the hour on what they got wrong, not what you guessed they might.

Each brief comes in **two versions**, and the panel labels them clearly:

VERSION	LABEL	USE IT FOR
Anonymised	Safe to project	Showing on screen. Quotes are verbatim but unattributed; no student IDs anywhere in the file.
Full	Has student IDs	Your eyes only. Names the students behind the numbers so you can follow up.

Tutorial briefs

What the class missed, what the wrong answers had in common, who has not done the activity, and who is worth calling on. Generated per topic and section.

TOPIC

Fitts' Law

SECTION

A

Generate this week's brief

memory-2026-08-30-discussion

30/08/2026, 18:12:19

Safe to project

Read

memory-2026-08-30-teacher

30/08/2026, 18:12:19

Has student IDs

Read

Lecture dates

Topics open seven days before their lecture and close two days before the next one, per section — so moving a date here moves that section's release window and nothing else. Every change is logged with your SID.

The schedule has problems right now

- memory: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- problem-solving: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- stroop: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- hicks-law: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- fitts-law: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- visual-perception: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- webers-law: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- gestalt: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- mental-model: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- norman: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- language: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- ergonomics: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- experiment-design: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies

FIGURE 5 The briefs list. Generate one per topic; the coloured label tells you at a glance which version is safe to put on a projector.

Press **Read** to open a brief in place. It walks through where the class landed (the before-and-after check scores and the learning gain), whether they actually did the activity, and a short "who to spend the hour on" read of the short-answer responses.

memory-2026-08-30-discussion

30/08/2026, 18:12:19

Safe to project

Read

memory-2026-08-30-teacher

30/08/2026, 18:12:19

Has student IDs

Read

COMP3423/section-A/memory-2026-08-30-discussion.md

Close

```
# memory - tutorial brief

section A · n = 13 of 2836 · generated 2026-08-30

*Anonymised version - safe to project. Quotes are verbatim but
unattributed; no SIDs appear anywhere in this file.*

## Where the class landed
MC pre 19.7% → post 0.0% · normalized gain (g) = 0.0 (n =
13 sat both) · chance = 25.0% (4 options)

Short answer: full 0 · partial 0 · none 0 · ungradeable 0 ·
**27 not yet graded** (run `grade_batch.py --topic memory`)

## Did they actually do the activity
Of 244 student(s) with any record on this topic, **4 have the
activity recorded** and 240 do not.

6 pressed "the activity didn't record" and carried on. Worth a
word - either the game broke for them, or they went round it.

## Who to spend the hour on

13 answered fast enough that the answers are not really
answers. That is an effort problem rather than a comprehension
one, and the two need opposite responses.

### Per-item, post-check
- 'B1' 13/13 wrong ██████████
```

Lecture dates

Topics open seven days before their lecture and close two days before the next one, per section — so moving a date here moves that section's release window and

FIGURE 6 An opened brief. The numbers are counted in code; the plain-language read is written from the anonymised text only.

04

Lecture dates

Topics open about a week before their lecture and close a couple of days before the next one, **per section**. If a class moves, you can move the matching lecture date here and the release window follows it — you do not edit any files.

Lecture dates

Topics open seven days before their lecture and close two days before the next one, per section — so moving a date here moves that section's release window and nothing else. Every change is logged with your SID.

The schedule has problems right now

- memory: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- problem-solving: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- stroop: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- hicks-law: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- fitts-law: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- visual-perception: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- webers-law: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- gestalt: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- mental-model: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- norman: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- language: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- ergonomics: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies
- experiment-design: sections A+B+C share a close time (2026-09-01T09:00:00+08:00) -- sections no longer stagger, peak load multiplies

LECTURE	A · TUE	B · WED	C · THU	TOPICS
1	2026-09-03	2026-09-03	2026-09-03	—
2	2026-09-03	2026-09-03	2026-09-03	—
3	2026-09-03	2026-09-03	2026-09-03	Miller's Law, Problem Solving, Principle of Consistency
4	2026-09-03	2026-09-03	2026-09-03	Hick's Law, Fitts' Law
5	2026-09-03	2026-09-03	2026-09-03	Visual Perception, Weber's Law, Gestalt Principles
6	2026-09-03	2026-09-03	2026-09-03	Mental Models & Affordances, Norman's Action Cycle
7	2026-09-03	2026-09-03	2026-09-03	—
8	2026-09-03	2026-09-03	2026-09-03	Language & Ambiguity

FIGURE 7 Moving one lecture date. The panel previews the effect first and refuses a date that would create a problem — a clash with a no-class day, or a timing that would undermine the study.

It changes one date, safely

A move previews before it commits, is written atomically, and is recorded in the audit trail. It will not let you set a date that breaks the schedule.

05

The audit trail

Every change made in the panel — a section fix, a password reset, a moved date — is written to an **audit trail** stamped with your ID and the time. Nothing a course-team member does here is silent, which protects both the students and you.


```

30/08/2026, 18:31:14 · ADMIN · reset_password · 24E09351A
30/08/2026, 17:54:08 · ADMIN · set_session_date · session 13 section C: 2026-09-02 -> 2026-09-03
30/08/2026, 17:54:04 · ADMIN · set_session_date · session 13 section C: 2026-09-03 -> 2026-09-02
30/08/2026, 17:53:49 · ADMIN · reset_password · 24E06601A
30/08/2026, 17:51:30 · ADMIN · reset_password · 24E06601A
30/08/2026, 11:30:12 · 24E00399A · set_session_date · session 1 section A: 2026-09-03 -> 2026-09-08

```

Tutorial briefs

What the class missed, what the wrong answers had in common, who has not done the activity, and who is worth calling on. Generated per topic and section.

TOPIC

Fitts' Law

SECTION

A

Generate this week's brief

memory-2026-08-30-discussion

30/08/2026, 18:12:19

Safe to project

Read

memory-2026-08-30-teacher

30/08/2026, 18:12:19

Has student IDs

Read

COMP3423/section-A/memory-2026-08-30-discussion.md

Close

```

# memory - tutorial brief

section A · n = 13 of 2836 · generated 2026-08-30

*Anonymised version - safe to project. Quotes are verbatim but
unattributed; no SIDs appear anywhere in this file.*

## Where the class landed
MC pre 19.7% → post 0.0% · normalized gain (g) = 0.0 (n =
13 sat both) · chance = 25.0% (4 options)

Short answer: full 0 · partial 0 · none 0 · ungradeable 0 ·
**27 not yet graded** (run `grade_batch.py --topic memory`)

## Did they actually do the activity?

```

FIGURE 8 The audit trail. A running record of who did what, and when.

06

What the panel deliberately cannot do

The panel is built to help you run the class without becoming a way to see things a teacher should not. By design it **cannot**:

- **Read any student's answers or scores.** Those live only in the anonymised research export, never on these screens.
- **Show or return a password.** Passwords are stored one-way — you can reset one, never reveal one.
- **Delete anything.** Records are corrected or added to, not erased, so the audit trail stays whole.

Where the research data lives

Marks, gains and short-answer text for the study come out through a separate, pseudonymised export — real student IDs never leave the server. The operational details (exports, backups, grading passes) are in the project runbook, not in this panel.

HCI Playground · COMP3423 Human-Computer Interaction · Teacher User Manual · Screens captured from the live application.