

90 degree foldable underground use folding barrier gate system



90 degree folding arm barrier gate is available for low headroom application. It is usually used for underground parking lot with height limit. The max.length supported is 5M, and the operating speed is 3.5-6S.

- configurable opening times
- Boom with rubber profiles and light reflector for safety and recognisability
- Self learning function and encoder controlled movement
- Integrated obstacle detection system for extra safety
- Customisable boom lengths
- Easy to integrate with other systems

Parameter

Color option	Blue / Orange / Gray / Yellow
Operation speed	3.5--6S
Spring And Bearing	Heat Treatment: more durable, more than 5 million times through operation testing
Remote Control Distance	less than 50 meters
Working temperature	-35°C +95°C
G.W	60KG
Power supply	100-240VAC 50-60HZ
Motor power	90W/80W
Max.length of boom	5m


Fine workmanship and appearance

- 1.5mm cold rolled plate,baking finishing, water-proof, rust proof, dust proof, color fast.
- Excellent appearance, different color for options, widely used in different places.
- Boom length can be customized.



Multiple control, stable performance

- Remote control the barrier from long distance. When electricity is off, it can be manual released.
- Inside control board, water proof, stable and long running life.
- Easy installation and cabling and maintenance, low noise, quick cooling.



Good quality in details



Strict test before delivery



Package



Easy installation

