

Introduction to Complex Numbers:
YouTube Workbook

Christopher C. Tisdell

March 21, 2018

Contents

How to use this book	5
1 What is a complex number?	7
1.1 Video 1: Complex numbers are AWESOME	7
1.1.1 Where are we going?	7
1.1.2 Why are complex numbers AWESOME?	8
1.1.3 What is a complex number?	10
1.1.4 How to graphically represent complex numbers?	11
2 Basic operations involving complex numbers	13
2.1 Video 2: How to add / subtract two complex numbers	13
2.2 Video 3: How to multiply a real number with a complex number	14
2.3 Video 4: How to multiply complex numbers together	15
2.3.1 What is the geometric explanation of multiplication?	16
2.4 Video 5: How to divide complex numbers	17
2.4.1 How to divide by a complex number	17
2.4.2 Basic operations with complex numbers	18
2.5 Video 6: Complex numbers: Quadratic formula	19
3 What is the complex conjugate?	21
3.1 Video 7: What is the complex conjugate?	21
3.1.1 What are the properties of the conjugate?	22
3.1.2 Basic operations with the conjugate	23
3.2 Video 8: Calculations with the complex conjugate	24
3.2.1 Simplifying complex numbers with the conjugate	25
3.3 Video 9: How to show a number is purely imaginary	26
3.3.1 Using the conjugate to show a number is purely imaginary	26
3.4 Video 10: How to prove the real part of a complex number is zero	27
3.5 Video 11: Complex conjugate and linear systems	28
3.5.1 Solving systems of equations with the conjugate	28
3.6 Video 12: When are the squares of z and its conjugate equal?	29
3.6.1 Showing real or imag parts are zero via the conjugate	29
3.7 Video 13: Conjugate of products is product of conjugates	30
3.8 Video 14: Why complex solutions appear in conjugate pairs	31

4	How big are complex numbers?	33
4.1	Video 15: How big are complex numbers?	33
4.1.1	Properties of the modulus / magnitude	34
4.2	Video 16: Modulus of a product is the product of moduli	37
4.3	Video 17: Square roots of complex numbers	38
4.4	Video 18: Quadratic equations with complex coefficients	39
4.4.1	Square roots of complex numbers	39
4.5	Video 19: Show real part of complex number is zero	40
5	Polar trig form	41
5.1	Video 20: Polar trig form of complex number	41
6	Polar exponential form	43
6.1	Video 21: Polar exponential form of a complex number	43
6.2	Revision Video 22: Intro to complex numbers + basic operations	45
6.3	Revision Video 23: Complex numbers and calculations	46
6.4	Video 24: Powers of complex numbers via polar forms	47
6.4.1	Calculations with the polar exponential form	47
7	Powers of complex numbers	49
7.1	Video 25: Powers of complex numbers	49
7.2	Video 26: What is the power of a complex number?	50
7.3	Video 27: Roots of complex numbers	51
7.4	Video 28: Complex numbers solutions to polynomial equations	52
7.5	Video 29: Complex numbers and $\tan(\pi/12)$	53
7.6	Video 30: Euler's formula: A cool proof	54
8	De Moivre's formula	55
8.1	Video 31: De Moivre's formula: A cool proof	55
8.2	Video 32: Trig identities from De Moivre's theorem	56
8.3	Video 33: Trig identities: De Moivre's formula	57
9	Connecting \sin, \cos with e	59
9.1	Video 34: Trig identities and Euler's formula	59
9.1.1	More connections between $\sin \theta$, $\cos \theta$, $e^{i\theta}$	59
9.1.2	Trig identities from Euler's formula	60
9.2	Video 35: Trig identities from Euler's formula	61
9.3	Video 36: How to prove trig identities WITHOUT trig!	62
9.4	Revision Video 37: Complex numbers + trig identities	63
10	Regions in the complex plane	65
10.1	Video 38: How to determine regions in the complex plane	65
10.1.1	Regions in the complex plane	65
10.1.2	Regions in the complex plane	67
10.2	Video 39: Circular sector in the complex plane	68
10.2.1	Regions in the complex plane	68

<i>CONTENTS</i>	5
10.3 Video 40: Circle in the complex plane	69
10.3.1 Regions in the complex plane	69
10.4 Video 41: How to sketch regions in the complex plane	70
11 Complex polynomials	71
11.1 Video 42: How to factor complex polynomials	71
11.1.1 Complex polynomials with real coefficients	72
11.2 Video 43: Factorizing complex polynomials	73
11.2.1 Complex polynomials with real coefficients	73
11.3 Video 44: Factor polynomials into linear parts	74
11.3.1 Complex polynomials with real coefficients	74
11.4 Video 45: Complex linear factors	75
11.4.1 Complex polynomials with real coefficients	75
Bibliography	77

How to use this workbook

This workbook is designed to be used in conjunction with the author's free online video tutorials. Inside this workbook each chapter is divided into learning modules (subsections), each having its own dedicated video tutorial.

View the online video via the hyperlink located at the top of the page of each learning module, with workbook and paper or tablet at the ready. Or click on the *Introduction to Complex Numbers* playlist where all the videos for the workbook are located in chronological order:

Introduction to Complex Numbers

www.youtube.com/playlist?list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP

www.tinyurl.com/ComplexNumbersYT.

While watching each video, fill in the spaces provided after each example in the workbook and annotate to the associated text.

You can also access the above via the author's YouTube channel

Dr Chris Tisdell's YouTube Channel

<http://www.youtube.com/DrChrisTisdell>

There has been an explosion in books that blend text with video since the author's pioneering work *Engineering Mathematics: YouTube Workbook* [46]. The current text takes innovation in learning to a new level, with:

- the video presentations herein streamed live online, giving the classes a live, dynamic and fun feeling;
- each video featuring closed captions, providing each learner with the ability to watch, read or listen to each video presentation.

Chapter 1

What is a complex number?

1.1 Video 1: Complex numbers are AWESOME

1.1.1 Where are we going?

View this lesson on YouTube [1]

- We will learn about a new kind of number known as a “complex number”.
- We will discover the basic properties of complex numbers and investigate some of their mathematical applications.

Complex numbers rest on the idea of the “imaginary unit” i , which is defined via

$$i = \sqrt{-1}$$

with i satisfying the equation

$$i^2 = -1.$$

Even though the thought of i may seem crazy, we will see that is a really useful idea.

1.1.2 Why are complex numbers AWESOME?

There are at least two reasons why complex numbers are AWESOME:-

1. their real-world applications;
2. their ability to SIMPLIFY mathematics.

For example, i arises in the solutions

$$x(t) = e^{i\sqrt{k/m} t} \quad \text{and} \quad x(t) = e^{-i\sqrt{k/m} t}.$$

to a basic spring-mass differential equation

$$m \frac{d^2 x}{dt^2} + kx = 0$$

where: $x = x(t)$ is the position of the mass at time t ; $m > 0$ is the mass; and $k > 0$ is the stiffness of the spring.

Also, i appears in Fourier transform techniques, which are important for solving partial differential equations from science and engineering.

Complex numbers are AWESOME because they provide a SIMPLER framework from which we can view and do mathematics.

As a result, applying methods involving complex numbers can simplify calculations, removing a lot of the boring and tedious parts of mathematical work.

For example, complex numbers provides a quick alternative to integration by parts for something like

$$\int e^{-t} \cos t \, dt$$

and gives easy ways of constructing trig formulae, for example

$$\begin{aligned}\sin(x + y) &= \sin x \cos y + \cos x \sin y \\ \cos 2\theta &= \cos^2 \theta - \sin^2 \theta\end{aligned}$$

so you might never have to remember another trig formula ever again!

1.1.3 What is a complex number?

Here are some examples of complex numbers:

$$\begin{array}{ll} 3 + 2i, & -7 + 3i, \\ 6 - i, & 2i, \\ -1 - 4i, & -2 - 2i. \end{array}$$

Important idea (What is a complex number? (Cartesian form)).

The Cartesian form of a complex number z is

$$x + yi \quad \text{or} \quad x + iy$$

where x and y are both real numbers and i is known as the imaginary unit $i = \sqrt{-1}$ and satisfies $i^2 = -1$. The number x is called the “real part of z ”; while y is called the “imaginary part of z ”.

1.1.4 How to graphically represent complex numbers?

Complex numbers can be represented in the “complex plane” via what is known as an Argand diagram, which features:

- a “real” (horizontal) axis;
- an “imaginary” (vertical) axis.

Chapter 2

Basic operations involving complex numbers

2.1 Video 2: How to add / subtract two complex numbers

View this lesson on YouTube [3]

To add / subtract two complex numbers just add / subtract their corresponding components.

Example.

If $z = 1 + 3i$ and $w = 2 + i$ then

$$\begin{aligned} z + w &= (1 + 3i) + (2 + i) \\ &= (1 + 2) + (3i + i) \\ &= 3 + 4i \end{aligned}$$

and

$$\begin{aligned} z - w &= (1 + 3i) - (2 + i) \\ &= (1 - 2) + (3i - i) \\ &= -1 + 2i. \end{aligned}$$

A geometric interpretation of addition is seen through a simple parallelogram or triangle law.

2.2 Video 3: How to multiply a real number with a complex number

View this lesson on YouTube [3]

Multiplication of a real number with a complex number involves multiplying each component in a natural distributive fashion.

Example.

If $z = 2 + 3i$ then

$$\begin{aligned} 2z &= 2(2 + 3i) \\ &= (2 * 2) + (2 * 3i) \\ &= 4 + 6i \end{aligned}$$

and

$$\begin{aligned} -4z &= -4(2 + 3i) \\ &= (-4 * 2) + (-4 * 3i) \\ &= -8 - 12i. \end{aligned}$$

A geometric interpretation of (scalar) multiplication is seen through a stretching principle.

2.3 Video 4: How to multiply complex numbers together

View this lesson on YouTube [4]

Multiplication of two complex numbers involves natural distribution (and remembering $i^2 = -1$).

Example.

If $z = 2 + i$ and $w = 1 + i$ then

$$\begin{aligned}zw &= (2 + i)(1 + i) \\&= (2 * 1 + i * i) + (2 * i + i * 1) \\&= (2 - 1) + 3i \\&= 1 + 3i.\end{aligned}$$

The geometric interpretation of multiplication is seen through rotation and stretching / compression.

2.3.1 What is the geometric explanation of multiplication?

Example.

Let us consider $z = 2i$ and $w = 1 + i$ in the complex plane.

If we compute the distances from z and w to the origin (using Pythagoras) then we see that

$$|z| = 2, \quad |w| = \sqrt{2}.$$

Now consider the line segments joining z and w to the origin. If we compute the angles θ_1, θ_2 to the positive real axis (using trig) with $-\pi < \theta_k \leq \pi$ then we see

$$\theta_1 = \pi/2, \quad \theta_2 = \pi/4.$$

Now consider $zw = -2 + 2i$. We have

$$|zw| = 2\sqrt{2}, \quad \theta_3 = 3\pi/4.$$

We thus see that $|zw| = |z| |w|$ and $\theta_3 = \theta_1 + \theta_2$.

2.4 Video 5: How to divide complex numbers

View this lesson on YouTube [5]

2.4.1 How to divide by a complex number

Division of two complex numbers involves multiplying through by a “factor of one” that turns the denominator into a real number. To do this, we use the “conjugate” of the denominator.

Example.

If $z = 2 + i$ and $w = 3 + 2i$ then

$$\begin{aligned}\frac{z}{w} &= \frac{2 + i}{3 + 2i} \\ &= \frac{2 + i}{3 + 2i} * \frac{3 - 2i}{3 - 2i} \\ &= \frac{(6 - 2i^2) + (3i - 4i)}{(9 - 4i^2) + (6i - 6i)} \\ &= \frac{8 - i}{13} = \frac{8}{13} - i\frac{1}{13}.\end{aligned}$$

Observe that the denominator is now real and we can (say) easily plot the complex number z/w .

If we interpret division as a kind of multiplication, then the geometric interpretation of division can also be seen through rotation / stretching.

2.4.2 Basic operations with complex numbers

Example.

If $z = -2 + 3i$ then calculate z^2 .

Consider

$$\begin{aligned} z^2 &= (-2 + 3i) * (-2 + 3i) \\ &= (4 + 9i^2) - 6i - 6i \\ &= -5 - 12i. \end{aligned}$$

Independent learning exercise: plot z and z^2 . Can you see a relationship between their lengths to the origin?

2.5 Video 6: Complex numbers: Quadratic formula

Applying the quadratic formula for complex solutions

View this lesson on YouTube [6]

Example.

Solve the quadratic equation

$$13z^2 - 6z + 1 = 0,$$

writing the solutions in the Cartesian form $x + yi$.

Chapter 3

What is the complex conjugate?

3.1 Video 7: What is the complex conjugate?

View this lesson on YouTube [7]

As we saw when performing division of complex numbers, an idea called the conjugate was applied to simplify the denominator. Let us look at this idea a bit further.

Important idea (Complex conjugate).

For a complex number $z = x + yi$ we define and denote the “complex conjugate of z ” by

$$\bar{z} = x - yi.$$

If $z = 3 + i$ then $\bar{z} = 3 - i$. If $w = 1 - 2i$ then $\bar{w} = 1 + 2i$. If $u = -1 - i$ then $\bar{u} = -1 + i$.

For any point z in the complex plane, we can geometrically determine \bar{z} by reflecting the position of z through the real axis.

3.1.1 What are the properties of the conjugate?

Important idea (Conjugate properties).

Let $z = a + bi$ and $w = c + di$. Some basic properties of the conjugate are:-

$$z\bar{z} = (a + bi)(a - bi) = a^2 + b^2, \text{ real and non-neg number;}$$

$$\bar{\bar{z}} = z;$$

$$\overline{z + w} = \bar{z} + \bar{w} = (a + c) - (b + d)i;$$

$$\overline{z - w} = \bar{z} - \bar{w} = (a - c) + (d - b)i;$$

$$\overline{zw} = \bar{z}\bar{w};$$

$$\overline{z/w} = \bar{z}/\bar{w};$$

$$\overline{z^n} = \bar{z}^n;$$

$$\frac{z + \bar{z}}{2} = a = \Re(z);$$

$$\frac{z - \bar{z}}{2} = b = \Im(z).$$

3.1.2 Basic operations with the conjugate

Example.

If $z = -2 + 3i$ then calculate the following: a) \bar{z} ; b) $z + \bar{z}$.

By definition,

$$\bar{z} = -2 - 3i.$$

Also,

$$\begin{aligned} z + \bar{z} &= (-2 + 3i) + (-2 - 3i) \\ &= -4 + 0i \\ &= 4. \end{aligned}$$

3.2 Video 8: Calculations with the complex conjugate

View this lesson on YouTube [8]

Example.

If $z = 4 - 3i$ and $w = 1 + 4i$ then calculate the following in Cartesian form $x + yi$:

- a) $25/z$; b) $iw(\bar{z} - 4)$.

3.2.1 Simplifying complex numbers with the conjugate

Example.

Simplify

$$\frac{2 - 7i}{3 - i}$$

into the Cartesian form $x + yi$.

We multiply by a factor of one that involves the conjugate of the denominator, namely

$$\begin{aligned}\frac{2 - 7i}{3 - i} &= \frac{2 - 7i}{3 - i} * \frac{3 + i}{3 + i} \\ &= \frac{(6 - 7i^2) + 2i - 21i}{(9 - i^2) + 3i - 3i} \\ &= 13/10 - 19i/10.\end{aligned}$$

3.3 Video 9: How to show a number is purely imaginary

3.3.1 Using the conjugate to show a number is purely imaginary

[View this lesson on YouTube \[9\]](#)

Example.

Let

$$\Im \left(\frac{z+i}{z-i} \right) = 0$$

with $z \neq i$. Show $\Re(z) = 0$.

3.4 Video 10: How to prove the real part of a complex number is zero

View this lesson on YouTube [10]

Example.

Let $z \in \mathbb{C}$ with $|z| = 1$. Show

$$\Re\left(\frac{z-1}{z+1}\right) = 0.$$

3.5 Video 11: Complex conjugate and linear systems

3.5.1 Solving systems of equations with the conjugate

View this lesson on YouTube [11]

Example.

Solve the following system for complex numbers z and w :

$$2z + 3w = 1 + 5i,$$

$$3\bar{z} - \bar{w} = 4 + 3i.$$

3.6 Video 12: When are the squares of z and its conjugate equal?

3.6.1 Showing real or imag parts are zero via the conjugate

View this lesson on YouTube [12]

Example.

Prove the following: For all $z \in \mathbb{C}$ we have

$$z^2 = \bar{z}^2$$

if and only if

$$\Re(z) = 0 \quad \text{or} \quad \Im(z) = 0.$$

3.7 Video 13: Conjugate of products is product of conjugates

View this lesson on YouTube [13]

Example.

Prove, for all complex numbers z and w :

$$\overline{zw} = \bar{z} \bar{w}.$$

3.8 Video 14: Why complex solutions appear in conjugate pairs

View this lesson on YouTube [14]

Example.

Let $z = \alpha + \beta i$ satisfy

$$ax^2 + bx + c = 0.$$

Show that \bar{z} is also a solution.

Chapter 4

How big are complex numbers?

4.1 Video 15: How big are complex numbers?

View this lesson on YouTube [15]

To measure how “big” certain complex numbers are, we introduce a way of measuring their size, known as the modulus or the magnitude.

Important idea (Modulus / magnitude of a complex number).

For a complex number $z = x + yi$ we define the modulus or magnitude of z by

$$|z| := \sqrt{x^2 + y^2}.$$

Geometrically, $|z|$ represents the length r of the line segment connecting z to the origin.

4.1.1 Properties of the modulus / magnitude

Important idea.

Let $z = a + bi$ and $w = c + di$. Some basic properties of the modulus are:-

$$|z| = \sqrt{a^2 + b^2} \geq 0;$$

$$|z| = 0 \quad \text{iff} \quad z = 0;$$

$$|z^2| = |z|^2;$$

$$|z + w| \leq |z| + |w|;$$

$$|\alpha z| = |\alpha||z| \quad \text{where } \alpha \text{ is a real number};$$

$$|zw| = |z||w|;$$

$$z\bar{z} = |z|^2.$$

Example.

If $z = 7 + i$ and $w = 3 - i$ then calculate:

$$|z + iw|.$$

Example.

If $w = 1 + 4i$ then calculate the following in Cartesian form $x + yi$:

$$|w + 2|.$$

We have

$$\begin{aligned} |w + 2| &= |3 + 4i| \\ &= \sqrt{3^2 + 4^2} \\ &= 5. \end{aligned}$$

4.2 Video 16: Modulus of a product is the product of moduli

View this lesson on YouTube [16]

Example.

Prove, for all complex numbers z and w :

$$|zw| = |z| |w|.$$

4.3 Video 17: Square roots of complex numbers

View this lesson on YouTube [17]

Example.

Solve

$$z^2 = (x + yi)^2 = -24 - 10i$$

for $z \in \mathbb{C}$ by computing the real numbers x and y . Hence write down the square roots of $-24 - 10i$.

4.4 Video 18: Quadratic equations with complex coefficients

4.4.1 Square roots of complex numbers

View this lesson on YouTube [18]

Example.

i) Solve

$$z^2 = (x + yi)^2 = 15 + 8i$$

for $z \in \mathbb{C}$ by computing x and y which are assumed to be integers. Hence write down the square roots of $15 + 8i$.

ii) Hence solve, in $x + yi$ form,

$$z^2 - (2 + 3i)z - 5 + i = 0.$$

4.5 Video 19: Show real part of complex number is zero

View this lesson on YouTube [19]

Example.

Let $z \in \mathbb{C}$ with $z \neq i$. If $|z| = 1$ then show

$$\Re \left(\frac{z+i}{z-i} \right) = 0.$$

Chapter 5

Polar trig form

5.1 Video 20: Polar trig form of complex number

View this lesson on YouTube [20]

Instead of the Cartesian $x + yi$ form, sometimes it is convenient to express complex numbers in other equivalent forms.

Using trigonometry in the complex plane we see that we can express any (non-zero) complex number z in the form

$$z = r(\cos \theta + i \sin \theta)$$

where r is the distance to the origin and θ is the angle to the pos. real axis.

Important idea (Formulae for polar trig form).

For $z = x + yi$ a polar trig form is $z = r(\cos \theta + i \sin \theta)$ where:

$$r = \sqrt{x^2 + y^2} = |z|;$$
$$x = r \cos \theta, \quad y = r \sin \theta, \quad \tan \theta = y/x.$$

We denote the angle θ by $\arg(z)$ and call $\arg(z)$ “an argument of z ”.

Because $\cos \theta = \cos(\theta + 2k\pi)$ and $\sin \theta = \sin(\theta + 2k\pi)$ for all integers k , the angle θ associated with a complex number is not unique.

For example, if $z = 1 + i$ then we may represent z in polar trig form via

$$z = \sqrt{2}(\cos(\pi/4) + i \sin(\pi/4))$$

and

$$z = \sqrt{2}(\cos(9\pi/4) + i \sin(9\pi/4)).$$

Thus, $\theta = \arg(z)$ is not uniquely determined by z .

To provide some definiteness, we define what is known as the principal argument of z .

Important idea ($\arg(z)$ versus $\text{Arg}(z)$).

For any complex number $z = x + yi$ with $\theta = \arg(z)$ we can always choose an integer k such that $-\pi < \arg(z) - 2k\pi \leq \pi$. We denote this special angle by $\text{Arg}(z)$ and call $\text{Arg}(z)$ “the principal argument of z ”.

Chapter 6

Polar exponential form

6.1 Video 21: Polar exponential form of a complex number

View this lesson on YouTube [21]

Instead of the Cartesian form $z = x + yi$ or the polar trig form $z = r(\cos \theta + i \sin \theta)$ sometimes it is convenient for multiplication and solving polynomials to express complex numbers in yet another equivalent form

$$z = re^{i\theta}.$$

Important idea (Formula for polar exponential form $z = re^{i\theta}$).

For $z = x + yi$ a polar exponential form is $z = re^{i\theta}$ where:

$$r = \sqrt{x^2 + y^2} \quad \text{and} \quad \tan \theta = y/x.$$

If we combine the polar exponential form with the polar trig form then we obtain a special identity called “Euler’s formula”

$$e^{i\theta} = \cos \theta + i \sin \theta$$

and if $\theta = \pi$ then we obtain the famous formula

$$e^{\pi i} = -1.$$

Because $\cos \theta = \cos(\theta + 2k\pi)$ and $\sin \theta = \sin(\theta + 2k\pi)$ for all integers k , the angle θ associated with a complex number is not unique.

For example, if $z = 1 + i$ then we may represent z in polar trig and polar exp. form via

$$z = \sqrt{2}(\cos(\pi/4) + i \sin(\pi/4)) = \sqrt{2}e^{i\pi/4}$$

and

$$z = \sqrt{2}(\cos(9\pi/4) + i \sin(9\pi/4)) = \sqrt{2}e^{i9\pi/4}.$$

Thus, $\theta = \arg(z)$ is not uniquely determined by z .

To provide some definiteness, we define what is known as the principal argument of z .

Important idea ($\arg(z)$ versus $\text{Arg}(z)$).

For any complex number $z = x + yi$ with $\theta = \arg(z)$ we can always choose an integer k such that $-\pi < \arg(z) - 2k\pi \leq \pi$. We denote this special angle by $\text{Arg}(z)$ and call it “the principal argument of z ”.

6.2 Revision Video 22: Intro to complex numbers + basic operations

View this lesson on YouTube [22]

Example.

Let $z := 2e^{i\pi/6}$. Calculate: z^3 ; z^{-1} ; and $-3z$. In addition, plot your calculated complex numbers on the same Argand diagram.

6.3 Revision Video 23: Complex numbers and calculations

View this lesson on YouTube [23]

Example.

Define the complex numbers z and w by $z := 2 - 5i$ and $w = 1 + 2i$. Calculate:

$$\frac{1 + 7i}{w}; \quad 4\bar{z}w; \quad \text{Arg}(w - 3i).$$

6.4 Video 24: Powers of complex numbers via polar forms

6.4.1 Calculations with the polar exponential form

View this lesson on YouTube [24]

Example.

If $z = 2e^{5\pi i/6}$ then compute z^2 , $1/z$ and $\Im(z)$. Plot z , z^2 and $1/z$ in the same complex plane.

Chapter 7

Powers of complex numbers

7.1 Video 25: Powers of complex numbers

View this lesson on YouTube [25]

Example.

Powers of complex numbers If $z = -1 + i\sqrt{3}$ then:

- a) Calculate a polar exponential form of z ;
- b) Hence determine $\text{Arg}(z^{23})$ and write z^{23} in Cartesian form.

7.2 Video 26: What is the power of a complex number?

View this lesson on YouTube [26]

Example.

Suppose $z = 1 + i$, $w = 1 - i\sqrt{3}$. If

$$q := z^6/w^5$$

then:

- a) Calculate $|q|$;
- b) Determine $\text{Arg}(q)$.

7.3 Video 27: Roots of complex numbers

View this lesson on YouTube [27]

Example.

Solve

$$z^5 = 16(1 - i\sqrt{3})$$

leaving your answers in simplified polar exponential form.

7.4 Video 28: Complex numbers solutions to polynomial equations

View this lesson on YouTube [28]

Example.

Determine all of the (complex) fourth roots of $8(-1 + \sqrt{3}i)$. You may leave your answer in polar form.

7.5 Video 29: Complex numbers and $\tan(\pi/12)$

View this lesson on YouTube [29]

Example.

If $z = -2 + 2i$ and $w = -1 - i\sqrt{3}$ then:

- a) Compute zw in Cartesian form;
- b) Rewrite z and w in polar exponential form and thus calculate zw in polar exponential form;
- c) Hence determine a precise value for $\tan(\pi/12)$.

7.6 Video 30: Euler's formula: A cool proof

View this lesson on YouTube [30]

Important idea (Euler's formula).

We prove

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Let $f(\theta) := \cos \theta + i \sin \theta$. Thus, $f(0) = 1$. Differentiating f we obtain

$$\begin{aligned} f'(\theta) &= -\sin \theta + i \cos \theta \\ &= i^2 \sin \theta + i \cos \theta \\ &= i(\cos \theta + i \sin \theta) \\ &= if(\theta). \end{aligned}$$

We have formed a differential equation / initial value problem. Note that $g(\theta) := e^{i\theta}$ also satisfies the IVP. By uniqueness of solutions, $f \equiv g$, that is,

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

This also means that the polar exponential form $re^{i\theta}$ is an accurate representation of any complex number z .

Chapter 8

De Moivre's formula

8.1 Video 31: De Moivre's formula: A cool proof

View this lesson on YouTube [31]

De Moivre's formula is useful for simplifying computations involving powers of complex numbers.

Important idea (De Moivre's formula).

For each integer n and all real θ we have

$$(\cos \theta + i \sin \theta)^n = (\cos n\theta + i \sin n\theta).$$

The proof utilizes Euler's formula

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

We have,

$$\begin{aligned} (\cos \theta + i \sin \theta)^n &= (e^{i\theta})^n \\ &= e^{in\theta} \\ &= (\cos n\theta + i \sin n\theta) \end{aligned}$$

and thus we have proven the result.

8.2 Video 32: Trig identities from De Moivre's theorem

View this lesson on YouTube [32]

Example.

Write $\cos 5\theta$ in terms of $\cos \theta$ by applying De Moivre's theorem.

8.3 Video 33: Trig identities: De Moivre's formula

View this lesson on YouTube [33]

Example.

Write $\sin 4\theta$ in terms of $\cos \theta$ and $\sin \theta$ by applying De Moivre's theorem. Hence, write $\sin 4\theta \cos \theta$ as a function of $\sin \theta$.

Chapter 9

Connecting sin, cos with e

9.1 Video 34: Trig identities and Euler's formula

View this lesson on YouTube [34]

9.1.1 More connections between $\sin \theta$, $\cos \theta$, $e^{i\theta}$

Euler's formula

$$e^{i\theta} = \cos \theta + i \sin \theta$$

can be manipulated to obtain the following identities

Important idea (Trig functions in terms of exponentials).

$$\cos \theta = \frac{e^{i\theta} + e^{-i\theta}}{2}$$
$$\sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}.$$

For example, consider

$$e^{-i\theta} = \cos(-\theta) + i \sin(-\theta) = \cos \theta - i \sin \theta$$

and so $e^{i\theta} + e^{-i\theta} = 2 \cos \theta$, which rearranges to the first identity.

9.1.2 Trig identities from Euler's formula

Example.

Apply the identity

$$\sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}$$

to express $\sin^4 \theta$ in terms of $\cos \theta, \cos 2\theta, \dots$.

9.2 Video 35: Trig identities from Euler's formula

View this lesson on YouTube [35]

Example.

Apply the identity

$$\sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}$$

to express $\sin^5 \theta$ in terms of $\sin \theta, \sin 2\theta, \dots$.

9.3 Video 36: How to prove trig identities WITHOUT trig!

View this lesson on YouTube [36]

Example.

Prove

$$\sin(x + y) = \sin x \cos y + \cos x \sin y.$$

9.4 Revision Video 37: Complex numbers + trig identities

View this lesson on YouTube [37]

The problem for this video is similar to Video 35.

Chapter 10

Regions in the complex plane

10.1 Video 38: How to determine regions in the complex plane

View this lesson on YouTube [38]

10.1.1 Regions in the complex plane

We can use equations or inequalities to represent regions within two-dimensional space. With a bit of care, we can also represent regions in the complex plane via similar techniques.

We know that the modulus $|z|$ of any complex number z is the length of the line segment joining z to the origin. Thus, the set

$$\{z \in \mathbb{C} : |z| < 3\}$$

is the set of all complex numbers, whose distance to the origin is less than three units. This is an open disc, centred at the origin, with radius three.

Similarly, the set

$$\{z \in \mathbb{C} : |z - (2 + i)| < 3\}$$

is the set of all complex numbers, whose distance to $2 + i$ is less than three units. This is an open disc, centred at the $2 + i$, with radius three.

Similarly, the set

$$\{z \in \mathbb{C} : |z - i| = 3\}$$

is the set of all complex numbers, whose distance to i is exactly three units. This is a circle, centered at the i , with radius three.

The set

$$\{z \in \mathbb{C} : |z - 2| = |z - 4|\}$$

is the set of all complex numbers, whose distance to 2 and 4 are equal. This is a vertical line, passing through 3.

Also

$$\{z \in \mathbb{C} : 0 \leq \text{Arg}(z) \leq \pi/2\}$$

is the set of all complex numbers, whose principal argument is between zero and $\pi/2$. This is all those points that lie in the first quadrant, covered by a quarter-turn in the anticlockwise direction about the origin.

10.1.2 Regions in the complex plane

Example.

Determine and sketch the set of points satisfying

$$\{z \in \mathbb{C} : |z + 4| = 2|z - i|\}.$$

10.2 Video 39: Circular sector in the complex plane

10.2.1 Regions in the complex plane

View this lesson on YouTube [39]

Example.

Determine and sketch the set of points satisfying

$$|z - 1 - i| < 3, \quad 0 < \operatorname{Arg}(z) < \pi/4.$$

10.3 Video 40: Circle in the complex plane

10.3.1 Regions in the complex plane

View this lesson on YouTube [40]

Example.

Determine and sketch the set of points satisfying

$$|z + 3| = 2|z - 6i|.$$

10.4 Video 41: How to sketch regions in the complex plane

View this lesson on YouTube [41]

Example.

Sketch the region in the complex plane defined by all those complex numbers z such that

$$|z - 2i| < 1, \quad \text{and} \quad 0 < \text{Arg}(z - 2i) \leq \frac{3\pi}{4}.$$

Chapter 11

Complex polynomials

11.1 Video 42: How to factor complex polynomials

View this lesson on YouTube [42]

Important idea.

The basic theory for complex polynomials of degree n

$$p(z) := a_n z^n + a_{n-1} z^{n-1} + \cdots + a_1 z + a_0$$

may be summarized as follows:-

- Every polynomial $p(z)$ of degree n has at least one root over \mathbb{C} . That is, there is at least one α such that $p(\alpha) = 0$.
- The roots of complex polynomials with **real** coefficients appear in conjugate pairs.
- If $p(\alpha) = 0$ for some number α then $(z - \alpha)$ is a factor of $p(z)$.
- Every polynomial of degree n can be factored into n linear parts. That is

$$p(z) = a_n(z - \alpha_1)(z - \alpha_2) \cdots (z - \alpha_n)$$

where the α_i are the roots of $p(z)$.

11.1.1 Complex polynomials with real coefficients

Example.

- a) Solve $p(z) := z^6 + 64 = 0$.
- b) Hence factorize $p(z)$ into linear factors.

11.2 Video 43: Factorizing complex polynomials

11.2.1 Complex polynomials with real coefficients

View this lesson on YouTube [43]

Example.

If $p(z) := 2z^4 - 5z^3 + 5z^2 - 20z - 12$ then:

- a) Show $p(2i) = 0$;
- b) Illustrate that $z^2 + 4$ is a factor of $p(z)$ (without division) and also find the other quadratic factor;
- c) Thus, factorize $p(z)$ into quadratic factors.

11.3 Video 44: Factor polynomials into linear parts

11.3.1 Complex polynomials with real coefficients

View this lesson on YouTube [44]

Example.

- a) Solve $p(z) := z^7 + 3^7 = 0$.
- b) Hence factorize $p(z)$ into linear factors.

11.4 Video 45: Complex linear factors

11.4.1 Complex polynomials with real coefficients

View this lesson on YouTube [45]

Example.

If $p(z) := z^5 + 4z^3 - 8z^2 - 32$ then:

- a) Show $p(2i) = 0$;
- b) Illustrate that $z^2 + 4$ is a factor of $p(z)$ (without division) and also find the other quadratic factor;
- c) Thus, factorize $p(z)$ into complex linear factors.

Bibliography

- [1] Tisdell, Chris. Complex numbers are AWESOME. Streamed live on 02/04/2014 and accessed on 14/08/2014. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=YdBALaKYC04&index=1&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [2] Tisdell, Chris. How to add and subtract complex numbers. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=nj3qJY4Q06U&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=2>
- [3] Tisdell, Chris. Scalar multiply a complex number. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=MNQPUBQ90k&index=3&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [4] Tisdell, Chris. How to multiply complex numbers. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=Ktl10MjXC6I&index=4&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [5] Tisdell, Chris. How to divide complex numbers. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=fa7DVp_oNFE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=5
- [6] Tisdell, Chris. Complex numbers: Quadratic formula. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=iNzVgErnf5w&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=6>
- [7] Tisdell, Chris. What is the complex conjugate? Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=C8LzaBikty8&index=7&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [8] Tisdell, Chris. Calculations with the complex conjugate. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=WlqTBpp7sRM&index=8&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>

- [9] Tisdell, Chris. How to show a number is purely imaginary. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=75D__m6q5JM&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=9
- [10] Tisdell, Chris. Complex numbers: example of how to prove the real part of a complex number is zero. Streamed live on 25/11/2008 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=QWbLhUZ6bag&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=10>
- [11] Tisdell, Chris. Complex conjugates and linear systems. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=0s8XntqBrkc&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=11>
- [12] Tisdell, Chris. When are the squares of z and its conjugate equal? Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=U7d0NgvctMk&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=12>
- [13] Tisdell, Chris. Conjugate of products is product of conjugates. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=hKe4s_6B0Qs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=13
- [14] Tisdell, Chris. Why complex solutions appear in conjugate pairs. Uploaded on 16/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=XkWz76dxkkI&index=14&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [15] Tisdell, Chris. How big are complex numbers? Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=NyPGV066MCM&index=15&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [16] Tisdell, Chris. Modulus of a product is the product of moduli. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=siePZ8yJFJU&index=16&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [17] Tisdell, Chris. Square roots of complex numbers. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=HQ3lqtRSo-k&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=17>
- [18] Tisdell, Chris. Quadratic equations with complex coefficients. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=PQi-LrSWoUM&index=18&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>

- [19] Tisdell, Chris. Show real part of a complex number is zero. Streamed live on 21/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=i8z5fDHm0JY&index=19&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [20] Tisdell, Chris. Polar trig form of a complex number. Streamed live on 21/04/2014 and accessed on 14/08/2014. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=B7jT9AHJrDo&index=20&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [21] Tisdell, Chris. Polar exponential form of a complex number. Streamed live on 21/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=2ryt4n5WDnU&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=21>
- [22] Tisdell, Chris. Intro to complex numbers + basic operations. Uploaded on 08/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=QeMSqlrgQYg&index=22&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [23] Tisdell, Chris. Complex numbers and calculations. Uploaded on 06/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=0JYIh8Goblg&index=23&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [24] Tisdell, Chris. Powers of complex numbers via polar forms. Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=FtXPMSHBKgc&index=24&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [25] Tisdell, Chris. Powers of complex numbers. Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=P_sFeTtnQPs&index=25&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP
- [26] Tisdell, Chris. What is the power of a complex number? Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=nZPn74GC3KM&index=26&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [27] Tisdell, Chris. Roots of complex numbers. Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=RmUazwwRqso&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=27>
- [28] Tisdell, Chris. Complex number solutions to polynomial equations. Uploaded on 08/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=Y4btmS-uHWI&index=28&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>

- [29] Tisdell, Chris. Complex numbers and $\tan(\pi/12)$ Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=N5gRg2whooM&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=29>
- [30] Tisdell, Chris. Euler's formula: a cool proof. Streamed live on 02/12/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=st0ZL05Nvj&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=30>
- [31] Tisdell, Chris. De Moivre's formula: a COOL proof. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=NjYZS_XYlEQ&index=31&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP
- [32] Tisdell, Chris. Application of De Moivre's theorem. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=JjECulRsKr8&index=32&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [33] Tisdell, Chris. Trig identities: De Moivre's formula. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=uAj1zb1p0gg&index=33&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [34] Tisdell, Chris. Trig identities and Euler's formula. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=Bd22Y6NvKZk&index=34&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
- [35] Tisdell, Chris. Euler's formula and trig identities. Streamed live on 23/04/2015 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=NSYYWhUpeqs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=35>
- [36] Tisdell, Chris. How to prove trig identities WITHOUT trig. Streamed live on 11/12/2013 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=RGnvGjFfjBs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=36>
- [37] Tisdell, Chris. Complex numbers + trig identities. Uploaded on 08/09/2010 and accessed on 14/08/2014. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=CNmK48G0Cuc&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=37>
- [38] Tisdell, Chris. How to determine regions in the complex plane. Streamed live on 26/04/2015 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=0vjsF_n-Dbs&index=38&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP

- [39] Tisdell, Chris. Circular sector in the complex plane. Streamed live on 26/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=_2Z3qbhfa8c&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=39
- [40] Tisdell, Chris. Circle in the complex plane. Streamed live on 26/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=sLkdqTg1-1c&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=40>
- [41] Tisdell, Chris. How to sketch regions in the complex plane. Uploaded on 08/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=8gtNz5xSLuE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=41>
- [42] Tisdell, Chris. How to factor complex polynomials. Streamed live on 01/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=UG3TtIPTVZE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=42>
- [43] Tisdell, Chris. Factorizing complex polynomials. Streamed live on 01/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, https://www.youtube.com/watch?v=r_h_10ovGU0&index=43&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP
- [44] Tisdell, Chris. Factor polynomials into linear parts. Streamed live on 02/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=ebrLfGRLfBc&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=44>
- [45] Tisdell, Chris. Complex linear factors of polynomials. Streamed live on 02/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=9r1MSXG4ENw&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=45>
- [46] Tisdell, Chris. "Engineering mathematics YouTube workbook playlist" <http://www.youtube.com/playlist?list=PL13760D87FA88691D>, accessed on 1/11/2011 at DrChrisTisdell's YouTube Channel <http://www.youtube.com/DrChrisTisdell>.