

AngelCare Home-Care Assessment —Tier 1 Quick Questionnaire (EN, v1 2026-08-08)

Group vision (in-home care, confirmed by Wilson 2026-08-08): “Let the elderly live with dignity and autonomy in the familiar surroundings they know, until the very end.”
—DoctorNow Home (medical side) + AngelCare (caregiving side) serve this vision together. This questionnaire belongs to the caregiving side: supporting ageing in place, while honestly acknowledging that in some situations a residential care home is the best choice.

Positioning: A family decision-support tool before SCNAMES (not a medical diagnosis) **Length:** 17 questions (15 scored + 2 background) ·approx 6-8 minutes ·can pause and resume **Scoring principle:** Option B —each dimension scored independently → [Good]/[Needs Attention]/[Needs Intervention] flags; **no cross-dimension totals or weighting** **Entry line:** “17 questions ·~8 minutes ·save & resume anytime ·get a personalised recommendation on completion”

Background questions (not scored —for report context)

C1. How old is the elder? - 60-69 / 70-79 / 80-89 / 90 or above

C2. What is the elder’ s current living arrangement? - Lives alone / With family / With a domestic helper / Other

Group 1: Daily self-care (3 questions) → maps to Barthel ADL + Lawton IADL

Q1. Can the elder feed, dress and use the toilet by themselves? - Fully independent (0) - Needs some help (1) - Needs help with most tasks (2)

Q2. Can the elder move around, and transfer between bed and chair, by themselves? - Independent mobility and transfers (0) - Needs a mobility aid or minimal help (1) - Needs someone’ s help or cannot move around (2)

Q3. Can the elder manage everyday tasks by themselves (shopping, cooking, taking medication, making phone calls)? - Fully independent (0) - Needs help with some tasks (1) - Needs help with most tasks or unable to manage (2)

Flag rule (score 0-6): [Good] 0-1 Good / [Needs Attention] 2-3 Needs attention / [Needs Intervention] 4-6 Significant impairment **Tier 2 deepening:** Full 10-item ADL (Barthel) + 7-item IADL (Lawton) **Trigger:** Self-care [Needs Attention] → optional deep-dive; Self-care [Needs Intervention] → recommended + professional assessment

Group 2: Cognition & behaviour (3 questions) → maps to AD8 + NPI-Q

Q4. Has the elder's memory clearly declined in recent months (repeating the same questions, forgetting recent events)? - No (0) / Sometimes (1) / Clearly declined (2)

Q5. Does the elder show any of these behaviours: day-night reversal, wandering, agitation, aggression, suspiciousness or hallucinations? - No (0) / Occasionally (1) / Often (2)

Q6. Can the elder stay home alone safely for a period of time (won't forget to turn off the stove, get lost, or open the door to strangers)? - Can stay alone safely (0) / Needs reminders (1) / Cannot be left alone (2)

Flag rule (score 0-6): [Good] 0 / [Needs Attention] 1-2 / [Needs Intervention] 3-6 **Red-flag override:** Q5 = 2 (frequent behavioural symptoms) → **directly triggers** NPI-Q module + home-safety risk warning (dementia/BPSD red flag); Q6 = 2 (cannot stay alone safely) → home-safety risk warning + NPI-Q/AD8 offer **Tier 2 deepening:** 8-item AD8 → if positive, triggers 12-domain NPI-Q

Group 3: Family support (3 questions) → maps to care resources / Zarit Burden concept

Q7. Is there anyone (family or helper) available to care for the elder? - Someone available full-time (0) / Someone available but working or part-time (1) / Essentially no one (2)

Q8. How heavy is the carer's time and physical burden? - Manageable with ease (0) / Somewhat straining but manageable (1) / Under great stress already (2)

Q9. Can the family afford professional care services (e.g. day centre, home nursing)? - Can afford (0) / Needs subsidy or finds it somewhat difficult (1) / Difficult to afford (2)

Flag rule (score 0-6): [Good] 0-1 Support adequate / [Needs Attention] 2-3 Borderline / [Needs Intervention] 4-6 Support insufficient **Tier 2 deepening:** 7-item family care resource assessment + community resource list (CCSV / IHCS / day centres) **Trigger:** [Needs Attention] → optional; [Needs Intervention] → recommended + professional assessment

Group 4: Home safety (3 questions) → maps to CDC STEADI / home fall-prevention check

Q10. Has the elder fallen in the past year? - No (0) / Once (1) / Twice or more (2)

Q11. Are the non-slip measures, grab rails and lighting at home adequate (hallway, bathroom, stairs)? - Adequate (0) / Some areas need improvement (1) / Clearly inadequate (2)

Q12. Are there obvious safety hazards in the bathroom and stairs (no grab rails, slippery, clutter blocking the way)? - None (0) / A few (1) / Multiple (2)

Flag rule (score 0-6): [Good] 0 / [Needs Attention] 1-2 / [Needs Intervention] 3-6 **Trigger:** Q10 = 2 (two or more falls) → strongly recommends full 11-item safety module; [Needs Attention] → optional **Tier 2 deepening:** 11-item home environment safety assessment

Group 5: Mood (3 questions) → maps to GDS-15

Q13. Has the elder been feeling low, tearful or gloomy recently? - No (0) / Sometimes (1) / Often (2)

Q14. Has the elder lost interest in things they used to enjoy (hobbies, gatherings, going out)? - No (0) / Sometimes (1) / Often (2)

Q15. Have the elder's sleep or appetite changed noticeably (insomnia/sleepiness, reduced food intake)? - No (0) / Mild (1) / Noticeable (2)

Flag rule (score 0-6): [Good] 0 / [Needs Attention] 1-2 / [Needs Intervention] 3-6 **Red-flag override:** [Needs Intervention] (Q13-15 total ≥ 3) → regardless of quadrant, report must include mental-health intervention advice (counselling / psychiatric) + GDS-15 offer **Tier 2 deepening:** 15-item GDS-15 (ideally self-completed by the elder; family may read questions aloud)

Tier 1 → Tier 2 trigger rules (confirmed 00:18)

Tier 1 result	Tier 2 behaviour
Any dimension [Needs Attention]	Offer —show that dimension's module as “optional deep-dive”
Any dimension [Needs Intervention]	Offer + recommend —module + suggest professional assessment (SCNAMES / home assessment)
Q5 = 2	Directly trigger NPI-Q module + home-safety risk warning
Q6 = 2	Home-safety risk warning + NPI-Q/AD8 offer
Q10 = 2	Strongly recommend full 11-item home-safety module
Mood [Needs Intervention] (Q13-15 ≥ 3)	Mental-health intervention advice (regardless of quadrant) + GDS-15 offer

Tier 1 result	Tier 2 behaviour
All [Good]	No Tier 2 offers —issue the all-clear report directly

Tier 2 is never mandatory —severe answers surface first with stronger recommendations, but all modules remain optional deepening.

Flags → Recommendation Engine (Option B)

Per-dimension output: [Good][Needs Attention][Needs Intervention] flag + one-line summary + dimension-specific advice

Four-quadrant lean (summary only, not the engine): - Ability axis = worst flag among Self-care / Cognition / Mood (worst-of, conservative principle) - Support axis = worst flag among Family / Environment (worst-of) - Quadrant position: Ability × Support → Stay home / Home + community / Home + professional care / Consider residential care

Lean output format (default 2 leans, with reasons): - **Lean 1 (primary):** direction —because [citing flag cards, 2-3 line explanation] —what it means in practice [day centre / meal delivery / IHCS / home nursing...] - **Lean 2 (alternative):** other direction — “**choose this if...**” condition [e.g. behavioural symptoms worsen / carer can’t continue shifts / high fall risk] - Note: the official threshold still rests on professional assessment (SCNAMES)

Lean count rules (edge cases): - All [Good] → only 1 lean (ageing in place, don’t create doubt) - Both axes [Need intervention] → primary = consider residential care, alternative = home + intensive professional care (short-term transition option) - Otherwise → default 2 leans (primary + alternative-with-condition) - Never more than 2 (avoid choice paralysis)

Red-flag overrides (take priority over quadrant): 1. Q5 = 2 or Q6 = 2 → home-safety risk warning (even if everything else is fine) 2. Mood [Need intervention] → mental-health intervention advice 3. Any dimension [Need intervention] → suggest contacting professional assessment (SCNAMES / home care assessment)

Report output: per-dimension flag cards → Lean 1 + Lean 2 (with reasons and conditions) → red-flag warnings → Tier 2 module suggestions → WhatsApp/Email CTA (score payload prefill)

Confirmed (2026-08-07 evening to 2026-08-08 early morning)

- [Confirmed] Tier 1 = 15 scored questions (5 groups × 3) + 2 background questions (C1/C2 retention pending)
- [Confirmed] Per-dimension flag cutoffs 0-1/2-3/4-6 (clinical sanity-check still recommended)
- [Confirmed] Worst-of ability/support axis rule (conservative principle)
- [Confirmed] Lean format: always includes the “why” (2-3 lines citing flag cards)
- [Confirmed] Lean count: all good → 1; both axes need intervention → residential primary + intensive home care alternative; default 2, never more
- [Confirmed] Tier 1 → Tier 2 trigger rules (offer vs direct trigger vs no offer)
- [Confirmed] Original page content retained ~85-90% (SEO/GEO backbone kept, 5 tools become Tier 2 modules)

Pending

- ☐ TRP dictionary entries (byte-exact, TC/EN pairs) for all new UI strings
- ☐ WhatsApp prefill message template
- ☐ Tier 2 module specs (GDS-15 / AD8 / NPI-Q / Barthel / Lawton / STEADI)
- ☐ Background questions C1/C2 keep or drop
- ☐ Flag cutoffs clinical review