





# The Utility Grid

- 100 years old
- Infrastructure:
  - Centralized
  - Interconnected



Running Out of Power:



http://energy.gov/oe/technology-development/smart-grid

#### August 14, 1998

Northeast United States


September 8-9, 2011

from Mexico to Southern Orange County

### What are the Problems?

- Power outage and interruption
  - Silicon Valley blackout: \$75 million in losses.
  - In 2000, one-hour outage at Chicago Board of Trade: \$20 trillion in trades delayed.
- Security:
  - vulnerable to cyber attack
- Inefficiently managing peak load
  - Buy from private company vs. build new plant
  - Expensive → we are paying average price
- Management:
  - Worker: gather data, read meters, look for broken equipment

## **Smart Grid**



http://smartgrid.jeju.go.kr/eng/contents/index.php?mid=01

## Potential of Smart Grid

- Supply for increasing demand
- Energy efficiency and reliability
- Save money: consumers and

utility

- Smart home:
  - energy saving
  - reliable appliances
  - safety
- Environmental:
  - energy
  - land resource

- reduce carbon emission



tp://s430.photobucket.com/albums/qq25/7ustaGirl/?action=view&current=future.jpg&newest=1

## Challenges



#### **Technical**

- Construction: generation, transmission, distributions
- Application: metering, application, security



#### Monetary

Huge Investment




#### Societal

- Consumers: Privacy, Health, Pricing
- Society: Security, unexpected impacts
- Environment



## **Actual Construction**

- Huge investments by both government and companies
- Technological investments goes to developments of:
  - Electric Vehicles (EVs)
  - Advance Metering Infrastructure (AMI)
  - Home Area Network (HAN)
  - (NOTE: There are many more that are important toward smart grid research but only these few will be discussed)



(Austin Energy, 2012)

Wilson Lam

# Electric Vehicles (EVs)


U.S. Department of Energy definition of EV – is an electric vehicle that can "draw electricity from a battery with a capacity of at least four kilowatt hours and (...) is capable of being charged from an external source."


These technologies will enable better EVs connection with the smart grid:

- Grid to Vehicles (G2V) and Vehicles to Grid (V2G problematic)
  - Infrastructure
  - Smart charging stations
  - Standards:
    - SAE 1772 (helps eliminate different plugs creation)
    - Grid tie inverter to convert DC to AC for V2G


#### EVs - Issues


- Peak issues occurs when electricity demand increase over the nominal greatly
- EVs will introduce more peak issues if charging time is unmanaged
- V2G (Grid Tie Inverter will fix this problem)
  - → Can result in phasors, voltage, and frequency issues
    - → Blackout
    - → Brownout





#### EVs - Solutions






- Creating incentives can help prevent people from charging during peak times
- Results: 97% of existing peak
- If EVs participate in DR market and sell electricity back to the grid better peak shaving can be achieve

Both Figures are from:

(DeForest, Funk, Kaminsky, Lorimerm, Sidhu, Tenderich, and Ur, 2009)

# Advanced Metering Infrastructure (AMI)

- AMI manage, collect, store, and transmit data
- Bi-directional flow of data between the consumers and grid managers
- Collected data are processed and used to predict best method to manage the utility grid



## AMI - Issues

- Development of technology
- Installation of smart meters
- Fear of risk in AMI and technologies slow down process of AMI
- Large investments must be made by governments and companies before AMI can grow and become selfregulating
- Technologies that can be integrated with AMI are still mostly in the research stage (fear of AMI abandonment if AMI usefulness does not reach expectation)



(Steiger, 2012)



## AMI - Solutions & Success

- Glendale Water and Power (GWP)
  - Operational wireless
     communication
  - Data → smart meter →
     bills (electricity & water meter are integrated)
- Government funded \$20
  millions (DOE) + companies
  investments
- Returns and savings:
  - Better monitoring of grid health
  - Reduce electricity consumption
  - Prevent electricity peaks






All 3 images are from same source GWP (Steiger, 2012)

## Home Area Network (HAN)

- HAN gather data, operate, and sent information
- HAN is basically a home smart appliance controlling device
- Sent and receive information from utility grid managers to manage appliances
- Consumers can control, input, and set schedule for smart appliances electricity consumption



### HAN - Issues & Solutions

#### Issues

- Technologies of smart appliances that can be integrated with HAN are still in research stage
- 2. Communication network for HANs consideration
- 3. Financial burden of cost of HAN technologies installation

#### **Solutions**

- 1. Pour more money into research
- 2. Zigbee, Z-Wave, and Wi-Fi are possible solution for easy communication home appliances
- 3. Utility companies can create incentives for consumers to participate in HAN



## Cost Vs. Return

#### Cost In development of infrastructures

- Estimated cost of Smart Grid Deployment: approx. \$8 billion
- United States Investment: \$3.4 billion
- Smart Grid Investment Grant Program: approx. \$4.6 billion



## Cost Vs. Return

- Does Return of Investment outweigh Cost of Installation?
  - Case: San Diego Smart Grid Study Report

Scenario	Regional IRR* (%)	NPV (\$M)	Point of Positive Cash Flow** (Yrs)	First Year Annual Benefits Top \$50M
Earliest Positive Cash Flow	75%	403	3.5	2017
Maximum Benefits Early	26%	508	7.0	2012
Optimized IRR	44%	416	5.5	2014

Total Investment: \$450 million

Total Savings: \$1.4 billion (SAIC Smart Grid Team, 2006)

## Cost vs. Return

- Options in Smart Grid Communications Technologies
  - Must handle output data to deliver reliable, secure and cost-effective service through system

#### SMART GRID COMMUNICATIONS TECHNOLOGIES

Technology	Spectrum	Data Rate	Coverage Range	Applications	Limitations
GSM	900-1800 MHz	Up to 14.4 Kpbs	1-10 km	AMI, Demand Response, HAN	Low date rates
GPRS	900-1800 MHz	Up to 170 kbps	1-10 km	AMI, Demand Response, HAN	Low data rates
3G	1.92-1.98 GHz 2.11-2.17 GHz (licensed)	384 Kbps-2Mbps	1-10 km	AMI, Demand Response, HAN	Costly spectrum fees
WiMAX	2.5 GHz, 3.5 GHz, 5.8 GHz	Up to 75 Mbps	10-50 km (LOS) 1-5 km (NLOS)	AMI, Demand Response	Not widespread
PLC	1-30 MHz	2-3 Mbps	1-3 km	AMI, Fraud Detection	Harsh, noisy channel environment
ZigBee	2.4 GHz-868- 915 MHz	250 Kbps	30-50 m	AMI, HAN	Low data rate, short range

#### Consumer Concerns


- Appliance Compatibility
  - Applications, techniques, and solutions are being developed
    - Need for adoption of interoperability standards
- Risk of Cyber-Attacks/System Stability and Reliability
  - Harnessing Modern/Secure Information Protocols
  - Faster/More robust control devices
  - Embedded Intelligent Devices



#### Consumer Concerns

#### Carbon Emissions


- United States is 2<sup>nd</sup> Largest Carbon Emitter in the World
- Creates drastic climate change from global warming
- Smart Grid is designed to reduce carbon emissions. How?







# Consumer Privacy Issues



# **Privacy Solutions**

#### **Consumer Responsibility**



http://www.surrey.police.uk/about/dp.asp

#### **Centralized Monitoring**




Figure 2-1 Interaction of Actors in Different Smart Grid Domains through Secure Communication

http://www.lawandenvironment.com/articles/renewable-energy/

#### **Smart Standards and Regulations**



http://www.infosecurity.us/blog/2011/5/12/nistrequest-for-comments-cloud-computing.html



http://hps.org/hpssc/



http://www.iecee.org/

# Pricing/Availability Concerns



http://en.wikipedia.org/wiki/Disability





http://www.post-gazette.com/pg/09224/990133-68.stm

http://occupywinstonsalem.org/2012/02/10/over-300-million-in-corporate-greed-protest-unfair-job-cuts/#.T1gvoVSqnTo


# Dynamic Pricing



http://mediatransparent.com/wp-content/uploads/2010/10/price\_is\_right\_logo.jp


- Actually fair for everyone
- •Requires little participation of consumer
- •Can be used with current grid, but it's effect would be maximized with the smart grid

# Critical Peak Pricing




(Faruqui, 2010)

# Real Time Pricing




(Faruqui, 2010)

## **Bill Effects**



# Bill Effects for Low Income Consumers



# Dynamic Pricing Requirements

- Bill Protection
  - Protect consumers from having to switch to a price that is higher than what they currently pay

TOU RTP

**CPP** 

- Consumer Choice of plan
  - Combine different types of plans (CPP, TOU, RTP) for customized payment plan

# Current Uses of Dynamic Pricing



http://uhaweb.hartford.edu/mailloux/Planes.html



http://sfappeal.com/news/2010/10/cops-caution-against-buying-world-seriestickets-from-scalpers-say-some-who-did-now-out-biug-bucks.php



http://www.nvudev.com/green-techs-for-cell-phones.html

### Health Concerns

### Radio Frequency (RF) Radiation



http://scienceinthetriangle.org/wp-content/uploads/2011/03/cellphone-radiation.jpg


### Symptoms:

- Cancer
- •Immune System Deficiency
- Fertility Problems
- Sleeplessness
- Dizziness
- Memory Loss
- Headaches
- Fatigue

(Perlingieri, 2011)


## Solutions to Health Concerns

Research on Smart Meter appliances



 $\label{lem:http://stopsmartmeters.org/wp-content/uploads/2011/10/RTW-Smart-Meter-Warning2.jpg$ 

#### Fiber Optics/Wired Solutions



http://bmpjakarta.com/slide/images/OPGW2.jpg

#### **Smart Standards and Regulations**



http://www.infosecurity.us/blog/2011/5/12/nist-request-for-comments-cloud-computing.html




http://hps.org/hpssc/




# National Cyber Security

- Estimate that 80% of the intelligence needed to plan a successful attack on the US and the smart grid can be found on open sources such as the internet
- \$500 of equipment and basic electrical knowledge is sufficient to gain access and control of the smart grid



# **Achieving Cyber Security**

- SRAC (Smart Grid Role-based access control)
  - Sub-divided grid so that the whole system
     won't be compromised in an attack (Liu, 2012)



# **Achieving Cyber Security**

- Anomaly detection
  - Multi-agent based fault location algorithm
    - Nodes (agents) communicate to identify faulty information (Liu, 2012)

Control Agent



Data



Node Agent



Database Node

# **Achieving Cyber Security**

- Accountability
  - Recordable and traceable changes in a host or network to act as evidence in future



http://csid.unt.edu/images/accountability1.jpg



http://www.biggergod.com/images/judgment.jpg

#### **Smart Standards and Regulations**



http://www.infosecurity.us/blog/2011/5/12/nist-request-for-comments-cloud-computing.html



http://hps.org/hpssc/





# Building Quickly versus Building Correctly

- Building Quickly:
  - Advantage/Intent: Investment in leading the global market in smart grid technology
  - Disadvantage: Markets and Consumers are left to the short-term problems of smart grid implementation
- Building Correctly:
  - Advantage/Intent: Addresses local economic instabilities by leveling the playing field and reducing shortcomings of the smart grid
  - Disadvantage: Smart grid technology will continue to pursue forerunner's technology, leaving behind economic growth.

## Exemplified Forerunner: China

- Pushing the frontier of smart grid technology through:
  - A fiber optic backbone communications network
  - Centralized access of big power by implementing "clean energy"
  - Utility of Ultra-High-Voltage power grids
- Pursuits that have become reality → Research Investment by China
- Problem: United States is not at this stage, yet.



Figure: Adapted from John Whitney's "Ultra High Voltage (UHV) Transmission is the Renewable Energy Interstate

# Cautious Implementer: South Korea

- Focus on five areas of the smart grid: power grid, place (metering system), transportation, renewable energy, and electricity service
- Built the Jeju Smart Grid Test Bed in 2009
  - Serviceable for international community to test grid syste




figure 3. Key implementation targets for smart transportation, renewable energy, and electricity service.

Figure: Drawn from Kim et. al.: "A National Vision: Institute of Electrical and Electronics Engineers Power and Energy Magazine

# Features of the Jeju Test Grid








Figures: Drawn from Kim et. al.: A National Vision: Institute of Electrical and Electronics Engineers Power and Energy Magazine

# National Security: Government Involvement

- Capitalism: Government tends to get involved for the sake of regulation.
- Authors Haas and Auer have termed the necessary "unbundling" between generators and suppliers.
- Fair accessibility into the market and competition
   → maintain laissez-faire

## **Unexpected Contributions**

- DoD's F-15 Case Study:
  - Led to the development of the intelligent flight control system. Later became damageadaptive.
- This spurred the development of the Complex Interactive Networks/Systems Initiative (CIN/SI).
  - Contribution: Selfhealing power system within the smart grid.



**figure 1.** The IFCS design goal is to optimize controls to compensate for damage or failure conditions of the aircraft. (Picture courtesy of Boeing and NASA.)

igure: Drawn from Amin and Wollenberg's "Toward a Smart Grid"

### A Need for Guidance

- Laissez faire vitalizes the individual firms and consumers.
- Government is capable of remedying the situation, such as economic drought, during times of distress.
- Government as a mode of unity.

### Conclusion

- Overall Goal: Implement the Smart Grid
  - Management of the Smart Grid will be pushed forward by research ventures
  - Valuable returns of the grid in finances and clean energy promote the desire to install the Smart Grid
  - Raised awareness, regulations, and standards for overall concrete functionality of the grid
  - Effort between government and community to invest in the grid

### References

Austin Energy, 2012, Austin Energy Smart Grid Program. [http://www.austinenergy.com/about%20us/company%20profile/smartGrid/index .htm; Accesssed March 3, 2012].

Chakraborty S., Kramer W., Kroposki B., Martin G., McNutt P., Kuss M., Markel T., and Hoke A., U.S. Department of Energy, National Renewable Energy Laboratory, 2011, Interim Test Procedures for Evaluating Electrical Performance and Grid Integration of Vehicle-to-Grid Applications.

[www.nrel.gov/docs/fy11osti/51001.pdf; Accessed February 1, 2012].

Chandler, D. L., New Battery Design Could Give Electric Vehicles a Jolt, 2011, MIT - Massachusetts Institute of Technology - MIT News.

[http://web.mit.edu/newsoffice/2011/flow-batteries-0606.html; Accessed January 29, 2012].

DeForest, N., Funk, J., Lorimer, A., Ur, B., Sidhu, I., Kaminsky, P., and Tenderich, B., 2009, Impact of Widespread Electric Vehicle Adoption on the Electrical Utility Business – Threats and Opportunities Center for Entrepreneurship & Technology, Berkeley, California,: Center for Entrepreneurship & Technology, Report 2009.5.v.1.1, 35p. [http://www.techrepublic.com/whitepapers/smart-grid-thenew-and-improved-power-grid-a-survey/3759183].

Illinois Security Lab, 2011, AMI Security. [http://seclab.illinois.edu/ami-security; Accessed February 20, 2012].

## References Cont'd

Jeff, J. St., Greentech Media 2009, Smart Grid Gets \$3.4B in DOE Stimulus. [http://www.greentechmedia.com/articles/read/smart-grid-gets-3.4b-doe-jolt/; Accessed February 16, 2012].

Skip, A., 2008, Sensors, Designing Smart Energy Devices.

- [http://www.sensorsmag.com/networking-communications/standards-protocols/designing-smart-energy-devices-1526; Accessed March 1, 2012].
- Steiger, G., 2012, Glendale Water & Power's Smart Grid Project How GWP Became the First...
  - The Linc Group, 2011, EV Infrastructure 101.
  - [http://www.thelincgroup.com/pdf/EV%20Infrastructure%20101.pdf; Accessed January 28, 2012].
  - U.S. Department of Energy, Office of Energy and Renewable Energy, 2011. [http://www.afdc.energy.gov/afdc/laws/law/NC/9355; Accessed February 20, 2012].
  - Xi, F., Misra, S., Xue, G., and Dejun, Y., IEEE COMMUNICATIONS SURVEYS & TUTORIALS, 2011, Smart Grid The New and Improved Power Grid: A Survey. [http://www.techrepublic.com/whitepapers/smart-grid-the-new-and-improved-power-grid-a-survey/3759183; Accessed January 25, 2012].

## References Cont'd

Clemente, Jude, 2009, The Security Vulnerabilities of Smart Grid: Journal of Energy Security.

Faruqui, F. 2010, The Ethics of Dynamic Pricing: The Brattle Group, 22 p.

[http://www.smartgridnews.com/cgi-bin/artman/search.cgi]

Liu, Jing, Yang Xiao, Shuhui Li, Wei Liang, and Philip Chen, 2012, Cyber Security and Privacy Issues in Smart Grids, *IEEE* (2012).

Perlingieri, Dr. Ilya Sandra, Radiofrequency Radiation: The Invisible Hazards of "Smart"

Meters, Center for Research on Globalization, Aug. 2011

[http://www.globalresearch.ca/index.php?context=va]

TEEE Members, IEEE Transactions on Industrial Informatics, November 2011, Smart Grid Technologies: Communication Technologies and Standards.

Recovery Act Smart Grid Programs, U.S. Department of Energy, March 2012, Tracking Deployment. [http://www.smartgrid.gov/] Accessed: March 6<sup>th</sup>, 2012.

Science Applications International Corporation Smart Grid Team, October 2006, San Diego Smart Grid Study Final Report.