CHAPTER 4

EDITING PARAGRAPH STYLES

In this chapter you'll learn about

- Storing Paragraph Styles
- Creating Paragraph Styles
- Editing Paragraph Styles
- Inheriting Style Settings

In the chapter "Formatting with Paragraph Styles" you learned how to select paragraph styles and apply them to your text. In this chapter, you'll learn how WordStar stores paragraph styles, how to create and change styles, and how to inherit style settings.

HOW PARAGRAPH STYLES ARE STORED

Before you learn how to create and change paragraph styles, you need to understand how they are stored. Paragraph styles are stored in two places—in the style library and with the document using the styles. Styles stored in the library

are called *library styles*. Styles stored with the document are called *document styles*.

A library style can be selected in any document. (The predefined styles you used in Chapter 2 are examples of library styles.) A document style can be used only in the document in which it is stored. When you choose a library style, WordStar inserts a copy of that style into your document. The inserted style stays with that document; the library style is still available for use in other documents.

In the following chapters, you'll create a style and save it as both a document style and a library style. Then you'll change the style and save the changes to the document style only. You'll then have two versions of the style: the original library version and a document version that is slightly different.

CREATING PARAGRAPH STYLES

Paragraph styles are helpful in creating customized documents. A resume is an example of a customized document that requires special formatting.

Follow these steps to create a paragraph style that can be used in a resume:

1 At the Opening screen, choose File→New (Alt+F,W) to open a new file.

2 Choose Style→Define Paragraph Style (Alt+S,D) to create a paragraph style.

```
                          Define Paragraph Style

  Style: Body text                    Left Margin: ..00"        OK
                                 1st Line Indent: none
   Font: Courier 10 PC                Right Margin: 6.50"       Cancel

Leading: ..17"  (Line Height)          Line Spacing: 1

   Tabs: .50" 1.00" 1.50" 2.00" 2.50" 3.00" 3.50" 4.00" 4.50" 5.00" 5

                 On   Off  Inherit          Alignment: ◆ Flush Left
           Bold  o    ◆    o                           o Centered
         Italic  o    ◆    o                           o Flush Right
      Underline  o    ◆    o                           o Justified
      Strikeout  o    ◆    o                           o Inherited
  Doublestrike   o    ◆    o
   Superscript   o    ◆    o            Color/Shading:
     Subscript   o    ◆    o
     Word Wrap   ◆    o    o            [ ] Update Style Library
```

3 In the Style box, type **Name and Address**.

4 Change any other settings that you want. For example, you might want to select a larger font to make the text stand out or bold or center your name and address.

Note: You can use the Tab key to move between options in a dialog box, or you can press the Alt key and the key for the underlined or highlighted character in the option name. For example, press Alt+U to move to the Underline box in the Define Paragraph Style dialog box. If the cursor is at an option button or check box, you can just press the key for the underlined or highlighted character without pressing the Alt key.

5 Press Alt+Y to update the style library.

6 Press F10 or choose OK to save the new style.

WordStar saves the style in both the document and the style library. The new style is now available for any WordStar document.

Follow these steps to use the new style in your document:

1 Choose Style→Select Paragraph Style (Alt+S,S).

2 Select the new style.

WordStar inserts the Name and Address style tag into your document.

3 Type the text for your name, address, and phone number. The new style settings will be in effect when you print your document.

William Shakespeare
12345 Valley Glenn Lane
London, England
(123) 456-6789

EDITING PARAGRAPH STYLES

You can change the settings in an existing paragraph style by editing that style. For instance, if you want different settings in the Heading style, you can change them and then save the style. The new settings will be in effect when you select the Heading style for your document.

In this section, you'll change an existing style to create a style for a heading in a resume.

Follow the steps below to change the settings in the Heading style and then save the style to the document. Later, if you decide you want to use the style in other documents, you can copy the style to the library.

1. Choose Style→Define Paragraph Style (Alt+S,D). The settings for the current style appear in the dialog box.

2. Select the Heading style.

3. Change any style settings that you want for your resume heading. For example, the current Heading style turns on both bold and underline. You may want to use bold and turn off underline.

4. Press F10 or choose OK to save the new settings.

   This style will be saved in the document, but not in the library because you did not select the Update Style Library check box.

   You now have two versions of the Heading style—your document version and the original library version. If you turned off underline, the document version has no underlining. However, the library version keeps the original underlining.

Now you can insert the new heading style into your document.

1. Choose Style→Select Paragraph Style (Alt+S,S) to select a style.

2. Select Heading.

   The Heading style is inserted into your document.

3 Type the heading **EMPLOYMENT HISTORY**.

William Shakespeare
12345 Valley Glenn Lane
London, England
(123) 456-6789

```
EMPLOYMENT HISTORY
  Freelance writer for the past 20 years.
```

4 Save the file.

As you create your own library of paragraph styles, you'll find that paragraph styles make formatting easy and help maintain consistency in document formats. You may decide, for example, that you want to use the new document style, Heading, for other resumes. You could then save that style to the library and use it again.

INHERITING STYLE SETTINGS

Each paragraph style contains its own settings for margins, fonts, and so on. When you insert or select a style, all of its settings override the previous style settings.

WordStar has a feature that allows you to use or inherit settings from previous styles. For example, if you want to use the same font throughout a document, you select a font for the style now in effect at the beginning of the document. Then, each time you add another style to the document, you clear the Font box for that style. The styles with blank font boxes inherit the font from the first style.

In the following steps, you'll create a style that contains a new font. Next, you'll insert the style into your document. Finally, you'll create and select a style that inherits a font.

1. Open a file that contains at least two paragraphs of text, for example, the sample file SHAKE.DOC.

2. With the cursor at the beginning of the file, choose Style→Define Paragraph Style (Alt+S,D).

   The settings for the Body Text style appear.

3. Press the Tab key to move to the Font box.

4. Select a font that you want to appear throughout the document.

5. Press F10 or choose OK to save the style to the document (but not to the library).

6. Choose Style→Select Paragraph Style (Alt+S,S) and select the Body Text style.

   The Body Text style with the new font is now in effect at the beginning of the document.

You want your next style to inherit the font from Body Text.

1. Move the cursor to the beginning of the second paragraph.

2. Choose Style→Define Paragraph Style (Alt+S,D) and select the Paragraph Indent style.

3. Press the Tab key to move to the Font box.

4. Press the Spacebar to clear the Font box.

   Note: When a paragraph style option is blank, it inherits settings from the previous style. You can select the Inherit option for some style settings. For example, Bold has three option buttons—On, Off, and Inherit.

5. Save the style to the document but not to the library.

6. Choose Style→Select Paragraph Style (Alt+S,S) and select the Paragraph Indent style.

   The style is inserted into the document.

The Paragraph Indent style inherits the font from Body Text. The second paragraph is reformatted with the new style settings.

Any subsequent paragraphs need to be reformatted with the new font size.

1 Choose Utilities→Reformat→Rest of Document (Alt+U,R,R).

TIP *You can also reformat with the shortcut classic command ^QU.*

Now you can preview the document to be sure it's been reformatted.

2 Choose View→Preview (Alt+V,P) to preview the printed page. The entire document will be displayed (and printed) with the new font from Body Text.

3 Press Esc to exit Preview.

4 Close the file.

If you want to close the file and save your changes, choose File→Save and Close (Alt+F,L). If you want to close the file without saving your changes, choose File→Close (Alt+F,C). In the Close File dialog box press A to abandon changes.