→ (arrow symbol) convention in this manual, 1-4
&@& date variable, 14-3
& (ampersand), variable names enclosed by, 11-7, 13-3, 14-2

A

adding. *See* inserting
Alt key conventions in this manual, 1-4
ampersand (&)
    variable names enclosed by, 11-7, 13-3, 14-2
    See also variables
arrow symbol (→) convention in this manual, 1-4
ascenders, 10-7
aspect ratio, 9-6
AUTOEXEC.BAT configuration for serial printer, 10-2
AutoRestore(ON) statement in macros, 8-7
.av (pause printing) command, 12-3, 13-3, 13-4

B

baud rate for serial printers, 10-2
billing document, 14-1 to 14-12
    calculating totals in, 14-3 to 14-5
    completed document example, 14-11 to 14-12
billing document *(continued)*
    conditional statements in, 14-7 to 14-9
    dBASE memo fields in, 14-10 to 14-11
    form letter for, 14-2 to 14-3
    skipping data file records, 14-10
    variable number formatting, 14-5 to 14-6
    variable text formatting, 14-6
bitmapped fonts, 10-9
blank lines, omitting when printing, 12-3, 12-8 to 12-9, 14-2
blocks of text, 5-1 to 5-7
    changing case of, 5-7
    copying between windows, 5-4
    copying to another file, 5-1 to 5-2
    copying using Windows Clipboard, 5-6 to 5-7
    marking, 2-8
    moving, 2-8
    removing highlighting from, 2-8
Body Text paragraph style, 3-2 to 3-3
    selecting, 3-2 to 3-3
    settings, 3-2
bold text
    adding bold emphasis, 2-9, 10-7
    in the Title paragraph style, 3-2
    viewing command tags for, 2-9
bottom margin, 6-6
    for envelopes, 10-4
    for mailing labels, 12-5
business envelopes. *See* envelopes

C

calculations
billing totals, 14-3 to 14-5
dot command (.ma) for, 14-4 to 14-5, 15-3, 15-5
grand totals, 14-5
loan payments, 15-2 to 15-3
subtotals, 14-5
variable number formatting, 14-5 to 14-6, 15-3 to 15-4
See also billing document; loan document
capitalization. *See* case
cartridge fonts, 10-8
case
changing for blocks of text, 5-7
finding text by, 6-9
of macro statements, 8-7
centered text, Title paragraph style, 3-2
Change Printer dialog box, 10-3
chapter name in header or footer, 6-2
check boxes, 1-8, 1-9
checking spelling, 6-9 to 6-11
classic commands. *See* commands
classic menus
defined, 1-2
Edit Menu, 1-7
help settings for, 1-6
pull-down menus vs., 1-4 to 1-5
using, 1-6 to 1-7
Clipboard, copying text with, 5-6 to 5-7
closing dialog boxes, 1-9
closing files
with mouse, 1-12
saving changes, 4-7
without saving changes, 3-6, 4-7
closing windows, 5-5
CmdTags(OFF) statement in macros, 8-7
ColMode(OFF) statement in macros, 8-7
ColReplace(OFF) statement in macros, 8-7
columns (newspaper-style)
creating, 7-1 to 7-3
paragraph styles in, 7-3 to 7-4
commands
classic commands at pull-down menus, 1-7
cursor diamond commands, 1-10, 2-5
Edit Menu commands, 1-7
macros, 8-1 to 8-8
Opening Menu commands, 1-6
Repeat (^R) command, 1-8
viewing command tags, 2-9
See also dot commands; *specific classic commands*
command tags
inserting paragraph style tags, 3-2 to 3-3, 4-3
viewing command tags, 2-9
viewing style settings, 3-5
See also dot commands
COM ports, 10-1 to 10-2
conditional paragraphs
based on variable values, 14-7 to 14-9
prompt for, 13-3 to 13-4
conditional statements
based on variable values, 13-3 to 13-4, 14-7 to 14-9
.ei (end if condition) command, 13-4, 14-9
.el (else condition) command, 14-7, 14-9, 14-10
.if (begin if condition) command, 12-9 to 12-10, 13-4, 14-7, 14-8
for inserting standard paragraphs, 13-3 to 13-4, 14-7 to 14-9
for omitting blank lines in labels, 12-8 to 12-10
prompting for variables, 13-3 to 13-4
configuring printers, 10-1 to 10-2
contracts, 13-1 to 13-5
creating, 13-2 to 13-5
library of standard paragraphs for, 13-1 to 13-2

Convert Graphic dialog box, 9-5
Convert Graphic Options dialog box, 9-6
converting
graphics files to .PIX format, 9-1, 9-4 to 9-6
text to different case, 5-7
copying text
between files, 5-1 to 5-2
moving blocks of text, 2-8
using Windows Clipboard, 5-6 to 5-7
between windows, 5-4
.CRT files, deleting, 9-4
.cs (clear screen) command, 12-3, 12-4
Ctrl (^) key conventions in this manual, 1-4
Ctrl (^) key commands. *See* classic commands
current directory, 2-2, 2-3
current drive, 2-2, 2-3
cursor diamond commands, 1-10, 2-5
cursor movement, 1-9 to 1-10
to beginning of document, 1-12, 2-6
classic commands for, 1-10, 2-5 to 2-6
cursor diamond commands, 1-10, 2-5
in data files, 11-3, 11-5
in documents, 2-5 to 2-6
to end of document, 1-12, 2-6
finding text, 6-7 to 6-8
mouse for, 1-11 to 1-12
to page, 1-12
in Preview, 3-5
scrolling, 1-10 to 1-12
switching windows, 5-3 to 5-4
when typing text, 2-4
See also mouse

D

data files
creating, 11-2 to 11-5
cursor movement in, 11-3, 11-5
defined, 11-2
dummy file for testing label printing, 12-10
editing, 11-5
data files *(continued)*
for envelope merge printing, 12-2 to 12-4
for form letter merge printing, 11-8
for loan and interest calculations, 15-2
for mailing label merge printing, 12-5 to 12-10
from programs other than MailList, 12-1, 12-2, 12-5, 14-1 to 14-2
saving records, 11-3, 11-5
See also mailing lists; merge printing
date variable (&@&), 14-3
dBASE
data files from, 12-1, 14-1 to 14-2
memo fields, 14-10 to 14-11
Define Paragraph Style dialog box, 4-2 to 4-3, 7-3 to 7-4
defining paragraph styles. *See* paragraph styles
definitions
thesaurus function, 6-13
See also terminology
DELCRT program, 9-4
deleting
classic commands for, 2-7
footnotes, 6-4
lines of text, 2-7
removing highlighting from blocks of text, 2-8
restoring deleted text, 2-7
text, 2-6 to 2-7
words, 2-7
descenders, 10-7
.df (define data file) command, 11-6, 12-2, 14-2, 15-2
dialog boxes
closing, 1-9
defined, 1-2
illustrated, 1-8
terminology, 1-8
using, 1-7 to 1-9
dictionaries, 6-9 to 6-10
personal dictionary, 6-10, 6-11

directories
changing with mouse, 1-12
current directory, 2-2, 2-3
for fax files, 9-4
for .PCX files, 9-4
for standard paragraphs, 13-2
disk drives. *See* drives
displaying. *See* viewing
.dm (display message while printing) command, 14-10
documents. *See* editing documents; files
document styles
creating, 4-2 to 4-3
editing, 4-4 to 4-5
library styles vs., 4-1 to 4-2
saving, 4-3
See also paragraph styles
dot commands
for calculations, 14-4 to 14-5, 15-3, 15-5
for conditional statements, 12-9 to 12-10, 13-4, 14-7 to 14-10
defined, 1-2
for documents with standard paragraphs, 13-3 to 13-4
entering directly in documents, 1-2
for envelopes (mass mailing), 12-2 to 12-4
for form letters, 11-6 to 11-7, 14-2 to 14-3
for labels, 12-5 to 12-7, 12-9 to 12-10
for left and right margins, 6-5
to omit page numbering, 12-2, 12-5, 14-2, 15-1
for one-line footer, 6-2
for variable formatting, 14-5 to 14-6, 15-3 to 15-4
See also specific commands
drives
changing with mouse, 1-12
current drive, 2-2, 2-3
.DTA file extension, 11-2
dummy file for testing label printing, 12-10

E

editing data files, 11-5
editing documents, 2-5 to 2-9
adding emphasis (bold or italic) to text, 2-9
changing case of text, 5-7
copying text between files, 5-1 to 5-2
copying text between windows, 5-4
copying text using Clipboard, 5-6 to 5-7
deleting text, 2-6 to 2-7
finding and replacing text, 6-7 to 6-9
footers, 6-2 to 6-3
footnotes, 6-3 to 6-4
headers, 6-2 to 6-3
inserting text, 2-6
long documents, 6-1 to 6-13
macros for, 8-1 to 8-8
margin settings, 6-4 to 6-6
moving around in a document, 2-5 to 2-6
moving text, 2-8
newsletters, 7-1 to 7-6
opening two windows, 5-2 to 5-4
restoring text, 2-7
returning after previewing, 3-6
spelling checking, 6-9 to 6-11
thesaurus, 6-12 to 6-13
viewing command tags, 2-9
editing macros, 8-4 to 8-6
Editing screen, 1-3, 1-6
Edit Menu (classic), 1-7
.ei (end if condition) command, 13-4, 14-9
.el (else condition) command, 14-7, 14-9, 14-10
else statements. *See* conditional statements
^End (go to end of document), 2-6
entering text, 2-4 to 2-5
envelopes
files for LaserJet printers, 10-6
format files for, 10-4 to 10-6
.LST files for printing, 10-6, 12-1, 12-4
omitting blank lines with variable names, 12-3
page layout settings for, 10-4, 12-3

envelopes *(continued)*
printing for mass mailing, 12-2 to 12-4
printing standard envelopes, 10-4 to 10-6
equations. *See* calculations
erasing. *See* deleting
executing. *See* running
exiting
closing files, 3-6
MailList, 11-5
WordStar, 2-12

F

.f1 (footer) command, 6-2
Fax dialog box, 9-3
FAX directory, 9-4
fax files, 9-1 to 9-4
creating at Opening screen, 9-2 to 9-3
file size, 9-4
naming, 9-2
page numbering in, 9-2
printer description file (PDF) for, 9-2
resolution for, 9-3
verifying, 9-3
viewing outside WordStar, 9-4
file extensions
for data files, 11-2
for fax files, 9-1
for graphics files, 9-4
for laser printer envelope and label files, 10-6, 12-1, 12-4, 12-5
for macros, 8-2
for printer definition files, 9-2
for screen fonts, 9-4
See also specific extensions
filenames. *See* names/naming
files
AUTOEXEC.BAT file, 10-2
closing, 1-12, 3-6, 4-7
closing windows, 5-5
copying text from other programs, 5-6 to 5-7
files *(continued)*
copying text from other WordStar files, 5-1 to 5-2
creating new files, 2-3 to 2-5
data files, 11-2 to 11-5
dummy file for testing label printing, 12-10
envelope format files, 10-4 to 10-6
fax files, 9-1 to 9-4
graphics files, 9-1, 9-4 to 9-6
.LST files, 10-6, 12-1, 12-4, 12-5
macro files, 8-2
naming, 2-9 to 2-10
opening existing files, 1-12, 2-11
printer description files (PDF), 9-2, 10-8 to 10-9
printing, 2-10 to 2-11
sample files, 1-2
saving, 2-9 to 2-10
screen fonts created with fax files, 9-4
Find and Replace dialog box, 6-8 to 6-9
finding and replacing text, 6-7 to 6-9
character limit for, 6-7
finding next occurrence, 6-8
finding synonyms, 6-12 to 6-13
finding text, 6-7
replacing misspelled words, 6-10 to 6-11
replacing text, 6-8 to 6-9
Font dialog box, 10-3
fonts
ascenders, 10-7
bitmapped fonts, 10-9
cartridge fonts, 10-8
changing, 1-12, 10-3 to 10-4
descenders, 10-7
font generators, 10-9
inheriting in styles, 4-5 to 4-7
installing, 10-8 to 10-9
internal fonts, 10-8
mixing typefaces, 10-7
orientation of, 10-8
proportional and nonproportional, 10-6
reformatting with, 10-3 to 10-4

fonts *(continued)*
scalable fonts, 10-9
screen fonts created with fax files, 9-4
serif and sans serif, 10-7
soft fonts, 10-9
symbol set, 10-7
for technical documents, 10-7
in Title style, 3-2
typefaces (type families), 10-7
type sizes, 10-7
using with WordStar, 10-8 to 10-9
See also paragraph styles
footers, 6-2 to 6-3, 10-5
footnotes
creating, 6-3 to 6-4
deleting, 6-4
formatting. *See* bold text; paragraph styles; variables
form letters
for billing, 14-2 to 14-3
creating, 11-6 to 11-7
dot commands for, 11-6 to 11-7
for loan payments and interest, 15-4 to 15-6
omitting blank lines with variable names, 12-3
printing, 11-8
variable names in, 11-7
See also variables
formulas. *See* calculations

G

grand total calculation, 14-5
graphics
aspect ratio, 9-6
converting files to .PIX format, 9-1, 9-4 to 9-6
in fax files, 9-1 to 9-4
inserting, 9-1
sizing, 9-6

H

hanging indents, 3-3 to 3-4
hard disk. *See* drives
headers, 6-2 to 6-3, 10-5
Heading paragraph style, 4-4 to 4-5
height. *See* size
help
classic menu settings, 1-6
pull-down menu setting, 1-5
Hewlett-Packard LaserJet printers. *See* laser printers
HideDots(ON) statement in macros, 8-7
highlighting blocks of text, 2-8
^Home (go to beginning of document), 2-6
hot keys for macros, 8-1, 8-2 to 8-3, 8-4
HP2-ENV.LST file, 10-6, 12-4
HP-ENV.LST file, 10-6, 12-4

I

.if (if condition) command, 12-9 to 12-10, 13-4, 14-7, 14-8
IfException statement in macros, 8-8
.if statements. *See* conditional statements
indents, hanging, 3-3 to 3-4
inheriting style settings, 4-5 to 4-7
column margins, 7-3
fonts, 4-5 to 4-7
inserting
data file information into a form letter, 11-7
graphics into a document, 9-1
Insert mode indicator, 2-6
paragraph style command tags, 3-2 to 3-3, 4-3, 4-4, 7-4
text, 2-6
See also merge printing; variables
Insert mode, 2-6
Insert(ON) statement in macros, 8-7

installing
fonts, 10-8 to 10-9
printers, 10-1 to 10-2
interest and payments. *See* loan document
internal fonts, 10-8
italic text. *See* bold text

K

^K (closes dialog box), 1-9
keyboard
conventions in this manual, 1-4
cursor movement with, 1-9 to 1-10
scrolling with, 1-10
key functions in macros, 8-5, 8-8

L

labels. *See* mailing labels
landscape-mode orientation, 10-8
laser printers, 10-6 to 10-9
.LST files for envelopes and labels, 10-6, 12-1, 12-4, 12-5
PDF for fax files, 9-2
terminology, 10-6 to 10-8
using fonts with WordStar, 10-8 to 10-9
leaving. *See* exiting
left margin, 6-4 to 6-5
letters, form. *See* form letters
^L (find next occurrence), 6-8
library of standard paragraphs, 13-1 to 13-2
library styles
creating, 4-2 to 4-3
document styles vs., 4-1 to 4-2
editing, 4-4 to 4-5
saving styles as, 4-3
See also paragraph styles
lines of text, deleting, 2-7
list boxes, 1-8
LIST.DOC file, 1-2
.lm (left margin) command, 6-5
loan document, 15-1 to 15-6
calculating monthly payments, 15-2 to 15-3
completed document example, 15-5 to 15-6
equation for payments, 15-2
form letter for, 15-4 to 15-6
setting up page design, 15-1 to 15-2
variable number formatting, 15-3 to 15-4
Lotus 1-2-3 data files, 12-1, 14-1
lowercase. *See* case
LPT ports, 10-1
LSRFONTS option, 10-8, 10-9
.LST files, 10-6, 12-1, 12-4, 12-5

M

macros, 8-1 to 8-8
comments in, 8-5
creating with macro language, 8-6 to 8-8
editing, 8-4 to 8-6
filenames, 8-2
hot key assignment, 8-2 to 8-3
pausing for command input, 8-3
playing, 8-4
recording, 8-1 to 8-4
.ma (math) command, 14-4 to 14-5, 15-3, 15-5
magnifying pages in Preview, 3-6
MAILING.DOC file, 1-3
mailing labels
dummy file for testing, 12-10
.LST files for printing, 12-1
merge printing three-across labels, 12-5 to 12-10
omitting blank lines in, 12-8 to 12-9
page layout settings for, 12-5
printing, 12-10
mailing lists, 11-1 to 11-8
creating, 11-2 to 11-5
default file name for, 11-6
editing, 11-5

mailing lists *(continued)*
form letter creation, 11-6 to 11-7
.LST files for printing, 12-1
naming, 11-2, 11-6
printing form letters, 11-8
See also data files
mailings. *See* mass mailing
MAILLIST.DOT file, 11-6
MailList feature. *See* mailing lists
margins, 6-4 to 6-6
Body Text style defaults, 3-2
for envelopes, 10-4
left and right margin settings, 6-4 to 6-5
for mailing labels, 12-5
for newspaper-style columns, 7-3
top and bottom margin settings, 6-6
marking blocks of text, 2-8
mass mailing
envelope printing, 12-2 to 12-4
form letter creation, 11-6 to 11-7
form letter printing, 11-8
mailing label printing, 12-5 to 12-10
mailing list creation and editing, 11-2 to 11-5
math. *See* calculations
memo fields (dBASE), 14-10 to 14-11
menu bar, 1-3, 1-5 to 1-6, 2-2
menus
classic vs. pull-down menus, 1-4 to 1-5
using, 1-4 to 1-7
See also classic menus; pull-down menus
merge printing, 12-1 to 12-10
billing document, 14-1 to 14-12
contracts, 13-1 to 13-5
dBASE memo fields, 14-10 to 14-11
documents with standard paragraphs, 13-1 to 13-5
envelopes, 12-1, 12-2 to 12-4
form letters, 11-8
loan document, 15-1 to 15-6
.LST files for, 10-6, 12-1, 12-4, 12-5
mailing labels, 12-1, 12-5 to 12-10
merge printing *(continued)*
messages displayed on the screen, 14-10
omitting blank lines, 12-3, 12-8 to 12-9
prompts for conditional paragraphs, 13-3 to 13-4
See also billing document; contracts; loan document; mass mailing; printing
merge print variables. *See* variables
mode statement (DOS) for serial printer, 10-2
monthly payments. *See* loan document
mouse
changing default units for scrolling, 1-12
opening existing files, 2-11
pointer, 1-11
scrolling with, 1-11 to 1-12
shortcuts with a mouse, 1-12
switching windows, 5-4
terminology, 1-11
turning off, 1-11
using, 1-11 to 1-12
moving around in documents. *See* cursor movement; mouse
moving blocks of text, 2-8
See also copying text

N

names/naming
chapter names in header or footer, 6-2
document names, 2-9 to 2-10
envelope format files, 10-5
fax files, 9-2
macro descriptions, 8-3
macro filenames, 8-2, 8-6
mailing lists, 11-2, 11-6
tips, 2-10
See also file extensions; variables
newsletters, 7-1 to 7-4
creating columns for, 7-1 to 7-3
paragraph styles in columns, 7-3 to 7-4
nonproportional fonts, 10-6

number formatting, 14-5 to 14-6, 15-3 to 15-4
numbering
indented lists, 3-3 to 3-4
pages in fax files, 9-2
pages in headers and footers, 6-2

O

/o option with variable names, 12-3, 12-8, 14-2
^OD (view command tags), 2-9
.op (turn page numbering off) command, 12-2, 12-5, 14-2, 15-1
opening
existing files, 1-12, 2-11
macro for opening and sizing windows, 8-2 to 8-6
new files (creating), 2-3 to 2-5
two windows, 5-2 to 5-4
Opening Menu (classic), 1-6
Opening screen
creating fax files at, 9-2 to 9-3
described, 2-2 to 2-3
illustrated, 1-5, 2-2
terminology, 2-2
option buttons, 1-8
orientation of pages (landscape/portrait), 10-8

P

.pa (page break) command, 12-7, 14-3, 15-5
to start address for new envelope, 12-4
Page Layout dialog box
envelope settings, 10-4, 12-3
label settings, 12-5
page printers. *See* laser printers
paragraphs
conditional paragraphs, 13-3 to 13-4, 14-7 to 14-9
library of standard paragraphs, 13-1 to 13-2
starting new paragraphs, 2-4
paragraph styles, 3-1 to 3-6
blank options in, 4-6
Body Text style, 3-2 to 3-3
in columns, 7-3 to 7-4
creating styles, 4-2 to 4-3
editing styles, 4-4 to 4-5
font used in Title paragraph style, 3-2
hanging indents, 3-3 to 3-4
Heading style, 4-4 to 4-5
inheriting font settings in, 4-5 to 4-7
inheriting right margin settings in, 7-3 to 7-4
library styles vs. document styles, 4-1 to 4-2
newspaper-style columns, 7-3 to 7-4
previewing documents, 3-5 to 3-6
reformatting with, 4-7
saving styles, 4-3
selecting with mouse, 1-12
Title style, 3-2
updating style library, 4-3, 4-4
using, 3-2 to 3-5, 4-3, 4-4 to 4-5
viewing settings, 3-5
See also fonts
parallel ports, 10-1
pasting text from Windows Clipboard, 5-6 to 5-7
pausing macros for command input, 8-3
payments. *See* loan document
.PCX files
converting to .PIX format, 9-4 to 9-6
fax files, 9-1 to 9-4
See also fax files
.PDF files
adding fonts to, 10-8 to 10-9
for fax files, 9-2

personal dictionary, 6-10
adding words to, 6-11
.pf off (turn print-time formatting off) command, 12-5
pictures. *See* graphics
.PIX files
converting graphics files to, 9-4 to 9-6
file size, 9-6
PLAYBILL.DOC file, 1-3
playing macros, 8-4
PLAYS.DOC file, 1-3
points, 10-7
portrait-mode orientation, 10-8
ports, connecting printer to, 10-1 to 10-2
PRCHANGE option (WINSTALL)
cartridge font installation, 10-8
soft font installation, 10-9
previewing documents, 3-5 to 3-6
cursor movement and menu selection during, 3-5
macro for, 8-6 to 8-8
magnifying page size, 3-6
returning to editing, 3-6
Print dialog box, 2-10 to 2-11, 11-8, 12-4
printer description file (PDF)
adding fonts to, 10-8 to 10-9
for fax files, 9-2
printers
changing, 10-2 to 10-3
laser printers and other page printers, 9-2, 10-6 to 10-9
printer description file (PDF) for fax files, 9-2
serial printers, 10-1 to 10-2
setting up, 10-1 to 10-2
See also fonts; laser printers
printing, 10-1 to 10-9
blank lines, omitting, 12-3, 12-8 to 12-9, 14-2
calculating monthly payments at print time, 15-2 to 15-3
calculating totals at print time, 14-3 to 14-5
changing fonts, 1-12, 10-3 to 10-4
printing *(continued)*
changing printers, 10-2 to 10-3
documents with standard paragraphs, 13-5
envelopes, 10-4 to 10-6, 12-1, 12-2 to 12-4
files, 2-10 to 2-11
form letters, 11-8
.LST files for, 10-6, 12-1, 12-4, 12-5
mailing labels, 12-1, 12-5 to 12-10
merge printing, 11-8, 12-1 to 12-10, 13-1 to 13-5, 14-1 to 14-12, 15-1 to 15-6
orientation, 10-8
previewing documents, 3-5 to 3-6
terminology, 10-6 to 10-8
viewing command tags, 2-9
See also dot commands; fonts; merge printing
printing effects. *See* bold text
prompt for conditional paragraphs, 13-3 to 13-4
proportional fonts, 10-6
pull-down menus
classic commands at, 1-7
classic menus vs., 1-4 to 1-5
defined, 1-2
help setting for, 1-5
using, 1-5 to 1-6

Q

quitting. *See* exiting
^QU (reformat text), 4-7, 7-2, 10-4

R

recording macros, 8-1 to 8-4
Record Macro dialog box, 8-2 to 8-3
records (data file)
adding, 11-2 to 11-5
cursor movement in, 11-3, 11-5
editing, 11-5

records (data file) *(continued)*
omitting based on variable value, 14-10
saving, 11-3, 11-5
reformatting
for columns, 7-2
for new fonts, 10-3 to 10-4
for paragraph styles, 4-7
^QU command for, 4-7, 7-2, 10-4
removing. *See* deleting
replacing text
finding and replacing, 6-8 to 6-9
when checking spelling, 6-10 to 6-11
resolution setting for fax files, 9-3
restoring text ^U, 2-7
REVIEW.DOC file, 1-3
right margin, 6-4 to 6-5
for newspaper-style columns, 7-3
.rm (right margin) command, 6-5
^R (repeat) with list boxes, 1-8
ruler line, 1-3
running
macros, 8-4
spelling checker, 6-10 to 6-11
WordStar, 2-2
.rv (use selected variable) command, 11-6, 12-2, 14-2, 15-2, 15-4

S

sample files, 1-2
sans serif fonts, 10-7
saving
data file records, 11-3, 11-5
documents, 2-9 to 2-10
macros for saving files, 8-2 to 8-8
paragraph styles, 4-3
scalable fonts, 10-9
screen fonts created with fax files, 9-4
screens
Editing screen, 1-3, 1-6
for fax file creation, 9-2
Opening screen, 1-5, 2-2 to 2-3, 9-2 to 9-3
scrolling, 1-10 to 1-12
scroll bar, 1-3
scrolling
with cursor diamond commands, 1-10
with a mouse, 1-11 to 1-12
See also cursor movement; mouse
searching. *See* finding and replacing text
sending fax files, 9-1 to 9-4
serial printers, 10-1 to 10-2
serif fonts, 10-7
SetHelpLevel(4) statement in macros, 8-7
setting up printers, 10-1 to 10-2
SHAKE.DOC, 1-3
shortcuts with a mouse, 1-12
size
of fax .PCX files, 9-4
full screen windows, 5-5
of graphics converted to .PIX format, 9-6
limit for finding text, 6-7
macro for sizing windows, 8-2 to 8-6
magnifying pages in Preview, 3-6
of type (points), 10-7
of windows, 5-4 to 5-5
soft fonts, 10-9
SPELL.DOC file, 1-3
spelling checking, 6-9 to 6-11
macro for, 8-6 to 8-8
standard paragraphs
as conditional paragraphs, 13-3 to 13-4
library of, 13-1 to 13-2
starting
macros, 8-4
spelling checker, 6-10 to 6-11
WordStar, 2-2
statements, conditional. *See* conditional statements

statements in macros, 8-7 to 8-8
status line, 1-3, 2-6
stopping. *See* exiting
style bar, 1-3
style library
    described, 4-1 to 4-2
    editing styles, 4-4 to 4-5
    updating, 4-3, 4-4
    See also paragraph styles
styles. *See* document styles; library styles; paragraph styles
subtotal calculation, 14-4
.sv (set variable) command, 12-6 to 12-7, 12-9, 14-5 to 14-6, 15-3 to 15-4
switching windows, 1-12, 5-3 to 5-4
symbol set, 10-7
synonyms
    definitions for, 6-13
    finding, 6-12 to 6-13

T

tags. *See* command tags
^T (delete word), 2-7
terminology
    for dialog boxes, 1-8
    for Editing screen, 1-3
    for mouse, 1-11
    for Opening screen, 2-2
    for page (laser) printers, 10-6 to 10-8
    in this manual, 1-2 to 1-3
text boxes, 1-8, 1-9
text variable formatting, 12-6, 14-6
thesaurus, 6-12 to 6-13
title bar, 1-3
Title paragraph style, 3-2
top margin, 6-6
    for envelopes, 10-4
    for mailing labels, 12-5
total calculations, 14-4 to 14-5
    See also calculations
typefaces (type families), 10-7
    See also fonts
typing text, 2-4 to 2-5
    inserting vs. typing over, 2-6

U

updating style library, 4-3, 4-4
uppercase. *See* case
using this manual, 1-1 to 1-4
    Editing screen elements, 1-3
    keyboard conventions, 1-4
    terminology, 1-2 to 1-3
utilities
    macros, 8-1 to 8-8
    reformatting, 4-7, 7-2
    spelling checking, 6-9 to 6-11
    thesaurus, 6-12 to 6-13
^U (undo), 2-7, 6-4

V

variables
    &@& date variable, 14-3
    in billing documents, 14-2 to 14-12
    calculating totals with, 14-4 to 14-5
    conditional statements based on, 13-3 to 13-4, 14-7 to 14-9
    in contracts, 13-3 to 13-5
    in envelopes, 12-3 to 12-4
    in form letters, 11-7
    in mailing labels, 12-6 to 12-10
    number formatting, 14-5 to 14-6, 15-3 to 15-4
    omitting blank lines when printing, 12-3, 12-8 to 12-9, 14-2
    omitting records based on value, 14-10
    /o option with, 12-3, 12-8, 14-2
    prompting for, 13-3 to 13-4

variables *(continued)*
for standard paragraphs, 13-3 to 13-5
text formatting, 12-6, 14-6
viewing
changing window size, 5-4 to 5-5
command tags, 2-9
data file records, 11-5
fax files outside WordStar, 9-4
fax pages for verification, 9-3
onscreen messages when merge printing, 14-10
opening two windows, 5-2 to 5-4
paragraph style settings, 3-5
previewing documents, 3-5 to 3-6
prompting for variables, 13-3 to 13-4
switching windows, 5-3 to 5-4
synonyms, 6-12 to 6-13

W

width. *See* size
windows
changing size of, 5-4 to 5-5
closing, 5-5
copying text between windows, 5-4
full screen, 5-5
windows *(continued)*
macro for opening and sizing, 8-2 to 8-6
opening two windows, 5-2 to 5-4
switching windows, 1-12, 5-3 to 5-4
Windows Clipboard, 5-6 to 5-7
WINSTALL
PRCHANGE option, 10-8
WSCHANGE option, 1-11, 1-12
words
definitions, 6-13
deleting, 2-7
finding and replacing, 6-7 to 6-9
spelling checking, 6-10 to 6-11
thesaurus, 6-12 to 6-13
WordStar
exiting, 2-12
starting, 2-2
using fonts with, 10-8 to 10-9
^W (save MailList data file), 11-3, 11-5
WSCHANGE
mouse support, 1-11
scroll button defaults, 1-12
.WSM files, 8-2

Z

zoom out, in Preview

NOTES

WORDSTAR®

A1-C2010