

COMPASS Sulfide Microplate Template

Name: melanie

Plate ID: STD

Date: 7/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	S0	S0	S0	S	S	S	S	S	S
B	Std 1	Std 1	Std 1	S1	S1	S1	S0	S0	S0	S	S	S
C	Std 2	Std 2	Std 2	S2	S2	S2	Dup	Dup	Dup	S	S	S
D	Std 3	Std 3	Std 3	S3	S3	S3	S3	S3	S3	Spike	Spike	Spike
E	Std 4	Std 4	Std 4	S4	S4	S4	S	S	S	Spike	Spike	Spike
F	Std 5	Std 5	Std 5	S5	S5	S5	S	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	S5 10ppt	S5 10ppt	S5	S	S	S	Dup	Dup	Dup
H	S 20ppt	S	S	S5 20ppt	S5 20ppt	S5 20ppt	S	S	S	S4	S4	S4

STD 2

COMPASS Sulfide Microplate Template

Name: Melanie

Tidal survey
Plate ID: Plate 1

Date: 7/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	up-1 FW-1 S	S	S	GW2-WE2 S X25	S	S	SW-T15 S	S	S
B	Std 1	Std 1	Std 1	CB SYN-WC X25 S	S	S	★ S0	S0	S0	SW-T17 S	S	S
C	Std 2	Std 2	Std 2	EST 2 S	S	S	GW2-WE2 Dup X25	Dup	Dup	SW-T19 S	S	S
D	Std 3	Std 3	Std 3	EST 1 S	S	S	S3	S3	S3	up-1 FW-1 Spike	Spike	Spike
E	Std 4	Std 4	Std 4	EST 3 S	S	S	SW-T16 S	S	S	SW-T16 Spike	Spike	Spike
F	Std 5	Std 5	Std 5	GW2-WE1 S X25	S	S	SW-T22 S	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	CB SYN-WC S X25	S	S	★ SW-T14 S	S	S	Dup SW-T14	Dup	Dup
H	S 20ppt	S	S	up-2 FW-1 S	S	S	SW-T1 S Paired	S	S	S4	S4	S4

spike?
Yes

COMPASS Sulfide Microplate Template

Tidal survey

Name: Melanie

Plate ID: plate 2

Date: 7/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	SW-T2 S paired	S	S	S SW-T7	S	S	S SW-T10	S	S
B	Std 1	Std 1	Std 1	SW-T21 S	S	S	S0	S0	S0	S SW-T11	S	S
C	Std 2	Std 2	Std 2	SW-T20 S	S	S	SW-T7 Dup	Dup	Dup	S SW-T5	S	S
D	Std 3	Std 3	Std 3	SW-T18 S	S	S	S3	S3	S3	SW-T2 Spike paired	Spike	Spike
E	Std 4	Std 4	Std 4	SW-T4 S	S	S	SW-T2 S	S	S	SW-T2 Spike	Spike	Spike
F	Std 5	Std 5	Std 5	SW-T9 S	S	S	SW-T5 S dup	SW-T8 S	SW-T8 S	SW-T8 S0 Dup	SW-T5 S0 Dup	SW-T5 S0 Dup
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	SW-T3 S	S	S	SW-T12 S	S	S	S0 Dup	Dup	Dup
H	S 20 ppt	S	S	SW-T1 S	S	S	SW-T13 S	S	S	S4	S4	S4

Spike ?
yes

COMPASS Sulfide Microplate Template

Tidal survey

Name: Melanie

Plate ID: plate 3

Date: 7/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	S ^{SW-T6}	S	S	S ^{SW-T39}	S	S	S ^{SW-T41}	S	S
B	Std 1	Std 1	Std 1	S ^{SW-T24}	S	S	S0	S0	S0	S ^{SW-T46}	S	S
C	Std 2	Std 2	Std 2	S ^{SW-T32}	S	S	S ^{SW-T39} Dup	Dup	Dup	S ^{SW-T28}	S	S
D	Std 3	Std 3	Std 3	S ^{SW-T27}	S	S	S3	S3	S3	S ^{SW-T6} Spike	Spike	Spike
E	Std 4	Std 4	Std 4	S ^{SW-T33}	S	S	S ^{SW-T40}	S	S	S ^{SW-T40} Spike	Spike	Spike
F	Std 5	Std 5	Std 5	S ^{SW-T29}	S	S	S ^{SW-T37}	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	S ^{SW-T28}	S	S	S ^{SW-T35}	S	S	Dup ^{SW-T26}	Dup	Dup
H	S ^{20 ppt}	S ^{20 ppt}	S ^{20 ppt}	S ^{SW-T30}	S	S	S ^{SW-T36}	S	S	S4	S4	S4

Spike?
yes

COMPASS Sulfide Microplate Template

Name: Melanie

Date: 7/25/24

Tidal survey
Plate ID: plate 4

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	S ^{SW-T44}	S	S	S ^{SW-T45}	S	S	S ^{SW-T49}	S	S
B	Std 1	Std 1	Std 1	S ^{SW-T43}	S	S	S0	S0	S0	S ^{SW-T50}	S	S
C	Std 2	Std 2	Std 2	S ^{SW-T38}	S	S	S ^{SW-T45} Dup	Dup	Dup	Time 1300 S ^{paired}	S	S
D	Std 3	Std 3	Std 3	S ^{SW-T34}	S	S	S3	S3	S3	S ^{SW-T44} Spike	Spike	Spike
E	Std 4	Std 4	Std 4	S ^{SW-T23}	S	S	S ^{SW-T25}	S	S	S ^{SW-T25} Spike	Spike	Spike
F	Std 5	Std 5	Std 5	S ^{SW-T31}	S	S	S ^{GW-4}	S	S	☆ S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	S ^{GW-3}	S	S	☆ S ^{SW-T47}	S	S	Time 1300 Dup S ^{paired}	Dup	Dup
H	S ^{20ppt}	S ^{20ppt}	S ^{20ppt}	S ^{SW-T42}	S	S	S ^{SW-T48}	S	S	S4	S4	S4

for time 1300 paired Time point is blank. likely T51

COMPASS Sulfide Microplate Template

Name: Melanie
 Date: 7/25/24

Tidal Survey
 Plate ID: plate 5

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	S ^{SW-T58}	S	S	S ^{SW-T59}	S	S	S ^{SW-T67}	S	S
B	Std 1	Std 1	Std 1	S ^{SW-T54}	S	S	S0	S0	S0	S ^{SW-T66}	S	S
C	Std 2	Std 2	Std 2	S ^{SW-T53}	S	S	S ^{SW-T59} Dup	Dup	Dup	S ^{SW-T68}	S	S
D	Std 3	Std 3	Std 3	S ^{SW-T52}	S	S	S3	S3	S3	S ^{SW-T58} Spike	Spike	Spike
E	Std 4	Std 4	Std 4	S ^{SW-T51}	S	S	S ^{SW-T60}	S	S	S ^{SW-T60} Spike	Spike	Spike
F	Std 5	Std 5	Std 5	S ^{SW-T57}	S	S	S ^{SW-T63}	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	S ^{SW-T55}	S	S	S ^{SW-T65}	S	S	S ^{SW-T68} Dup	Dup	Dup
H	S ^{20ppt}	S ^{20ppt}	S ^{20ppt}	S ^{SW-T56}	S	S	S ^{SW-T70}	S	S	S4	S4	S4

Spike?
 yes

COMPASS Sulfide Microplate Template

Name: Melanie

Date: 7/25/24

Tidal survey
Plate 6
Plate ID: _____

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	S SW-T69	S	S	S SW-T72	S	S	S SW-T73	S	S
B	Std 1	Std 1	Std 1	S Time 1400 paired	S	S	S0	S0	S0	S SW-T77	S	S
C	Std 2	Std 2	Std 2	S SW-T64	S	S	S SW-T72 Dup	Dup	Dup	S SW-T78	S	S
D	Std 3	Std 3	Std 3	S SW-T61	S	S	S3	S3	S3	S SW-T69 Spike	Spike	Spike
E	Std 4	Std 4	Std 4	S SW-T62	S	S	S SW-T83	S	S	S Spike SW-T6	Spike	Spike
F	Std 5	Std 5	Std 5	S SW-T89	S	S	S SW-T79	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	S SW-T91	S	S	S SW-T94	S	S	S SW-T78 Dup	Dup	Dup
H	S 20ppt	S 20ppt	S 20ppt	S SW-T92	S	S	S SW-T84	S	S	S4	S4	S4

Time 1400 paired no Time point

Spike?
yes

COMPASS Sulfide Microplate Template

Name: Melanie

Plate ID: STD 2

Date: 7/29/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	S	S	S	S	S	S	S	S	S
B	Std 1	Std 1	Std 1	S	S	S	S0	S0	S0	S	S	S
C	Std 2	Std 2	Std 2	S	S	S	Dup	Dup	Dup	S	S	S
D	Std 3	Std 3	Std 3	S	S	S	S3	S3	S3	Spike	Spike	Spike
E	Std 4	Std 4	Std 4	S	S	S	S	S	S	Spike	Spike	Spike
F	Std 5	Std 5	Std 5	S	S	S	S	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	S	S	S	S	S	S	Dup	Dup	Dup
H	S 20 ppt	S 20 ppt	S 20 ppt	S	S	S	S	S	S	S4	S4	S4

COMPASS Sulfide Microplate Template

Name: Melanie
 Date: 7/29/24

Tidal survey
 Plate ID: Plate 7

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	SW-T88 S	S	S	SW-T75 S	S	S	SW-T71 S	S	S
B	Std 1	Std 1	Std 1	SW-T86 S	S	S	S0	S0	S0	SW-T81 S	S	S
C	Std 2	Std 2	Std 2	GCW-SW S SW time 1200	S	S	SW-T75 Dup	Dup	Dup	Inc-T11.2 S	S	S
D	Std 3	Std 3	Std 3	SW-T76 S	S	S	S3	S3	S3	SW-T88 Spike	Spike	Spike
E	Std 4	Std 4	Std 4	SW-T82 S	S	S	SW-T80 S	S	S	SW-T80 Spike	Spike	Spike
F	Std 5	Std 5	Std 5	SW-T90 S	S	S	SW-T93 S	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	SW-T85 S	S	S	SW-T87 S	S	S	SW-T81 Dup	Dup	Dup
H	S 20ppt	S	S	GCW-EST S dock	S	S	GCW-EST S Dock-2	S	S	S4	S4	S4

COMPASS Sulfide Microplate Template

Name: Melanie

Date: 7/29/24

Tidal Survey
Plate ID: Plate 8

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	CBSYN-WC S x50	S	S	Inc-T11-3 S	S	S	Inc-T5-3 S	S	S
B	Std 1	Std 1	Std 1	GW-3 S x50	S	S	S0	S0	S0	Inc-T8-1 S	S	S
C	Std 2	Std 2	Std 2	SGW-4 S x50	S	S	Inc-T11-3 Dup	Dup	Dup	S	S	S
D	Std 3	Std 3	Std 3	CBSYN-WC S x50	S	S	S3	S3	S3	CBSYN-WC Spike x50	Spike	Spike
E	Std 4	Std 4	Std 4	Inc-T8-3 S	S	S	Inc-T8-2 S	S	S	Inc-T8-2 Spike	Spike	Spike
F	Std 5	Std 5	Std 5	Inc-T2-3 S	S	S	Inc-T11-1 S	S	S	S0	S0	S0
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	Inc-T5-2 S	S	S	Inc-T5-1 S	S	S	Inc-T8-1 Dup	Dup	Dup
H	S20ppt	S	S	Inc-T2-2 S	S	S	Inc-T2-1 S	S	S	S4	S4	S4