

Behavioral Risk Factor Surveillance System

2015 Codebook Report

Land-Line and Cell-Phone data

August 23, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	7,950	1.80	1.50
2	Alaska	3,657	0.83	0.22
4	Arizona	7,946	1.80	2.07
5	Arkansas	5,256	1.19	0.91
6	California	12,601	2.85	11.96
8	Colorado	13,537	3.07	1.67
9	Connecticut	11,899	2.70	1.13
10	Delaware	4,070	0.92	0.30
11	District of Columbia	3,994	0.90	0.22
12	Florida	9,739	2.21	6.44
13	Georgia	4,678	1.06	3.08
15	Hawaii	7,163	1.62	0.45
16	Idaho	5,802	1.31	0.49
17	Illinois	5,289	1.20	3.95
18	Indiana	6,067	1.37	2.01
19	Iowa	6,227	1.41	0.96
20	Kansas	23,236	5.26	0.87
21	Kentucky	8,806	1.99	1.36
22	Louisiana	4,716	1.07	1.42
23	Maine	9,063	2.05	0.43
24	Maryland	12,598	2.85	1.87
25	Massachusetts	9,294	2.11	2.16
26	Michigan	8,935	2.02	3.08
27	Minnesota	16,761	3.80	1.68
28	Mississippi	6,035	1.37	0.90
29	Missouri	7,307	1.66	1.87
30	Montana	6,051	1.37	0.32
31	Nebraska	17,561	3.98	0.57
32	Nevada	2,926	0.66	0.88
33	New Hampshire	7,022	1.59	0.43
34	New Jersey	11,465	2.60	2.78
35	New Mexico	6,734	1.53	0.63
36	New York	12,357	2.80	6.21
37	North Carolina	6,698	1.52	3.10
38	North Dakota	4,972	1.13	0.23
39	Ohio	11,929	2.70	3.59
40	Oklahoma	6,943	1.57	1.18
41	Oregon	5,359	1.21	1.26

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

State FIPS Code

Section: 0.1 Record Identification **Type:** Num
Column: 1-2 **SAS Variable Name:** _STATE
Prologue:
Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
42	Pennsylvania	5,740	1.30	4.03
44	Rhode Island	6,206	1.41	0.34
45	South Carolina	11,607	2.63	1.52
46	South Dakota	7,221	1.64	0.26
47	Tennessee	5,979	1.35	2.04
48	Texas	14,697	3.33	8.10
49	Utah	11,401	2.58	0.83
50	Vermont	6,489	1.47	0.20
51	Virginia	8,646	1.96	2.60
53	Washington	16,116	3.65	2.21
54	West Virginia	5,957	1.35	0.59
55	Wisconsin	6,188	1.40	1.78
56	Wyoming	5,492	1.24	0.18
66	Guam	1,669	0.38	0.04
72	Puerto Rico	5,405	1.22	1.12

File Month

Section: 0.8 Record Identification **Type:** Num
Column: 17-18 **SAS Variable Name:** FMONTH
Prologue:
Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	44,300	10.03	11.79
2	February	37,154	8.42	7.88
3	March	35,066	7.94	7.56
4	April	40,560	9.19	10.46
5	May	33,506	7.59	7.03
6	June	33,177	7.52	6.95
7	July	41,296	9.35	9.94
8	August	33,062	7.49	6.50
9	September	33,273	7.54	6.85
10	October	42,246	9.57	12.16
11	November	34,398	7.79	6.50
12	December	33,418	7.57	6.37

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Interview Date

Section: 0.9 Record Identification

Type: Char

Column: 19-26

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00	100.00

Interview Month

Section: 0.10 Record Identification

Type: Char

Column: 19-20

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	37,532	8.50	9.16
2	February	39,218	8.88	8.71
3	March	42,406	9.61	9.62
4	April	35,840	8.12	7.95
5	May	34,386	7.79	7.71
6	June	36,216	8.20	8.52
7	July	36,943	8.37	8.54
8	August	36,334	8.23	7.93
9	September	30,782	6.97	6.80
10	October	35,545	8.05	7.86
11	November	39,845	9.03	8.84
12	December	36,409	8.25	8.37

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Interview Day

Section: 0.11 Record Identification

Type: Char

Column: 21-22

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	12,586	2.85	2.65
2		16,197	3.67	3.06
3		16,649	3.77	3.14
4		16,229	3.68	3.24
5		15,105	3.42	3.04
6		16,408	3.72	3.40
7		17,175	3.89	3.53
8		17,398	3.94	3.67
9		18,669	4.23	4.16
10		16,810	3.81	3.72
11		17,037	3.86	3.81
12		17,089	3.87	3.81
13		16,536	3.75	3.96
14		17,052	3.86	3.94
15		15,931	3.61	3.81
16		15,917	3.61	3.69
17		14,925	3.38	3.46
18		14,759	3.34	3.40
19		14,233	3.22	3.37
20		14,424	3.27	3.60
21		14,642	3.32	3.48
22		14,078	3.19	3.39
23		13,445	3.05	3.22
24		11,459	2.60	2.70
25		10,330	2.34	2.49
26		10,388	2.35	2.63
27		10,677	2.42	2.68
28		11,019	2.50	2.68
29		9,806	2.22	2.48
30		9,491	2.15	2.44
31		4,992	1.13	1.34

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Interview Year

Section: 0.12 Record Identification

Type: Char

Column: 23-26

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2015	Interview Year	430,541	97.53	96.19
2016		10,915	2.47	3.81

Final Disposition

Section: 0.14 Record Identification

Type: Num

Column: 32-35

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Completed Interview	375,059	84.96	77.74
1200	Partial Complete Interview	66,397	15.04	22.26

Annual Sequence Number

Section: 0.15 Record Identification

Type: Num

Column: 36-45

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	441,456	100.00	100.00

Primary Sampling Unit

Section: 0.16 Record Identification

Type: Num

Column: 36-45

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Correct telephone number?

LandLine: 0.20 Land Line Introduction

Type: Num

Column: 63

SAS Variable Name: CTELENUM

Prologue: Variable only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to PVTRES1	254,645	100.00	100.00
BLANK	Missing Notes: QSTVER > = 20	186,811		

Private Residence?

LandLine: 0.21 Land Line Introduction

Type: Num

Column: 64

SAS Variable Name: PVTRES1

Prologue: Variable only on the land line survey

Description: Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to STATERES	254,600	99.98	99.96
2	No—Go to COLGHOUS	45	0.02	0.04
BLANK	Missing Notes: QSTVER >= 20	186,811		

Do you live in college housing?

LandLine: 0.22 Land Line Introduction

Type: Num

Column: 65

SAS Variable Name: COLGHOUS

Prologue: Variable only on the land line survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to STATERES	45	100.00	100.00
BLANK	Missing Notes: QSTVER >= 20; or PVTRES1=1	441,411		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Resident of State

LandLine: 0.23 Land Line Introduction

Type: Num

Column: 66

SAS Variable Name: STATERES

Prologue: Variable only on the land line survey

Description: Do you reside in ____(state)____?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to CELLFON3	254,643	100.00	100.00
BLANK	Not asked or Missing Notes: QSTVER >= 20	186,813		

Cellular Telephone

LandLine: 0.24 Land Line Introduction

Type: Num

Column: 67

SAS Variable Name: CELLFON3

Prologue: Variable only on the land line survey

Description: Is this a cellular telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	115,830	45.49	44.42
2	Yes—Terminate Phone Call	138,816	54.51	55.58
BLANK	Missing Notes: QSTVER >= 20	186,810		

Are you 18 years of age or older?

LandLine: 0.25 Land Line Introduction

Type: Num

Column: 68

SAS Variable Name: LADULT

Prologue: Variable only on the land line survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent—Go to Survey Introduction	18	40.00	28.87
2	Yes, Female Respondent—Go to Survey Introduction	27	60.00	71.13
BLANK	Missing Notes: QSTVER >= 20	441,411		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Number of Adults in Household

LandLine: 0.26 Land Line Introduction

Type: Num

Column: 69-70

SAS Variable Name: NUMADULT

Prologue: Variable only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	96,086	37.74	20.30
2		127,367	50.02	51.79
3		22,040	8.66	16.85
4		7,013	2.75	8.01
5		1,564	0.61	2.16
6 - 99	6 or more	550	0.22	0.90
BLANK	Missing	186,836		
	Notes: QSTVER >= 20			

Number of Adult men in Household

LandLine: 0.27 Land Line Introduction

Type: Num

Column: 71-72

SAS Variable Name: NUMMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	74,653	29.33	17.33
1		159,499	62.67	64.24
2		17,262	6.78	14.43
3		2,651	1.04	3.33
4		360	0.14	0.57
5		42	0.02	0.06
6 - 99	6 or more	36	0.01	0.05
BLANK	Missing	186,953		
	Notes: QSTVER >= 20			

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Number of Adult women in Household

LandLine:	0.28 Land Line Introduction	Type:	Num
Column:	73-74	SAS Variable Name:	NUMWOMEN
Prologue:	Variable only on the land line survey		
Description:	Number of Adult Women in Household		
Value	Value Label	Frequency	Percentage
0	Number of adult women in the household	31,273	12.29
1		198,302	77.92
2		21,454	8.43
3		2,987	1.17
4		401	0.16
5		55	0.02
6 - 99	6 or more	30	0.01
BLANK	Missing Notes: QSTVER >= 20	186,954	

Correct Phone Number?

CellPhone:	0.29 Cell Phone Introduction	Type:	Num
Column:	75	SAS Variable Name:	CTELNUM1
Prologue:	Variable only on the cell phone survey		
Description:	Is this (phone number) ?		
Value	Value Label	Frequency	Percentage
1	Yes—Go to CELLFON2	186,811	100.00
BLANK	Not asked or Missing Notes: QSTVER < = 20	254,645	

Is this a cellular telephone?

CellPhone:	0.30 Cell Phone Introduction	Type:	Num
Column:	76	SAS Variable Name:	CELLFON2
Prologue:	Variable only on the cell phone survey		
Description:	Is this a cellular telephone?		
Value	Value Label	Frequency	Percentage
1	Yes—Go to CADULT	186,810	100.00
2	No—Terminate Phone Call	1	0.00
BLANK	Not asked or Missing Notes: QSTVER < 20	254,645	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Are you 18 years of age or older?

CellPhone:	0.31	Cell Phone Introduction	Type:	Num
Column:	77		SAS Variable Name:	CADULT
Prologue:	Variable only on the cell phone survey			
Description:	Are you 18 years of age or older?			
Value	Value Label		Frequency	Percentage
1	Yes, Male Respondent—Go to PVTRES2		92,620	49.58
2	Yes, Female Respondent—Go to PVTRES2		94,190	50.42
BLANK	Not asked or Missing Notes: QSTVER < 20		254,646	
				Weighted Percentage

Do you live in a private residence?

CellPhone:	0.32	Cell Phone Introduction	Type:	Num
Column:	78		SAS Variable Name:	PVTRES2
Prologue:	Variable only on the cell phone survey			
Description:	Do you live in a private residence, that is, not in a dormitory or other type of group living situation?			
Value	Value Label		Frequency	Percentage
1	Yes—Go to CSTATE		185,740	99.43
2	No—Go to CCLGHOUS		1,071	0.57
BLANK	Not asked or Missing Notes: QSTVER < 20		254,645	
				Weighted Percentage

Do you live in college housing?

CellPhone:	0.33	Cell Phone Introduction	Type:	Num
Column:	79		SAS Variable Name:	CCLGHOUS
Prologue:	Variable only on the cell phone survey			
Description:	Do you live in college housing?			
Value	Value Label		Frequency	Percentage
1	Yes—Go to CSTATE		1,070	100.00
BLANK	Missing Notes: QSTVER < 20; or PVTRES2=1		440,386	
				Weighted Percentage

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Are you a resident of [STATE]?

CellPhone: 0.34 Cell Phone Introduction **Type:** Num
Column: 80 **SAS Variable Name:** CSTATE
Prologue: Variable only on the cell phone survey
Description: Are you a resident of [STATE]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to LANDLINE	174,380	93.35	88.69
2	No—Go to RSPSTATE	12,432	6.65	11.31
BLANK	Not asked or Missing Notes: QSTVER < 20	254,644		

Do you also have a landline telephone?

CellPhone: 0.36 Cell Phone Introduction **Type:** Num
Column: 83 **SAS Variable Name:** LANDLINE
Prologue: Variable only on the cell phone survey
Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70,342	37.80	26.61
2	No	115,386	62.01	73.20
7	Don't know/Not sure	175	0.09	0.10
9	Refused	164	0.09	0.10
BLANK	Not asked or Missing Notes: QSTVER < 20	255,389		

Number of Adults in Household

CellPhone: 0.37 Cell Phone Introduction **Type:** Num
Column: 84-85 **SAS Variable Name:** HHADULT
Prologue: Variable only on the cell phone survey
Description: How many members of your household, including yourself, are 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of adults	181,088	99.70	99.55
77	Don't know/Not sure	144	0.08	0.10
99	Refused	399	0.22	0.35
BLANK	Not asked or Missing Notes: QSTVER < 20	259,825		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

General Health

Section: 1.1 Health Status

Type: Num

Column: 90

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	76,032	17.22	18.68
2	Very good	145,065	32.86	31.78
3	Good	136,975	31.03	31.59
4	Fair	58,962	13.36	13.06
5	Poor	23,175	5.25	4.60
7	Don't know/Not Sure	799	0.18	0.18
9	Refused	446	0.10	0.11
BLANK	Not asked or Missing	2		

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days — Health Related Quality of Life

Type: Num

Column: 91-92

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	157,570	35.69	35.20
88	None	274,143	62.10	62.77
77	Don't know/Not sure	7,664	1.74	1.51
99	Refused	2,078	0.47	0.52
BLANK	Not asked or Missing	1		

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days — Health Related Quality of Life

Type: Num

Column: 93-94

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	132,972	30.12	33.58
88	None	301,076	68.20	64.74
77	Don't know/Not sure	5,204	1.18	1.11
99	Refused	2,204	0.50	0.56

Poor Physical or Mental Health

Section: 2.3 Healthy Days — Health Related Quality of Life

Type: Num

Column: 95-96

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	96,094	42.34	41.74
88	None	125,838	55.44	56.23
77	Don't know/Not sure	3,782	1.67	1.43
99	Refused	1,250	0.55	0.59
BLANK	Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	214,492		

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 97

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	407,556	92.32	87.28
2	No	32,060	7.26	12.09
7	Don't know/Not Sure	1,052	0.24	0.43
9	Refused	788	0.18	0.19

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 98

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	341,386	77.33	70.61
2	More than one	34,477	7.81	7.53
3	No	63,737	14.44	21.30
7	Don't know/Not Sure	1,165	0.26	0.37
9	Refused	691	0.16	0.17

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 99

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43,514	9.86	13.22
2	No	396,748	89.87	86.46
7	Don't know/Not sure	945	0.21	0.25
9	Refused	248	0.06	0.07
BLANK	Not asked or Missing	1		

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 100

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	325,432	73.72	69.13
2	Within past 2 years (1 year but less than 2 years ago)	50,529	11.45	13.10
3	Within past 5 years (2 years but less than 5 years ago)	28,570	6.47	8.02
4	5 or more years ago	26,967	6.11	7.28
7	Don't know/Not sure	5,453	1.24	1.18
8	Never	3,843	0.87	1.14
9	Refused	661	0.15	0.15
BLANK	Not asked or Missing	1		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever Told Blood Pressure High

Section: 4.1 Hypertension Awareness

Type: Num

Column: 101

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only during pregnancy?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178,188	40.36	31.90
2	Yes, but female told only during pregnancy—Go to Section 05.01 BLOODCHO	3,271	0.74	0.93
3	No—Go to Section 05.01 BLOODCHO	254,318	57.61	66.02
4	Told borderline high or pre-hypertensive—Go to Section 05.01 BLOODCHO	4,312	0.98	0.83
7	Don't know/Not Sure—Go to Section 05.01 BLOODCHO	862	0.20	0.19
9	Refused—Go to Section 05.01 BLOODCHO	504	0.11	0.12
BLANK	Not asked or Missing	1		

Currently Taking Blood Pressure Medication

Section: 4.2 Hypertension Awareness

Type: Num

Column: 102

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	149,034	83.64	77.20
2	No	28,833	16.18	22.68
7	Don't know/Not Sure	258	0.14	0.10
9	Refused	63	0.04	0.03
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing	263,268		

Ever Had Blood Cholesterol Checked

Section: 5.1 Cholesterol Awareness

Type: Num

Column: 103

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	382,302	86.60	79.09
2	No—Go to Section 06.01 CVDINFR4	49,673	11.25	18.04
7	Don't know/Not Sure—Go to Section 06.01 CVDINFR4	9,279	2.10	2.82
9	Refused—Go to Section 06.01 CVDINFR4	202	0.05	0.04

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Long since Cholesterol Checked

Section: 5.2 Cholesterol Awareness

Type: Num

Column: 104

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	293,355	76.73	73.67
2	Within the past 2 years (1 year but less than 2 years ago)	43,596	11.40	12.93
3	Within the past 5 years (2 years but less than 5 years ago)	25,972	6.79	8.01
4	5 or more years ago	13,523	3.54	3.98
7	Don't know/Not Sure	5,584	1.46	1.33
9	Refused	272	0.07	0.08
BLANK	Not asked or Missing Notes: Section 5.01, BLOODCHO, is coded 2, 7, 9, or Missing	59,154		

Ever Told Blood Cholesterol High

Section: 5.3 Cholesterol Awareness

Type: Num

Column: 105

SAS Variable Name: TOLDH12

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159,970	41.84	36.19
2	No	218,771	57.22	62.97
7	Don't know/Not Sure	3,037	0.79	0.71
9	Refused	524	0.14	0.13
BLANK	Not asked or Missing Notes: Section 05.01, BLOODCHO, is coded 2, 7, 9, or Missing	59,154		

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions

Type: Num

Column: 106

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25,472	5.77	4.25
2	No	413,755	93.73	95.30
7	Don't know/Not sure	2,038	0.46	0.41
9	Refused	191	0.04	0.04

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions

Type: Num

Column: 107

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25,290	5.73	4.04
2	No	412,349	93.41	95.28
7	Don't know/Not sure	3,591	0.81	0.63
9	Refused	225	0.05	0.05
BLANK	Not asked or Missing	1		

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 108

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18,269	4.14	3.03
2	No	421,897	95.57	96.73
7	Don't know/Not sure	1,146	0.26	0.21
9	Refused	144	0.03	0.03

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 109

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	59,409	13.46	13.80
2	No—Go to Section 06.06 CHCSCNCR	380,554	86.20	85.88
7	Don't know/Not Sure—Go to Section 06.06 CHCSCNCR	1,336	0.30	0.28
9	Refused—Go to Section 06.06 CHCSCNCR	157	0.04	0.04

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Still Have Asthma

Section: 6.5 Chronic Health Conditions

Type: Num

Column: 110

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40,000	67.33	63.58
2	No	17,600	29.63	33.34
7	Don't know/Not Sure	1,761	2.96	2.99
9	Refused	48	0.08	0.09
BLANK	Not asked or Missing	382,047		

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing

(Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 111

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41,776	9.46	5.90
2	No	398,420	90.25	93.88
7	Don't know / Not sure	1,104	0.25	0.19
9	Refused	155	0.04	0.03
BLANK	Not asked or Missing	1		

(Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions

Type: Num

Column: 112

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43,441	9.84	6.59
2	No	396,932	89.91	93.19
7	Don't know / Not sure	888	0.20	0.17
9	Refused	195	0.04	0.05

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 113

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35,501	8.04	6.24
2	No	403,586	91.42	93.27
7	Don't know / Not sure	2,196	0.50	0.45
9	Refused	173	0.04	0.04

Told Have Arthritis

Section: 6.9 Chronic Health Conditions

Type: Num

Column: 114

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	148,036	33.53	24.53
2	No	290,621	65.83	74.87
7	Don't know/Not Sure	2,563	0.58	0.55
9	Refused	235	0.05	0.06
BLANK	Not asked or Missing	1		

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 115

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83,788	18.98	17.52
2	No	355,471	80.52	81.97
7	Don't know/Not sure	1,659	0.38	0.38
9	Refused	538	0.12	0.12

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 116

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,657	3.55	2.68
2	No	424,222	96.10	97.00
7	Don't know / Not sure	1,375	0.31	0.29
9	Refused	202	0.05	0.04

Ever told) you have diabetes

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 117

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57,256	12.97	10.48
2	Yes, but female told only during pregnancy—Go to Section 07.7.1 SEX	3,608	0.82	0.95
3	No—Go to Section 07.7.1 SEX	372,104	84.29	86.77
4	No, pre-diabetes or borderline diabetes—Go to Section 07.7.1 SEX	7,690	1.74	1.60
7	Don't know/Not Sure—Go to Section 07.7.1 SEX	598	0.14	0.16
9	Refused—Go to Section 07.7.1 SEX	193	0.04	0.04
BLANK	Not asked or Missing	7		

Age When Told Diabetic

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 118-119

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: __ Code age in years, 97 = 97 or older	53,356	93.19	94.18
98	Don't know/Not sure	3,630	6.34	5.36
99	Refused	267	0.47	0.46
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	384,203		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Respondents Sex

Section: 7.1 Demographics **Type:** Num

Column: 120 **SAS Variable Name:** SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	186,938	42.35	48.68
2	Female	254,518	57.65	51.32

Marital Status

Section: 7.6 Demographics **Type:** Num

Column: 157 **SAS Variable Name:** MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	233,210	52.83	50.46
2	Divorced	59,406	13.46	10.79
3	Widowed	56,481	12.79	6.89
4	Separated	8,968	2.03	2.54
5	Never married	67,668	15.33	23.90
6	A member of an unmarried couple	12,627	2.86	4.71
9	Refused	3,096	0.70	0.70

Education Level

Section: 7.7 Demographics **Type:** Num

Column: 158 **SAS Variable Name:** EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	609	0.14	0.30
2	Grades 1 through 8 (Elementary)	11,187	2.53	4.70
3	Grades 9 through 11 (Some high school)	22,463	5.09	9.29
4	Grade 12 or GED (High school graduate)	123,227	27.91	28.19
5	College 1 year to 3 years (Some college or technical school)	120,528	27.30	30.88
6	College 4 years or more (College graduate)	161,631	36.61	26.21
9	Refused	1,811	0.41	0.42

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Own or Rent Home

Section: 7.8 Demographics

Type: Num

Column: 159

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	316,644	71.73	66.65
2	Rent	101,044	22.89	26.53
3	Other arrangement	20,625	4.67	6.01
7	Don't know/Not Sure	738	0.17	0.24
9	Refused	2,405	0.54	0.57

Household Telephones

Section: 7.11 Demographics

Type: Num

Column: 168

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,250	5.20	4.56
2	No—Go to Section 07.13 CPDEMO1	240,419	94.41	95.08
7	Don't know/Not sure—Go to Section 07.13 CPDEMO1	238	0.09	0.07
9	Refused—Go to Section 07.13 CPDEMO1	738	0.29	0.29
BLANK	Not asked or Missing Notes: QSTVER >= 20	186,811		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Residential Phones

Section: 7.12 Demographics

Type: Num

Column: 169

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	6,680	50.42	65.17
2	Residential telephone numbers	5,340	40.30	27.88
3	Residential telephone numbers	707	5.34	2.57
4	Residential telephone numbers	137	1.03	0.64
5	Residential telephone numbers	37	0.28	0.27
6	Residential telephone numbers Notes: 6 = 6 or more	30	0.23	0.09
7	Don't know/Not Sure	161	1.22	1.54
9	Refused	158	1.19	1.84
BLANK	Not asked or Missing Notes: Section 07.11, NUMHHOL2, is coded 2, 7, 9, or Missing; or QSTVER >= 20	428,206		

Do you have a cell phone for personal use?

Section: 7.13 Demographics

Type: Num

Column: 170

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	205,310	80.63	80.84
2	No	48,035	18.86	18.69
7	Don't know/Not sure	169	0.07	0.05
9	Refused	1,131	0.44	0.43
BLANK	Not asked or Missing Notes: QSTVER > = 20	186,811		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Are You A Veteran

Section: 7.14 Demographics

Type: Num

Column: 171

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57,842	13.10	10.81
2	No	382,772	86.71	89.04
7	Don't know/Not Sure	166	0.04	0.03
9	Refused	670	0.15	0.13
BLANK	Not asked or Missing	6		

Employment Status

Section: 7.15 Demographics

Type: Num

Column: 172

SAS Variable Name: EMPLOY1

Prologue:

Description: Are you currently...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	179,163	40.58	47.55
2	Self-employed	36,609	8.29	8.51
3	Out of work for 1 year or more	9,594	2.17	2.87
4	Out of work for less than 1 year	9,012	2.04	2.99
5	A homemaker	27,107	6.14	6.75
6	A student	11,551	2.62	5.72
7	Retired	132,648	30.05	17.75
8	Unable to work	31,977	7.24	6.86
9	Refused	3,795	0.86	1.01

Number of Children in Household

Section: 7.16 Demographics

Type: Num

Column: 173-174

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	113,819	25.78	36.41
88	None	324,000	73.39	62.57
99	Refused	3,632	0.82	1.02
BLANK	Not asked or Missing	5		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Income Level

Section: 7.17 Demographics

Type: Num

Column: 175-176

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	18,449	4.21	5.12
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	19,599	4.47	4.51
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	26,797	6.12	6.55
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	32,377	7.39	7.65
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	39,235	8.95	8.77
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	52,052	11.88	11.35
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	58,130	13.27	12.63
8	\$75,000 or more	115,312	26.32	26.59
77	Don't know/Not sure	35,258	8.05	8.88
99	Refused	40,946	9.35	7.95
BLANK	Not asked or Missing	3,301		

Internet use in the past 30 days?

Section: 7.18 Demographics

Type: Num

Column: 177

SAS Variable Name: INTERNET

Prologue:

Description: Have you used the internet in the past 30 days?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	343,791	78.64	81.70
2	No	91,959	21.04	17.84
7	Don't know/Not Sure	457	0.10	0.09
9	Refused	939	0.21	0.37
BLANK	Not asked or Missing	4,310		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Reported Weight in Pounds

Section: 7.19 Demographics

Type: Num

Column: 178-181

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	409,679	93.93	94.26
7777	Don't know/Not sure	7,695	1.76	1.98
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	862	0.20	0.37
9999	Refused	17,905	4.11	3.40
BLANK	Not asked or Missing	5,315		

Reported Height in Feet and Inches

Section: 7.20 Demographics

Type: Num

Column: 182-185

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	424,202	97.40	96.34
7777	Don't know/Not sure	3,776	0.87	1.39
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	1,835	0.42	0.90
9999	Refused	5,732	1.32	1.37
BLANK	Not asked or Missing	5,911		

Pregnancy Status

Section: 7.21 Demographics

Type: Num

Column: 186

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,430	3.74	4.08
2	No	62,027	95.50	94.87
7	Don't know/Not Sure	206	0.32	0.33
9	Refused	289	0.44	0.72
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Section 07.02, AGE, is greater than 44	376,504		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Activity Limitation Due to Health Problems

Section: 7.22 Demographics

Type: Num

Column: 187

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	106,863	24.73	20.11
2	No	322,059	74.53	78.88
7	Don't know/Not Sure	1,922	0.44	0.35
9	Refused	1,274	0.29	0.66
BLANK	Not asked or Missing	9,338		

Health Problems Requiring Special Equipment

Section: 7.23 Demographics

Type: Num

Column: 188

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50,622	11.74	8.49
2	No	379,292	88.00	90.86
7	Don't know/Not Sure	342	0.08	0.07
9	Refused	770	0.18	0.58
BLANK	Not asked or Missing	10,430		

Blind or Difficulty seeing

Section: 7.24 Demographics

Type: Num

Column: 189

SAS Variable Name: BLIND

Prologue:

Description: Are you blind or do you have serious difficulty seeing, even when wearing glasses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21,282	4.95	4.55
2	No	407,333	94.66	94.65
7	Don't know/Not Sure	824	0.19	0.18
9	Refused	863	0.20	0.62
BLANK	Not asked or Missing	11,154		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Difficulty Concentrating or Remembering

Section: 7.25 Demographics

Type: Num

Column: 190

SAS Variable Name: DECIDE

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42,039	9.78	10.24
2	No	384,762	89.54	88.74
7	Don't know/Not Sure	1,883	0.44	0.34
9	Refused	1,032	0.24	0.68
BLANK	Not asked or Missing	11,740		

Difficulty Walking or Climbing Stairs

Section: 7.26 Demographics

Type: Num

Column: 191

SAS Variable Name: DIFFWALK

Prologue:

Description: Do you have serious difficulty walking or climbing stairs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	74,664	17.40	13.63
2	No	352,198	82.07	85.50
7	Don't know/Not Sure	1,346	0.31	0.21
9	Refused	914	0.21	0.66
BLANK	Not asked or Missing	12,334		

Difficulty Dressing or Bathing

Section: 7.27 Demographics

Type: Num

Column: 192

SAS Variable Name: DIFFDRES

Prologue:

Description: Do you have difficulty dressing or bathing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18,778	4.38	3.75
2	No	408,765	95.34	95.50
7	Don't know/Not Sure	396	0.09	0.09
9	Refused	789	0.18	0.66
BLANK	Not asked or Missing	12,728		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Difficulty Doing Errands Alone

Section: 7.28 Demographics

Type: Num

Column: 193

SAS Variable Name: DIFFALON

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33,690	7.87	6.90
2	No	392,528	91.68	92.21
7	Don't know/Not Sure	931	0.22	0.16
9	Refused	981	0.23	0.73
BLANK	Not asked or Missing	13,326		

Smoked at Least 100 Cigarettes

Section: 8.1 Tobacco Use

Type: Num

Column: 194

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	184,299	43.14	40.67
2	No—Go to Section 08.05 USENOW3	239,608	56.09	57.70
7	Don't know/Not Sure—Go to Section 08.05 USENOW3	1,832	0.43	0.35
9	Refused—Go to Section 08.05 USENOW3	1,462	0.34	1.28
BLANK	Not asked or Missing	14,255		

Frequency of Days Now Smoking

Section: 8.2 Tobacco Use

Type: Num

Column: 195

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	43,583	23.66	27.77
2	Some days	17,998	9.77	12.67
3	Not at all—Go to Section 08.04 LASTSMK2	122,277	66.39	59.37
7	Don't Know/Not Sure—Go to Section 08.05 USENOW3	86	0.05	0.05
9	Refused—Go to Section 08.05 USENOW3	249	0.14	0.15
BLANK	Not asked or Missing Notes: Section 08.01, SMOKE100, is coded 2, 7, 9, or Missing	257,263		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Stopped Smoking in past 12 months

Section: 8.3 Tobacco Use **Type:** Num
Column: 196 **SAS Variable Name:** STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 08.05 USENOW3	34,958	56.83	60.27
2	No—Go to Section 08.05 USENOW3	26,346	42.83	39.40
7	Don't know/Not Sure—Go to Section 08.05 USENOW3	180	0.29	0.26
9	Refused—Go to Section 08.05 USENOW3	34	0.06	0.07
BLANK	Not asked or Missing Notes: Section 08.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 08.02, SMOKDAY2, is coded 3, 7, 9, or Missing	379,938		

Interval Since Last Smoked

Section: 8.4 Tobacco Use **Type:** Num
Column: 197-198 **SAS Variable Name:** LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	2,564	2.10	3.32
2	Within the past 3 months (1 month but less than 3 months ago)	2,348	1.92	3.14
3	Within the past 6 months (3 months but less than 6 months ago)	2,463	2.02	2.97
4	Within the past year (6 months but less than 1 year ago)	4,042	3.31	4.67
5	Within the past 5 years (1 year but less than 5 years ago)	15,684	12.84	17.21
6	Within the past 10 years (5 years but less than 10 years ago)	12,204	9.99	11.35
7	10 years or more	81,153	66.42	55.84
8	Never smoked regularly	899	0.74	0.79
77	Don't know/Not sure	706	0.58	0.59
99	Refused	127	0.10	0.12
BLANK	Not asked or Missing Notes: Section 08.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 08.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 08.03, STOPSMK2, is coded 1, 2, 7, 9;	319,266		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Use of Smokeless Tobacco Products

Section: 8.5 Tobacco Use **Type:** Num
Column: 199 **SAS Variable Name:** USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	7,522	1.76	1.88
2	Some days	6,055	1.42	1.72
3	Not at all	411,021	96.36	94.87
7	Don't know/Not Sure	143	0.03	0.06
9	Refused	1,825	0.43	1.47
BLANK	Not asked or Missing	14,890		

Days in past 30 had alcoholic beverage

Section: 9.1 Alcohol Consumption **Type:** Num
Column: 200-202 **SAS Variable Name:** ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1__ = Days per week	57,496	13.51	13.94
201 - 299	Days in past 30 days Notes: 2__ = Days in past 30	153,850	36.16	37.36
777	Don't know/Not sure—Go to Section 10.01 FRUITJU1	3,095	0.73	0.75
888	No drinks in past 30 days—Go to Section 10.01 FRUITJU1	208,460	48.99	46.56
999	Refused—Go to Section 10.01 FRUITJU1	2,624	0.62	1.39
BLANK	Not asked or Missing	15,931		

Avg alcoholic drinks per day in past 30

Section: 9.2 Alcohol Consumption

Type: Num

Column: 203-204

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	207,263	98.30	97.93
77	Don't know/Not sure	2,826	1.34	1.69
99	Refused	749	0.36	0.38
BLANK	Not asked or Missing Notes: Section 09.01, ALCDAY5, is coded 888, 777, or 9999;	230,618		

Binge Drinking

Section: 9.3 Alcohol Consumption

Type: Num

Column: 205-206

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	50,606	24.05	30.83
88	None	156,779	74.51	67.42
77	Don't know/Not Sure	2,374	1.13	1.36
99	Refused	661	0.31	0.39
BLANK	Not asked or Missing Notes: Section 09.01, ALCDAY5, is coded 888, 777, or 9999;	231,036		

Most drinks on single occasion past 30 days

Section: 9.4 Alcohol Consumption

Type: Num

Column: 207-208

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	203,387	96.84	96.30
77	Don't know/Not sure	5,514	2.63	3.04
99	Refused	1,116	0.53	0.67
BLANK	Not asked or Missing Notes: Section 09.01, ALCDAY5, is coded 888, 777, or 9999;	231,439		

How many times did you drink 100 percent PURE fruit juices?

Section: 10.1 Fruits & Vegetables

Type: Num

Column: 209-211

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100 percent PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100 percent juice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	72,140	17.45	16.06
201 - 299	Times per week	63,602	15.38	17.33
300	Less than one time per month	3,615	0.87	0.53
301 - 399	Times per month	97,627	23.61	23.98
555	Never	165,937	40.13	38.54
777	Don't know/Not sure	8,229	1.99	1.91
999	Refused	2,308	0.56	1.64
BLANK	Not asked or Missing	27,998		

How many times did you eat fruit?

Section: 10.2 Fruits & Vegetables

Type: Num

Column: 212-214

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit.(Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	183,688	44.55	42.08
201 - 299	Times per week	94,755	22.98	24.36
300	Less than one time per month	368	0.09	0.08
301 - 399	Times per month	109,859	26.65	26.41
555	Never	16,204	3.93	4.31
777	Don't know/Not sure	5,139	1.25	1.08
999	Refused	2,293	0.56	1.68
BLANK	Not asked or Missing	29,150		

How many times did you eat beans or lentils?

Section: 10.3 Fruits & Vegetables

Type: Num

Column: 215-217

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	23,825	5.80	7.26
201 - 299	Times per week	131,224	31.92	32.45
300	Less than one time per month	1,703	0.41	0.24
301 - 399	Times per month	176,120	42.84	40.56
555	Never	68,637	16.70	16.41
777	Don't know/Not sure	7,386	1.80	1.40
999	Refused	2,186	0.53	1.67
BLANK	Not asked or Missing	30,375		

How many times did you eat dark green vegetables?

Section: 10.4 Fruits & Vegetables

Type: Num

Column: 218-220

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	78,620	19.17	19.42
201 - 299	Times per week	146,916	35.82	36.28
300	Less than one time per month	1,002	0.24	0.15
301 - 399	Times per month	145,551	35.49	34.12
555	Never	31,418	7.66	7.43
777	Don't know/Not sure	4,427	1.08	0.87
999	Refused	2,211	0.54	1.74
BLANK	Not asked or Missing	31,311		

How many times did you eat orange-colored vegetables?

Section: 10.5 Fruits & Vegetables

Type: Num

Column: 221-223

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	28,105	6.87	6.76
201 - 299	Times per week	140,878	34.42	33.34
300	Less than one time per month	1,599	0.39	0.27
301 - 399	Times per month	172,208	42.07	39.97
555	Never	59,408	14.51	16.90
777	Don't know/Not sure	4,989	1.22	1.02
999	Refused	2,154	0.53	1.75
BLANK	Not asked or Missing	32,115		

How many times did you eat OTHER vegetables?

Section: 10.6 Fruits & Vegetables

Type: Num

Column: 224-226

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes.(Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	132,152	32.36	29.59
201 - 299	Times per week	125,761	30.80	32.39
300	Less than one time per month	154	0.04	0.03
301 - 399	Times per month	134,474	32.93	32.44
555	Never	7,452	1.83	2.43
777	Don't know/Not sure	5,795	1.42	1.19
999	Refused	2,530	0.62	1.93
BLANK	Not asked or Missing	33,138		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Exercise in Past 30 Days

Section: 11.1 Exercise (Physical Activity)

Type: Num

Column: 227

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	296,020	72.91	72.36
2	No	107,444	26.46	25.60
7	Don't know/Not Sure	602	0.15	0.13
9	Refused	1,946	0.48	1.91
BLANK	Not asked or Missing	35,444		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Type of Physical Activity

Section: 11.2 Exercise (Physical Activity)

Type: Num

Column: 228-229

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	157	0.05	0.07
2	Aerobics video or class	7,022	2.37	1.94
3	Backpacking	25	0.01	0.01
4	Badminton	39	0.01	0.02
5	Basketball	1,783	0.60	1.08
6	Bicycling machine exercise	6,718	2.27	1.74
7	Bicycling	7,329	2.48	2.90
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	172	0.06	0.05
9	Bowling	608	0.21	0.18
10	Boxing	338	0.11	0.19
11	Calisthenics	4,663	1.58	1.86
12	Canoeing/rowing in competition	98	0.03	0.03
13	Carpentry	159	0.05	0.05
14	Dancing-ballet, ballroom, Latin, hip hop, etc	2,018	0.68	0.85
15	Elliptical/EFX machine exercise	4,836	1.64	1.64
16	Fishing from river bank or boat	242	0.08	0.07
17	Frisbee	89	0.03	0.04
18	Gardening (spading, weeding, digging, filling)	16,266	5.50	4.10
19	Golf (with motorized cart)	3,681	1.24	1.09
20	Golf (without motorized cart)	1,645	0.56	0.49
21	Handball	33	0.01	0.02
22	Hiking - cross-country	2,757	0.93	1.04
23	Hockey	277	0.09	0.11
24	Horseback riding	468	0.16	0.15
25	Hunting large game - deer, elk	240	0.08	0.06
26	Hunting small game - quail	148	0.05	0.04
27	Inline Skating	20	0.01	0.01
28	Jogging	2,774	0.94	1.42
29	Lacrosse	23	0.01	0.01
30	Mountain climbing	62	0.02	0.02
31	Mowing lawn	1,202	0.41	0.32
32	Paddleball	30	0.01	0.01
33	Painting/papering house	67	0.02	0.02
34	Pilates	586	0.20	0.20
35	Racquetball	246	0.08	0.10
36	Raking lawn	168	0.06	0.04
37	Running	19,638	6.64	10.80

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Type of Physical Activity

Section: 11.2 Exercise (Physical Activity)

Type: Num

Column: 228-229

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
38	Rock Climbing	168	0.06	0.08
39	Rope skipping	43	0.01	0.03
40	Rowing machine exercise	277	0.09	0.09
41	Rugby	26	0.01	0.02
42	Scuba diving	22	0.01	0.01
43	Skateboarding	138	0.05	0.11
44	Skating - ice or roller	144	0.05	0.06
45	Sledding, tobogganing	19	0.01	0.01
46	Snorkeling	27	0.01	0.01
47	Snow blowing	80	0.03	0.02
48	Snow shoveling by hand	865	0.29	0.19
49	Snow skiing	553	0.19	0.12
50	Snowshoeing	111	0.04	0.02
51	Soccer	889	0.30	0.68
52	Softball/Baseball	504	0.17	0.25
53	Squash	36	0.01	0.01
54	Stair climbing/Stair master	933	0.32	0.29
55	Stream fishing in waders	10	0.00	0.00
56	Surfing	126	0.04	0.04
57	Swimming	2,781	0.94	0.91
58	Swimming in laps	1,556	0.53	0.47
59	Table tennis	40	0.01	0.02
60	Tai Chi	288	0.10	0.05
61	Tennis	1,163	0.39	0.39
62	Touch football	110	0.04	0.09
63	Volleyball	439	0.15	0.22
64	Walking	161,359	54.55	49.75
66	Waterskiing	103	0.03	0.03
67	Weight lifting	10,926	3.69	5.47
68	Wrestling	97	0.03	0.04
69	Yoga	2,916	0.99	0.99
71	Childcare	524	0.18	0.20
72	Farm/Ranch Work (caring for livestock, stacking hay, etc.)	1,093	0.37	0.25
73	Household Activities (vacuuming, dusting, home repair, etc.)	2,023	0.68	0.48
74	Karate/Martial Arts	469	0.16	0.24
75	Upper Body Cycle (wheelchair sports, ergometer, etc.)	201	0.07	0.07
76	Yard work (cutting/gathering wood, trimming hedges, etc.)	4,845	1.64	1.27
98	Other_____	12,033	4.07	3.90

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Type of Physical Activity

Section: 11.2 Exercise (Physical Activity)

Type: Num

Column: 228-229

SAS Variable Name: EXRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure—Go to Section 11.08 STRENGTH	800	0.27	0.24
99	Refused—Go to Section 11.08 STRENGTH	414	0.14	0.15
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing	145,678		

How Many Times Walking, Running, Jogging, or Swimming

Section: 11.3 Exercise (Physical Activity)

Type: Num

Column: 230-232

SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	207,513	70.58	71.24
201 - 299	Times per month	83,652	28.45	27.93
777	Don't know/Not sure	2,275	0.77	0.62
999	Refused	585	0.20	0.21
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXRACT11 is coded 77, 99	147,431		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 11.4 Exercise (Physical Activity)

Type: Num

Column: 233-235

SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	286,352	97.51	97.98
777	Don't know/Not sure	5,520	1.88	1.42
800 - 959	Hours and Minutes	1,364	0.46	0.45
999	Refused	429	0.15	0.15
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXRACT11 is coded 77, 99	147,791		

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 11.5 Exercise (Physical Activity)

Type: Num

Column: 236-237

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	214	0.07	0.07
2	Aerobics video or class	4,643	1.58	1.40
3	Backpacking	21	0.01	0.01
4	Badminton	66	0.02	0.04
5	Basketball	1,988	0.68	1.14
6	Bicycling machine exercise	5,904	2.01	1.71
7	Bicycling	8,074	2.75	2.96
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	390	0.13	0.11
9	Bowling	884	0.30	0.23
10	Boxing	270	0.09	0.16
11	Calisthenics	5,471	1.87	2.19
12	Canoeing/rowing in competition	150	0.05	0.05
13	Carpentry	395	0.13	0.09
14	Dancing-ballet, ballroom, Latin, hip hop, etc	2,591	0.88	1.04
15	Elliptical/EFX machine exercise	3,481	1.19	1.18
16	Fishing from river bank or boat	727	0.25	0.22
17	Frisbee	123	0.04	0.06
18	Gardening (spading, weeding, digging, filling)	13,680	4.66	3.59
19	Golf (with motorized cart)	2,731	0.93	0.79
20	Golf (without motorized cart)	1,638	0.56	0.48
21	Handball	28	0.01	0.01
22	Hiking - cross-country	2,647	0.90	0.93
23	Hockey	171	0.06	0.07
24	Horseback riding	625	0.21	0.16
25	Hunting large game - deer, elk	259	0.09	0.08
26	Hunting small game - quail	194	0.07	0.05
27	Inline Skating	22	0.01	0.01
28	Jogging	1,852	0.63	0.93
29	Lacrosse	15	0.01	0.01
30	Mountain climbing	75	0.03	0.03
31	Mowing lawn	2,332	0.80	0.55
32	Paddleball	26	0.01	0.01
33	Painting/papering house	190	0.06	0.05
34	Pilates	881	0.30	0.28
35	Racquetball	181	0.06	0.07
36	Raking lawn	286	0.10	0.08
37	Running	8,875	3.03	4.94

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 11.5 Exercise (Physical Activity)

Type: Num

Column: 236-237

SAS Variable Name: EXRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
38	Rock Climbing	161	0.05	0.09
39	Rope skipping	104	0.04	0.06
40	Rowing machine exercise	387	0.13	0.12
41	Rugby	22	0.01	0.01
42	Scuba diving	25	0.01	0.02
43	Skateboarding	107	0.04	0.08
44	Skating - ice or roller	162	0.06	0.07
45	Sledding, tobogganing	39	0.01	0.02
46	Snorkeling	27	0.01	0.00
47	Snow blowing	149	0.05	0.03
48	Snow shoveling by hand	1,653	0.56	0.35
49	Snow skiing	631	0.22	0.15
50	Snowshoeing	170	0.06	0.02
51	Soccer	799	0.27	0.59
52	Softball/Baseball	605	0.21	0.31
53	Squash	53	0.02	0.03
54	Stair climbing/Stair master	3,103	1.06	0.85
55	Stream fishing in waders	22	0.01	0.01
56	Surfing	132	0.05	0.05
57	Swimming	4,453	1.52	1.67
58	Swimming in laps	1,599	0.55	0.55
59	Table tennis	61	0.02	0.04
60	Tai Chi	365	0.12	0.09
61	Tennis	1,037	0.35	0.37
62	Touch football	119	0.04	0.10
63	Volleyball	528	0.18	0.26
64	Walking	40,852	13.93	12.81
66	Waterskiing	65	0.02	0.02
67	Weight lifting	18,218	6.21	7.73
68	Wrestling	105	0.04	0.05
69	Yoga	5,004	1.71	1.67
71	Childcare	2,456	0.84	0.89
72	Farm/Ranch Work (caring for livestock, stacking hay, etc.)	1,770	0.60	0.36
73	Household Activities (vacuuming, dusting, home repair, etc.)	14,388	4.91	3.42
74	Karate/Martial Arts	296	0.10	0.14
75	Upper Body Cycle (wheelchair sports, ergometer, etc.)	294	0.10	0.13
76	Yard work (cutting/gathering wood, trimming hedges, etc.)	10,110	3.45	2.57
88	No other activity—Go to Section 11.08 STRENGTH	92,337	31.48	32.27

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 11.5 Exercise (Physical Activity)

Type: Num

Column: 236-237

SAS Variable Name: EXRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
98	Other_____	15,106	5.15	4.97
77	Don't know/Not Sure—Go to Section 11.08 STRENGTH	2,805	0.96	0.93
99	Refused—Go to Section 11.08 STRENGTH	861	0.29	0.34
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXRACT11 is coded 77, 99	148,176		

How Many Times Walking, Running, Jogging, or Swimming

Section: 11.6 Exercise (Physical Activity)

Type: Num

Column: 238-240

SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	129,532	65.78	66.10
201 - 299	Times per month	65,164	33.09	32.98
777	Don't know/Not sure	1,810	0.92	0.74
999	Refused	410	0.21	0.18
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXRACT11 is coded 77, 99 or Section 11.05, EXTRACT21 is coded 77, 88, 99	244,540		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 11.7 Exercise (Physical Activity)

Type: Num

Column: 241-243

SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	190,750	96.96	97.50
777	Don't know/Not sure	3,975	2.02	1.49
800 - 959	Hours and Minutes	1,577	0.80	0.80
999	Refused	432	0.22	0.22
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXRACT11 is coded 77, 99 or Section 11.05, EXTRACT21 is coded 77, 88, 99	244,722		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 11.8 Exercise (Physical Activity)

Type: Num

Column: 244-246

SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic bands.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	102,751	25.51	27.55
201 - 299	Times per month	50,324	12.50	13.45
777	Don't know / Not sure	2,788	0.69	0.60
888	Never	244,368	60.68	56.25
999	Refused	2,505	0.62	2.15
BLANK	Not asked or Missing	38,720		

Limited Because of Joint Symptoms

Section: 12.1 Arthritis Burden

Type: Num

Column: 247

SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	67,129	49.11	49.15
2	No	67,911	49.68	48.87
7	Don't know/Not sure	1,153	0.84	0.71
9	Refused	497	0.36	1.27
BLANK	Not asked or Missing	304,766		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

Does Arthritis Affect Whether You Work

Section: 12.2 Arthritis Burden

Type: Num

Column: 248

SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42,362	31.03	34.28
2	No	90,058	65.98	62.33
7	Don't know/Not Sure	2,484	1.82	1.49
9	Refused	1,599	1.17	1.90
BLANK	Missing	304,953		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Social Activities Limited Because of Joint Symptoms

Section: 12.3 Arthritis Burden

Type: Num

Column: 249

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	24,937	18.30	19.82
2	A little	32,422	23.79	24.79
3	Not at all	77,678	56.99	53.61
7	Don't know/Not Sure	671	0.49	0.43
9	Refused	586	0.43	1.36
BLANK	Missing	305,162		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

How Bad Was Joint Pain

Section: 12.4 Arthritis Burden

Type: Num

Column: 250-251

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	131,077	98.02	97.53
77	Don't know/Not Sure	1,891	1.41	1.12
99	Refused	760	0.57	1.35
BLANK	Missing	307,728		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 252

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	348,569	86.93	86.00
2	Nearly always	27,549	6.87	6.04
3	Sometimes	10,971	2.74	2.82
4	Seldom	4,530	1.13	1.08
5	Never	6,166	1.54	1.63
7	Don't know/Not sure	253	0.06	0.06
8	Never drive or ride in a car	875	0.22	0.25
9	Refused	2,076	0.52	2.11
BLANK	Not asked or Missing Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	40,467		

Adult flu shot/spray past 12 mos

Section: 14.1 Immunization

Type: Num

Column: 253

SAS Variable Name: FLUSHOT6

Prologue: Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	191,438	47.85	39.25
2	No—Go to Section 14.04 PNEUVAC3	205,571	51.38	58.25
7	Don't know/Not Sure—Go to Section 14.04 PNEUVAC3	965	0.24	0.32
9	Refused—Go to Section 14.04 PNEUVAC3	2,101	0.53	2.18
BLANK	Not asked or Missing	41,381		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 14.2 Immunization

Type: Num

Column: 254-259

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12014 - 122015	Month / Year	178,926	94.08	93.03
777777	Don't know/Not Sure	10,944	5.75	6.72
999999	Refused	324	0.17	0.25
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT6, is coded 2, 7, or 9	251,262		

Where did you get your last flu shot/vaccine?

Section: 14.3 Immunization

Type: Num

Column: 260-261

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctor's office or health maintenance organization (HMO)	72,670	38.01	38.56
2	A health department	4,423	2.31	1.85
3	Another type of clinic or health center (Example: a community health center)	17,619	9.22	9.02
4	A senior, recreation, or community center	2,190	1.15	0.71
5	A store (Examples: supermarket, drug store)	48,541	25.39	22.56
6	A hospital (Example: inpatient)	11,043	5.78	7.15
7	An emergency room	130	0.07	0.08
8	Workplace	26,666	13.95	15.59
9	Some other kind of place	5,780	3.02	3.03
10	Received vaccination in Canada/Mexico (Volunteered - Do not read)	80	0.04	0.06
11	A school	1,376	0.72	0.92
77	Don't know / Not sure—Probe:	562	0.29	0.36
99	Refused	119	0.06	0.11
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT6, is coded 2, 7, or 9	250,257		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Pneumonia shot ever

Section: 14.4 Immunization

Type: Num

Column: 262

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	157,698	39.47	30.02
2	No	205,590	51.46	56.42
7	Don't know/Not Sure	34,121	8.54	11.36
9	Refused	2,104	0.53	2.20
BLANK	Not asked or Missing	41,943		

Ever tested HIV

Section: 15.1 HIV/AIDS

Type: Num

Column: 263

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	113,779	28.58	36.10
2	No—Go to optional modules or closing statement	269,733	67.76	58.97
7	Don't know/Not Sure—Go to optional modules or closing statement	11,562	2.90	2.45
9	Refused—Go to optional modules or closing statement	2,995	0.75	2.48
BLANK	Not asked or Missing	43,387		

Month and Year of Last HIV Test

Section: 15.2 HIV/AIDS

Type: Num

Column: 264-269

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122016	Code month and year Notes: _ _/_ _ _ _ month and year	89,576	78.79	81.52
777777	Don't know/Not sure	23,677	20.83	18.09
999999	Refused	439	0.39	0.39
BLANK	Not asked or Missing Notes: Section 15.01, HIVTST6, is coded 2, 7, 9, or Missing	327,764		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Location of last HIV test

Section: 15.3 HIV/AIDS

Type: Num

Column: 270-271

SAS Variable Name: WHRTST10

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, in the emergency room, as an inpatient in a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	52,062	45.86	46.66
2	Counseling and testing site	4,023	3.54	3.68
3	Hospital inpatient	10,716	9.44	8.66
4	Clinic	24,303	21.41	22.90
5	Jail or prison (or other correctional facility)	1,215	1.07	1.48
6	Drug treatment facility	519	0.46	0.49
7	At home	2,811	2.48	2.02
8	Somewhere else	13,639	12.01	10.61
9	Emergency room	1,974	1.74	1.85
77	Don't know/Not sure	1,991	1.75	1.38
99	Refused	265	0.23	0.26
BLANK	Not asked or Missing	327,938		

Notes: Section 15.01, HIVTST6, is coded 2, 7, 9, or Missing

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 287

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50,705	61.27	54.66
2	No	28,188	34.06	40.66
7	Don't know/Not Sure	3,826	4.62	4.62
9	Refused	41	0.05	0.05
BLANK	Not asked or Missing	358,696		

Notes: Section 06.12, DIABETE3, is coded 1

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 288

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,550	10.33	8.37
2	Yes, during pregnancy	982	1.19	1.25
3	No	72,890	88.07	89.95
7	Don't know/Not Sure	291	0.35	0.38
9	Refused	47	0.06	0.05
BLANK	Not asked or Missing	358,696		
	Notes: Section 06.12, DIABETE3, is coded 1; If Section 06.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);			

Now Taking Insulin

Module: 2.1 Diabetes

Type: Num

Column: 289

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,602	32.63	32.36
2	No	19,788	67.25	67.55
9	Refused	34	0.12	0.09
BLANK	Not asked or Missing	412,032		
	Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing			

How Often Check Blood for Glucose

Module: 2.2 Diabetes

Type: Num

Column: 290-292

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	17,883	60.78	60.47
201 - 299	Times per week Notes: 2 _ _ Times per week	4,734	16.09	16.40
301 - 399	Times per month Notes: 3 _ _ Times per month	1,616	5.49	5.87
401 - 499	Times per year Notes: 4 _ _ Times per year	717	2.44	2.36
777	Don't know/Not sure	436	1.48	1.67
888	Never	3,954	13.44	12.96
999	Refused	83	0.28	0.27
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	412,033		

How Often Check Feet for Sores or Irritations

Module: 2.3 Diabetes

Type: Num

Column: 293-295

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	17,076	58.04	57.71
201 - 299	Times per week Notes: 2 _ _ Times per week	4,912	16.70	16.03
301 - 399	Times per month Notes: 3 _ _ Times per month	1,624	5.52	5.85
401 - 499	Times per year Notes: 4 _ _ Times per year	481	1.63	1.51
555	No feet	278	0.94	0.87
777	Don't know/Not sure	763	2.59	2.43
888	Never	4,175	14.19	15.24
999	Refused	112	0.38	0.37
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	412,035		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Times Seen Health Professional for Diabetes

Module: 2.4 Diabetes

Type: Num

Column: 296-297

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	25,414	86.39	86.50
88	None	2,895	9.84	9.93
77	Don't know/Not sure	993	3.38	3.14
99	Refused	116	0.39	0.44
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	412,038		

Times Checked for Glycosylated Hemoglobin

Module: 2.5 Diabetes

Type: Num

Column: 298-299

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76 = 76 or more	25,250	85.83	84.29
88	None	1,549	5.27	6.47
98	Never heard of "A one C" test	653	2.22	2.44
77	Don't know/Not sure	1,881	6.39	6.60
99	Refused	84	0.29	0.20
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	412,039		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Times Feet Check for Sores/irritations

Module: 2.6 Diabetes

Type: Num

Column: 300-301

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	21,860	75.02	74.02
88	None	6,362	21.83	22.96
77	Don't know/Not sure	839	2.88	2.75
99	Refused	78	0.27	0.27
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.03, FEETCHK2, is coded 555	412,317		

Last Eye Exam Where Pupils Were Dilated

Module: 2.7 Diabetes

Type: Num

Column: 302

SAS Variable Name: EYEEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	6,248	21.24	19.81
2	Within the past year (1 month but less than 12 months ago)	14,648	49.79	48.06
3	Within the past 2 years (1 year but less than 2 years ago)	3,730	12.68	13.69
4	2 or more years ago	3,438	11.69	12.98
7	Don't know/Not sure	416	1.41	1.31
8	Never	905	3.08	4.06
9	Refused	32	0.11	0.08
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	412,039		

Ever Told Diabetes Has Affected Eyes

Module: 2.8 Diabetes

Type: Num

Column: 303

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,330	18.12	18.68
2	No	23,694	80.55	80.02
7	Don't know/Not sure	373	1.27	1.25
9	Refused	19	0.06	0.05
BLANK	Not asked or Missing	412,040		

Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 2.9 Diabetes

Type: Num

Column: 304

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,362	55.62	53.98
2	No	12,926	43.94	45.65
7	Don't know/Not sure	106	0.36	0.32
9	Refused	22	0.07	0.05
BLANK	Not asked or Missing	412,040		

Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 305-306

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	441,456		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 307-308

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	441,456		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 309-310

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	441,456		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 311-312

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	441,456		

Provided regular care for family or friend

Module: 4.1 Caregiver

Type: Num

Column: 313

SAS Variable Name: CAREGIV1

Prologue: People may provide regular care or assistance to a friend or family member who has a health problem or disability.

Description: During the past 30 days, did you provide regular care or assistance to a friend or family member who has a health problem or disability?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24,034	22.05	21.77
2	No—Go to Module 4.09 CRGVEXPT	84,412	77.45	77.79
7	Don't know/Not Sure—Go to Module 4.09 CRGVEXPT	217	0.20	0.19
8	Caregiving recipient died in past 30 days—Go to next module	222	0.20	0.14
9	Refused—Go to Module 4.09 CRGVEXPT	110	0.10	0.11
BLANK	Not asked or Missing	332,461		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Relationship Of Person To Whom You Are Giving Care?

Module: 4.2 Caregiver

Type: Num

Column: 314-315

SAS Variable Name: CRGVREL1

Prologue:

Description: What is his/her relationship to you? For example is he/she your (mother/daughter or father/son)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother	5,342	22.24	22.53
2	Father	1,956	8.14	9.80
3	Mother-in-law	967	4.03	4.02
4	Father-in-law	365	1.52	1.56
5	Child	2,078	8.65	9.06
6	Husband	2,475	10.30	7.24
7	Wife	1,709	7.11	6.23
8	Same-sex partner	35	0.15	0.19
9	Brother or brother-in-law	833	3.47	3.23
10	Sister or sister-in-law	1,156	4.81	4.15
11	Grandmother	858	3.57	6.30
12	Grandfather	290	1.21	2.23
13	Grandchild	214	0.89	0.65
14	Other relative	1,735	7.22	7.63
15	Non-relative/Family friend	3,849	16.02	14.40
77	Don't know/Not Sure	43	0.18	0.14
99	Refused	115	0.48	0.63
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,436		

How Long Provided Care For Person.

Module: 4.3 Caregiver

Type: Num

Column: 316

SAS Variable Name: CRGVLNG1

Prologue:

Description: For how long have you provided care for that person? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 30 days	4,379	18.25	18.63
2	1 month to less than 6 months	2,977	12.41	12.66
3	6 months to less than 2 years	4,353	18.14	18.33
4	2 years to less than 5 years	5,000	20.84	20.05
5	More than 5 years	6,933	28.89	28.96
7	Don't know/Not sure	293	1.22	1.20
9	Refused	60	0.25	0.17
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,461		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Many Hours Do You Provide Care For Person?

Module: 4.4 Caregiver

Type: Num

Column: 317

SAS Variable Name: CRGVHRS1

Prologue:

Description: In an average week, how many hours do you provide care or assistance? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Up to 8 hours per week	13,103	54.68	54.71
2	9 to 19 hours per week	2,927	12.21	12.74
3	20 to 39 hours per week	2,285	9.54	9.85
4	40 hours or more	4,243	17.71	17.74
7	Don't know/Not sure	1,203	5.02	4.28
9	Refused	202	0.84	0.68
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,493		

What Is The Major Health Problem, Illness, Disability For Care For Person?

Module: 4.5 Caregiver

Type: Num

Column: 318-319

SAS Variable Name: CRGVPRB1

Prologue:

Description: What is the main health problem, long-term illness, or disability that the person you care for has?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Arthritis/Rheumatism	1,473	6.15	5.95
2	Asthma	121	0.51	0.68
3	Cancer	1,910	7.98	8.66
4	Chronic respiratory conditions such as Emphysema or COPD	959	4.01	3.61
5	Dementia and other Cognitive Impairment Disorders	2,331	9.74	8.44
6	Developmental Disabilities such as Autism, Down's Syndrome, and Spina Bifida	796	3.33	3.71
7	Diabetes	1,328	5.55	5.94
8	Heart Disease, Hypertension	1,679	7.02	6.17
9	Human Immunodeficiency Virus Infection (HIV)	37	0.15	0.20
10	Mental Illnesses, such as Anxiety, Depression, or Schizophrenia	915	3.82	3.81
11	Other organ failure or diseases such as kidney or liver problems	571	2.39	2.37
12	Substance Abuse or Addiction Disorders	73	0.31	0.44
13	Other	10,620	44.38	44.90
77	Don't know/Not Sure	549	2.29	2.58
99	Refused	570	2.38	2.54
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,524		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Managed personal care

Module: 4.6 Caregiver

Type: Num

Column: 320

SAS Variable Name: CRGVPERS

Prologue: In the past 30 days, did you provide care for this person by...

Description: ...Managing personal care such as giving medications, feeding, dressing, or bathing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,099	50.62	52.67
2	No	11,657	48.77	46.83
7	Don't know/Not Sure	57	0.24	0.17
9	Refused	89	0.37	0.33
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,554		

Managed household tasks

Module: 4.7 Caregiver

Type: Num

Column: 321

SAS Variable Name: CRGVHOUS

Prologue: In the past 30 days, did you provide care for this person by...

Description: ...Managing household tasks such as cleaning, managing money, or preparing meals?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18,523	77.55	79.50
2	No	5,218	21.85	20.05
7	Don't know/Not Sure	69	0.29	0.18
9	Refused	75	0.31	0.27
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,571		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Which support do you MOST need that you are not getting?

Module: 4.8 Caregiver

Type: Num

Column: 322

SAS Variable Name: CRGVMST2

Prologue:

Description: Of the following support services, which one do you MOST need, that you are not currently getting?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Classes about giving care, such as giving medications	319	1.34	1.38
2	Help in getting access to services	1,985	8.33	8.58
3	Support groups	639	2.68	2.65
4	Individual counseling to help cope with giving care	461	1.94	1.94
5	Respite care	643	2.70	2.43
6	You don't need any of these support services	19,047	79.96	80.02
7	Don't know/Not Sure	575	2.41	2.46
9	Refused	153	0.64	0.55
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	417,634		

Do you expect to have a relative you will need to provide care for?

Module: 4.9 Caregiver

Type: Num

Column: 323

SAS Variable Name: CRGVEXPT

Prologue:

Description: In the next 2 years, do you expect to provide care or assistance to a friend or family member who has a health problem or disability?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,998	15.35	15.84
2	No	65,424	77.25	77.70
7	Don't know/Not Sure	6,076	7.17	6.25
9	Refused	189	0.22	0.21
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 8	356,769		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Difficulty recognizing friend across street

Module: 5.1 Visual Impairment and Access to Eye Care

Type: Num

Column: 324

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No difficulty	2,498	78.09	79.20
2	A little difficulty	415	12.97	12.42
3	Moderate difficulty	176	5.50	5.35
4	Extreme difficulty	56	1.75	1.48
5	Unable to do because of eyesight	32	1.00	0.76
6	Unable to do for other reasons	10	0.31	0.33
7	Don't know/Not sure	7	0.22	0.23
8	Not applicable (Blind)—Go to Next Module	5	0.16	0.22
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40	438,257		

Difficulty reading typed text

Module: 5.2 Visual Impairment and Access to Eye Care

Type: Num

Column: 325

SAS Variable Name: VIREDIF3

Prologue:

Description: How much difficulty, if any, do you have reading print in newspapers, magazines, recipes, menus, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No difficulty	1,888	59.22	59.71
2	A little difficulty	648	20.33	19.70
3	Moderate difficulty	415	13.02	13.11
4	Extreme difficulty	164	5.14	5.50
5	Unable to do because of eyesight	45	1.41	1.25
6	Unable to do for other reasons	14	0.44	0.37
7	Don't know/Not sure	14	0.44	0.35
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8;	438,268		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Last time visited eye care provider

Module: 5.3 Visual Impairment and Access to Eye Care

Type: Num

Column: 326

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)—Go to Module 05.05 VIEYEXM2	504	15.81	13.30
2	Within the past year (1month but less than 12 months ago)—Go to Module 05.05 VIEYEXM2	1,614	50.63	47.48
3	Within the past 2 years (1years but less than 2 years ago)	480	15.06	16.73
4	2 or more years ago	522	16.37	18.74
5	Never	40	1.25	2.53
7	Don't know/Not sure	26	0.82	1.13
9	Refused	2	0.06	0.08
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8;	438,268		

Reason did not use eye doc past 12 mos

Module: 5.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 327-328

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cost/insurance	237	22.19	23.27
2	Do not have/know an eye doctor	14	1.31	1.56
3	Cannot get to the office/clinic (too far away,no transportation)	17	1.59	0.92
4	Could not get an appointment	10	0.94	1.18
5	No reason to go (no problem)	427	39.98	41.85
6	Have not thought of it	80	7.49	8.04
7	Other	259	24.25	20.76
8	Not Applicable (Blind)—Go to Next Module	2	0.19	0.70
77	Don't know/Not Sure	18	1.69	1.47
99	Refused	4	0.37	0.26
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded 1, 2, or 8;	440,388		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

When last eyexam

Module: 5.5 Visual Impairment and Access to Eye Care

Type: Num

Column: 329

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	258	10.20	8.38
2	Within the past year (1 month but less than 12 months ago)	1,091	43.14	37.47
3	Within the past 2 years (1 year but less than 2 years)	372	14.71	14.54
4	2 or more years ago	549	21.71	24.15
5	Never	190	7.51	12.18
7	Don't know/Not Sure	66	2.61	3.15
8	Not applicable (Blind)—Go to Next Module	1	0.04	0.04
9	Refused	2	0.08	0.09
BLANK	Not asked or Missing	438,927		
	Notes: Section 07.02, AGE, is less than 40; or Module 2.07, EYEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8;			

Eye care health insurance

Module: 5.6 Visual Impairment and Access to Eye Care

Type: Num

Column: 330

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,756	55.20	55.52
2	No	1,332	41.87	41.13
7	Don't know/Not Sure	90	2.83	3.26
8	Not applicable (Blind)—Go to Next Module	1	0.03	0.04
9	Refused	2	0.06	0.05
BLANK	Not asked or Missing	438,275		
	Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8;			

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Hlth care pro said now have cataracts

Module: 5.7 Visual Impairment and Access to Eye Care

Type: Num

Column: 331

SAS Variable Name: VICTRCT4

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	665	20.93	16.58
2	No, I had them removed	562	17.68	11.56
3	No	1,939	61.01	71.30
7	Don't know/Not Sure	12	0.38	0.57
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8; or Module 05.03, VIPRFV2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8; or Module 05.06, VINSUR2, is coded as 8	438,278		

Hlth care pro EVER said have glaucoma

Module: 5.8 Visual Impairment and Access to Eye Care

Type: Num

Column: 332

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	204	6.42	5.01
2	No	2,962	93.20	94.65
7	Don't know/Not Sure	12	0.38	0.34
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8; or Module 05.03, VIPRFV2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8; or Module 05.06, VINSUR2, is coded as 8; or Module 05.07, VICTRCT4, is coded as 8	438,278		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Health care pro EVER said have macular degeneration

Module: 5.9 Visual Impairment and Access to Eye Care

Type: Num

Column: 333

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	185	5.83	4.43
2	No	2,952	92.98	94.41
7	Don't know/Not Sure	38	1.20	1.16
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDIF3, is coded as 8; or Module 05.03, VIPRFVVS2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8; or Module 05.06, VINSUR2, is coded as 8; or Module 05.07, VICTRCT4, is coded as 8; or Module 05.08,	438,281		

Have you experienced confusion or memory loss that is happening more often or is getting worse?

Module: 6.1 Cognitive Decline

Type: Num

Column: 334

SAS Variable Name: CIMEMLOS

Prologue:

Description: During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,404	10.63	11.14
2	No—Go to next module	103,278	88.48	88.15
7	Don't know/Not sure	857	0.73	0.56
9	Refused—Go to next module	190	0.16	0.15
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45	324,727		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Given up day-to-day chores due to confusion or memory loss

Module: 6.2 Cognitive Decline

Type: Num

Column: 335

SAS Variable Name: CDHOUSE

Prologue:

Description: During the past 12 months, as a result of confusion or memory loss, how often have you given up day-to-day household activities or chores you used to do, such as cooking, cleaning, taking medications, driving, or paying bills?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	929	7.01	7.56
2	Usually	835	6.30	6.71
3	Sometimes	3,192	24.08	26.12
4	Rarely	1,805	13.62	12.92
5	Never	6,194	46.73	44.54
7	Don't know/Not sure	255	1.92	1.88
9	Refused	46	0.35	0.26
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLOS, is coded 2 or 9	428,200		

Need assistance with day-to-day activities due to confusion or memory loss

Module: 6.3 Cognitive Decline

Type: Num

Column: 336

SAS Variable Name: CDASSIST

Prologue:

Description: As a result of confusion or memory loss, how often do you need assistance with these day-to-day activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	821	6.20	6.70
2	Usually	672	5.08	5.64
3	Sometimes	2,836	21.42	23.18
4	Rarely—Go to Module 6.05 CDDISCUS	1,979	14.95	14.57
5	Never—Go to Module 6.05 CDDISCUS	6,764	51.08	48.74
7	Don't know/Not sure—Go to Module 6.05 CDDISCUS	142	1.07	1.02
9	Refused—Go to Module 6.05 CDDISCUS	27	0.20	0.14
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLOS, is coded 2 or 9	428,215		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

When you need help with day-to-day activities are you able to get it

Module: 6.4 Cognitive Decline

Type: Num

Column: 337

SAS Variable Name: CDHELP

Prologue:

Description: When you need help with these day-to-day activities, how often are you able to get the help that you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	1,777	41.08	40.31
2	Usually	879	20.32	18.98
3	Sometimes	1,051	24.29	26.86
4	Rarely	318	7.35	6.33
5	Never	265	6.13	6.81
7	Don't know/Not sure	34	0.79	0.68
9	Refused	2	0.05	0.03
BLANK	Not asked or Missing	437,130		
	Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLOS, is coded 2 or 9; or Module 06.03, CDASSIST, is coded 4, 5, 7 or 9			

Does confusion or memory loss interfere with work or social activities

Module: 6.5 Cognitive Decline

Type: Num

Column: 338

SAS Variable Name: CDSOCIAL

Prologue:

Description: During the past 12 months, how often has confusion or memory loss interfered with your ability to work, volunteer, or engage in social activities outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	1,253	9.48	10.30
2	Usually	743	5.62	5.98
3	Sometimes	2,447	18.51	20.06
4	Rarely	1,924	14.56	14.24
5	Never	6,592	49.87	47.77
7	Don't know/Not sure	224	1.69	1.47
9	Refused	35	0.26	0.17
BLANK	Not asked or Missing	428,238		
	Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLOS, is coded 2 or 9			

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Have you discussed your confusion or memory loss with a health care professional?

Module: 6.6 Cognitive Decline

Type: Num

Column: 339

SAS Variable Name: CDDISCUS

Prologue:

Description: Have you or anyone else discussed your confusion or memory loss with a health care professional?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,863	44.41	45.20
2	No	7,220	54.69	54.06
7	Don't know/Not Sure	101	0.77	0.58
9	Refused	17	0.13	0.15
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLOS, is coded 2 or 9	428,255		

Watching Sodium or Salt Intake

Module: 7.1 Sodium or Salt-Related Behavior

Type: Num

Column: 340

SAS Variable Name: WTCHSALT

Prologue: Now I would like to ask you some questions about sodium or salt intake. Most of the sodium or salt we eat comes from processed foods and foods prepared in restaurants. Salt also can be added in cooking or at the table.

Description: Are you currently watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25,469	61.67	57.17
2	No—Go to Module 07.03 DRADVISE	15,604	37.78	42.21
7	Don't know/Not Sure—Go to Module 07.03 DRADVISE	161	0.39	0.44
9	Refused—Go to Module 07.03 DRADVISE	65	0.16	0.18
BLANK	Not asked or Missing	400,157		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Long Watching Salt/Sodium Intake

Module: 7.2 Sodium or Salt-Related Behavior

Type: Num

Column: 341-343

SAS Variable Name: LONGWTCH

Prologue:

Description: How many days, weeks, months, or years have you been watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Day(s)	837	3.29	3.73
201 - 299	Week(s)	330	1.30	1.73
301 - 399	Month(s)	2,342	9.20	11.43
401 - 499	Year(s)	17,610	69.16	66.14
555	All my life	2,898	11.38	11.36
777	Don't know/Not Sure	1,389	5.46	5.33
999	Refused	56	0.22	0.27
BLANK	Not asked or Missing	415,994		

Notes: Module 07.01, WTCHSALT, is coded 2, 7, 9, or Missing

Doctor Advised Reduced Sodium/Salt Intake

Module: 7.3 Sodium or Salt-Related Behavior

Type: Num

Column: 344

SAS Variable Name: DRADVISE

Prologue:

Description: Has a doctor or other health professional ever advised you to reduce sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,572	30.47	25.88
2	No	28,429	68.90	73.52
7	Don't know/Not Sure	224	0.54	0.48
9	Refused	38	0.09	0.11
BLANK	Not asked or Missing	400,193		

Age at Asthma Diagnosis

Module: 8.1 Adult Asthma History

Type: Num

Column: 345-346

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	585	57.18	44.40
97	Age 10 or younger	344	33.63	47.75
98	Don't know/Not sure	89	8.70	7.23
99	Refused	5	0.49	0.62
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	440,433		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Asthma During Past 12 Months

Module: 8.2 Adult Asthma History

Type: Num

Column: 347

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	313	48.30	50.96
2	No—Go to Module 08.05 ASRCHKUP	324	50.00	47.98
7	Don't know/Not sure—Go to Module 08.05 ASRCHKUP	11	1.70	1.06
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	440,808		

Emergency Asthma Care During Past 12 Months

Module: 8.3 Adult Asthma History

Type: Num

Column: 348-349

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	104	33.23	36.65
88	None	205	65.50	59.76
98	Don't know/Not sure	4	1.28	3.60
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 08.02, ASATTACK, is coded 2, 7, 9 or Missing	441,143		

Urgent Asthma Treatment During Past 12 Months

Module: 8.4 Adult Asthma History

Type: Num

Column: 350-351

SAS Variable Name: ASDRVIST

Prologue:

If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	125	40.06	37.29
88	None	179	57.37	57.08
98	Don't know/Not sure	8	2.56	5.63
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 08.02, ASATTACK, is coded 2, 7, 9 or Missing	441,144		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Routine Asthma Care During Past 12 Months

Module: 8.5 Adult Asthma History

Type: Num

Column: 352-353

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	409	63.51	59.24
88	None	218	33.85	36.99
98	Don't know/Not sure	15	2.33	3.75
99	Refused	2	0.31	0.02
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	440,812		

Activities Limited Because of Asthma During Past 12 Months

Module: 8.6 Adult Asthma History

Type: Num

Column: 354-356

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	147	22.83	23.10
777	Don't know/Not sure	41	6.37	8.37
888	None	451	70.03	68.01
999	Refused	5	0.78	0.52
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	440,812		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Asthma Symptoms During Past 30 Days

Module: 8.7 Adult Asthma History

Type: Num

Column: 357

SAS Variable Name: ASYMPOTM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	114	17.78	16.80
2	Once or twice a week	137	21.37	22.58
3	More than 2 times a week, but not every day	73	11.39	10.36
4	Every day, but not all the time	73	11.39	12.88
5	Every day, all the time	33	5.15	5.00
7	Don't know/Not sure	25	3.90	4.14
8	Not at any time—Go to Module 08.09 ASTHMED3	183	28.55	27.76
9	Refused	3	0.47	0.49
BLANK	Not asked or Missing	440,815		

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 8.8 Adult Asthma History

Type: Num

Column: 358

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	70	15.32	13.59
2	Three to four	47	10.28	11.56
3	Five	23	5.03	6.58
4	Six to ten	29	6.35	6.00
5	More than ten	49	10.72	11.31
7	Don't know/Not sure	16	3.50	4.55
8	None	223	48.80	46.41
BLANK	Not asked or Missing	440,999		

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 08.07, ASYMPOTM, is coded 8

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Days used prescribed preventative asthma med in past 30 days

Module: 8.9 Adult Asthma History

Type: Num

Column: 359

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	128	20.03	20.29
2	15 to 24 days	34	5.32	6.39
3	25 to 30 days	243	38.03	30.26
7	Don't know/Not sure	15	2.35	2.24
8	Never	214	33.49	40.48
9	Refused	5	0.78	0.34
BLANK	Not asked or Missing	440,817		

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Times used asthma inhaler during an attack in past 30 days

Module: 8.10 Adult Asthma History

Type: Num

Column: 360

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 4 times (in the past 30 days)	179	28.01	28.37
2	5 to 14 times (in the past 30 days)	49	7.67	8.46
3	15 to 29 times (in the past 30 days)	29	4.54	5.33
4	30 to 59 times (in the past 30 days)	46	7.20	6.19
5	60 to 99 times (in the past 30 days)	12	1.88	1.53
6	100 or more times (in the past 30 days)	5	0.78	0.44
7	Don't know/Not sure	10	1.56	1.20
8	Never (include no attack in past 30 days)	305	47.73	48.17
9	Refused	4	0.63	0.31
BLANK	Not asked or Missing	440,817		

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Outpatient rehab after heart attack hosp stay

Module: 9.1 Cardiovascular Health

Type: Num

Column: 361

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called “rehab.”

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	403	39.86	31.71
2	No	592	58.56	66.50
7	Don't know/Not Sure	10	0.99	0.80
9	Refused	6	0.59	0.99
BLANK	Not asked or Missing	440,445		

Notes: Section 06.01, CVDINFR4, is coded 2, 7, 9 or Missing

Outpatient rehab after hosp stay for stroke

Module: 9.2 Cardiovascular Health

Type: Num

Column: 362

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called “rehab.”

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	260	37.46	37.11
2	No	426	61.38	62.42
7	Don't know/Not Sure	5	0.72	0.18
9	Refused	3	0.43	0.29
BLANK	Not asked or Missing	440,762		

Notes: Section 06.03, CVDSTRK3, is coded 2, 7, 9 or Missing

Take Aspirin Daily or Every Other Day

Module: 9.3 Cardiovascular Health

Type: Num

Column: 363

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Module 09.05 RLIVPAIN	5,620	29.90	23.27
2	No	13,150	69.95	76.53
7	Don't know/Not sure	23	0.12	0.14
9	Refused	5	0.03	0.06
BLANK	Not asked or Missing	422,658		

Health Makes Taking Aspirin Unsafe

Module: 9.4 Cardiovascular Health

Type: Num

Column: 364

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, not stomach related—Go to next module	967	7.34	5.11
2	Yes, stomach problems—Go to next module	570	4.33	3.07
3	No—Go to next module	11,518	87.41	90.98
7	Don't know/Not sure—Go to next module	110	0.83	0.72
9	Refused—Go to next module	12	0.09	0.13
BLANK	Not asked or Missing Notes: Module 09.03, CVDASPRN, is coded 1	428,279		

Take Aspirin to Relieve Pain

Module: 9.5 Cardiovascular Health

Type: Num

Column: 365

SAS Variable Name: RLIVPAIN

Prologue:

Description: Do you take aspirin to relieve pain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,163	20.70	24.80
2	No	4,429	78.82	74.39
7	Don't know/Not Sure	24	0.43	0.80
9	Refused	3	0.05	0.01
BLANK	Not asked or Missing Notes: Module 09.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	435,837		

Take Aspirin to Reduce Chance of Heart Attack

Module: 9.6 Cardiovascular Health

Type: Num

Column: 366

SAS Variable Name: RDUCHART

Prologue:

Description: Do you take aspirin to reduce the chance of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,663	82.99	79.87
2	No	807	14.36	17.49
7	Don't know/Not Sure	148	2.63	2.63
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing Notes: Module 09.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	435,837		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Take Aspirin to Reduce Chance of Stroke

Module: 9.7 Cardiovascular Health

Type: Num

Column: 367

SAS Variable Name: RDUCSTRK

Prologue:

Description: Do you take aspirin to reduce the chance of a stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,710	66.04	62.72
2	No	1,487	26.47	31.10
7	Don't know/Not Sure	416	7.40	6.08
9	Refused	5	0.09	0.11
BLANK	Not asked or Missing	435,838		

Notes: Module 09.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9

What Can You Do Because of Arthritis or Joint Symptoms

Module: 10.1 Arthritis Management

Type: Num

Column: 368

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	I can do everything I would like to do	4,483	22.77	23.84
2	I can do most things I would like to do	8,382	42.58	41.67
3	I can do some things I would like to do	4,862	24.70	24.70
4	I can hardly do anything I would like to do	1,829	9.29	9.27
7	Don't know/Not Sure	90	0.46	0.36
9	Refused	41	0.21	0.16
BLANK	Not asked or Missing	421,769		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 10.2 Arthritis Management

Type: Num

Column: 369

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,114	36.16	36.43
2	No	12,419	63.12	63.04
7	Don't know/Not Sure	109	0.55	0.38
9	Refused	33	0.17	0.15
BLANK	Not asked or Missing	421,781		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 10.3 Arthritis Management

Type: Num

Column: 370

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,248	57.18	57.10
2	No	8,179	41.58	41.71
7	Don't know/Not Sure	206	1.05	1.04
9	Refused	37	0.19	0.15
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	421,786		

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 10.4 Arthritis Management

Type: Num

Column: 371

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,566	13.05	12.50
2	No	16,997	86.45	86.96
7	Don't know/Not Sure	67	0.34	0.41
9	Refused	30	0.15	0.13
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	421,796		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Received Tetanus Shot Since 2005?

Module: 11.1 Tetanus Diphtheria (TDAP) (Adults)

Type: Num

Column: 372

SAS Variable Name: TETANUS

Prologue:

Description: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, received Tdap	6,449	15.89	17.80
2	Yes, received tetanus shot, but not Tdap	2,944	7.25	6.87
3	Yes, received tetanus shot but not sure what type	9,896	24.38	25.60
4	No, did not receive any tetanus since 2005	17,243	42.48	39.94
7	Don't know/Not Sure	4,034	9.94	9.74
9	Refused	21	0.05	0.06
BLANK	Not asked or Missing	400,869		

Have you ever had the HPV vaccination?

Module: 12.1 Adult Human Papillomavirus (HPV) - Vaccination

Type: Num

Column: 373

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,448	13.26	15.39
2	No—Go to Next Module	8,414	77.03	75.10
3	Doctor refused when asked—Go to Next Module	14	0.13	0.11
7	Don't know/Not Sure—Go to Next Module	1,017	9.31	9.00
9	Refused—Go to Next Module	30	0.27	0.40
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is greater than 49	430,533		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How many HPV shots did you receive?

Module: 12.2 Adult Human Papillomavirus (HPV) - Vaccination

Type: Num

Column: 374-375

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Number of shots	435	30.04	32.36
3	All shots	789	54.49	52.25
77	Don't know/Not Sure	221	15.26	15.16
99	Refused	3	0.21	0.24
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is greater than 49; or Module 11.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	440,008		

Have you ever had the shingles or zoster vaccine?

Module: 13.1 Shingles (Zostavax or ZOS)

Type: Num

Column: 376

SAS Variable Name: SHINGLE2

Prologue: The next question is about the Shingles vaccine.

Description: Have you ever had the shingles or zoster vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,870	28.05	23.18
2	No	19,719	70.28	74.94
7	Don't know/Not Sure	455	1.62	1.81
9	Refused	15	0.05	0.08
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50	413,397		

Have You Ever Had a Mammogram

Module: 14.1 Breast and Cervical Cancer Screening

Type: Num

Column: 377

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18,545	81.29	68.48
2	No—Go to Module 14.03 HADPAP2	4,191	18.37	31.08
7	Don't know/Not sure—Go to Module 14.03 HADPAP2	38	0.17	0.15
9	Refused—Go to Module 14.03 HADPAP2	39	0.17	0.28
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	418,643		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Long since Last Mammogram

Module: 14.2 Breast and Cervical Cancer Screening

Type: Num

Column: 378

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	11,413	61.55	61.10
2	Within the past 2 years (1 year but less than 2 years ago)	3,194	17.23	17.81
3	Within the past 3 years (2 years but less than 3 years ago)	1,256	6.77	7.11
4	Within the past 5 years (3 years but less than 5 years ago)	955	5.15	4.95
5	5 or more years ago	1,550	8.36	8.01
7	Don't know/Not sure	160	0.86	0.93
9	Refused	14	0.08	0.09
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 14.01, HADMAM, is coded 2, 7, 9, or Missing	422,914		

Ever Had a Pap Test

Module: 14.3 Breast and Cervical Cancer Screening

Type: Num

Column: 379

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21,271	93.29	90.10
2	No—Go to Module 14.05 HPVTEST	1,369	6.00	9.05
7	Don't know/Not sure—Go to Module 14.05 HPVTEST	122	0.54	0.60
9	Refused—Go to Module 14.05 HPVTEST	40	0.18	0.25
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	418,654		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Long Since Last Pap Test

Module: 14.4 Breast and Cervical Cancer Screening

Type: Num

Column: 380

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	8,592	40.40	47.94
2	Within the past 2 years (1 year but less than 2 years ago)	3,936	18.51	19.07
3	Within the past 3 years (2 years but less than 3 years ago)	2,126	10.00	9.02
4	Within the past 5 years (3 years but less than 5 years ago)	1,568	7.37	6.32
5	5 or more years ago	4,543	21.36	15.49
7	Don't know/Not sure	485	2.28	2.08
9	Refused	17	0.08	0.08
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 14.03, HADPAP2, is coded 2, 7, 9, or Missing	420,189		

Have you ever had an HPV test?

Module: 14.5 Breast and Cervical Cancer Screening

Type: Num

Column: 381

SAS Variable Name: HPVTEST

Prologue:

Now, I would like to ask you about the Human Papillomavirus (Pap•uh•loh•muh Virus) or HPV.

Description: An HPV test is sometimes given with the Pap test for cervical cancer screening. Have you ever had an HPV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,909	30.32	34.91
2	No—Go to Module 14.07 HADHYST2	9,310	40.85	37.40
7	Don't know/Not Sure—Go to Module 14.07 HADHYST2	6,523	28.62	27.43
9	Refused—Go to Module 14.07 HADHYST2	47	0.21	0.26
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	418,667		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How long since your last HPV test?

Module: 14.6 Breast and Cervical Cancer Screening

Type: Num

Column: 382

SAS Variable Name: HPLSTTST

Prologue:

Description: How long has it been since you had your last HPV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	3,075	44.52	51.79
2	Within the past 2 years (1 year but less than 2 years ago)	1,203	17.42	17.23
3	Within the past 3 years (2 years but less than 3 years ago)	612	8.86	7.92
4	Within the past 5 years (3 years but less than 5 years ago)	481	6.96	5.90
5	5 or more years ago	1,159	16.78	12.49
7	Don't know/Not Sure	374	5.41	4.60
9	Refused	3	0.04	0.07
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 10.01, HPVTEST, is coded 2, 7, 9 or Missing	434,549		

Had Hysterectomy

Module: 14.7 Breast and Cervical Cancer Screening

Type: Num

Column: 383

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,328	28.04	23.06
2	No	16,133	71.49	76.30
7	Don't know/Not sure	52	0.23	0.32
9	Refused	54	0.24	0.32
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Section 07.21, PREGNANT, is coded 1	418,889		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever Had Breast Physical Exam by Doctor

Module: 15.1 Clinical Breast Exam for Breast Cancer Screening

Type: Num

Column: 384

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,935	87.42	85.97
2	No—Go to next module	690	12.22	13.50
7	Don't know/Not sure—Go to next module	14	0.25	0.29
9	Refused—Go to next module	6	0.11	0.24
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	435,811		

How Long since Last Breast Physical Exam

Module: 15.2 Clinical Breast Exam for Breast Cancer Screening

Type: Num

Column: 385

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	3,029	61.40	64.18
2	Within the past 2 years (1 year but less than 2 years ago)	840	17.03	17.17
3	Within the past 3 years (2 years but less than 3 years ago)	338	6.85	6.06
4	Within the past 5 years (3 years but less than 5 years ago)	226	4.58	4.69
5	5 or more years ago	447	9.06	6.95
7	Don't know/Not sure	49	0.99	0.88
9	Refused	4	0.08	0.09
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 15.01, PROFEXAM, is coded 2, 7, 9, or Missing	436,523		

Ever Had Blood Stool Test Using Home Kit

Module: 16.1 Colorectal Cancer Screening

Type: Num

Column: 386

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19,780	36.38	31.81
2	No—Go to Module 16.03 HADSIGM3	34,100	62.71	67.16
7	Don't know/Not Sure—Go to Module 16.03 HADSIGM3	443	0.81	0.91
9	Refused—Go to Module 16.03 HADSIGM3	52	0.10	0.13
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50	387,081		

Time Since Last Blood Stool Test

Module: 16.2 Colorectal Cancer Screening

Type: Num

Column: 387

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	5,324	26.92	29.77
2	Within the past 2 years (1 year but less than 2 years ago)	2,683	13.57	14.57
3	Within the past 3 years (2 years but less than 3 years ago)	1,932	9.77	9.81
4	Within the past 5 years (3 years but less than 5 years ago)	2,351	11.89	11.86
5	5 or more years ago	6,899	34.88	30.87
7	Don't know/Not sure	571	2.89	3.03
9	Refused	17	0.09	0.09
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50; or Module 16.01, BLDSTOOL, is coded 2, 7, 9, or Missing	421,679		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever Had Sigmoidoscopy/Colonoscopy

Module: 16.3 Colorectal Cancer Screening

Type: Num

Column: 388

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39,382	72.47	69.61
2	No—Go to next module	14,660	26.98	29.82
7	Don't know/Not Sure—Go to next module	237	0.44	0.40
9	Refused—Go to next module	64	0.12	0.17
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50	387,113		

Was your last test a sigmoidoscopy or colonoscopy?

Module: 16.4 Colorectal Cancer Screening

Type: Num

Column: 389

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Sigmoidoscopy	1,529	3.88	3.47
2	Colonoscopy	37,016	94.04	94.13
7	Don't know/Not Sure	791	2.01	2.35
9	Refused	25	0.06	0.06
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50; or Module 16.03, HADSIGM3, is coded 2, 7, 9, or Missing	402,095		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 16.5 Colorectal Cancer Screening

Type: Num

Column: 390

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	8,465	21.51	23.99
2	Within the past 2 years (1 year but less than 2 years ago)	6,161	15.65	16.75
3	Within the past 3 years (2 years but less than 3 years ago)	5,780	14.69	14.65
4	Within the past 5 years (3 years but less than 5 years ago)	8,376	21.28	20.73
5	Within the past 10 years (5 years but less than 10 years ago)	7,394	18.79	16.73
6	10 or more years ago	2,636	6.70	5.70
7	Don't know/Not sure	514	1.31	1.39
9	Refused	32	0.08	0.07
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50; or Module 16.03, HADSIGM3, is coded 2, 7, 9, or Missing	402,098		

Has a health professional EVER talked with you about the advantages of the PSA test?

Module: 17.1 Prostate Cancer Screening

Type: Num

Column: 391

SAS Variable Name: PCPSAAD2

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,884	58.61	55.52
2	No	2,459	37.11	39.51
7	Don't know/Not Sure	253	3.82	4.18
9	Refused	31	0.47	0.79
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	434,829		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Module: 17.2 Prostate Cancer Screening

Type: Num

Column: 392

SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,820	27.49	25.24
2	No	4,487	67.78	69.55
7	Don't know/Not Sure	286	4.32	4.49
9	Refused	27	0.41	0.72
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	434,836		

Has a doctor EVER recommended that you have a PSA test?

Module: 17.3 Prostate Cancer Screening

Type: Num

Column: 393

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,455	52.23	49.26
2	No	2,888	43.66	46.19
7	Don't know/Not Sure	238	3.60	3.82
9	Refused	34	0.51	0.73
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	434,841		

Ever Had PSA Test

Module: 17.4 Prostate Cancer Screening

Type: Num

Column: 394

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,635	54.95	49.19
2	No—Go to next module	2,684	40.57	45.51
7	Don't know/Not Sure—Go to next module	267	4.04	4.63
9	Refused—Go to next module	29	0.44	0.67
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	434,841		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Time Since Last PSA Test

Module: 17.5 Prostate Cancer Screening

Type: Num

Column: 395

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,287	62.93	66.23
2	Within the past 2 years (1 year but less than 2 years ago)	523	14.39	14.16
3	Within the past 3 years (2 years but less than 3 years ago)	239	6.58	5.99
4	Within the past 5 years (3 years but less than 5 years ago)	208	5.72	4.87
5	5 or more years ago	295	8.12	6.31
7	Don't know/Not Sure	77	2.12	2.32
9	Refused	5	0.14	0.12
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	437,822		

What was the MAIN reason you had this PSA test?

Module: 17.6 Prostate Cancer Screening

Type: Num

Column: 396

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Part of a routine exam	2,689	74.06	75.49
2	Because of a prostate problem	256	7.05	6.87
3	Because of a family history of prostate cancer	176	4.85	5.91
4	Because you were told you had prostate cancer	167	4.60	3.12
5	Some other reason	316	8.70	7.94
7	Don't know/Not Sure	20	0.55	0.50
9	Refused	7	0.19	0.17
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	437,825		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Why was PSA test done?

Module: 18.1 Prostate Cancer Screening Decision Making

Type: Num

Column: 397

SAS Variable Name: PCPSADE1

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You made the decision alone—Go to next module	202	24.66	26.21
2	Your doctor, nurse, or health care provider made the decision alone—Go to next module	275	33.58	32.42
3	You and one or more other persons made the decision together	247	30.16	29.55
4	You don't remember how the decision was made—Go to next module	87	10.62	10.88
9	Refused	8	0.98	0.94
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	440,637		

Who made the decision with you to have PSA test?

Module: 18.2 Prostate Cancer Screening Decision Making

Type: Char

Column: 398-401

SAS Variable Name: PCDMDECN

Prologue:

Description: Who made the decision with you? (Mark all that apply)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Doctor/nurse/health care provider	208	81.57	79.52
2	Spouse/significant other	21	8.24	9.13
3	Other family member	2	0.78	0.86
4	Friend/non-relative	5	1.96	2.60
7	Don't know/Not Sure	3	1.18	1.32
9	Refused	4	1.57	1.45
12 - 4328	Multiple responses	12	4.71	5.12
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 18.01, PCPSADE1, is coded 1, 2, or 4	441,201		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 20.1 Social Context

Type: Num

Column: 602

SAS Variable Name: SCNTMNY1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	6,106	8.79	11.11
2	Usually	2,840	4.09	4.94
3	Sometimes	10,500	15.11	17.22
4	Rarely	11,215	16.14	17.64
5	Never	37,535	54.01	47.54
7	Don't know/Not Sure	121	0.17	0.14
8	Not applicable	1,047	1.51	1.22
9	Refused	138	0.20	0.20
BLANK	Not asked or Missing Notes: Section 07.08, RENTHOM1, is coded 3, 7, 9 or Missing	371,954		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 20.2 Social Context

Type: Num

Column: 603

SAS Variable Name: SCNTMEL1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	4,121	5.62	7.13
2	Usually	2,442	3.33	4.10
3	Sometimes	8,807	12.01	14.14
4	Rarely	8,850	12.06	14.18
5	Never	48,822	66.55	60.06
7	Don't know/Not Sure	118	0.16	0.14
8	Not applicable	76	0.10	0.09
9	Refused	124	0.17	0.16
BLANK	Not asked or Missing	368,096		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Are You Generally Paid For The Work You Do

Module: 20.3 Social Context

Type: Num

Column: 604

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Paid by salary	13,001	37.41	32.66
2	Paid by the hour	16,350	47.04	51.50
3	Paid by the job/task (e.g. commission, piecework)	3,004	8.64	9.09
4	Paid some other way	1,975	5.68	5.55
7	Don't know/Not Sure	172	0.49	0.48
9	Refused	253	0.73	0.71
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8	406,701		

How Many Hours Per Week Do You Work

Module: 20.4 Social Context

Type: Num

Column: 605-606

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 96	Hours (1-96 or more)—Go to next module	33,790	97.28	97.22
97	Don't know/Not Sure—Go to next module	628	1.81	1.82
98	Zero (none)—Go to next module	123	0.35	0.37
99	Refused—Go to next module	193	0.56	0.59
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8	406,722		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

How Were You Generally Paid For The Work You Did

Module: 20.5 Social Context

Type: Num

Column: 607

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Paid by salary	11,342	44.12	36.20
2	Paid by the hour	10,853	42.22	50.41
3	Paid by the job/task (e.g. commission, piecework)	1,405	5.47	5.89
4	Paid some other way	1,371	5.33	5.01
7	Don't know/Not Sure	563	2.19	1.94
9	Refused	171	0.67	0.55
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 1, 2, 5, 6, or 8; or Module 20.04, SCNTWRK1, is > 0	415,751		

How Many Hours Per Week Did You Work

Module: 20.6 Social Context

Type: Num

Column: 608-609

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 96	Hours (1-96 or more)	33,709	87.73	86.35
97	Don't know/Not Sure	2,580	6.71	6.26
98	Zero (none)	1,932	5.03	6.84
99	Refused	201	0.52	0.54
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 1 or 2; or Module 20.04, SCNTWRK1, is > 0	403,034		

Sexual orientation or gender identity

Module: 21.1 Sexual Orientation and Gender Identity

Type: Num

Column: 610

SAS Variable Name: SXORIENT

Prologue:

Description: Do you consider yourself to be: (We ask this question in order to better understand the health and health care needs of people with different sexual orientations.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Straight	157,199	94.13	92.89
2	Lesbian or gay	2,242	1.34	1.42
3	Bisexual	2,265	1.36	1.89
4	Other	581	0.35	0.45
7	Don't know/Not Sure	1,759	1.05	1.43
9	Refused	2,951	1.77	1.92
BLANK	Not asked or Missing	274,459		

Do you consider yourself to be transgender?

Module: 21.2 Sexual Orientation and Gender Identity

Type: Num

Column: 611

SAS Variable Name: TRNSGNDR

Prologue:

Description: Do you consider yourself to be transgender? (If yes, ask "Do you consider yourself to be male-to-female, female-to-male, or gender non-conforming?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Transgender, male-to-female	361	0.22	0.28
2	Yes, Transgender, female to male	237	0.14	0.16
3	Yes, Transgender, gender nonconforming	154	0.09	0.13
4	No	163,685	98.07	97.92
7	Don't know/Not Sure	946	0.57	0.66
9	Refused	1,524	0.91	0.85
BLANK	Not asked or Missing	274,549		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Gender of child

Module: 22.2 Random Child Selection

Type: Num

Column: 618

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	29,306	49.16	47.49
2	Girl	27,485	46.11	43.27
9	Refused	2,819	4.73	9.24
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	381,846		

Relationship to child

Module: 22.6 Random Child Selection

Type: Num

Column: 655

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent) Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	46,509	78.28	71.05
2	Grandparent	5,003	8.42	6.43
3	Foster parent or guardian	693	1.17	0.93
4	Sibling (include biologic, step, and adoptive sibling)	2,711	4.56	7.89
5	Other relative	1,376	2.32	3.41
6	Not related in any way	878	1.48	1.71
7	Don't know/Not sure	33	0.06	0.08
9	Refused	2,213	3.72	8.49
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	382,040		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Hlth pro ever said child has asthma

Module: 23.1 Childhood Asthma Prevalence

Type: Num

Column: 656

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,508	12.44	11.93
2	No—Go to next module	43,301	82.79	78.12
7	Don't know/Not Sure—Go to next module	555	1.06	1.19
9	Refused—Go to next module	1,941	3.71	8.76
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing	389,151		

Child still have asthma?

Module: 23.2 Childhood Asthma Prevalence

Type: Num

Column: 657

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,259	65.49	63.75
2	No	2,087	32.09	33.41
7	Don't know/Not Sure	155	2.38	2.80
9	Refused	2	0.03	0.04
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or Module 23.01, CASTHDX2, is coded 2, 7, 9, or Missing	434,953		

How often get emotional support needed

Module: 24.1 Emotional Support and Life Satisfaction

Type: Num

Column: 658

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	10,748	53.57	53.93
2	Usually	5,632	28.07	27.20
3	Sometimes	2,065	10.29	10.31
4	Rarely	596	2.97	3.41
5	Never	692	3.45	3.61
7	Don't know/Not sure	232	1.16	1.10
9	Refused	99	0.49	0.44
BLANK	Not asked or Missing	421,392		

Satisfaction with life

Module: 24.2 Emotional Support and Life Satisfaction

Type: Num

Column: 659

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	9,066	45.21	43.79
2	Satisfied	9,721	48.48	50.17
3	Dissatisfied	827	4.12	3.86
4	Very dissatisfied	224	1.12	1.07
7	Don't know/Not sure	133	0.66	0.70
9	Refused	81	0.40	0.41
BLANK	Not asked or Missing	421,404		

Days had little pleasure doing things

Module: 25.1 Anxiety and Depression

Type: Num

Column: 660-661

SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	6,069	29.68	33.34
88	None	13,663	66.83	63.14
77	Don't know/Not sure	594	2.91	3.13
99	Refused	119	0.58	0.39
BLANK	Not asked or Missing	421,011		

Days felt down, depressed or hopeless

Module: 25.2 Anxiety and Depression

Type: Num

Column: 662-663

SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	5,219	25.55	28.89
88	None	14,962	73.24	69.87
77	Don't know/Not sure	185	0.91	0.92
99	Refused	63	0.31	0.31
BLANK	Not asked or Missing	421,027		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Days had trouble with sleep

Module: 25.3 Anxiety and Depression

Type: Num

Column: 664-665

SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	9,317	45.63	48.02
88	None	10,788	52.83	50.53
77	Don't know/Not sure	256	1.25	1.21
99	Refused	58	0.28	0.24
BLANK	Not asked or Missing	421,037		

Days were tired or had little energy

Module: 25.4 Anxiety and Depression

Type: Num

Column: 666-667

SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	12,232	59.92	63.51
88	None	7,776	38.09	34.81
77	Don't know/Not sure	339	1.66	1.42
99	Refused	66	0.32	0.26
BLANK	Not asked or Missing	421,043		

Days ate too little or too much

Module: 25.5 Anxiety and Depression

Type: Num

Column: 668-669

SAS Variable Name: ADEAT1

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	7,044	34.53	36.47
88	None	12,998	63.71	61.81
77	Don't know/Not sure	302	1.48	1.51
99	Refused	58	0.28	0.22
BLANK	Not asked or Missing	421,054		

Days felt like failure or let family down

Module: 25.6 Anxiety and Depression

Type: Num

Column: 670-671

SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	3,478	17.05	20.51
88	None	16,682	81.79	78.33
77	Don't know/Not sure	160	0.78	0.79
99	Refused	75	0.37	0.37
BLANK	Not asked or Missing	421,061		

Days had trouble concentrating

Module: 25.7 Anxiety and Depression

Type: Num

Column: 672-673

SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,998	14.71	17.81
88	None	17,156	84.18	81.04
77	Don't know/Not sure	175	0.86	0.91
99	Refused	52	0.26	0.24
BLANK	Not asked or Missing	421,075		

Days talked to move slower or faster than usual

Module: 25.8 Anxiety and Depression

Type: Num

Column: 674-675

SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,213	10.87	13.10
88	None	17,705	86.94	84.56
77	Don't know/Not sure	394	1.93	2.09
99	Refused	53	0.26	0.25
BLANK	Not asked or Missing	421,091		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Receiving medicine or treatment from health pro for emotional problem

Module: 25.9 Anxiety and Depression

Type: Num

Column: 676

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,989	14.69	14.15
2	No	17,273	84.88	85.39
7	Don't know/Not sure	44	0.22	0.21
9	Refused	44	0.22	0.25
BLANK	Not asked or Missing	421,106		

Ever told you had an anxiety disorder

Module: 25.10 Anxiety and Depression

Type: Num

Column: 677

SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,294	16.19	18.21
2	No	16,919	83.17	81.06
7	Don't know/Not sure	91	0.45	0.54
9	Refused	38	0.19	0.19
BLANK	Not asked or Missing	421,114		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Questionnaire Version Identifier

State: 1.1 Questionnaire Version **Type:** Num
Column: 682-683 **SAS Variable Name:** QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	Landline single questionnaire	150,457	34.08	20.09
11	Landline multiple questionnaire version 1	52,636	11.92	8.80
12	Landline multiple questionnaire version 2	47,346	10.72	8.19
13	Landline multiple questionnaire version 3	4,206	0.95	1.74
20	Cell Phone single questionnaire	111,274	25.21	32.71
21	Cell Phone multiple questionnaire version 1	35,601	8.06	12.57
22	Cell Phone multiple questionnaire version 2	33,987	7.70	11.94
23	Cell Phone multiple questionnaire version 3	5,949	1.35	3.98

Language identifier

State: 1.1 Questionnaire Language **Type:** Num
Column: 684-685 **SAS Variable Name:** QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	425,069	96.29	92.13
2	Spanish	16,356	3.71	7.87
3 - 99	Other	9	0.00	0.00
BLANK	Missing	22		

First Activity Other response description

Section: 11.3 Exercise (Physical Activity) **Type:** Char
Column: 841-860 **SAS Variable Name:** EXACTOT1

Prologue:

Description: First Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	441,456	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Second Activity Other response description

Section: 11.7 Exercise (Physical Activity)

Type: Char

Column: 861-880

SAS Variable Name: EXACTOT2

Prologue:

Description: Second Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	441,456	100.00	100.00

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 1406

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	111,864	44.64	50.14
2	Outside the center city of an MSA but inside the county containing the center city	44,086	17.59	24.81
3	Inside a suburban county of the MSA	18,099	7.22	7.05
5	Not in an MSA	76,530	30.54	18.01
BLANK	GU, PR, VI	190,877		

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 1407-1412

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables **Type:** Num
Column: 1413-1422 **SAS Variable Name:** _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables **Type:** Num
Column: 1443-1452 **SAS Variable Name:** _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPNPH, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00	100.00

Design weight use in raking

Weighting: 1.8 Weighting Variables **Type:** Num
Column: 1453-1462 **SAS Variable Name:** _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Child Hispanic, Latino/a, or Spanish origin calculated variable

ChildDemogra phics: 1.01 Child Demographic Variables

Type: Num

Column: 1478

SAS Variable Name: _CHISPNC

Prologue:

Description: Child Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Child of Hispanic, Latino/a, or Spanish origin	10,571	3.31	6.90
2	Child not of Hispanic, Latino/a, or Spanish origin	51,296	16.05	17.89
9	Don't know/Not Sure/Refused	257,768	80.64	75.21
BLANK	Not asked or Missing	121,821		

Child Non-Hispanic Race including Multiracial

ChildDemogra phics: 1.04 Child Demographic Variables

Type: Num

Column: 1535-1536

SAS Variable Name: _CRACE1

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only	46,797	71.85	64.19
2	Black or African American only	5,856	8.99	11.31
3	American Indian or Alaskan Native only	1,735	2.66	1.88
4	Asian Only	1,840	2.83	4.48
5	Native Hawaiian or other Pacific Islander only	216	0.33	0.34
6	Other race only	1,765	2.71	3.57
7	Multiracial	3,054	4.69	3.67
77	Don't know/Not sure	706	1.08	1.20
99	Refused	3,160	4.85	9.36
BLANK	Missing	376,327		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Preferred Child Race Categories

ChildDemograp	1.05 Child Demographic Variables	Type: Num
phics:		
Column:	1537-1538	SAS Variable Name: _CPRACE
Prologue:		
Description:	Preferred Child Race Categories	
Value	Value Label	
1	White	Frequency Percentage Weighted Percentage
2	Black or African American	46,797 71.85 64.19
3	American Indian or Alaskan Native	5,856 8.99 11.31
4	Asian	1,735 2.66 1.88
5	Native Hawaiian or other Pacific Islander	1,840 2.83 4.48
6	Other race	216 0.33 0.34
7	No preferred race	1,765 2.71 3.57
77	Don't know/Not sure	3,054 4.69 3.67
99	Refused	706 1.08 1.20
BLANK	Missing	3,160 4.85 9.36
		376,327

Final child weight: Land-line and Cell-Phone data

ChildLandand	1.5 Child Weighting Variables	Type: Num
CellRaking:		
Column:	1580-1589	SAS Variable Name: _CLLCPWT
Prologue:		
Description:	Final child weight: Land-line and Cell-Phone data (Raking derived weight)	
Value	Value Label	
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	Frequency Percentage Weighted Percentage
		441,456 100.00 100.00

Dual Phone Use Categories

LandandCellR	1.2 Weighting Variables	Type: Num
aking:		
Column:	1677	SAS Variable Name: _DUALUSE
Prologue:		
Description:	Dual Phone Use Categories	
Value	Value Label	
1	Landline frame with a cell phone	Frequency Percentage Weighted Percentage
2	Cell phone frame with a landline	205,310 46.51 31.38
9	No Dual Phone Use	70,341 15.93 16.14
		165,805 37.56 52.48

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Dual Phone Use Correction Factor

LandandCellR	1.3	Weighting Variables	Type: Num
aking:			
Column:	1678-1687		SAS Variable Name: _DUALCOR
Prologue:			
Description:	Dual phone use correction factor		
Value	Value Label	Frequency	Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	441,456	100.00
			100.00

Final weight: Land-line and cell-phone data

LandandCellR	1.21	Weighting Variables	Type: Num
aking:			
Column:	1746-1755		SAS Variable Name: _LLCPWT
Prologue:			
Description:	Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)		
Value	Value Label	Frequency	Percentage
HIDDEN	Data not displayed	441,456	100.00
			100.00

Adults with good or better health

CalculatedVari	1.1	Calculated Variables	Type: Num
ables:			
Column:	1894		SAS Variable Name: _RFHLTH
Prologue:			
Description:	Adults with good or better health		
Value	Value Label	Frequency	Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	358,072	81.11
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	82,137	18.61
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	1,247	0.28
			0.29

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Respondents aged 18-64 with health care coverage

CalculatedVariables:	3.1	Calculated Variables	Type: Num	
Column:	1895	SAS Variable Name:	_HCVU651	
Prologue:				
Description: Respondents aged 18-64 who have any form of health care coverage				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 1	252,542	57.21	67.27
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 2	29,661	6.72	11.67
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLN1 = 7 or 9 or Missing	159,253	36.07	21.05

High Blood Pressure Calculated Variable

CalculatedVariables:	4.1	Calculated Variables	Type: Num	
Column:	1896	SAS Variable Name:	_RFHYPE5	
Prologue:				
Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	261,901	59.33	67.78
2	Yes Notes: BPHIGH4 = 1	178,188	40.36	31.90
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	1,367	0.31	0.31

Cholesterol Checked Calculated Variable

CalculatedVariables:	5.1	Calculated Variables	Type: Num	
Column:	1897	SAS Variable Name:	_CHOLCHK	
Prologue:				
Description: Cholesterol check within past five years				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	362,923	82.21	74.83
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	13,523	3.06	3.15
3	Have never had cholesterol checked Notes: BLOODCHO = 2	49,673	11.25	18.04
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	15,337	3.47	3.98

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

High Cholesterol Calculated Variable

CalculatedVariables:	5.2	Calculated Variables	Type:	Num
Column:	1898		SAS Variable Name:	_RFCHOL
Prologue:				
Description:	Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	218,771	57.22	62.97
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	159,970	41.84	36.19
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	3,561	0.93	0.84
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	59,154		

Ever had CHD or MI

CalculatedVariables:	6.1	Calculated Variables	Type:	Num
Column:	1899		SAS Variable Name:	_MICHLD
Prologue:				
Description:	Respondents that have ever reported having coronary heart disease (CHD) or myocardial infarction (MI)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Reported having MI or CHD Notes: CVDINFR4=1 OR CVDCRHD4=1	38,633	8.83	6.42
2	Did not report having MI or CHD Notes: CVDINFR4=2 AND CVDCRHD4=2	398,881	91.17	93.58
BLANK	Not asked or Missing Notes: CVDINFR4=7, 9 OR MISSING OR CVDCRHD4=7, 9, OR MISSING	3,942		

Lifetime Asthma Calculated Variable

CalculatedVariables:	6.2	Calculated Variables	Type:	Num
Column:	1900		SAS Variable Name:	_LTASTH1
Prologue:				
Description:	Adults who have ever been told they have asthma			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	380,554	86.20	85.88
2	Yes Notes: ASTHMA3 = 1	59,409	13.46	13.80
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	1,493	0.34	0.32

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Current Asthma Calculated Variable

CalculatedVariables:	6.3	Calculated Variables	Type: Num																				
Column:	1901	SAS Variable Name: _CASTHM1																					
Prologue:																							
Description: Adults who have been told they currently have asthma																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2</td> <td style="text-align: right; padding: 2px;">398,154</td> <td style="text-align: right; padding: 2px;">90.19</td> <td style="text-align: right; padding: 2px;">90.48</td> </tr> <tr> <td style="text-align: center; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1</td> <td style="text-align: right; padding: 2px;">40,000</td> <td style="text-align: right; padding: 2px;">9.06</td> <td style="text-align: right; padding: 2px;">8.77</td> </tr> <tr> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing</td> <td style="text-align: right; padding: 2px;">3,302</td> <td style="text-align: right; padding: 2px;">0.75</td> <td style="text-align: right; padding: 2px;">0.75</td> </tr> </tbody> </table>			Value	Value Label	Frequency	Percentage	Weighted Percentage	1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	398,154	90.19	90.48	2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	40,000	9.06	8.77	9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	3,302	0.75	0.75	
Value	Value Label	Frequency	Percentage	Weighted Percentage																			
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	398,154	90.19	90.48																			
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	40,000	9.06	8.77																			
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	3,302	0.75	0.75																			

Computed Asthma Status

CalculatedVariables:	6.4	Calculated Variables	Type: Num																									
Column:	1902	SAS Variable Name: _ASTHMS1																										
Prologue:																												
Description: Computed asthma status																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Current Notes: ASTHMA3 = 1 and ASTHNOW = 1</td> <td style="text-align: right; padding: 2px;">40,000</td> <td style="text-align: right; padding: 2px;">9.06</td> <td style="text-align: right; padding: 2px;">8.77</td> </tr> <tr> <td style="text-align: center; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Former Notes: ASTHMA3 = 1 and ASTHNOW = 2</td> <td style="text-align: right; padding: 2px;">17,600</td> <td style="text-align: right; padding: 2px;">3.99</td> <td style="text-align: right; padding: 2px;">4.60</td> </tr> <tr> <td style="text-align: center; padding: 2px;">3</td> <td style="text-align: left; padding: 2px;">Never Notes: ASTHMA3 = 2</td> <td style="text-align: right; padding: 2px;">380,554</td> <td style="text-align: right; padding: 2px;">86.20</td> <td style="text-align: right; padding: 2px;">85.88</td> </tr> <tr> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing</td> <td style="text-align: right; padding: 2px;">3,302</td> <td style="text-align: right; padding: 2px;">0.75</td> <td style="text-align: right; padding: 2px;">0.75</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	40,000	9.06	8.77	2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	17,600	3.99	4.60	3	Never Notes: ASTHMA3 = 2	380,554	86.20	85.88	9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	3,302	0.75	0.75
Value	Value Label	Frequency	Percentage	Weighted Percentage																								
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	40,000	9.06	8.77																								
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	17,600	3.99	4.60																								
3	Never Notes: ASTHMA3 = 2	380,554	86.20	85.88																								
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	3,302	0.75	0.75																								

Respondents diagnosed with arthritis

CalculatedVariables:	6.5	Calculated Variables	Type: Num																				
Column:	1903	SAS Variable Name: _DRDXAR1																					
Prologue:																							
Description: Respondents who have had a doctor diagnose them as having some form of arthritis																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Diagnosed with arthritis Notes: HAVARTH3 = 1</td> <td style="text-align: right; padding: 2px;">148,036</td> <td style="text-align: right; padding: 2px;">33.75</td> <td style="text-align: right; padding: 2px;">24.68</td> </tr> <tr> <td style="text-align: center; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Not diagnosed with arthritis Notes: HAVARTH3 = 2</td> <td style="text-align: right; padding: 2px;">290,621</td> <td style="text-align: right; padding: 2px;">66.25</td> <td style="text-align: right; padding: 2px;">75.32</td> </tr> <tr> <td style="text-align: center; padding: 2px;">BLANK</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing</td> <td style="text-align: right; padding: 2px;">2,799</td> <td></td> <td></td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	1	Diagnosed with arthritis Notes: HAVARTH3 = 1	148,036	33.75	24.68	2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	290,621	66.25	75.32	BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	2,799		
Value	Value Label	Frequency	Percentage	Weighted Percentage																			
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	148,036	33.75	24.68																			
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	290,621	66.25	75.32																			
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	2,799																					

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed Preferred Race

CalculatedVariables: 7.3 Calculated Race Variables **Type:** Num

Column: 1960-1961

SAS Variable Name: _PRACE1

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACASC1 = 10	363,201	82.27	73.68
2	Black or African American Notes: MRACASC1 = 20	36,873	8.35	12.53
3	American Indian or Alaskan Native Notes: MRACASC1 = 30	8,722	1.98	1.91
4	Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47	10,894	2.47	5.17
5	Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54	2,901	0.66	0.42
6	Other race Notes: MRACASC1 = 60	8,905	2.02	3.26
7	No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9	1,138	0.26	0.27
8	Multiracial but preferred race not answered Notes: MRACASC1 >= 100 and ORACE3 = 8 or Missing	7	0.00	0.00
77	Don't know/Not sure Notes: MRACASC1 = 77	3,475	0.79	1.35
99	Refused Notes: MRACASC1 = 99	5,340	1.21	1.40

Calculated non-Hispanic Race including multiracial

CalculatedVariables: 7.4 Calculated Race Variables **Type:** Num
Column: 1962-1963 **SAS Variable Name:** _MRACE1

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACASC1 = 10	359,173	81.36	72.99
2	Black or African American only Notes: MRACASC1 = 20	35,908	8.13	12.24
3	American Indian or Alaskan Native only Notes: MRACASC1 = 30	7,942	1.80	1.78
4	Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47	10,117	2.29	5.05
5	Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54	1,743	0.39	0.32
6	Other race only Notes: MRACASC1 = 60	8,673	1.96	3.19
7	Multiracial Notes: MRACASC1 >= 100	9,085	2.06	1.68
77	Don't know/Not sure Notes: MRACASC1 = 77	3,475	0.79	1.35
99	Refused Notes: MRACASC1 = 99	5,340	1.21	1.40

Hispanic, Latino/a, or Spanish origin calculated variable

CalculatedVariables: 7.6 Calculated Race Variables **Type:** Num
Column: 1966 **SAS Variable Name:** _HISPANC

Prologue:

Description: Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Hispanic, Latino/a, or Spanish origin	35,795	8.11	16.36
2	Not of Hispanic, Latino/a, or Spanish origin	401,525	90.95	82.69
9	Don't Know, Refused or Missing	4,136	0.94	0.95

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed Race-Ethnicity grouping

CalculatedVariables: 7.7 Calculated Race Variables **Type:** Num

Column: 1967

SAS Variable Name: _RACE

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 10	336,066	76.13	62.55
2	Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 20	34,346	7.78	11.55
3	American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 33	6,546	1.48	0.98
4	Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 40,41,42,43,44,45,46,47	9,759	2.21	4.89
5	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 50,51,52,53,54	1,406	0.32	0.19
6	Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 60	1,945	0.44	0.41
7	Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 77	8,156	1.85	1.39
8	Hispanic Notes: _HISPANC = 1	35,795	8.11	16.36
9	Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2	7,437	1.68	1.68

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

CalculatedVariables: 7.8 Calculated Race Variables **Type:** Num

Column: 1968

SAS Variable Name: _RACEG21

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: _RACE = 1	336,066	76.13	62.55
2	Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8	97,953	22.19	35.76
9	Don't know/Not sure/Refused Notes: _RACE = 9	7,437	1.68	1.68

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed Five level race/ethnicity category.

CalculatedVariables:	7.9 Calculated Race Variables	Type: Num		
Column:	1969	SAS Variable Name: _RACEGR3		
Prologue:				
Description: Five-level race/ethnicity category				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic	336,066	76.13	62.55
2	Black only, Non-Hispanic	34,346	7.78	11.55
3	Other race only, Non-Hispanic	19,656	4.45	6.47
4	Multiracial, Non-Hispanic	8,156	1.85	1.39
5	Hispanic	35,795	8.11	16.36
9	Don't know/Not sure/Refused	7,437	1.68	1.68

Computed race groups used for internet prevalence tables

CalculatedVariables:	7.10 Calculated Race Variables	Type: Num		
Column:	1970	SAS Variable Name: _RACE_G1		
Prologue:				
Description: Race groups used for internet prevalence tables				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic	336,066	77.43	63.62
2	Black - Non-Hispanic	34,346	7.91	11.74
3	Hispanic	35,795	8.25	16.64
4	Other race only, Non-Hispanic	19,656	4.53	6.58
5	Multiracial, Non-Hispanic	8,156	1.88	1.41
BLANK	Don't know/Not sure/Refused component question	7,437		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Reported age in five-year age categories calculated variable

CalculatedVariables: 7.11 Calculated Variables

Type: Num

Column: 1971-1972

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	24,192	5.48	12.79
2	Age 25 to 29 Notes: 25 <= AGE <= 29	19,746	4.47	8.12
3	Age 30 to 34 Notes: 30 <= AGE <= 34	22,917	5.19	9.19
4	Age 35 to 39 Notes: 35 <= AGE <= 39	24,545	5.56	7.87
5	Age 40 to 44 Notes: 40 <= AGE <= 44	25,942	5.88	8.34
6	Age 45 to 49 Notes: 45 <= AGE <= 49	30,276	6.86	7.37
7	Age 50 to 54 Notes: 50 <= AGE <= 54	39,881	9.03	9.51
8	Age 55 to 59 Notes: 55 <= AGE <= 59	46,209	10.47	8.28
9	Age 60 to 64 Notes: 60 <= AGE <= 64	49,794	11.28	8.02
10	Age 65 to 69 Notes: 65 <= AGE <= 69	49,264	11.16	6.39
11	Age 70 to 74 Notes: 70 <= AGE <= 74	38,362	8.69	4.91
12	Age 75 to 79 Notes: 75 <= AGE <= 79	28,232	6.40	3.83
13	Age 80 or older Notes: 80 <= AGE <= 99	36,760	8.33	4.37
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	5,336	1.21	1.01

Reported age in two age groups calculated variable

CalculatedVariables: 7.12 Calculated Variables

Type: Num

Column: 1973

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	283,502	64.22	79.48
2	Age 65 or older Notes: 65 <= AGE <= 99	152,618	34.57	19.51
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	5,336	1.21	1.01

Imputed Age value collapsed above 80

CalculatedVariables: 7.13 Calculated Variables **Type:** Num

Column: 1974-1975 **SAS Variable Name:** _AGE80

Prologue:

Description: Imputed Age value collapsed above 80

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Imputed Age 18 to 24	24,196	5.48	12.79
25 - 29	Imputed Age 25 to 29	19,755	4.47	8.12
30 - 34	Imputed Age 30 to 34	22,964	5.20	9.21
35 - 39	Imputed Age 35 to 39	24,643	5.58	7.94
40 - 44	Imputed Age 40 to 44	26,176	5.93	8.46
45 - 49	Imputed Age 45 to 49	31,399	7.11	7.67
50 - 54	Imputed Age 50 to 54	40,512	9.18	9.63
55 - 59	Imputed Age 55 to 59	46,625	10.56	8.34
60 - 64	Imputed Age 60 to 64	51,977	11.77	8.27
65 - 69	Imputed Age 65 to 69	49,826	11.29	6.46
70 - 74	Imputed Age 70 to 74	38,384	8.69	4.92
75 - 79	Imputed Age 75 to 79	28,235	6.40	3.83
80 - 99	Imputed Age 80 or older	36,764	8.33	4.37

Imputed age in six groups

CalculatedVariables: 7.14 Calculated Variables **Type:** Num

Column: 1976 **SAS Variable Name:** _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= _IMPAGE <= 24	24,196	5.48	12.79
2	Age 25 to 34 Notes: 25 <= _IMPAGE <= 34	42,719	9.68	17.33
3	Age 35 to 44 Notes: 35 <= _IMPAGE <= 44	50,819	11.51	16.40
4	Age 45 to 54 Notes: 45 <= _IMPAGE <= 54	71,911	16.29	17.30
5	Age 55 to 64 Notes: 55 <= _IMPAGE <= 64	98,602	22.34	16.60
6	Age 65 or older Notes: _IMPAGE => 65	153,209	34.71	19.58

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed Height in Inches

CalculatedVariables: 7.15 Calculated Variables **Type:** Num

Column: 1977-1979 **SAS Variable Name:** HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	424,196	100.00	100.00
BLANK		17,260		

Computed Height in Meters

CalculatedVariables: 7.16 Calculated Variables **Type:** Num

Column: 1980-1982 **SAS Variable Name:** HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91 - 244	Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254)	426,024	100.00	100.00
BLANK		15,432		

Computed Weight in Kilograms

CalculatedVariables: 7.17 Calculated Variables **Type:** Num

Column: 1983-1987 **SAS Variable Name:** WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
2300 - 29500	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046)	410,535	93.00	93.29
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values	30,921	7.00	6.71

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed body mass index

CalculatedVariables: 7.18 Calculated Variables **Type:** Num

Column: 1988-1991

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	405,058	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999	36,398		

Computed body mass index categories

CalculatedVariables: 7.19 Calculated Variables **Type:** Num

Column: 1992

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	6,721	1.66	1.80
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	131,409	32.44	33.63
3	Overweight Notes: 2500 <= _BMI5 < 3000	147,004	36.29	35.71
4	Obese Notes: 30000 <= _BMI5 < 9999	119,924	29.61	28.86
BLANK	Don't know/Refused/Missing Notes: _BMI5 = 9999	36,398		

Overweight or obese calculated variable

CalculatedVariables: 7.20 Calculated Variables **Type:** Num

Column: 1993

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places)	138,130	31.29	32.31
2	Yes Notes: 2500 <= _BMI5 < 9999	266,928	60.47	58.87
9	Don't know/Refused/Missing Notes: _BMI5 = 9999	36,398	8.24	8.82

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed number of children in household

CalculatedVariables:	7.21	Calculated Variables	Type: Num																																
Column:	1994	SAS Variable Name:	_CHLDCNT																																
Prologue:																																			
Description: Number of children in household																																			
<table border="1"> <thead> <tr> <th>Value</th><th>Value Label</th><th>Frequency</th><th>Percentage</th></tr> </thead> <tbody> <tr> <td>1</td><td>No children in household Notes: CHILDREN = 88</td><td>324,000</td><td>73.39</td></tr> <tr> <td>2</td><td>One child in household Notes: CHILDREN = 01</td><td>46,376</td><td>10.51</td></tr> <tr> <td>3</td><td>Two children in household Notes: CHILDREN = 02</td><td>40,614</td><td>9.20</td></tr> <tr> <td>4</td><td>Three children in household Notes: CHILDREN = 03</td><td>17,313</td><td>3.92</td></tr> <tr> <td>5</td><td>Four children in household Notes: CHILDREN = 04</td><td>6,371</td><td>1.44</td></tr> <tr> <td>6</td><td>Five or more children in household Notes: 05 <= CHILDREN < 88</td><td>3,145</td><td>0.71</td></tr> <tr> <td>9</td><td>Don't know/Not sure/Missing Notes: CHILDREN = 99</td><td>3,637</td><td>0.82</td></tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	1	No children in household Notes: CHILDREN = 88	324,000	73.39	2	One child in household Notes: CHILDREN = 01	46,376	10.51	3	Two children in household Notes: CHILDREN = 02	40,614	9.20	4	Three children in household Notes: CHILDREN = 03	17,313	3.92	5	Four children in household Notes: CHILDREN = 04	6,371	1.44	6	Five or more children in household Notes: 05 <= CHILDREN < 88	3,145	0.71	9	Don't know/Not sure/Missing Notes: CHILDREN = 99	3,637	0.82
Value	Value Label	Frequency	Percentage																																
1	No children in household Notes: CHILDREN = 88	324,000	73.39																																
2	One child in household Notes: CHILDREN = 01	46,376	10.51																																
3	Two children in household Notes: CHILDREN = 02	40,614	9.20																																
4	Three children in household Notes: CHILDREN = 03	17,313	3.92																																
5	Four children in household Notes: CHILDREN = 04	6,371	1.44																																
6	Five or more children in household Notes: 05 <= CHILDREN < 88	3,145	0.71																																
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	3,637	0.82																																

Computed level of education completed categories

CalculatedVariables:	7.22	Calculated Variables	Type: Num																								
Column:	1995	SAS Variable Name:	_EDUCAG																								
Prologue:																											
Description: Level of education completed																											
<table border="1"> <thead> <tr> <th>Value</th><th>Value Label</th><th>Frequency</th><th>Percentage</th></tr> </thead> <tbody> <tr> <td>1</td><td>Did not graduate High School Notes: EDUCA = 1 or 2 or 3</td><td>34,259</td><td>7.76</td></tr> <tr> <td>2</td><td>Graduated High School Notes: EDUCA = 4</td><td>123,227</td><td>27.91</td></tr> <tr> <td>3</td><td>Attended College or Technical School Notes: EDUCA = 5</td><td>120,528</td><td>27.30</td></tr> <tr> <td>4</td><td>Graduated from College or Technical School Notes: EDUCA = 6</td><td>161,631</td><td>36.61</td></tr> <tr> <td>9</td><td>Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing</td><td>1,811</td><td>0.41</td></tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	34,259	7.76	2	Graduated High School Notes: EDUCA = 4	123,227	27.91	3	Attended College or Technical School Notes: EDUCA = 5	120,528	27.30	4	Graduated from College or Technical School Notes: EDUCA = 6	161,631	36.61	9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	1,811	0.41
Value	Value Label	Frequency	Percentage																								
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	34,259	7.76																								
2	Graduated High School Notes: EDUCA = 4	123,227	27.91																								
3	Attended College or Technical School Notes: EDUCA = 5	120,528	27.30																								
4	Graduated from College or Technical School Notes: EDUCA = 6	161,631	36.61																								
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	1,811	0.41																								

Computed income categories

CalculatedVariables:	7.23 Calculated Variables	Type: Num		
Column:	1996	SAS Variable Name: _INCOMG		
Prologue:				
Description:	Income categories			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	38,048	8.62	9.54
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	59,174	13.40	14.07
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	39,235	8.89	8.70
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	52,052	11.79	11.25
5	\$50,000 or more Notes: INCOME2 = 7 or 8	173,442	39.29	38.88
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	79,505	18.01	17.56

Computed Smoking Status

CalculatedVariables:	8.1 Calculated Variables	Type: Num		
Column:	1997	SAS Variable Name: _SMOKER3		
Prologue:				
Description:	Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	43,583	9.87	10.88
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	17,998	4.08	4.96
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	122,277	27.70	23.25
4	Never smoked Notes: SMOKE100 = 2	239,608	54.28	55.62
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	17,990	4.08	5.29

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Current Smoking Calculated Variable

CalculatedVariables:	8.2	Calculated Variables	Type: Num																				
Column:	1998	SAS Variable Name: _RFSMOK3																					
Prologue:																							
Description: Adults who are current smokers																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">No Notes: _SMOKER3 = 3 or 4</td> <td style="text-align: right; padding: 2px;">361,885</td> <td style="text-align: right; padding: 2px;">81.98</td> <td style="text-align: right; padding: 2px;">78.87</td> </tr> <tr> <td style="text-align: center; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Yes Notes: _SMOKER3 = 1 or 2</td> <td style="text-align: right; padding: 2px;">61,581</td> <td style="text-align: right; padding: 2px;">13.95</td> <td style="text-align: right; padding: 2px;">15.84</td> </tr> <tr> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Don't know/Refused/Missing Notes: _SMOKER3 = 9</td> <td style="text-align: right; padding: 2px;">17,990</td> <td style="text-align: right; padding: 2px;">4.08</td> <td style="text-align: right; padding: 2px;">5.29</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	1	No Notes: _SMOKER3 = 3 or 4	361,885	81.98	78.87	2	Yes Notes: _SMOKER3 = 1 or 2	61,581	13.95	15.84	9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	17,990	4.08	5.29
Value	Value Label	Frequency	Percentage	Weighted Percentage																			
1	No Notes: _SMOKER3 = 3 or 4	361,885	81.98	78.87																			
2	Yes Notes: _SMOKER3 = 1 or 2	61,581	13.95	15.84																			
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	17,990	4.08	5.29																			

Drink any alcoholic beverages in past 30 days

CalculatedVariables:	9.1	Calculated Variables	Type: Num																									
Column:	1999	SAS Variable Name: DRNKANY5																										
Prologue:																												
Description: Adults who reported having had at least one drink of alcohol in the past 30 days.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Yes Notes: 1 <= ALCDAY5 <= 231</td> <td style="text-align: right; padding: 2px;">211,346</td> <td style="text-align: right; padding: 2px;">47.87</td> <td style="text-align: right; padding: 2px;">49.23</td> </tr> <tr> <td style="text-align: center; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">No Notes: ALCDAY5=888</td> <td style="text-align: right; padding: 2px;">208,460</td> <td style="text-align: right; padding: 2px;">47.22</td> <td style="text-align: right; padding: 2px;">44.68</td> </tr> <tr> <td style="text-align: center; padding: 2px;">7</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure Notes: ALCDAY5=777</td> <td style="text-align: right; padding: 2px;">3,095</td> <td style="text-align: right; padding: 2px;">0.70</td> <td style="text-align: right; padding: 2px;">0.72</td> </tr> <tr> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Refused/Missing Notes: ALCDAY5=999, Missing</td> <td style="text-align: right; padding: 2px;">18,555</td> <td style="text-align: right; padding: 2px;">4.20</td> <td style="text-align: right; padding: 2px;">5.38</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	1	Yes Notes: 1 <= ALCDAY5 <= 231	211,346	47.87	49.23	2	No Notes: ALCDAY5=888	208,460	47.22	44.68	7	Don't know/Not Sure Notes: ALCDAY5=777	3,095	0.70	0.72	9	Refused/Missing Notes: ALCDAY5=999, Missing	18,555	4.20	5.38
Value	Value Label	Frequency	Percentage	Weighted Percentage																								
1	Yes Notes: 1 <= ALCDAY5 <= 231	211,346	47.87	49.23																								
2	No Notes: ALCDAY5=888	208,460	47.22	44.68																								
7	Don't know/Not Sure Notes: ALCDAY5=777	3,095	0.70	0.72																								
9	Refused/Missing Notes: ALCDAY5=999, Missing	18,555	4.20	5.38																								

Computed drink-occasions-per-day

CalculatedVariables:	9.2	Calculated Variables	Type: Num																				
Column:	2000-2002	SAS Variable Name: DROCDY3_																					
Prologue:																							
Description: Drink-occasions-per-day																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">0</td> <td style="text-align: left; padding: 2px;">No Drink-Occasions per day Notes: ALCDAY5 = 888</td> <td style="text-align: right; padding: 2px;">208,460</td> <td style="text-align: right; padding: 2px;">47.22</td> <td style="text-align: right; padding: 2px;">44.68</td> </tr> <tr> <td style="text-align: center; padding: 2px;">1 - 899</td> <td style="text-align: left; padding: 2px;">Drink-Occasions per day Notes: ALCDAY5 <= 231</td> <td style="text-align: right; padding: 2px;">211,346</td> <td style="text-align: right; padding: 2px;">47.87</td> <td style="text-align: right; padding: 2px;">49.23</td> </tr> <tr> <td style="text-align: center; padding: 2px;">900</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing</td> <td style="text-align: right; padding: 2px;">21,650</td> <td style="text-align: right; padding: 2px;">4.90</td> <td style="text-align: right; padding: 2px;">6.09</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0	No Drink-Occasions per day Notes: ALCDAY5 = 888	208,460	47.22	44.68	1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	211,346	47.87	49.23	900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	21,650	4.90	6.09
Value	Value Label	Frequency	Percentage	Weighted Percentage																			
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	208,460	47.22	44.68																			
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	211,346	47.87	49.23																			
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	21,650	4.90	6.09																			

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Binge Drinking Calculated Variable

CalculatedVariables:	9.3	Calculated Variables	Type: Num
Column:	2003	SAS Variable Name: _RFBING5	
Prologue:			
Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)			
Value	Value Label	Frequency	Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	365,239	82.74
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	50,606	11.46
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	25,611	5.80
			7.22

Computed number of drinks of alcohol beverages per week

CalculatedVariables:	9.4	Calculated Variables	Type: Num
Column:	2004-2008	SAS Variable Name: _DRNKWEK	
Prologue:			
Description: Calculated total number of alcoholic beverages consumed per week			
Value	Value Label	Frequency	Percentage
0	Did not drink Notes: ALCDAY5 = 888	208,460	47.22
1 - 98999	Number of drinks per week Notes: AVEDRNK2*DROCDY3_*7	207,263	46.95
99900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	25,733	5.83
			7.25

Heavy Alcohol Consumption Calculated Variable

CalculatedVariables:	9.5	Calculated Variables	Type: Num
Column:	2009	SAS Variable Name: _RFDRHV5	
Prologue:			
Description: Heavy drinkers (adult men having more than 14 drinks per week and adult women having more than 7 drinks per week)			
Value	Value Label	Frequency	Percentage
1	No Notes: SEX = 1 and _DRNKWEK <= 14 or SEX = 2 and _DRNKWEK <= 7 or ALCDAY5 = 888	393,658	89.17
2	Yes Notes: SEX = 1 and _DRNKWEK > 14 or SEX = 2 and _DRNKWEK > 7	22,065	5.00
9	Don't know/Refused/Missing Notes: _DRNKWEK = 99900	25,733	5.83
			7.25

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed Fruit Juice intake in times per day

CalculatedVariables:	10.1	Calculated Variables	Type: Num
Column:	2010-2013	SAS Variable Name:	FTJUDA1_
Prologue:			
Description:	Fruit juice intake in times per day		
Value	Value Label	Frequency	Percentage
0 - 9999	Times per day (two implied decimal places)	402,921	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	38,535	
			Weighted Percentage

Computed Fruit intake in times per day

CalculatedVariables:	10.2	Calculated Variables	Type: Num
Column:	2014-2017	SAS Variable Name:	FRUTDA1_
Prologue:			
Description:	Fruit intake in times per day		
Value	Value Label	Frequency	Percentage
0 - 9999	Times per day (two implied decimal places)	404,874	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	36,582	
			Weighted Percentage

Computed Bean intake in times per day

CalculatedVariables:	10.3	Calculated Variables	Type: Num
Column:	2018-2021	SAS Variable Name:	BEANDAY_
Prologue:			
Description:	Bean intake in times per day		
Value	Value Label	Frequency	Percentage
0 - 9999	Times per day (two implied decimal places)	401,509	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	39,947	
			Weighted Percentage

Computed Dark Green Vegetable intake in times per day

CalculatedVariables:	10.4	Calculated Variables	Type: Num
Column:	2022-2025	SAS Variable Name:	GRENDAY_
Prologue:			
Description:	Dark green vegetable intake in times per day		
Value	Value Label	Frequency	Percentage
0 - 9999	Times per day (two implied decimal places)	403,507	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	37,949	
			Weighted Percentage

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Computed Orange-Colored Vegetable intake in times per day

CalculatedVariables: 10.5 Calculated Variables **Type:** Num

Column: 2026-2029 **SAS Variable Name:** ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day (two implied decimal places)	402,198	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	39,258		

Computed Other Vegetable intake in times per day

CalculatedVariables: 10.6 Calculated Variables **Type:** Num

Column: 2030-2033 **SAS Variable Name:** VEGEDA1_

Prologue:

Description: Other vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day (two implied decimal places)	399,993	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	41,463		

The number of missing fruit responses

CalculatedVariables: 10.7 Calculated Variables **Type:** Num

Column: 2034 **SAS Variable Name:** _MISFRN

Prologue:

Description: The number of missing fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing fruit responses	397,745	90.10	88.41
1 - 2	Has 1 or 2 missing fruit responses	43,711	9.90	11.59

The number of missing vegetable responses

CalculatedVariables:	10.8	Calculated Variables	Type: Num															
Column:	2035		SAS Variable Name: _MISVEGN															
Prologue:																		
Description: The number of missing vegetable responses																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0</td> <td style="padding: 2px;">No missing vegetable responses</td> <td style="text-align: right; padding: 2px;">390,339</td> <td style="text-align: right; padding: 2px;">88.42</td> <td style="text-align: right; padding: 2px;">86.81</td> </tr> <tr> <td style="padding: 2px;">1 - 4</td> <td style="padding: 2px;">Has 1, 2, 3, or 4 missing vegetable responses</td> <td style="text-align: right; padding: 2px;">51,117</td> <td style="text-align: right; padding: 2px;">11.58</td> <td style="text-align: right; padding: 2px;">13.19</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0	No missing vegetable responses	390,339	88.42	86.81	1 - 4	Has 1, 2, 3, or 4 missing vegetable responses	51,117	11.58	13.19
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0	No missing vegetable responses	390,339	88.42	86.81														
1 - 4	Has 1, 2, 3, or 4 missing vegetable responses	51,117	11.58	13.19														

Missing any fruit responses

CalculatedVariables:	10.9	Calculated Variables	Type: Num															
Column:	2036		SAS Variable Name: _FRTRESP															
Prologue:																		
Description: Missing any fruit responses																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0</td> <td style="padding: 2px;">Not Included - Missing Fruit Responses</td> <td style="text-align: right; padding: 2px;">43,711</td> <td style="text-align: right; padding: 2px;">9.90</td> <td style="text-align: right; padding: 2px;">11.59</td> </tr> <tr> <td style="padding: 2px;">1</td> <td style="padding: 2px;">Included - Not Missing Fruit Responses</td> <td style="text-align: right; padding: 2px;">397,745</td> <td style="text-align: right; padding: 2px;">90.10</td> <td style="text-align: right; padding: 2px;">88.41</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0	Not Included - Missing Fruit Responses	43,711	9.90	11.59	1	Included - Not Missing Fruit Responses	397,745	90.10	88.41
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0	Not Included - Missing Fruit Responses	43,711	9.90	11.59														
1	Included - Not Missing Fruit Responses	397,745	90.10	88.41														

Missing any vegetable responses

CalculatedVariables:	10.10	Calculated Variables	Type: Num															
Column:	2037		SAS Variable Name: _VEGRESP															
Prologue:																		
Description: Missing any vegetable responses																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0</td> <td style="padding: 2px;">Not Included - Missing Vegetable Responses</td> <td style="text-align: right; padding: 2px;">51,117</td> <td style="text-align: right; padding: 2px;">11.58</td> <td style="text-align: right; padding: 2px;">13.19</td> </tr> <tr> <td style="padding: 2px;">1</td> <td style="padding: 2px;">Included - Not Missing Vegetable Responses</td> <td style="text-align: right; padding: 2px;">390,339</td> <td style="text-align: right; padding: 2px;">88.42</td> <td style="text-align: right; padding: 2px;">86.81</td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0	Not Included - Missing Vegetable Responses	51,117	11.58	13.19	1	Included - Not Missing Vegetable Responses	390,339	88.42	86.81
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0	Not Included - Missing Vegetable Responses	51,117	11.58	13.19														
1	Included - Not Missing Vegetable Responses	390,339	88.42	86.81														

Total fruits consumed per day

CalculatedVariables:	10.11	Calculated Variables	Type: Num															
Column:	2038-2043		SAS Variable Name: _FRUTSUM															
Prologue:																		
Description: Total fruits consumed per day																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0 - 99998</td> <td style="padding: 2px;">Number of Fruits consumed per day (two implied decimal places)</td> <td style="text-align: right; padding: 2px;">397,745</td> <td style="text-align: right; padding: 2px;">100.00</td> <td style="text-align: right; padding: 2px;">100.00</td> </tr> <tr> <td style="padding: 2px;">BLANK</td> <td style="padding: 2px;">Not asked or Missing</td> <td style="text-align: right; padding: 2px;">43,711</td> <td></td> <td></td> </tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0 - 99998	Number of Fruits consumed per day (two implied decimal places)	397,745	100.00	100.00	BLANK	Not asked or Missing	43,711		
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0 - 99998	Number of Fruits consumed per day (two implied decimal places)	397,745	100.00	100.00														
BLANK	Not asked or Missing	43,711																

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Total vegetables consumed per day

CalculatedVariables: 10.12 Calculated Variables

Type: Num

Column: 2044-2049

SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Vegetables consumed per day (two implied decimal places)	390,339	100.00	100.00
BLANK	Not asked or Missing	51,117		

Consume Fruit 1 or more times per day

CalculatedVariables: 10.13 Calculated Variables

Type: Num

Column: 2050

SAS Variable Name: _FRTL1T1

Prologue:

Description: Consume Fruit 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed fruit one or more times per day	247,817	56.14	52.75
2	Consumed fruit less than one time per day	149,928	33.96	35.66
9	Don't know, refused or missing values	43,711	9.90	11.59

Consume Vegetables 1 or more times per day

CalculatedVariables: 10.14 Calculated Variables

Type: Num

Column: 2051

SAS Variable Name: _VEGLT1

Prologue:

Description: Consume Vegetables 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed vegetables one or more times per day	309,561	70.12	67.63
2	Consumed vegetables less than one time per day	80,778	18.30	19.18
9	Don't know, refused or missing values	51,117	11.58	13.19

Reported consuming Fruit >16 per day

CalculatedVariables: 10.15 Calculated Variables **Type:** Num

Column: 2052 **SAS Variable Name:** _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	92	0.02	0.02
1	Included - Values are in accepted range	441,364	99.98	99.98

Reported consuming Vegetables >23 per day

CalculatedVariables: 10.16 Calculated Variables **Type:** Num

Column: 2053 **SAS Variable Name:** _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	47	0.01	0.01
1	Included - Values are in accepted range	441,409	99.99	99.99

Fruit Exclusion from analyses

CalculatedVariables: 10.17 Calculated Variables **Type:** Num

Column: 2054 **SAS Variable Name:** _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	397,653	90.08	88.39
1	Missing Fruit responses	43,711	9.90	11.59
2	Fruit values out of range	92	0.02	0.02

Vegetable Exclusion from analyses

CalculatedVariables:	10.18	Calculated Variables	Type: Num
Column:	2055		SAS Variable Name: _VEGETEX
Prologue:			
Description: Vegetable Exclusion from analyses			
Value	Value Label	Frequency	Percentage
0	No missing values and in accepted range	390,292	88.41
1	Missing Vegetable responses	51,117	11.58
2	Vegetable values out of range	47	0.01
Value	Value Label	Frequency	Weighted Percentage

Leisure Time Physical Activity Calculated Variable

CalculatedVariables:	11.1	Calculated Variables	Type: Num
Column:	2058		SAS Variable Name: _TOTINDA
Prologue:			
Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job			
Value	Value Label	Frequency	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	296,020	67.06
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	107,444	24.34
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	37,992	8.61

Activity MET Value for First Activity

CalculatedVariables:	11.2	Calculated Variables	Type: Num
Column:	2059-2061		SAS Variable Name: METVL11_
Prologue:			
Description: Activity MET Value for First Activity			
Value	Value Label	Frequency	Weighted Percentage
0	Activity MET Value	14,716	5.00
1 - 128	Activity MET Value (one implied decimal place)	279,848	95.00
BLANK	Not asked or Missing	146,892	93.26

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Activity MET Value for Second Activity

CalculatedVariables:	11.3 Calculated Variables	Type: Num		
Column:	2062-2064	SAS Variable Name: METVL21_		
Prologue:				
Description: Activity MET Value for Second Activity				
Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	116,805	40.33	42.58
1 - 128	Activity MET Value (one implied decimal place)	172,809	59.67	57.42
BLANK	Not asked or Missing	151,842		

Estimated Age-Gender Specific Maximum Oxygen Consumption

CalculatedVariables:	11.4 Calculated Variables	Type: Num		
Column:	2065-2069	SAS Variable Name: MAXVO2_		
Prologue:				
Description: Estimated Age-Gender Specific Maximum Oxygen Consumption				
Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 501	Estimated Maximum Oxygen Consumption (two implied decimal places)	436,120	98.79	98.99
99900	Don't know/Not Sure/Refused/Missing	5,336	1.21	1.01

Estimated Functional Capacity

CalculatedVariables:	11.5 Calculated Variables	Type: Num		
Column:	2070-2074	SAS Variable Name: FC60_		
Prologue:				
Description: Estimated Functional Capacity				
Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8590	Estimated Functional Capacity (2 implied decimal places)	436,120	98.79	98.99
99900	Don't know/Not Sure/Refused/Missing	5,336	1.21	1.01

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Estimated Activity Intensity for First Activity

CalculatedVariables: 11.6 Calculated Variables **Type:** Num

Column: 2075

SAS Variable Name: ACTIN11_

Prologue:

Description: Estimated Activity Intensity for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	14,662	5.03	6.77
1	Moderate	180,152	61.82	69.12
2	Vigorous	96,620	33.15	24.11
BLANK	Not asked or Missing	150,022		

Estimated Activity Intensity for Second Activity

CalculatedVariables: 11.7 Calculated Variables **Type:** Num

Column: 2076

SAS Variable Name: ACTIN21_

Prologue:

Description: Estimated Activity Intensity for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	115,676	40.36	42.58
1	Moderate	91,540	31.94	36.78
2	Vigorous	79,368	27.69	20.64
BLANK	Not asked or Missing	154,872		

Minutes of First Activity

CalculatedVariables: 11.8 Calculated Variables **Type:** Num

Column: 2077-2079

SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	287,716	100.00	100.00
BLANK	Not asked or Missing	153,740		

Minutes of Second Activity

CalculatedVariables:	11.9	Calculated Variables	Type: Num
Column:	2080-2082		SAS Variable Name: PADUR2_
Prologue:			
Description:	Minutes of Second Activity		
Value	Value Label	Frequency	Percentage
0 - 599	Minutes of Activity	192,327	100.00
BLANK	Not asked or Missing	249,129	
			Weighted Percentage

Physical Activity Frequency per Week for First Activity

CalculatedVariables:	11.10	Calculated Variables	Type: Num
Column:	2083-2087		SAS Variable Name: PAFREQ1_
Prologue:			
Description:	Physical Activity Frequency per Week for First Activity		
Value	Value Label	Frequency	Percentage
0 - 98999	Activity times per week (3 implied decimal places)	291,147	99.99
99000	Don't know/Not Sure/Refused	18	0.01
BLANK	Not asked or Missing	150,291	
			Weighted Percentage

Physical Activity Frequency per Week for Second Activity

CalculatedVariables:	11.11	Calculated Variables	Type: Num
Column:	2088-2092		SAS Variable Name: PAFREQ2_
Prologue:			
Description:	Physical Activity Frequency per Week for Second Activity		
Value	Value Label	Frequency	Percentage
0 - 98999	Activity times per week (3 implied decimal places)	194,674	99.99
99000	Don't know/Not Sure/Refused	22	0.01
BLANK	Not asked or Missing	246,760	
			Weighted Percentage

Minutes of Physical Activity per week for First Activity

CalculatedVariables: 11.12 Calculated Variables **Type:** Num
Column: 2093-2097 **SAS Variable Name:** _MINAC11

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	18,305	6.40	8.30
1 - 99999	Minutes of Activity per week	267,612	93.60	91.70
BLANK	Not asked or Missing	155,539		

Minutes of Physical Activity per week for Second Activity

CalculatedVariables: 11.13 Calculated Variables **Type:** Num
Column: 2098-2102 **SAS Variable Name:** _MINAC21

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	120,708	42.55	44.76
1 - 99999	Minutes of Activity per week	162,946	57.45	55.24
BLANK	Not asked or Missing	157,802		

Strength Activity Frequency per Week

CalculatedVariables: 11.14 Calculated Variables **Type:** Num
Column: 2103-2107 **SAS Variable Name:** STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Strength Activity times per week (3 implied decimal places)	397,424	100.00	100.00
99000	Don't know/Not Sure/Refused	19	0.00	0.00
BLANK	Not asked or Missing	44,013		

Missing Physical Activity Data

CalculatedVariables: 11.15 Calculated Variables **Type:** Num
Column: 2108 **SAS Variable Name:** PAMISS1_
Prologue:
Description: Missing Physical Activity Data

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Missing Physical Activity Data	382,125	86.56	84.88
1	Missing Physical Activity Data	21,339	4.83	4.14
9	Don't know/Not Sure/Refused	37,992	8.61	10.98

Minutes of Physical Activity per week for First Activity

CalculatedVariables: 11.16 Calculated Variables **Type:** Num
Column: 2109-2113 **SAS Variable Name:** PAMIN11_
Prologue:
Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	282,976	100.00	100.00
BLANK	Not asked or Missing	158,480		

Minutes of Physical Activity per week for Second Activity

CalculatedVariables: 11.17 Calculated Variables **Type:** Num
Column: 2114-2118 **SAS Variable Name:** PAMIN21_
Prologue:
Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	280,742	100.00	100.00
BLANK	Not asked or Missing	160,714		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Minutes of total Physical Activity per week

CalculatedVariables:	11.18	Calculated Variables	Type: Num															
Column:	2119-2123		SAS Variable Name: PA1MIN_															
Prologue:																		
Description: Minutes of total Physical Activity per week																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0 - 99999</td><td style="padding: 2px;">Minutes of Activity per week</td><td style="text-align: right; padding: 2px;">289,037</td><td style="text-align: right; padding: 2px;">100.00</td><td style="text-align: right; padding: 2px;">100.00</td></tr> <tr> <td style="padding: 2px;">BLANK</td><td style="padding: 2px;">Not asked or Missing</td><td style="text-align: right; padding: 2px;">152,419</td><td></td><td></td></tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0 - 99999	Minutes of Activity per week	289,037	100.00	100.00	BLANK	Not asked or Missing	152,419		
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0 - 99999	Minutes of Activity per week	289,037	100.00	100.00														
BLANK	Not asked or Missing	152,419																

Minutes of Vigorous Physical Activity per week for First Activity

CalculatedVariables:	11.19	Calculated Variables	Type: Num															
Column:	2124-2128		SAS Variable Name: PAVIG11_															
Prologue:																		
Description: Minutes of Vigorous Physical Activity per week for First Activity																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0 - 99999</td><td style="padding: 2px;">Minutes of Activity per week</td><td style="text-align: right; padding: 2px;">287,778</td><td style="text-align: right; padding: 2px;">100.00</td><td style="text-align: right; padding: 2px;">100.00</td></tr> <tr> <td style="padding: 2px;">BLANK</td><td style="padding: 2px;">Not asked or Missing</td><td style="text-align: right; padding: 2px;">153,678</td><td></td><td></td></tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0 - 99999	Minutes of Activity per week	287,778	100.00	100.00	BLANK	Not asked or Missing	153,678		
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0 - 99999	Minutes of Activity per week	287,778	100.00	100.00														
BLANK	Not asked or Missing	153,678																

Minutes of Vigorous Physical Activity per week for Second Activity

CalculatedVariables:	11.20	Calculated Variables	Type: Num															
Column:	2129-2133		SAS Variable Name: PAVIG21_															
Prologue:																		
Description: Minutes of Vigorous Physical Activity per week for Second Activity																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0 - 99999</td><td style="padding: 2px;">Minutes of Activity per week</td><td style="text-align: right; padding: 2px;">283,415</td><td style="text-align: right; padding: 2px;">100.00</td><td style="text-align: right; padding: 2px;">100.00</td></tr> <tr> <td style="padding: 2px;">BLANK</td><td style="padding: 2px;">Not asked or Missing</td><td style="text-align: right; padding: 2px;">158,041</td><td></td><td></td></tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0 - 99999	Minutes of Activity per week	283,415	100.00	100.00	BLANK	Not asked or Missing	158,041		
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0 - 99999	Minutes of Activity per week	283,415	100.00	100.00														
BLANK	Not asked or Missing	158,041																

Minutes of total Vigorous Physical Activity per week

CalculatedVariables:	11.21	Calculated Variables	Type: Num															
Column:	2134-2138		SAS Variable Name: PA1VIGM_															
Prologue:																		
Description: Minutes of total Vigorous Physical Activity per week																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">0 - 99999</td><td style="padding: 2px;">Minutes of Activity per week</td><td style="text-align: right; padding: 2px;">290,486</td><td style="text-align: right; padding: 2px;">100.00</td><td style="text-align: right; padding: 2px;">100.00</td></tr> <tr> <td style="padding: 2px;">BLANK</td><td style="padding: 2px;">Not asked or Missing</td><td style="text-align: right; padding: 2px;">150,970</td><td></td><td></td></tr> </tbody> </table>				Value	Value Label	Frequency	Percentage	Weighted Percentage	0 - 99999	Minutes of Activity per week	290,486	100.00	100.00	BLANK	Not asked or Missing	150,970		
Value	Value Label	Frequency	Percentage	Weighted Percentage														
0 - 99999	Minutes of Activity per week	290,486	100.00	100.00														
BLANK	Not asked or Missing	150,970																

Physical Activity Categories

CalculatedVariables:	11.22 Calculated Variables	Type: Num																														
Column:	2139	SAS Variable Name: _PACAT1																														
Prologue:																																
Description: Physical Activity Categories																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Highly Active</td> <td style="text-align: right; padding: 2px;">131,374</td> <td style="text-align: right; padding: 2px;">29.76</td> <td style="text-align: right; padding: 2px;">26.63</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Active</td> <td style="text-align: right; padding: 2px;">71,004</td> <td style="text-align: right; padding: 2px;">16.08</td> <td style="text-align: right; padding: 2px;">16.49</td> </tr> <tr> <td style="text-align: left; padding: 2px;">3</td> <td style="text-align: left; padding: 2px;">Insufficiently Active</td> <td style="text-align: right; padding: 2px;">71,142</td> <td style="text-align: right; padding: 2px;">16.12</td> <td style="text-align: right; padding: 2px;">17.79</td> </tr> <tr> <td style="text-align: left; padding: 2px;">4</td> <td style="text-align: left; padding: 2px;">Inactive</td> <td style="text-align: right; padding: 2px;">112,041</td> <td style="text-align: right; padding: 2px;">25.38</td> <td style="text-align: right; padding: 2px;">24.61</td> </tr> <tr> <td style="text-align: left; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure/Refused/Missing</td> <td style="text-align: right; padding: 2px;">55,895</td> <td style="text-align: right; padding: 2px;">12.66</td> <td style="text-align: right; padding: 2px;">14.48</td> </tr> </tbody> </table>			Value	Value Label	Frequency	Percentage	Weighted Percentage	1	Highly Active	131,374	29.76	26.63	2	Active	71,004	16.08	16.49	3	Insufficiently Active	71,142	16.12	17.79	4	Inactive	112,041	25.38	24.61	9	Don't know/Not Sure/Refused/Missing	55,895	12.66	14.48
Value	Value Label	Frequency	Percentage	Weighted Percentage																												
1	Highly Active	131,374	29.76	26.63																												
2	Active	71,004	16.08	16.49																												
3	Insufficiently Active	71,142	16.12	17.79																												
4	Inactive	112,041	25.38	24.61																												
9	Don't know/Not Sure/Refused/Missing	55,895	12.66	14.48																												

Physical Activity Index

CalculatedVariables:	11.23 Calculated Variables	Type: Num																				
Column:	2140	SAS Variable Name: _PAINDEX1																				
Prologue:																						
Description: Physical Activity Index																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">Meet Aerobic Recommendations</td> <td style="text-align: right; padding: 2px;">205,013</td> <td style="text-align: right; padding: 2px;">46.44</td> <td style="text-align: right; padding: 2px;">43.59</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">Did Not Meet Aerobic Recommendations</td> <td style="text-align: right; padding: 2px;">183,183</td> <td style="text-align: right; padding: 2px;">41.50</td> <td style="text-align: right; padding: 2px;">42.40</td> </tr> <tr> <td style="text-align: left; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure/Refused/Missing</td> <td style="text-align: right; padding: 2px;">53,260</td> <td style="text-align: right; padding: 2px;">12.06</td> <td style="text-align: right; padding: 2px;">14.01</td> </tr> </tbody> </table>			Value	Value Label	Frequency	Percentage	Weighted Percentage	1	Meet Aerobic Recommendations	205,013	46.44	43.59	2	Did Not Meet Aerobic Recommendations	183,183	41.50	42.40	9	Don't know/Not Sure/Refused/Missing	53,260	12.06	14.01
Value	Value Label	Frequency	Percentage	Weighted Percentage																		
1	Meet Aerobic Recommendations	205,013	46.44	43.59																		
2	Did Not Meet Aerobic Recommendations	183,183	41.50	42.40																		
9	Don't know/Not Sure/Refused/Missing	53,260	12.06	14.01																		

150 Minute Physical Activity Calculated Variable

CalculatedVariables:	11.24 Calculated Variables	Type: Num																									
Column:	2141	SAS Variable Name: _PA150R2																									
Prologue:																											
Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Value Label</th> <th style="text-align: right; padding: 2px;">Frequency</th> <th style="text-align: right; padding: 2px;">Percentage</th> <th style="text-align: right; padding: 2px;">Weighted Percentage</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td> <td style="text-align: left; padding: 2px;">150+ minutes (or vigorous equivalent minutes) of physical activity</td> <td style="text-align: right; padding: 2px;">205,013</td> <td style="text-align: right; padding: 2px;">46.44</td> <td style="text-align: right; padding: 2px;">43.59</td> </tr> <tr> <td style="text-align: left; padding: 2px;">2</td> <td style="text-align: left; padding: 2px;">1-149 minutes (or vigorous equivalent minutes) of physical activity</td> <td style="text-align: right; padding: 2px;">71,142</td> <td style="text-align: right; padding: 2px;">16.12</td> <td style="text-align: right; padding: 2px;">17.79</td> </tr> <tr> <td style="text-align: left; padding: 2px;">3</td> <td style="text-align: left; padding: 2px;">0 minutes (or vigorous equivalent minutes) of physical activity</td> <td style="text-align: right; padding: 2px;">112,041</td> <td style="text-align: right; padding: 2px;">25.38</td> <td style="text-align: right; padding: 2px;">24.61</td> </tr> <tr> <td style="text-align: left; padding: 2px;">9</td> <td style="text-align: left; padding: 2px;">Don't know/Not Sure/Refused/Missing</td> <td style="text-align: right; padding: 2px;">53,260</td> <td style="text-align: right; padding: 2px;">12.06</td> <td style="text-align: right; padding: 2px;">14.01</td> </tr> </tbody> </table>			Value	Value Label	Frequency	Percentage	Weighted Percentage	1	150+ minutes (or vigorous equivalent minutes) of physical activity	205,013	46.44	43.59	2	1-149 minutes (or vigorous equivalent minutes) of physical activity	71,142	16.12	17.79	3	0 minutes (or vigorous equivalent minutes) of physical activity	112,041	25.38	24.61	9	Don't know/Not Sure/Refused/Missing	53,260	12.06	14.01
Value	Value Label	Frequency	Percentage	Weighted Percentage																							
1	150+ minutes (or vigorous equivalent minutes) of physical activity	205,013	46.44	43.59																							
2	1-149 minutes (or vigorous equivalent minutes) of physical activity	71,142	16.12	17.79																							
3	0 minutes (or vigorous equivalent minutes) of physical activity	112,041	25.38	24.61																							
9	Don't know/Not Sure/Refused/Missing	53,260	12.06	14.01																							

300 Minute Physical Activity Calculated Variable

CalculatedVariables: 11.25 Calculated Variables **Type:** Num
Column: 2142 **SAS Variable Name:** _PA300R2

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	131,374	29.76	26.63
2	1-300 minutes (or vigorous equivalent minutes) of physical activity	142,146	32.20	34.28
3	0 minutes (or vigorous equivalent minutes) of physical activity	112,041	25.38	24.61
9	Don't know/Not Sure/Refused/Missing	55,895	12.66	14.48

300 Minute Physical Activity 2-Level Calculated Variable

CalculatedVariables: 11.26 Calculated Variables **Type:** Num
Column: 2143 **SAS Variable Name:** _PA30021

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	131,374	29.76	26.63
2	0-300 minutes (or vigorous equivalent minutes) of physical activity	254,187	57.58	58.89
9	Don't know/Not Sure/Refused/Missing	55,895	12.66	14.48

Muscle Strengthening Recommendation

CalculatedVariables: 11.27 Calculated Variables **Type:** Num
Column: 2144 **SAS Variable Name:** _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet muscle strengthening recommendations	109,624	24.83	26.42
2	Did not meet muscle strengthening recommendations	287,819	65.20	61.12
9	Don't know/Not Sure/Refused/Missing	44,013	9.97	12.46

Aerobic and Strengthening Guideline

CalculatedVariables: 11.28 Calculated Variables **Type:** Num

Column: 2145 **SAS Variable Name:** _PAREC1

Prologue:

Description: Aerobic and Strengthening Guideline

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	74,696	16.92	17.29
2	Met Aerobic Guidelines Only	127,716	28.93	25.70
3	Met Strengthening Guidelines Only	31,347	7.10	8.38
4	Did not meet Either Guideline	150,188	34.02	33.62
9	Don't know/Not Sure/Refused/Missing	57,509	13.03	15.01

Aerobic and Strengthening (2-level)

CalculatedVariables: 11.29 Calculated Variables **Type:** Num

Column: 2146 **SAS Variable Name:** _PASTAE1

Prologue:

Description: Aerobic and Strengthening (2-level)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	74,696	16.92	17.29
2	Did Not Meet Both Guidelines	309,251	70.05	67.70
9	Don't know/Not Sure/Refused/Missing	57,509	13.03	15.01

Limited usual activities

CalculatedVariables: 12.1 Calculated Variables **Type:** Num

Column: 2147 **SAS Variable Name:** _LMTACT1

Prologue:

Description: Limited usual activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and have limited usual activities	67,129	15.30	11.08
2	Told have arthritis and no limited usual activities	67,911	15.48	11.02
3	Not told they have arthritis	290,621	66.25	75.32
9	Don't know, refused or missing usual activities limited	12,996	2.96	2.58
BLANK	Don't know, refused or missing arthritis or not asked	2,799		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Limited work activities

CalculatedVariables:	12.2 Calculated Variables	Type: Num		
Column:	2148	SAS Variable Name: _LMTWRK1		
Prologue:				
Description: Limited work activities				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and have limited work	42,362	9.66	7.72
2	Told have arthritis and no limited work	90,058	20.53	14.03
3	Not told they have arthritis	290,621	66.25	75.32
9	Don't know, refused or missing work limited	15,616	3.56	2.93
BLANK	Don't know, refused or missing arthritis or not asked	2,799		

Limited social activities

CalculatedVariables:	12.3 Calculated Variables	Type: Num		
Column:	2149	SAS Variable Name: _LMTSCL1		
Prologue:				
Description: Limited social activities				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and social activities limited a lot	24,937	5.68	4.45
2	Told have arthritis and social activities limited a little	32,422	7.39	5.57
3	Told have arthritis and social activities not limited	77,678	17.71	12.05
4	Not told they have arthritis	290,621	66.25	75.32
9	Don't know, refused or missing social activities limited	12,999	2.96	2.61
BLANK	Don't know, refused or missing arthritis or not asked	2,799		

Always or Nearly Always Wear Seat Belts

CalculatedVariables:	13.1 Calculated Variables	Type: Num		
Column:	2150	SAS Variable Name: _RFSEAT2		
Prologue:				
Description: Always or Nearly Always Wear Seat Belts Calculated Variable				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	376,993	85.40	82.76
2	Sometimes, Seldom, or Never Wear Seat Belt	21,667	4.91	4.96
9	Don't know/Not Sure Or Refused/Missing	42,796	9.69	12.27

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Always Wear Seat Belts

CalculatedVariables: 13.2 Calculated Variables **Type:** Num
Column: 2151 **SAS Variable Name:** _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	349,444	79.16	77.34
2	Don't Always Wear Seat Belt	49,216	11.15	10.38
9	Don't know/Not Sure Or Refused/Missing	42,796	9.69	12.27

Flu Shot Calculated Variable

CalculatedVariables: 14.1 Calculated Variables **Type:** Num
Column: 2152 **SAS Variable Name:** _FLSHOT6

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT6 = 1	86,683	54.88	51.43
2	No Notes: AGE >=65 and FLUSHOT6 = 2	52,328	33.13	33.52
9	Don't know/Not Sure Or Refused/Missing	18,943	11.99	15.05
BLANK	Age Less Than 65	283,502		

Pneumonia Vaccination Calculated Variable

CalculatedVariables: 14.2 Calculated Variables **Type:** Num
Column: 2153 **SAS Variable Name:** _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	98,752	62.52	58.59
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	35,792	22.66	23.54
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	23,410	14.82	17.87
BLANK	Age Less Than 65 Notes: AGE < 65	283,502		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2015
Land-Line and Cell-Phone data

Ever been tested for HIV calculated variable

CalculatedVariables: 15.1 Calculated Variables

Type: Num

Column: 2154

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	113,779	28.58	36.10
2	No Notes: HIVTST6 = 2	269,733	67.76	58.97
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	14,557	3.66	4.93
BLANK	Not asked or missing Notes: HIVTST6 = Missing	43,387		