
RPMGLOBAL

AMT - Health Assessment

Training Manual

Copyright © 2024 RPM Software Pty Ltd. All Rights Reserved



RPM SOFTWARE – ASSET MANAGEMENT

Table of Contents

Preface **3**
Symbol Library **3**
Course Outline **4**
Introduction to AMT **5**
Training Workshops **6**
1. AMT Health Assessment Process 6
2. Health – Budget 7
3. Health – Actual Costs to Date 9
4. Health – Projected Costs 13
5. Health – Planning 15
6. Health – Daily Operations 17
7. Health – Utilisation 19
8. Health – Escalations 21
9. Health – Standard Jobs and Workscopes 22
10. Health – Equipment Management Issues 23
11. Health – Parts Forecasting 25
12. Health – Rotables Management 26
13. Health – Maintenance Contract Financials 27

Preface

The training workshops are developed to supplement instructor-led training. This guide is constructed in a way that teaches students the key functionality of the application through practical, hands-on workshops. Each workshop details tasks that the student is required to complete. The workshops build on each other to help ensure a comprehensive understanding of the application is achieved at the completion of the course. Space is provided at the end of each workshop for learning checks and student notes.

Symbol Library



Note

A note for participants about the task.



Important Reminder

An important reminder for the participant about the task.



Learning Check


Check your understanding on the workshop and ask any related questions.

Course Outline

Prerequisites	Getting Around AMT, AMT Key Concepts
Target Audience	
Nominal Duration	
Course Objectives	
Learning Outcomes	At the end of the course, participants will have learned about: • AMT heath assessment process • Budget health • Actual costs to date health • Projected cost health • Planning health • Daily operations health • Standard jobs and workscopes health • EM Issues health • Parts forecasting health • Rotables management health • Maintenance contract financials
Assessment Strategy	The completion of workshop tasks.
AMT version	8.26

Introduction to AMT


AMT is a comprehensive asset management system consisting of integrated modules as depicted below.



Training Workshops

1. AMT Health Assessment Process

Functionality Overview



The chart above summarises the base data in AMT primarily used by maintenance and finance groups:

- **Budget** (to date and future) – this is the original budget costs adjusted by internal parts and labour escalations (budget projection in AMT).
- **Actual costs to date** – work order costs imported from your accounting system.
- **Projected costs** – projected future costs (current projection in AMT).

For the reporting and analyses in AMT to be meaningful, the above sources of data need to be accurate. It is critical that this data is accurate because it not only affects the maintenance strategy, it also affects financial reporting, budgeting and forecasting.

Consequently, an AMT health assessment should comprise the following checks:

1. Budget projection.
2. Current projection: actual costs to date and projected.
3. Utilisation.
4. Escalation.
5. Standard jobs and workscopes.
6. EM Issues.
7. Rotables management.
8. Maintenance contract financials.

Depending on the modules installed, some areas listed above will not be applicable. Nevertheless, checks 1 - 4 are applicable for any installation of AMT.

2. Health – Budget


Functionality Overview

For each piece of equipment registered in AMT, it initially has a budget projection, which is copied to create the current projection. Therefore, on day 1, the budget and current projections will be identical.

It is important to ensure that the budget was set up correctly, because it is the baseline for future analysis.

To check whether the budget was set up correctly, compare the AMT Projection Summary (projection type: budget) report for each piece of equipment to the original budget template.

For equipment set up under a maintenance contract, check the budget variance reported on the dashboard.



The cumulative budget billings total should equal the cumulative budget cost at sell total (that is, have a budget variance of 0).

Learning Check



Check your understanding of the workshop and ask any related questions.

Notes

3. Health – Actual Costs to Date

Functionality Overview

Two areas need to be reviewed when assessing the health of actual costs to date:

- Cost reconciliation to the accounting system.
- Strategy tasks correctly coded.

Costs Reconcile to Accounting System

It is important to ensure that the actual costs in AMT balance to the costs recorded in the accounting system. On a monthly basis, the AMT administrator performs the accounting reconciliation. Site management should ensure that this reconciliation is being performed and any reconciling issues are corrected.

Strategy Tasks correctly coded

If a strategy task is incorrectly coded, AMT does not recognise that it has been performed and will allocate the costs to “unassigned”. This will both distort the analyses of the actual cost variance (ACV) and will cause the future projections to be inaccurate.

There are three key indicators that highlight incorrect coding:

- High actual cost variance in unassigned.
- Percentage of totals costs in unassigned.
- Overdue components.

Each of these are explained in more detail following.

High Actual Cost Variance in Unassigned

Life Cycle Cost Summary

Component Description	To Date		
	Budget	Actual	Variance
3279.00.CO.0 ENGINE OUTPUT DRIVE	125,842	95,215	30,628
Z009.00.UN.0 Unassigned - Power Train	0	729,672	-729,672
Power Train	1,173,638	1,805,419	-631,781
4008.LF.CC.0 WHEEL GROUP	195,411	313,252	-117,840
4008.LR.CC.0 WHEEL GROUP	195,411	180,939	14,473
4008.RF.CC.0 WHEEL GROUP	195,411	34,547	160,865
4008.RR.CC.0 WHEEL GROUP	195,411	178,754	16,657
Z010.00.UN.0 Unassigned - Drive Train	0	347,149	-347,149
Drive Train	781,646	1,054,640	-272,994
Z012.00.UN.0 Unassigned - Wheels & Tyres	0	309	-309
Wheels & Tyres	0	309	-309
R&M - Drive/ Power Train	1,955,284	2,860,368	-905,084
1400.00.GRO.0 ELECTRIC SYSTEM	8,700	169,864	-161,165
1401.00.CCO.0 BATTERY	59,667	8,245	51,421
1405.00.CCO.0 ALTERNATOR	13,472	3,436	10,037
1408.00.CCO.0 WIRING HARNESS	48,600	2,202	46,398
1429.00.CCO.0 LIGHT(S)	20,427	14,219	6,207
Z013.00.UN.0 Unassigned - Electrical System	0	23,591	-23,591
Electrical System	150,865	221,557	-70,692
R&M - Electrical	150,865	221,557	-70,692
5051.00.GRO.0 HYDRAULIC CONTROL VALVE	93,944	0	93,944
5073.PD.CC.0 GEAR PUMP	7,298	0	7,298
5084.CE.CC.0 HOIST PUMP	89,859	0	89,859
5084.LT.CC.0 HOIST PUMP	89,859	0	89,859
5084.RI.CC.0 HOIST PUMP	89,859	0	89,859
5085.00.GRO.0 PILOT PUMP	24,827	0	24,827
Z014.00.UN.0 Unassigned - Hydraulic Pumps and M	0	530,188	-530,188
Hydraulic Pumps and Motors	396,646	530,188	-134,542

The example above highlights costs that should have been allocated to a strategy task that have been allocated to unassigned.

% of Totals Costs in Unassigned

The target is for not more than 15% of total costs to be in unassigned. If more than 25% of total costs are in unassigned, this is bad budgeting.


To calculate the percentage of total costs in unassigned, you need to run the Cost analysis – To date report as a pie chart and analyse by task type (do this for each fleet).

Overdue Components

The overdue components in this report have been performed, but not recognised by AMT.

The overdue percentage is calculated as the number of overdue tasks versus all strategy items that have a task type of planning.

Also, see the overdue components report in the strategy optimisation section for specific details.



Overdue Task


AMT iNTELLiGENT ASSET MANAGEMENT

Hierarchy : [Dealer: Company A] [Branch: Central Branch] [Site: North Site] [Fleet: Wheel Loaders]
Additional Filters :

Fleet - Equipment	Component	Occurence Type	Last Projected Occurrence: Plan Usage	QUOM	Plan Date	Planned Status	Cost
Wheel Loaders - LD0	4267.00.CO.0 PARKING BRAKE	On Condition	29,205	Eng-Hr	12-Aug-03	✔	3,932
	4268.US.CC.0 BRAKE PUMP	Before Failure	10,000	Eng-Hr	24-Jun-00	✔	980
	4312.00.CC.0 HMU	Before Failure	20,000	Eng-Hr	21-Feb-02	✔	952
	5073.PD.CC.0 GEAR PUMP	(NONE)	10,000	Eng-Hr	24-Jun-00	✔	830
	7524.00.PM.0 250 SVC HOUR MAINTENANCE	Service	30,997	Eng-Hr	25-Dec-03	✔	718
	7525.00.PM.0 500 SVC HOUR MAINTENANCE	Service	30,811	Eng-Hr	14-Dec-03	✔	999
	7542.00.PP1.0 SCHEDULED OIL SAMPLING(SOS)	Service	30,561	Eng-Hr	29-Nov-03	✔	0
Total - Wheel Loaders - LD001							**8,411**
Wheel Loaders - LD0	1358.00.CO.0 BELT TIGHTENER	(NONE)	14,574	Eng-Hr	23-Mar-01	✔	892
	4263.00.CC.0 BRAKE ACCUMULATOR	(NONE)	10,000	Eng-Hr	17-Jun-00	✔	1,828
	4268.US.CC.0 BRAKE PUMP	Before Failure	10,000	Eng-Hr	17-Jun-00	✔	980
	4307.00.CO.0 STEERING VALVE	(NONE)	10,000	Eng-Hr	17-Jun-00	✔	2,290
	4307.SE.CO.0 STEERING VALVE	(NONE)	10,000	Eng-Hr	17-Jun-00	✔	2,293
	4312.00.CC.0 HMU	Before Failure	20,000	Eng-Hr	16-Jan-02	✔	952
	5073.PD.CC.0 GEAR PUMP	(NONE)	10,000	Eng-Hr	17-Jun-00	✔	830
	5084.CE.CC.0 HOIST PUMP	Before Failure	30,701	Eng-Hr	09-Nov-03	✔	10,250
	7524.00.PM.0 250 SVC HOUR MAINTENANCE	Service	31,603	Eng-Hr	27-Dec-03	✔	718
	7542.00.PP1.0 SCHEDULED OIL SAMPLING(SOS)	Service	31,353	Eng-Hr	13-Dec-03	✔	0
Total - Wheel Loaders - LD002							**21,033**

To correct incorrect coding, use **Workorder Settlement Manager**, and use the filters to identify the specific work orders. Double-click on any specific work order to edit the coding.

Workorder Settlement Manager can also be used to identify incorrect coding. Filter for high value non-strategy items (and vice versa).



Continuing with the example from the previous screenshots, many of the work orders listed above are probably strategy tasks that had incorrect modifier codes.

Learning Check



Check your understanding of the workshop and ask any related questions.

Notes

4. Health – Projected Costs

Functionality Overview

Projection parameters are realistic (expected component lives and costs).


Indicators of problems with projected cost can include:

- Inconsistencies between the actual cost variance (ACV) and the projected cost variance (PCV).
- Variances between actual average lives/costs and projected lives/costs.
- Strategy tasks correctly coded.
- Short-term strategy is not being maintained.
- Overdue items

Each of these problems are explained in more detail in the following sections.

Inconsistencies between ACV and PCV

At a high level, if actual costs to date are 20% over budget, then you would expect future costs to be about 20% over budget (unless there are some significant changes or extenuating circumstances). Review the Life Cycle Cost Summary report looking for inconsistencies between the ACV and PCV.



Life Cycle Cost Summary

AMT INTELLIGENT ASSET MANAGEMENT

Hierarchy : [Dealer: Company A] [Branch: Central Branch] [Site: North Site] [Fleet: Haul Trucks]
Date Range : Entire Plan Term
Additional Filters :

Component Description	To Date			Future			Totals		
	Budget	Actual	Variance	Budget	Proj(Cur)	Variance	Budget	Proj(Cur)	Variance
1000.00.CC.0 ENGINE	10,747,051	16,015,152	-5,268,101	18,465,366	17,567,498	897,868	29,202,417	33,582,650	-4,380,233
1003.00.CCO.0 AIR COMPRESSOR	150,441	108,095	42,346	211,725	200,364	11,357	362,163	308,459	53,704
2001.00.UN.0 Unassigned - Engine	162,171	947,444	-785,273	279,229	199,948	79,281	441,400	1,147,392	-705,992
Engine	11,059,663	17,070,691	-6,011,028	18,956,320	17,967,809	988,507	30,005,980	35,038,500	-5,032,521
1250.00.CCO.0 FUEL SYSTEM	70,250	0	70,250	109,763	115,417	-5,654	180,013	115,417	72,597
1256.00.CCO.0 FUEL TRANSFER PUMP	38,686	3,073	35,613	54,312	56,703	-2,391	92,998	59,776	33,221
1273.00.GRO.0 FUEL TANK	89,196	0	89,196	152,881	197,742	-44,861	242,077	197,742	44,335
1290.00.CCO.0 UNIT INJECTOR	606,426	53,804	552,622	854,390	827,809	26,599	1,460,825	881,613	579,211
2002.00.UN.0 Unassigned - Fuel System	0	55,323	-55,323	0	0	0	0	55,323	-55,323
Fuel System	812,559	112,200	700,358	1,171,354	1,197,671	-26,317	1,983,913	1,309,871	674,041
1319.00.CCO.0 PRELUBRICATION PUMP	86,827	2,041	84,786	146,902	192,634	-45,732	233,758	194,674	41,084
2003.00.UN.0 Unassigned - Lubrication	0	71,204	-71,204	0	0	0	0	71,204	-71,204
Lubrication	86,827	73,244	13,582	146,902	192,634	-45,732	233,758	265,878	-30,120
1461.00.CCO.0 AIR STARTING MOTOR	15,333	0	15,333	158,838	165,825	-6,987	174,171	165,825	8,346
1463.00.CCO.0 ELEC STARTER MOTOR	0	200,399	-200,399	0	0	0	0	200,399	-200,399
2004.00.UN.0 Unassigned - Starting System	0	96,883	-96,883	0	0	0	0	96,883	-96,883
Starting System	15,333	297,282	-281,949	158,838	165,825	-6,987	174,171	463,107	-288,937

See the items highlighted - the projected future costs appear to be unrealistically low when compared to the actual costs to date.

Variances between actual average lives/costs and projected lives/costs

Review the fleet projection screen in AMT to identify where average occurrences and costs differ significantly from budget for major components (as they usually make up 60% of the overall budget cost). Then change the projection parameters for the current projection to account for what is actually happening.

Double-click on any work order to edit the coding.

Strategy Tasks Correctly Coded

If a strategy task is incorrectly coded, AMT does not recognise that it has been performed and will allocate the costs to “unassigned”. This will both distort the analyses of the ACV and cause the future projections to be inaccurate. See comments on validating actual costs.

Short-term Strategy is Not Being Maintained

It is important that the short-term strategy in AMT reflects the actual work plan. As specific components are moved in and out, these movements need to be reflected in AMT.



The Action Required % is calculated as the number of “Action Required” tasks and/or overdue tasks vs. all strategy items with a “planning” task type.

Overdue Items

Overdue items are either items that have been completed, but incorrectly coded so AMT has not recognised them (see actual cost notes) or items that are showing as overdue because AMT has not been updated with the planned perform date.



The overdue % is calculated as the number of overdue tasks versus all strategy items with a task type of planning.

5. Health – Planning

Functionality Overview

With planning, the focus is not on the financial data, rather it is on ensuring that the processes are being followed. The key aspects to check are:

- Backlog or defect capture
  - Inspectors identify and verify defects and complete the **Defect Capture** form, which is sent to the planner. (The key point is that the inspectors should detail the job instructions and the parts required – it is NOT for the planner to spec out the job).
  - All defects are entered into AMT. The backlog listing report should always be up to date and accurate.
- Work orders have been opened for all planned tasks in advance of the job being performed.
- Work plans are generated from AMT (creating planned events).
  - Weekly work plans developed from AMT.
  - Daily work plans developed from AMT.
  - Workscopes prepared or printed from AMT for all planned tasks.

Learning Check



Check your understanding of the workshop and ask any related questions.

Notes


6. Health – Daily Operations

Functionality Overview

Equipment status is both a tool for daily operations personnel and the main point of capturing operational and technical data for equipment performance and maintenance efficiency reporting.

To ensure that equipment status is being maintained effectively, the key aspects to check are:

1. Downtime capture is up-to-date.
    a. As a minimum, the down events should be up-to-date and accurate. View the **Equipment Status > Equipment Down** tab and check if the machines currently down are displaying accurately.
    b. Check that monthly downtime reconciliations are performed with the customer.
2. If there is an interface to Dispatch and the interface goes down, equipment status should continue to be maintained manually.
3. Event and task technical details are accurately captured.
    a. All workscopes are completed and sent to the maintenance coordinator to updated in AMT within 24 hours of the machines' down event being completed.
    b. View the **Events** tab and check that all completed events that are more than 48 hours old have been confirmed (see graphic below).



C	Fleet	Equipment	Down Time	Downtime Ho...	Ov	Description	B	Plan	Task Type	Component Code	Status	Priority
	MARC Haul	TR01: R100E	13-Jul-2019...		!	TR01: REPLACE PUMP DRIVE SPIDERS E...		☑	CC - Component Change...	3251 - UNIVERSAL JOINT	YTS	High
	MARC Haul	TR01: R100E	11-Jul-2019...		!	TR01: REPLACE AIR CON VENTS		☑	GR - General Repair	734D - CAB AIR DUCT	YTS	Medium
	MARC Haul	TR01: R100E	11-Jul-2019...		!	TR01: PM8		☑	PM - Servicing	7527 - 2000 SVC HOUR...	YTS	Medium
	MARC Haul	TR01: R100E	11-Jul-2019...		!	TR01: STEERING PUMP		☑	CC - Component Change...	4306 - STEERING PUMP	YTS	Medium
	MARC Haul	TR07: R100E	21-Jun-2019...		!	TR07: 7201.LF.CC.0 SUSPENSION		☑	CC - Component Change...	7201 - SUSPENSION	YTS	Medium
	MARC Haul	TR01: R100E	21-Jun-2019...		!	TR01: PM1		☑	PM - Servicing	7524 - 250 SVC HOUR...	YTS	Medium
	Customer Haul	DZ901: D10R	20-Jun-2019...			DZ901: 4050.RI.CC.0 FINAL DRIVE		☑	CC - Component Change...	4050 - FINAL DRIVE	IP	Medium
	MARC Haul	TR01: R100E	20-Jun-2019...	0.0		Trubo Breakdown		☐	CC - Component Change...	1052 - TURBOCHARGER	C	Medium
	Mining Haul	TR 63: 793C	19-Jun-2019...		!	TR 63: PM5		☑	PM - Servicing	7596 - 250 HOUR LUBE...	YTS	Medium
	Mining Haul	TR 61: 793C	15-Jun-2019...		!	TR 61: PM3		☑	PM - Servicing	7596 - 250 HOUR LUBE...	YTS	Medium
	Mining Haul	TR 62: 793C	13-Jun-2019...		!	TR 62: PM8		☑	PM - Servicing	9554 - D SERVICE	YTS	Medium
	Mining Haul	TR 63: 793C	04-Jun-2019...		!	TR 63: PM4		☑	PM - Servicing	9552 - B SERVICE	YTS	Medium
	Mining Haul	TR 60: 793C	03-Jun-2019...		!	TR 60: PM3		☑	PM - Servicing	7596 - 250 HOUR LUBE...	YTS	Medium
	Mining Haul	TR 61: 793C	31-May-2019...		!	TR 61: PM2		☑	PM - Servicing	9551 - A SERVICE	YTS	Medium
	Mining Haul	TR 62: 793C	28-May-2019...		!	TR 62: PM7		☑	PM - Servicing	7596 - 250 HOUR LUBE...	YTS	Medium
	MARC Haul	TR09: R100E	27-May-2019...		!	TR09: Transmission Rebuild		☑	CC - Component Change...	3030 - TRANSMISSION	YTS	Medium
	MARC Haul	TR01: R100E	24-May-2019...		!	TR01: Final Drive LH 1st Rep		☑	CC - Component Change...	4050 - FINAL DRIVE	YTS	Medium
	MARC Haul	TR08: R100E	20-May-2019...		!	TR08: Transmission Rebuild		☑	CC - Component Change...	3030 - TRANSMISSION	YTS	Medium
	Mining Haul	TR 63: 793C	20-May-2019...		!	TR 63: PM3		☑	PM - Servicing	7596 - 250 HOUR LUBE...	YTS	Medium
	Mining Haul	TR 60: 793C	19-May-2019...		!	TR 60: PM2		☑	PM - Servicing	9551 - A SERVICE	YTS	Medium
	Mining Haul	TR 61: 793C	15-May-2019...		!	TR 61: PM1		☑	PM - Servicing	7596 - 250 HOUR LUBE...	YTS	Medium
	Mining Haul	TR 62: 793C	13-May-2019...		!	TR 62: PM6		☑	PM - Servicing	9553 - C SERVICE	YTS	Medium

    c. The blue shading on the first column indicates that the event has been confirmed. Note, in the filters you can filter for only the unconfirmed items.
    d. Analyse the event details for the last 6 months for reasonableness of coding. Run the bar chart report a number of times analysing by DTA Cause, Activity, Breakdown, Planned and Component Code and check for reasonableness.

e. Analyse the downtime details for the last 6 months for reasonableness of coding. See **Downtime Analysis** under **Reporting & Analysis** > **Equipment Performance** > **Stoppages and Downtime**. Run the bar chart report a number of times analysing by DTA Cause, Activity, Responsibility, Variance Cause and check for reasonableness.

4. Tasks linked to work orders.

   a. This is particularly critical for strategy tasks.

   b. See **Dashboard** > **Overview** > **AMT Health** > **Not linked to WO**. This is the number of strategy tasks that have been completed in EQS and are not linked to a work order. Also view the **Task** screen in **Equipment Status** and filter for **Admin Alert** items. These are strategy tasks that are either not linked to a work order or are linked to a rotable item that needs to be updated. See the red exclamation marks (!) in the grid below.

Drag a column header here to group by that column. Tip: Use Ctrl-C to copy the grid or Ctrl-E to export to Excel

SM	AI	Fleet	Equipment	Down Date	S	Status	Task Type	Component Code	Description	Li	WorkOrder Number	Internal WO Ref	Redo	Cause	EM Issue No.	Perform At	WO Comp
	!	Haul Fleet	TR02	31-Jul-2...		IP	GR - General Re...	1273 - FUEL TANK	Repiar fuel tank leak			28007-1	☐	CRACK - Cracked		Next Plann...	N
	!	Haul Fleet	TR03	05-Jul-2...		YTS	PPI - Pre-PM Ins...	9097 - MAGNETI...	PERFORM MAG PLUG IN...			37106-1	☐	CONDM - Condit...			N
	!	Haul Fleet	TR03	05-Jul-2...		YTS	PPI - Pre-PM Ins...	9097 - MAGNETI...	MAG PLUG INSPECTION...			38915-1	☐	CONDM - Condit...			N
	!	Haul Fleet	TR03	05-Jul-2...		YTS	PPI - Pre-PM Ins...	4050 - FINAL DR...	MAG PLUG INSPECTION			33533-1	☐	CONDM - Condit...		Next Plann...	N
	!	Haul Fleet	TR03	05-Jul-2...		YTS	GR - General Re...	3124 - LOCK-UP...	3124.00.GR.0 LOCK-UP...			23905-0	☐	ST - Strategy Task			N
	!	Haul Fleet	TR03	05-Jul-2...		YTS	PPI - Pre-PM Ins...	9097 - MAGNETI...	INSPECT MAG PLUGS			40223-1	☐	PM - Preventive...			N
	!	Haul Fleet	TR03	05-Jul-2...		YTS	GI - General Ins...	4251 - BRAKE G...	Remove Birrana Brake P...			23204-1	☐	(None)		Next Plann...	N
	!	Haul Fleet	TR01	16-Aug-...		YTS	GR - General Re...	7307 - SEAT/AR...	Lh Arm Rest Cracked			23169-1	☐	(None)		Monitor	N
	!	Haul Fleet	TR01	16-Aug-...		YTS	GR - General Re...	3168 - TRANSMI...	Trans Ecm Error Keeps...			23172-1	☐	(None)		Monitor	N
	!	Haul Fleet	TR01	16-Aug-...		YTS	PPI - Pre-PM Ins...	9097 - MAGNETI...	INSPECT MAG PLUGS			40192-1	☐	PM - Preventive...			N
	!	Haul Fleet	TR01	16-Aug-...		YTS	GI - General Ins...	1901 - ENGINE...	CHECK ECM SERIAL NU...			80514-0	☐	RWORK - Rework			N
	!	Haul Fleet	TR01	23-Oct-2...		YTS	GR - General Re...	3124 - LOCK-UP...	3124.00.GR.0 LOCK-UP...			23903-0	☐	ST - Strategy Task			N
	!	Haul Fleet	TR03	28-Nov-...		YTS	GR - General Re...	3066 - TRANSMI...	Trans pump leaking fro...			34228-2	☐	LEAK - Leakage		Next Plann...	N
	!	Haul Fleet	TR08	02-May-...		YTS	PM - Servicing	7527 - 2000 SVC...	PM8			100003-0	☐	ST - Strategy Task			N
	!	Haul Fleet	TR01	02-May-...		YTS	SA - Safety	7401 - FIRE SUP...	RE-CERTIFY FIRE SUPP...			76091-1	☐	PM - Preventive...			N

5. Daily reports produced from AMT.

   a. Check that the Daily Log report is produced and used in daily customer meetings. Navigate to **Daily Log > Summary**.

   b. Check that the Snapshot – The Worm report is used to monitor monthly downtime against the target. Navigate to **Snapshot > The Worm**.

7. Health – Utilisation

Functionality Overview

Check that usage readings are entered regularly - at least once a week. If usages are not entered into AMT, the program assumes utilisation is occurring in line with the usage profile, therefore there is not a high risk of the usage reading being materially incorrect.



If an equipment is stopped for a number of days or months, you should still enter a usage reading into AMT. Otherwise AMT will assume the equipment is operating and therefore could schedule tasks to occur whilst the machine is parked.

Review whether the actual usage pattern is reflective of what is expected. If the actuals do not reflect what is expected, AMT's forecasting of the timing of strategy task occurrences could be either too early or too late.

Compare actual utilisation versus expected utilisation. If there is a significant difference, consider changing the annual utilisation parameters set up in the equipment plan.

Learning Check




Check your understanding of the workshop and ask any related questions.

Notes

8. Health – Escalations

Functionality Overview

Check that cost escalations (parts, labour, and miscellaneous) have been correctly entered into AMT. This will ensure future projected costs are reflected in today's values.



For example, every time an equipment or parts supplier passes on an increase (for example, manufacturer ABC increased parts costs by 5%), the escalation rates need to be entered into AMT.

9. Health – Standard Jobs and Workscopes

Functionality Overview

A key quality driver is having standard jobs and workscopes for high value and regularly performed tasks.

- Check that the strategist has a timetable or schedule for the preparation of standard jobs and workscopes for all high value and regularly performed tasks
- View the listing of standard jobs for that branch.
- View the listing of workscopes for that branch.

10. Health – Equipment Management Issues

Functionality Overview

Equipment Management Issues (EMI) is designed to provide a constructive approach to registering and resolving EMI's (equipment management issues) and to be a platform for sharing knowledge within the organisation.

- Check that EMIs are being registered in EM Issues and the appropriate details are being captured. See **EM Issues** under **Knowledge Database** and filter all issues registered by your site. Ensure all current EMIs are registered and all relevant technical bulletins, product problems as well as other known historical issues are saved.
- Check that the daily operations group are aware of all current EMIs and are linking the related tasks and downtime information against the EMI (in the down event in the **Downtime Allocation** form and the task details). Run the **EM Issue List Report** and check that the task and downtime information is meaningful.

Learning Check



Check your understanding of the workshop and ask any related questions.

Notes

11. Health – Parts Forecasting

Functionality Overview

The focus areas for parts forecasting that need to be checked are:

- Are parts forecasts being produced?
  - Check if the forecasts are being produced on a monthly basis, checked and then sent to the parts group.
- Are the parts forecasts accurate?
  - The accuracy of the forecasts depends on the quality of the standard jobs and the quality of the current projection.
- Are the parts forecasts comprehensive?
  - Parts forecasts will only be produced where standard jobs are set up in AMT and linked to strategy tasks.

12. Health – Rotables Management

Functionality Overview


Rotables management is designed to track component history and proactively manage rotable inventory.

- Check that there is a plan or schedule to register all rotables in AMT and check on the progress. Run the **Rotable Inventory Summary** (**Rotables** > **Rotables Manager** > **Rotable** reports) report for your site and it will show all rotables registered at the site.
- Check that daily operations personnel are updating rotable status for tasks that involve a registered rotable item. Filter for **Admin Alert** items. This will show the rotable items for which there is a task in equipment status showing a changeout, but the rotable records have not been updated.
- Produce the Rebuild Facility Work plan report and check with the strategist if it is accurate.

13. Health – Maintenance Contract Financials

Functionality Overview

The focus for customer service is on assessing the financial performance of the contract and ensuring compliance with the contract terms.



The financial performance is assessed as billings less cost at cost to calculate the contract margin. The margin is recognised over the contract based on the company's accounting policy.

For the financial reporting in AMT to be meaningful (and subsequent profit recognition), the base data needs to be accurate. The following key indicators should be checked.

Actual and Projected Billings

Check that the actual billings invoiced balances to the invoicing schedule in AMT. Variances will either be caused by incorrect billings to the customer or the billings schedule in AMT being incorrect. Both causes need to be rectified for AMT projected billings to be accurate.

Run the report by fleet to identify any billings variances.



A monthly timing difference may occur, so check the reconciliation. If the actual billings schedule is correct then it indicates the projected billings is likely to be correct.

Actual Costs and Projected Costs

See the Actual and Projected Cost notes under Strategy.

Learning Check



Check your understanding of the workshop and ask any related questions.

Notes