

Hoses Container Solution

Epiroc

Mobile Hose Workshop

Confidential | © 2017 by Epiroc. All rights reserved.

Hose Container

Overall

One container for all needs on site

Including the following equipment:

- Workbench (2 m long)
- Crimper machine
- Cutting machine
- Skiving machine complete for hose up to 2 “
- Swaging mandrel set 3/16"-2“
- Label or Tag Machine, with 4 mm die set and a two row/lines holder and one cartridge set.
- Hose cleaning system
- Hose reel
- cabinets
- Accessories including standard tools



P/n. 6060100681

Crimper machine S6 ECO

Highlights in mobile Hose workshop

Service crimper, also available as an ecoline or DC variant. With its crimp force of 2000 kN / 200 t and its crimp range of up to 100 mm, it is designed for crimping hydraulic hose assemblies up to 2” and industrial hose assemblies up to 3”.

Crimp force (kN/Ton):	**2000/200**
Crimp range (mm):	**100**



Confidential | © 2017 by Epiroc. All rights reserved.

Cutting machine EM6M

Highlights in mobile Hose workshop

Hose size max.:	**2"**
Cutting blade:	**TM C 250 x 2 x 40,0** **TM C 275 x 3 x 25,4** **TM C 350 x 3 x 30,0**

The new 2" 4SH + SAE R 15 hose cutting machine for Workshops (also as a 3" industrial machine available). Designed to perfection.

There is optional for the suction device with spark arrestor






Skiving Tools

Highlights in mobile Hose workshop

The skiving device for mobile use. For skiving hoses up to 2” on the inside and the outside.

Modell:	**USM 2**
Internal skiving	Ø 5/8" - 2"
External skiving	Ø 3/16" - 2"
Drive	Manual
Type of application	Mobile
L x W x H (mm)	338 x 465 x 445
Weight	16 Kg
Options Bench	✓



Confidential | © 2017 by Epiroc. All rights reserved.

ULTRA CLEAN 2” PRODUCTION KIT

Highlights in mobile Hose workshop

- For hose sizes up to 2”
- Safety release bar locks the faceplate closed when firing projectile
- Supplied with quick coupler and live swivel coupling to minimize operator fatigue
- ideal for production shops
- Requires 80 – 110 psi air supplied with minimum 1/2”hose
- Air supply should be regulated and filtered to 5 microns





Confidential | © 2017 by Epiroc. All rights reserved.

Label or Tag Printer tools

- Labels for identification of finished hose assembly
- Easy to program and use
- Can be programmed to accept Excel preadsheets
- Capable of multiple fonts
- Can create multiple identical tags





Hose Reel

USH4

- The hose winder USH 4 is intended for the easy storage of your hydraulic hoses.
- The simple construction allows up to seven levels to be built on top of each other.



Confidential | © 2017 by Epiroc. All rights reserved.

Branding

Current Brand → EPIROC



ROCKHOSE (TME, LHD & SED)



EPIROC (ALL)



ATLAS COPCO (ADS)




Confidential | © 2017 by Epiroc. All rights reserved.

Wire-Braid Hydraulic hose assemblies

Construction


- Bend up to one-third SAE bend radius specification
- Constant working pressure in all sizes
- Two braids of high-tensile steel wire reinforcement
- Nitrile tube for use with biodegradable hydraulic fluids
- Tested to 600 000 impulse cycles
- -55°F to +212°F (-48°C to + 100°C) for all weather operation
- Available with tough abrasion-resistant covers



Spiral-Wire Hydrauic hose assemblies

Construction

- Bend up to one-half SAE bend radius specification
- Each hose features a constant working pressure
- Four alternating layers (six in some larger sizes) of spiraled, high tensile steel reinforcement
- Nitrile tube for use with biodegradable hydraulic fluids
- Tested to 1 000 000 impulse cycles
- -55°F to +250°F (-48°C to + 121°C) for all weather operation
- Available with super tough abrasion-resistant covers



© 2017 by Epiroc. All rights reserved.


Epiroc