

VIM-PLUGIN  
**bash-support.vim**  
 VERSION 2.1

# HOT KEYS

Key mappings for Vim without GUI.

All mappings are only defined for buffers  
 with filetype **sh** (exceptions: **\lbs**, **\ubs**).

All mappings also work for gVim.

Plugin: <http://vim.sourceforge.net>

Fritz Mehner (mehner@fh-swf.de)

May 2007

| <i>Menu(s)</i>    |                                       |
|-------------------|---------------------------------------|
| <b>\lbs</b>       | load menus (n & GUI only)             |
| <b>\ubs</b>       | unload menus (n & GUI only)           |
| <i>Comments</i>   |                                       |
| <b>\cl</b>        | end-of-line comment (n, i, v)         |
| <b>\cj</b>        | adjust end-of-line comments (n, i, v) |
| <b>\cs</b>        | set end-of-line comment column (n)    |
| <b>\cfr</b>       | frame comment (n, i)                  |
| <b>\cfu</b>       | function description (n, i)           |
| <b>\ch</b>        | file header (n, i)                    |
| <b>\ckb</b>       | keyword BUG (n)                       |
| <b>\ckt</b>       | keyword TODO (n)                      |
| <b>\ckr</b>       | keyword TRICKY (n)                    |
| <b>\ckw</b>       | keyword WARNING (n)                   |
| <b>\ckn</b>       | keyword: new keyword (n)              |
| <b>\cc</b>        | code → comment (n, v)                 |
| <b>\co</b>        | comment → code (n, v)                 |
| <b>\cd</b>        | date (n, i)                           |
| <b>\ct</b>        | date & time (n, i)                    |
| <b>\ce</b>        | echo "<line>" (n)                     |
| <b>\cr</b>        | remove echo (n)                       |
| <b>\cv</b>        | vim modeline (n)                      |
| <i>Statements</i> |                                       |
| <b>\sc</b>        | case in ... esac (n, i)               |
| <b>\sl</b>        | elif then (n, i)                      |
| <b>\sf</b>        | for in do done (n, i, v)              |
| <b>\si</b>        | if then fi (n, i, v)                  |
| <b>\sie</b>       | if then else fi (n, i, v)             |
| <b>\ss</b>        | select in do done (n, i, v)           |
| <b>\st</b>        | until do done (n, i, v)               |
| <b>\sw</b>        | while do done (n, i, v)               |
| <b>\sfu</b>       | function (n, i, v)                    |
| <b>\se</b>        | echo -e "\n" (n, i, v)                |

| <i>Run</i>  |                                |
|-------------|--------------------------------|
| <b>\rr</b>  | update file, run script (n)    |
| <b>\rc</b>  | update file, check syntax (n)  |
| <b>\ra</b>  | set command line arguments (n) |
| <b>\rd</b>  | start debugger (n)             |
| <b>\re</b>  | make script executable (n)     |
| <b>\rh</b>  | hardcopy buffer (n, v)         |
| <b>\rs</b>  | settings and hotkeys (n)       |
| <b>\rt</b>  | set xterm size (n, GUI only)   |
| <b>\ro</b>  | change output destination (n)  |
| <i>Help</i> |                                |
| <b>\h</b>   | show plugin help (n)           |

(i) insert mode, (n) normal mode, (v) visual mode