BX

BITX 2.0

Installation Guide

Install the Bitwig controller extension and its optional display app on Windows or macOS.

SUPPORTED PLATFORMS	YOU WILL INSTALL
Windows Complete display folder with bundled Java runtime	`BitX.bwextension` Required controller extension
macOS Signed application bundle for Apple Silicon	`BitXDisplayApp` Optional external display

Download the packaged release from personalaudio.lemonsqueezy.com

Keep the files in the exact folder structure shown in this guide. You do not need to compile the extension or install Java separately.

WINDOWS SETUP

Install BitX on Windows

Copy the controller extension first. Then add the complete display package if you want BitX's external selector and feedback window.

Before you begin

Close Bitwig Studio and extract the downloaded ZIP completely. Do not run the display executable from inside the ZIP.

1 Create the PerSonal extension folder

In File Explorer, open your Documents folder and create `Bitwig Studio\Extensions\PerSonal` if it does not already exist.

2 Copy the controller extension

Place `BitX.bwextension` directly inside the `PerSonal` folder.

3 Copy the optional display package

Copy the entire `BitXDisplayApp` directory beside `BitX.bwextension`. Keep the executable, runtime, and support files together. Windows does not need a separate Java installation.

Correct Windows folder layout

```
%USERPROFILE%\Documents\Bitwig Studio\Extensions\PerSonal\
|-- BitX.bwextension
`-- BitXDisplayApp\
|-- BitXDisplayApp.exe
|-- runtime\
`-- [other packaged support files]
```

Using OneDrive Documents?

If Windows redirects Documents into OneDrive, use the matching `OneDrive\Documents\Bitwig Studio\Extensions\PerSonal` location. BitX checks the standard Documents folder and common OneDrive Documents locations.

Windows security prompt

If SmartScreen or antivirus shows a warning, verify that the package came from the official download before allowing it. Keep all files in the display directory together.

MACOS SETUP

Install BitX on macOS

The controller extension and signed display application both live in your user Documents folder under Bitwig Studio's Extensions directory.

Before you begin

Quit Bitwig Studio and extract the downloaded archive. Keep `BitXDisplayApp.app` as one application bundle.

1 **Create the PerSonal extension folder**

In Finder, open Documents and create `Bitwig Studio/Extensions/PerSonal` if needed.

2 **Copy the controller extension**

Place `BitX.bwextension` directly inside the `PerSonal` folder.

3 **Copy the optional display app**

Place `BitXDisplayApp.app` beside the controller extension. Do not move files out of the application bundle.

Correct macOS folder layout

```
~/Documents/Bitwig Studio/Extensions/PerSonal/
|-- BitX.bwextension
`-- BitXDisplayApp.app
```

4 **Allow the signed app if macOS blocks it**

Open **System Settings > Privacy & Security**. If macOS reports that the display app was blocked, review the message and choose **Open Anyway** or **Allow**. You normally only need to do this once.

Exact location matters

BitX looks for the display at the path shown above. Keep the folder name `PerSonal` and application name `BitXDisplayApp.app` unchanged.

Apple Silicon

The packaged macOS display app is intended for Apple Silicon. If your Mac blocks it, use the Privacy & Security steps above rather than changing the app bundle.

FINISH SETUP

Add BitX in Bitwig Studio

The BitX controller extension works without the display app. Enable the display preference only when the optional package is installed.

1. **Start or restart Bitwig Studio**

   Bitwig scans the Extensions directory during startup. Restart it after copying or updating `BitX.bwextension`.

2. **Add the controller**

   Open **Settings > Controllers > Add Controller**, then choose **Per-Sonal > BitX**.

3. **Enable the optional display**

   In the BitX controller preferences, switch **Display Window** on. BitX launches the packaged Windows or macOS display and connects on local port 9876.

Installation checklist

[OK] `BitX.bwextension` is directly inside the PerSonal folder.

[OK] BitX appears under **Per-Sonal** in Bitwig's controller list.

[OK] The entire Windows display folder or macOS app bundle is beside the extension.

[OK] The **Display Window** preference is on only if the optional display is installed.

If something does not work

BitX is missing in Bitwig	Confirm the folder path and filename, then restart Bitwig. The extension must end in `.bwextension`.
The display does not open	Verify the exact layout shown for your operating system. On Windows, copy the complete display directory. On macOS, keep the app bundle intact.
The display is already running	BitX checks local port 9876 before launching another copy. Close an old display process if you need to restart it.
Windows uses OneDrive Documents	Move both items into the corresponding OneDrive Documents extension path and keep them together.

> **Updates**
>
> When installing a new BitX release, replace the controller extension. If the download also contains a newer display package, replace the complete display folder or app bundle as one unit. Downloads and support: personalaudio.lemonsqueezy.com