


Yes. With `AHT_Thread_Fact` as the main fact table, I'd build **Page 1 as an operational overview**, with the five KPIs at the top and team/time/sender analysis underneath.


One important point before building it: for **First Contact Resolution (FCR)**, `Email Count = 2` alone means exactly two emails exist in the thread. Ideally, we should also verify that the first email was received/external and the second was sent/internal. Your current thread table has `First Sender Type`, but it does not explicitly contain the **second email sender type**. If the business definition is simply “exactly two emails in the thread,” the current table is sufficient.

1. Recommended Power BI model

Use:



Relationship:



Use `AHT_Thread_Fact` for all five KPIs and `Calendar` for Year → Quarter → Month → Week filtering.

Your primary team dimension should be:

`AHT_Thread_Fact[Responsible Team]`

This gives you a consistent interpretation of “Team” throughout the dashboard.

Page 1 — Email Operations Overview

I would structure the page roughly like this:

EMAIL OPERATIONS DASHBOARD				
Date [▼]	Responsible Team [▼]		Sender Type [▼]	
Average	First	Within 48H	Email	Top Sender

Handling	Contact	SLA	Volume	
Time	Resolution			
31.4 hrs	68.2%	91.5%	4,821	abc@xyz.com
AHT TREND			48H SLA TREND	
Line chart			Line chart	
VOLUME BY RESPONSIBLE TEAM			AHT / SLA BY TEAM	
Bar chart			Matrix / bar chart	
TOP SENDERS				
Sender	Conversations		% Volume	Avg AHT

2. KPI 1 — Average Handling Time

Your thread table already has:

Handling Hours
Handling Days
Include In AHT

Create:

DAX

```
Average Handling Time Hours =
CALCULATE(
    AVERAGE('AHT_Thread_Fact'[Handling Hours]),
    'AHT_Thread_Fact'[Include In AHT] = TRUE()
)
```

I would display **hours** rather than days for the headline KPI.

You could also make a more readable display measure:

DAX

```
Average Handling Time Display =
VAR Hours = [Average Handling Time Hours]
VAR Days = INT(Hours / 24)
VAR RemainingHours = ROUND(MOD(Hours, 24), 1)
RETURN
IF(
    Hours < 24,
    FORMAT(Hours, "0.0") & " hrs",
```

```
Days & "d " & FORMAT(RemainingHours, "0.0") & "h"
)
```

So instead of displaying `53.6 hours`, the card could show:

2d 5.6h

For trend analysis, put:

- X-axis: `Calendar[Month]`
- Y-axis: `[Average Handling Time Hours]`
- Legend: `Responsible Team` if desired.

3. KPI 2 — First Contact Resolution

Your proposed business definition is:

One received email + one sent response, with no further follow-up.

That corresponds to a thread containing exactly **2 emails**.

For the initial implementation:

DAX

```
FCR Conversations =
CALCULATE(
    COUNTROWS('AHT_Thread_Fact'),
    'AHT_Thread_Fact'[Email Count] = 2
)
```

But the more useful KPI is the **percentage**:

DAX

```
Total Conversations =
COUNTROWS('AHT_Thread_Fact')
```

Then:

DAX

```
FCR % =
DIVIDE(
    [FCR Conversations],
    [Total Conversations],
```

```
0  
)
```

Format as Percentage.

For example:

```
First Contact Resolution  
68.4%  
3,298 / 4,821
```

One improvement I recommend

Eventually modify the Python output to include:

```
Second Sender  
Second Sender Type
```

Then we can make the FCR definition stronger:

```
Email Count = 2  
AND  
First Sender Type = External  
AND  
Second Sender Type = Internal
```

That would distinguish a genuine **received** → **answered** → **finished** conversation from unusual two-message threads.

4. KPI 3 — First Answer Within 48H SLA

You already have the most important field:

```
First Response Within 48h SLA
```

Create:

DAX

```
Responses Within 48H =  
CALCULATE(  
    COUNTROWS('AHT_Thread_Fact'),  
    'AHT_Thread_Fact'[First Response Within 48h SLA] = TRUE()  
)
```

Now we need the denominator.

Do **not** include conversations where there was no response, unless your SLA policy specifically says unanswered emails count as SLA failures.

For responded conversations:

DAX

```
Conversations With Response =  
CALCULATE(  
    COUNTROWS('AHT_Thread_Fact'),  
    NOT ISBLANK('AHT_Thread_Fact'[First Response Timestamp])  
)
```

Then:

DAX

```
First Response SLA % =  
DIVIDE(  
    [Responses Within 48H],  
    [Conversations With Response],  
    0  
)
```

Your card becomes something like:

```
FIRST RESPONSE ≤ 48H  
91.5%  
4,102 / 4,483
```

I would also create:

DAX

```
SLA Breached =  
CALCULATE(  
    COUNTROWS('AHT_Thread_Fact'),  
    'AHT_Thread_Fact'[First Response Within 48h SLA] = FALSE(),  
    NOT ISBLANK('AHT_Thread_Fact'[First Response Timestamp])  
)
```

This lets you show both compliance and breach volume.

5. KPI 4 — Volume Per Team

Here I would define volume as **number of unique conversations**, not number of individual emails.

Because `AHT_Thread_Fact` already contains one row per conversation:

DAX

```
Conversation Volume =  
COUNTROWS('AHT_Thread_Fact')
```

Or, defensively:


DAX

```
Conversation Volume =  
DISTINCTCOUNT(  
    'AHT_Thread_Fact'[Unique Subject ID]  
)
```

I prefer the second version.

Create a horizontal bar chart:

Conversation Volume by Responsible Team

Team A		1,842
Team B		1,203
Team C		783
Team D		491
Team E		276

Configure:

Y-axis: `Responsible Team`

X-axis: `[Conversation Volume]`

Sort descending by volume.

Clicking Team A should filter all the other Page 1 visuals to Team A.

6. KPI 5 — Top Sender

For this, use:

First Sender

rather than Last Sender.

That's because you want to identify who is **originating conversations**, not necessarily who sent the final message.

Create:

DAX

```
Top Sender =
VAR SenderTable =
    TOPN(
        1,
        SUMMARIZE(
            'AHT_Thread_Fact',
            'AHT_Thread_Fact'[First Sender],
            "ConversationCount",
            DISTINCTCOUNT(
                'AHT_Thread_Fact'[Unique Subject ID]
            )
        ),
        [ConversationCount],
        DESC
    )
RETURN
    MAXX(
        SenderTable,
        'AHT_Thread_Fact'[First Sender]
    )
```

And another measure:

DAX

```
Top Sender Volume =
VAR SenderTable =
    TOPN(
        1,
        SUMMARIZE(
            'AHT_Thread_Fact',
            'AHT_Thread_Fact'[First Sender],
            "ConversationCount",
            DISTINCTCOUNT(
                'AHT_Thread_Fact'[Unique Subject ID]
            )
        ),
        [ConversationCount],
```

```
DESC
)
RETURN
MAXX(SenderTable, [ConversationCount])
```

Your card can then show the sender, while a secondary card shows the conversation count.

I would additionally create a **Top 10 Senders** table/bar chart underneath:

Sender	Conversations	% of Volume	Avg First Response	Avg AHT
sender1	482	10.0%	14.2 h	31.5 h
sender2	376	7.8%	17.8 h	38.1 h
sender3	311	6.5%	11.3 h	26.7 h

This is much more actionable than showing only one sender.

7. Filters/slicers

At the top of Page 1, I recommend only three primary slicers to avoid clutter:

Date

Use a hierarchy:

```
Year
→ Quarter
→ Month
→ Week
```

Responsible Team

```
All
Team A
Team B
Team C
...
```

Sender Type

External
Internal

The last one can be particularly useful. For example, your operational KPIs may ultimately need to focus primarily on conversations **initiated by external senders**.

8. Most useful team comparison visual

One of the strongest visuals on this page would actually combine several of your KPIs.

Create a Matrix:

Responsible Team	Volume	Avg Handling	FCR %	48H SLA %	Avg First Response
Team A	1,842	28.4 h	72.1%	94.2%	13.8 h
Team B	1,203	36.7 h	61.8%	87.5%	21.3 h
Team C	783	25.1 h	75.4%	96.1%	10.7 h
Department	3,828	30.4 h	69.8%	92.1%	15.2 h

This gives management a very fast answer to:

Which team has high volume, which team responds fastest, which team meets SLA, and which team resolves conversations with fewer follow-ups?

Use conditional formatting for the FCR and SLA columns.

9. Recommended Page 1 hierarchy

I would keep Page 1 management-oriented.

Top: filters + 5 headline KPI cards.

Middle: monthly AHT trend and monthly 48H SLA trend.

Bottom: volume by Responsible Team + team performance matrix + Top Senders.

Then build later pages for deeper analysis:

Page 1 – Executive / Operations Overview
Page 2 – Team Performance
Page 3 – SLA & First Response Analysis
Page 4 – Handling Time Analysis
Page 5 – Sender / Demand Analysis
Page 6 – Conversation Detail / Drill-through

That prevents Page 1 from becoming overloaded.

One change I'd make to the Python dataset before building FCR

I'd add **Second Sender** and **Second Sender Type** to `AHT_Thread_Fact`. That would let Power BI accurately determine that an FCR thread is specifically:

```
Email Count = 2  
First Sender Type = External  
Second Sender Type = Internal
```

rather than assuming every two-email conversation is FCR. That distinction could materially affect the KPI.