



APPLICATION EXAMPLE

Integration and Usage of the WinCC OA Text-To-Speech Application Example

SIMATIC WinCC Open Architecture

Legal information

Use of application examples

Application examples illustrate the solution of automation tasks through an interaction of several components in the form of text, graphics, and/or software modules. The application examples are a free service by Siemens AG and/or a subsidiary of Siemens AG ("Siemens"). They are non-binding and make no claim to completeness or functionality regarding configuration and equipment. The application examples merely offer help with typical tasks; they do not constitute customer-specific solutions. You yourself are responsible for the proper and safe operation of the products in accordance with applicable regulations and must also check the function of the respective application example and customize it for your system. Siemens grants you the non-exclusive, non-sublicensable and non-transferable right to have the application examples used by technically trained personnel. Any change to the application examples is your responsibility. Sharing the application examples with third parties or copying the application examples or excerpts thereof is permitted only in combination with your own products. The application examples are not required to undergo the customary tests and quality inspections of a chargeable product; they may have functional and performance defects as well as errors. It is your responsibility to use them in such a manner that any malfunctions that may occur do not result in property damage or injury to persons.

Disclaimer of liability

Siemens shall not assume any liability, for any legal reason whatsoever, including, without limitation, liability for the usability, availability, completeness, and freedom from defects of the application examples as well as for related information, configuration and performance data and any damage caused thereby. This shall not apply in cases of mandatory liability, for example under the German Product Liability Act, or in cases of intent, gross negligence, or culpable loss of life, bodily injury or damage to health, non-compliance with a guarantee, fraudulent non-disclosure of a defect, or culpable breach of material contractual obligations. Claims for damages arising from a breach of material contractual obligations shall however be limited to the foreseeable damage typical of the type of agreement, unless liability arises from intent or gross negligence or is based on loss of life, bodily injury, or damage to health. The foregoing provisions do not imply any change in the burden of proof to your detriment. You shall indemnify Siemens against existing or future claims of third parties in this connection except where Siemens is mandatorily liable.

By using the application examples you acknowledge that Siemens cannot be held liable for any damage beyond the liability provisions described.

Other information

Siemens reserves the right to make changes to the application examples at any time without notice. In case of discrepancies between the suggestions in the application examples and other Siemens publications such as catalogs, the content of the other documentation shall have precedence. The Siemens terms of use (<https://support.industry.siemens.com>) shall also apply.

Security information

Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks.

In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept.

Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place.

For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry.

Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats.

To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under <https://www.siemens.com/cert>.

Third-Party Software Information

Note to Resellers: Please pass on this document to your customer to avoid license infringements.

This product, solution or service ("Product") contains third-party software components listed in this document. These components are Open Source Software licensed under a license approved by the Open Source Initiative (www.opensource.org) or similar licenses as determined by SIEMENS ("OSS") and/or commercial or freeware software components. With respect to the OSS components, the applicable OSS license conditions prevail over any other terms and conditions covering the Product. The OSS portions of this Product are provided royalty-free and can be used at no charge.

If SIEMENS has combined or linked certain components of the Product with/to OSS components licensed under the GNU LGPL version 2 or later as per the definition of the applicable license, and if use of the corresponding object file is not unrestricted ("LGPL Licensed Module", whereas the LGPL Licensed Module and the components that the LGPL Licensed Module is combined with or linked to is the "Combined Product"), the following additional rights apply, if the relevant LGPL license criteria are met: (i) you are entitled to modify the Combined Product for your own use, including but not limited to the right to modify the Combined Product to relink modified versions of the LGPL Licensed Module, and (ii) you may reverse-engineer the Combined Product, but only to debug your modifications. The modification right does not include the right to distribute such modifications and you shall maintain in confidence any information resulting from such reverse-engineering of a Combined Product.

Certain OSS licenses require SIEMENS to make source code available, for example, the GNU General Public License, the GNU Lesser General Public License and the Mozilla Public License. If such licenses are applicable and this Product is not shipped with the required source code, a copy of this source code can be obtained by anyone in receipt of this information during the period required by the applicable OSS licenses by contacting the following address:

Siemens AG
LC TEC IT&SL
Werner-von-Siemens Str. 60
91052 Erlangen
Germany

Keyword: Open Source Request (please specify Product name and version, if applicable)

SIEMENS may charge a handling fee of up to 5 EUR to fulfil the request.

Warranty regarding further use of the Open Source Software

SIEMENS' warranty obligations are set forth in your agreement with SIEMENS. SIEMENS does not provide any warranty or technical support for this Product or any OSS components contained in it if they are modified or used in any manner not specified by SIEMENS. The license conditions listed below may contain disclaimers that apply between you and the respective licensor. For the avoidance of doubt, SIEMENS does not make any warranty commitment on behalf of or binding upon any third party licensor.

Open Source Software and/or other third-party software contained in this Product:

Please note the following license conditions and copyright notices applicable to Open Source Software and/or other components (or parts thereof):

Component	Open Source Software [Yes/No]	Acknowledgements/Comment	License conditions and copyright notices
heap-js 2.7.1	Yes	BSD 3-Clause	ignlg/heap-js: Efficient Binary heap (priority queue, binary tree) data structure for JavaScript / TypeScript. Includes JavaScript methods, Python's heapq module methods, and Java's PriorityQueue methods.

Table 0-1 OSS Packages

External runtime prerequisites

The following operating-system components are external runtime prerequisites, separate from the npm dependencies listed above. They are not included or redistributed with this application example. On Linux, install eSpeak NG separately through the distribution package manager.

Component	Platform	Usage
Microsoft System.Speech / Windows PowerShell 5.1	Windows	Speech synthesis using installed Windows voices
eSpeak NG	Linux	Speech synthesis using a separately installed espeak-ng executable

Contents

Legal information	2
Third-Party Software Information	4
1. Introduction	7
1.1. Overview	7
1.2. Components used	7
1.3. Requirements	7
2. Engineering	8
2.1. Project integration	8
5. Appendix	11
Important WinCC OA specific abbreviations	11
Service and support	13
Change documentation	14

1. Introduction

1.1. Overview

This document describes the integration of the WinCC OA Text-to-Speech Manager within WinCC OA projects. The manager allows operators to receive audible notifications and announcements in real-time, to configure speech synthesis settings through dedicated panels, to manage message priorities and queuing automatically, and to integrate seamlessly with the alarm system.

The solution was tested with Windows 11 and English language

1.2. Components used

This application example has been created with the following hard- and software components:

Component	Number	Article number
WinCC OA 3.20 Server Basis	1	6AV6355-1AA50-0BA0
WinCC OA V3.20, Para Standard	1	6AV6355-1AA50-0CH0

Table 1-1 WinCC OA Licenses

You can purchase these components from the [Siemens Industry Mall](#).

1.3. Requirements

- Installed WinCC OA version 3.20
- Installed Node.js® version 22

This application example consists of the following components:

Component	File name	Note
Manual	WinCCOAtextToSpeechExample.pdf	This document
Application	T2S.zip	Panels, ctrl scripts, TS source code

Table 1-2 Application Example Parts

2. Engineering

2.1. Project integration

2.1.1. System requirements

- WinCC OA Version 3.20 P1 or higher installation and license (incl. Para)
- Minimal system requirements for WinCC OA (see WinCC OA Documentation)

Note:

An internet connection is required during initial setup to install dependencies (e.g., via npm), while runtime operation does not require internet access.

2.1.2. Installation WinCC OA

To carry out the installation of WinCC OA, please follow the steps in the WinCC OA documentation. You can find the documentation under the following link: [Installation](#)

2.1.3. Preparation

Unpack the supplied ZIP archive "T2S.zip" into the folder with a project where the Javascript text-to-speech manager is planned to be used.

The ZIP-archive contains 4 folders:

- dplist - Contains DP list for text-to-speech manager
- javascript – Contains source code for text-to-speech manager
- panels – Contains configuration/test panel
- scripts – Contains Control/Ctrl++ libs and classes

2.1.4. Creating a WinCC OA Project

To create your own project and use it with the manager, steps from online documentation [Create project](#) can be followed:

2.1.5. Configuration and usage of the manager.

Import the datapoint list texttospeech.dpl, ([Import From ASCII File \(Mass Engineering\)](#)) into your WinCC OA project. After successful import, the following new2 DpTypes will be created in your project

TextToSpeech DpType

The TextToSpeech DpType contains configuration and control datapoint elements for the text-to-speech engine

- **filter** (string) – contains JavaScript filter expression for filtering based on datapoint element name
- **dpes** (array) - contains array of filtered datapoint elements that match the filter
- **config** (string) - contains configuration JSON with TTS settings.

Config JSON Structure is:

```
{ "voice": "Microsoft David Desktop", "speed": 1.0, "maxQueueSize": 5, "language": "en-US", "availableVoices": ["Microsoft David Desktop", "Microsoft Zira Desktop"], "isInitialized": true }
```

Config Parameters:

- *voice* (string): Selected TTS voice name
- *speed* (float): Speech speed multiplier (0.1 - 3.0, default: 1.0 – default OS speed)
- *maxQueueSize* (int): Maximum number of queued messages
- *language* (string): Language code (e.g., "en-US", "en-GB", "de-DE"), voices for language MUST be installed and available on your computer
- *availableVoices* (array): List of available system voices

TextToSpeechMessage DpType

The TextToSpeechMessage DpType is used to send messages to the TTS engine.

Message JSON Structure:

```
{ "managerNumber": 3, "dpe": "", "text": "This is a test message", "voice": "", "speed": 0, "priority": 5 }
```

Message Parameters:

- *managerNumber* (int): Target manager number
- *dpe* (string): Source datapoint element can be used for filtration)
- *text* (string): Message text to be spoken
- *voice* (string): Optional override voice for this specific message (empty = use config voice)
- *speed* (int): Optional override speed for this specific message (0 = use config speed, 0.1x-3.0x)
- *priority* (int): Message priority (1-maxint (9007199254740991), higher = more important)

Default Datapoints created after importing the datapoint list, the following datapoints are automatically created:

- **TTS_engine_3** (TextToSpeech) Main configuration datapoint for Text-To-speech manager #3:
- **Text2SpeechMsg** (TextToSpeechMessage) Message output datapoint:
- **alertVM** (_AlertClass) Alert class for voice message integration, it uses Control script to call sendMessage() function. **Alert class** is an internal DPE and does not appear in the PARA module by default. It will only be visible if the appropriate checkbox is enabled.

Naming Convention

If you want to define a new JS Manager with a new manager number but the same functionalities, a new datapoint must be created following this naming convention

Text-to-speech engine datapoints follow the naming pattern:

TTS_engine_<manager_number>

Examples:

TTS_engine_3 - Specific manager #3

TTS_engine_5 - Specific manager #5


Libraries and classes:

voiceMessageLib.ctl - Library for sending TTS messages, provides the sendMessage() function.

TSHandler.ctl - class for TTS configuration management, provides configuration management class with methods for reading/writing TTS configuration.

1. To install dependencies and transpile source code following terminal commands should be executed in the folder <ProjectName>\javascript\text-2-speech

- npm install
- npx tsc



```
PS C:\WinCC_OA_Proj\texttospeech\javascript\text-2-speech> npm install
up to date, audited 9 packages in 3s
found 0 vulnerabilities
PS C:\WinCC_OA_Proj\texttospeech\javascript\text-2-speech> npx tsc
PS C:\WinCC_OA_Proj\texttospeech\javascript\text-2-speech>
```

2. After source codes are transpiled new JavaScript manger should be added into project console with following options: -num 3 text-2-speech/dist/index.js

3. Configuration panel tts_config.xml provides a graphical interface for:

Configuring voice settings – voice for the speech, which are available for the current OS, more voices can be installed in your OS.

!!!!!!!Voice and Language arrays are not relaying on each other, what means if user select a language, the will- see all voices which are available on the computer.

Adjusting speech speed – speed of the speech

Setting queue size – maximum queued messages

Managing datapoint filter. Filter is a JavaScript expression used as the body of a filter function with the signature name => <your expression>. The expression receives the datapoint element name and should evaluate to true to allow it through, or false to block it. A DPE will be announced only if it contains a non-empty value and passes this filter.

Examples:

- true – allow all DPEs
- name.includes('Motor') – allow only DPEs whose name contains Motor
- name.startsWith('System') – allow only DPEs starting with System
- { if (name.includes('Alarm')) return true; return false; } – block statement form

Any truthy value (non-zero number, non-empty string) passes the filter; false, 0, or null blocks it. For more details, see [Iterator.prototype.filter\(\) - JavaScript | MDN](#)

Testing messages – it is possible to send test messages; test messages are sent to chosen manager.

Clear message queue - removes all pending messages currently queued for a selected manager.

TTS Configuration Panel Manager: 3

Voice: **Microsoft David Desktop**

Language: **en-US**

Speed: 0.6x

Queue Size: **5** **Apply Configuration**

Filter Expression:
name.includes("AAA")

Filtered DPEs: 34

Datapoint Element
System1:AAAA.state.mode.remote
System1:AAAA.state.mode.service
System1:AAAA.state.off
System1:AAAA.state.on
System1:AAAA.state.on 2
System1:AAAA.value
System1:AAAA.value.powerCon
System1:AAAA.value.speed

Apply Filter

Test Message:
This is a test message **Send**

TTS_engine_3.config
TTS_engine_3.filter **Clear Queue**

4. Alert class alertVM contains an example, how alerts for speech can be configured. For testing purposes this class can be used as alert class for alert handling.

5. Appendix

Important WinCC OA specific abbreviations

Acronym	Long form	Meaning
WinCC OA	Simatic WinCC Open Architecture	A SCADA system for visualizing and operating of processes, production flows, machines and plants in all lines of business. Distributed systems enable any number of stand-alone systems, from 2 to 2048, to be linked via a network. Each subsystem can be configured either as a single-user or multi-user system, redundant or not, in each case.
DPT	Data point type	Object definition (class) of a structured data object as mapping of a real device. Single data

		points (instances) are derived from the DPT. Therefore, the data point type is a form of template.
DP	Data point	Structured, device-oriented data object as representation of a real device within the control system. A data point contains one or more data point elements (process variables).
DPE	Data point element	Single process information within a device-oriented data point. Each DPE corresponds to a value/state. In addition to the value, there are DPE attributes like time stamp, quality information or origin.
GEDI	Graphic Editor GEDI	Graphic Editor. It is used both for drawing of process images ("panels") as well as for designing of symbols, dialogs, and scripting.
PARA	Configuration Tool	Editor for the creation and configuration of data point types, data points, and data point elements as well as their configs.
ASCII	American Standard Code for Information Interchange	Standardized protocol for storage and transfer of characters/text. In WinCC OA, the acronym also refers to the database import/export manager. It is a module to export and import configurations as ASCII files. Mass configuration can therefore be carried out in a spread sheet program (for example MS Excel), file editor, or in an external database.
D	Driver Manager ("Driver")	Interface for connecting controllers (PLC, DDC, ...) fieldbuses and telecontrol systems. A driver handles the communication via an external protocol and enables the exchange of information with WinCC OA. The processing of data from the "field" to WinCC OA contains event orientation, old/new comparison, transformation, conversion, and smoothing. The protocol of the Driver must be the same as the protocol of the "field" device. Furthermore, the connection (how to reach the device) must be configured in WinCC OA. For exchanging data, a periphery address must be configured on a corresponding DPE.
CTRL	Control Manager ("Scripting")	Processing unit that allows to process user specific logic / business logic (control scripts). Control possesses an easy to learn syntax (similar to ANSI-C) and is processed by an interpreter (CTRL Manager).

Table 4-1 WinCC OA specific abbreviations

Service and support

WinCC OA Extended Services

Do you have questions about WinCC OA projects, need additional features, or require technical assistance? ETM provides 24/7 access to our complete service and support expertise for WinCC OA.

Our range of services includes the following:

- Extended Services provide tailored support for your evolving needs
- All kind of analysis/troubleshooting for older WinCC OA versions than our current mainline
- Project startup workshop
- Architecture definition
- Project engineering assistance with dedicated contact person
- Special project developments (special requirements, web widgets, gateways, etc.)
- WinCC OA library development assistance
- Project or architecture reviews with report
- Project-specific problem or performance analysis
- Project upgrade (analysis with report, assistance during upgrade, etc.)
- Assistance for complex error reproduction scenarios
- On-site assistance for any tasks related to WinCC OA and their components
- 24/7 on-duty assistance or priority callback for certain time range
- Database support Oracle®, InfluxDB®, PostgreSQL® and MS SQL®
- Raima/HDB to SQLite/NGA migration
- Setup and consulting for WinCC OA Add-ons e.g., APM, AMS, DRS, ...
- WinCC OA Security services (as per the WinCC OA Security Guideline, NIS2)
- Tests on unsupported platforms (e.g., unsupported OS)
- Individual Workshops (driver workshop, UI workshop, business logic, etc.)
- Factory Acceptance Test (FAT)/Site Acceptance Test (SAT) assistance
- Creating of prototypes, proof of concepts, demos, etc.
- Project tender analysis and evaluation of projects

You can find detailed information on our range of services in the service catalog web page:

www.winccoa.com/documentation/WinCCOA/latest/en_US/Support/topics/support_extendedServices.html

SiePortal

The integrated platform for product selection, purchasing and support - and connection of Industry Mall and Online support. The SiePortal home page replaces the previous home pages of the Industry Mall and the Online Support Portal and combines them.

- **Products & Services**
In Products & Services, you can find all our offerings as previously available in Mall Catalog.
- **Support**
In Support, you can find all information helpful for resolving technical issues with our products.
- **mySieportal**
mySiePortal collects all your personal data and processes, from your account to current orders, service requests and more. You can only see the full range of functions here after you have logged in.

You can access SiePortal via this address:

sieportal.siemens.com

Technical Support

The Technical Support of Siemens Industry provides you fast and competent support regarding all technical queries with numerous tailor-made offers.

– ranging from basic support to individual support contracts. Please send queries to Technical Support via Web form:

siemens.com/SupportRequest

WinCC OA – Training and Certification

To fully leverage the flexibility and openness of WinCC OA, we offer a wide range of training courses, from beginner to expert levels. Our modules cover various topics, with options for individual training. For WinCC OA partners, completing specific courses is required to obtain or maintain partner status, ensuring the highest level of expertise and support.

For more information on our offered trainings and courses, as well as their locations and dates, refer to our web page:

www.winccoa.com/support/training.html

Change documentation

Version	Date	Modifications
V1.0	01/2026	First version
V1.1	09/2026	Replaced the say dependency with Windows System.Speech and Linux eSpeak NG. Updated security and third-party software information and documented external runtime prerequisites.

Table 4-2 Change Documentation

Published by
Siemens AG
DI FA HMI ISW ETM

Marktstrasse 3
7000 Eisenstadt
Austria

E-mail: wincc_oa.at@siemens.com

Web: www.siemens.com/wincc-open-architecure

For the U.S. published by
Siemens Industry Inc

100 Technology Drive
Alpharetta, GA 30005
United States

Subject to changes and errors. The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.