

Windchill Extension Test Plan

Extension Platform Validation Plan

Details	
Generated	2024/12/29 22:53
Group Id	com.wincomplm
Artifact Id	wex-platform-testplan-validation
Name	Extension Platform Validation Plan
Version	2.0
Beta	No
Windchill Version	13.1
Description	The platform within Windchill that manages extensions
System Extension	Yes

Test Definition Index

Listeners	43
Install a test listener extension	44
Check the extension shows the configurable interface	45
Fire the listener	46
Alter the execution order	47
Fire the listener	48

Overview & Setup	3
Install test version	4
Restart after install of new platform	5
Create Wex Manager new user	6
Enable all extensions are allowed to be installed	7
Manager	8
Check standard user has no access to the extension manager	9
Check wex user has access to the extension manager	10
Check extension manager user can do an install of a signed extension	11
Undeploy an extension	12
Check extension manager user cannot do an install of a snapshot, beta or trial	13
Check extension manager user cannot install unsigned	14
Enable only Windchill+ are allowed to be installed	15
Check extension manager user cannot do an install of a non Windchill+ extension	16
Check extension manager user can do an install of an approved Windchill+ extension	17
Check extension is registered in DB	18
Check the audit show thie new extensions	19
Undeploy and check unregistered in DB	20
Sync	21
Turn off Windchill+ only	22
Turn of all syncs	23
Deploy test extension	24
Undeploy the extension	25
Enable an extension to be installed from the DB	26
Check the system detects the record is valid	27
Setup sync from the DB	28
Check the sync diags shows a valid update	29
Turn of all syncs	30
Install the test wex-example-sync	31
Check the sync diags show valid update	32
Setup sync from the resources	33
New resource extension deployed	34
Configuration	35
Install the configuration example	36
Check the security report of the example shows the correct information	37
Check site admin has full access to the configuration	38
Check extension admin has limited access to the configuration	39
Menus	40
Check extension manager user can do an install of a signed extension	41
Check menu is removed on undeploy	42

Overview & Setup

ID	OV1	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Version **2.0.1**

Windchill Version **13.0**


Click the link below to download the latest version of this test plan


Testing for the new Wincom Extension Platform 2.0 features that will be included in Windchill.


This test plan is functional only and does not test security.


<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-platform-testplan-validation.release.testplan.pdf>

Overview & Setup

Install test version									
ID	ST1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Windchill will have the latest platform preinstalled but the latest version can be installed using the installer.									
Actions									
Download the installer and run it from a Windchill Shell									
Click the link below to download the latest installer									
https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-platform-2.0-13.0.0.0-SNAPSHOT.jar									
									
Result									
Install complete									

Restart after install of new platform									
ID	ST2	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Checking the server starts correctly after install									
Actions									
Restart server									
Result									
 <p>IzPack - Installation of Windchill Extensions Platform</p> <p>Please read the following information:</p> <h2>Complete</h2> <p>The installation is complete, please restart your Windchill system.</p> <p>(Made with IzPack - http://izpack.org/)</p> <p>Step 6 of 6</p> <p>Quit</p>									

Create Wex Manager new user									
ID	ST3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>We will use three users during the testing</p> <ul style="list-style-type: none"> + Site Admin - Will be able to perform all functions including system configuration (wadmin) + Extension Admin - A user that can deploy and undeploy approved extensions (wex) + Standard User - A user with no special privileges (nowex) 									
Actions									
<p>Create a new user (wex) and add them to this group</p> <p>Create a new user (nowex) and do not add them to this group</p>									
Result									
<p>The Group Extension Administrators is present (does not need to be manually created)</p>  <p>The screenshot shows the Windchill 'wadmin' interface. The 'Participant Administration' section is expanded, showing a table with two objects: 'Extension Administrators' and 'wex'. The 'Extension Administrators' group is highlighted, showing its description and context. The 'wex' user is listed below it. The interface includes a search bar, a 'Quick Links' dropdown, and a 'Recently Accessed' dropdown.</p>									

Enable all extensions are allowed to be installed									
ID	ST4	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Must be done as a site admin									
Actions									
<p>Login as site admin and access the Extension Manager (1)</p> <p>Access system extensions (2)</p> <p>Access wex-audit configuration (3)</p> <p>Change to Windchill+ to false (if not already) (4)</p> <p>Update (5)</p>									
 <p>The screenshot shows the Windchill user interface. At the top left, the 'wadmin' user is logged in (1). The 'Extension Manager' tab is selected in the left sidebar (2). The 'wex-audit' extension is highlighted in the list (3). The 'General' configuration window for 'wex-audit' is open, showing the 'Windchill+ only' option set to 'No' (4). The 'Update' button is visible in the bottom right of the configuration window (5).</p>									
Result									
Configuration updated									

Manager

ID	M1	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

This section will test the manager exposed to nominated users and works as expected.
Test extensions are provided for 13.0

Extension Manager

Check standard user has no access to the extension manager


ID	M2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--


Description

Login as standard user (nowex)
Standard users, those not site admin or in the extension administrators group, do not see the manager

Actions

Access the quick links menu to ensure no manager is present



Check wex user has access to the extension manager									
ID	M3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Login as extension administrator (wex) Wex admin users do see the manager									
Actions									
Access the quick links menu to ensure manager is present									
Result									
 <p>The screenshot shows the Windchill WEX user interface. At the top, there's a header with the Windchill logo and 'wex' text. Below the header, there's a navigation bar with a home icon and a search bar. The main content area is titled 'Extension Manager' and contains a table with columns: Name, ID, Version, Documentation, Actions, and Configuration. The table is currently empty, with a message 'No matches found' displayed. On the right side of the interface, a 'Quick Links' menu is open, listing various options: Help, PTC Learning Connector, Clipboard, Import Job Monitor, WVS Job Monitor, Event Management, My Settings, My Notebook, My AR Experiences, Software Downloads, Email Page, Copy Page, Copy Link, and Extension Manager. The 'Extension Manager' option at the bottom of the menu is highlighted with an orange rectangular box.</p>									

Check extension manager user can do an install of a signed extension

ID	M4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description


At this point the extension manager may install any signed extension. This is restricted in a later test

Actions

Download and deploy test extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>



Result

Installation is successful



Undeploy an extension

ID	M5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Undeploy the extension deployed in previous step

Actions

The screenshot shows the Windchill WEX interface. The 'Extension Manager' section contains a table with the following data:

Name	ID	Version	Documentation	Actions	Configuration
Example - Hello World	wex-example-helloworld	2.0			

Result

The screenshot shows a confirmation message: **CONFIRMATION: Undeploy OK**. Below the message, it states: 'The extension has been removed from your system'. The 'Extension Manager' table is now empty.

Check extension manager user cannot do an install of a snapshot, beta or trial

ID

M6

Category

Functional

Security

NA

Execution

Manual

Reference

Description


These are only allowed to be installed by a site admin

Actions

Download and deploy snapshot test extension


Click the link below to download the test extension



<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0-SNAPSHOT.wex>





Result

Installation is unsuccessful



Check extension manager user cannot install unsigned									
ID	M7	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
This test is a user trying to install a wex with a tampered definition file									
Actions									
Download and deploy test extension									
Click the link below to download the test extension									
https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0-badsignature.wex									
									
Result									
Installation is unsuccessful									
									

Enable only Windchill+ are allowed to be installed									
ID	M81	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>To restrict the system to only allow extension managers to install Windchill+ approved extensions. Must be done as a site admin</p>									
Actions									
<p>Login as site admin and access the Extension Manager (1) Access system extensions (2) Access wex-audit configuration (3) Change to Windchill+ (4) Update (5)</p>									
									
Result									
Configuration updated									
									

Check extension manager user cannot do an install of a non Windchill+ extension

ID	M8	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description


User may not install

Actions

Download and deploy test extension


Click the link below to download the test extension.

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>



Result

Installation is unsuccessful



Check extension manager user can do an install of an approved Windchill+ extension

ID	M9	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description


User may install approved extension

Actions

Download and deploy approved extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0-wcplus.wex>



Result

Installation is successful



Check extension is registered in DB


ID	M10	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The extension should be in the DB as installed


Actions

As site admin, check the wex folders area



Result

Record is visible as Released




Check the audit show this new extensions

ID	M11	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The extension should be seen as Windchill+ approved in the diags, must be done as a site admin


Actions



ID	Name	System	Approvals
com.wincomplm.wex-log	Log	true	[ptc-product]
com.wincomplm.wex-wt-framework	Windchill Framework	true	[ptc-product]
com.wincomplm.wex-example-helloworld	Example - Hello World	false	[windchill-plus]
com.wincomplm.wex-manager	Manager	true	[ptc-product]
com.wincomplm.wex-performance	Performance	true	[ptc-product]
com.wincomplm.wex-threading	Threading	true	[ptc-product]
com.wincomplm.wex-framework	Framework	true	[ptc-product]
com.wincomplm.wex-audit	Audit	true	[ptc-product]
com.wincomplm.wex-diagnostics	Diagnostics	true	[ptc-product]

Result

Record is visible



ID	Name	System	Approvals
com.wincomplm.wex-log	Log	true	[ptc-product]
com.wincomplm.wex-wt-framework	Windchill Framework	true	[ptc-product]
com.wincomplm.wex-example-helloworld	Example - Hello World	false	[windchill-plus]
com.wincomplm.wex-manager	Manager	true	[ptc-product]
com.wincomplm.wex-performance	Performance	true	[ptc-product]
com.wincomplm.wex-threading	Threading	true	[ptc-product]
com.wincomplm.wex-framework	Framework	true	[ptc-product]
com.wincomplm.wex-audit	Audit	true	[ptc-product]
com.wincomplm.wex-diagnostics	Diagnostics	true	[ptc-product]


Undeploy and check unregistered in DB

ID	M13	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The extension should be in the DB but as Inwork, must be done as a site admin


Actions




The screenshot shows the Windchill WEX Extension Manager interface. The header displays the Windchill logo and 'wex'. The left sidebar contains navigation icons and the text 'Search | Browse'. The main area is titled 'Extension Manager' and features a table with the following columns: Name, ID, Version, Documentation, Actions, and Configuration. A single entry is listed: 'Example - Hello World' with ID 'wex-example-helloworld' and Version '2.0'. The 'Actions' column for this entry contains a red 'X' icon, indicating an error or a specific action state.

Result

Record is visible as Inwork



The screenshot shows the Windchill WCADM 'Folder Contents' view. The header displays the Windchill logo and 'wadmin'. The left sidebar shows a tree view of folders: 'Site' > 'wex' > 'config', 'deploy', and 'logs'. The 'deploy' folder is selected. The main area shows the 'Folder Contents' for the 'deploy' folder, with a table listing objects. The table has columns: Number, Name, Version, and State. One object is listed: 'WEX-339758009' with Name 'com.wincomplm.wex-example-helloworld-release-2.0' and Version 'A.47'. The 'State' column for this object is 'In Work', which is highlighted with a red box.

Sync									
ID	SN1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>Testing the way the platform syncs to the DB and new updates.</p> <p>All testing must be done as Site Admin.</p> <div>  </div>									

Turn off Windchill+ only

ID	SN2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

To ensure valid testing, allow all installs

Actions

Set Windchill+ only to false

The screenshot displays the Windchill+ web application interface. On the left, the 'Extension Manager' sidebar lists various components, with 'Audit' selected. The main content area shows the 'General' configuration tab for the 'Audit' extension. The 'Windchill+ only' setting is currently set to 'No', indicated by a selected radio button. An 'Update' button is visible at the bottom right of the configuration panel. The background shows a table of extensions with columns for Name, Author, and Actions.

Result

The audit config is updated

Turn of all syncs

ID	SN3	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

As site admin turn off sync

Actions

The screenshot displays the Windchill wadmin interface. On the left is the 'Extension Manager' sidebar with a list of extensions including Audit, Sync, Center, Cluster, Configuration, Core, Deploy, Diagnostics, Documentation, Framework, JUnit Test, License, Log, Manager, and Metrics. The 'Sync' extension is selected. The main panel shows the 'Sync' configuration page. It has a green header 'Sync'. Below it are two sections: 'Enable the database sync' and 'Enable the resource sync', each with radio buttons for 'Yes' and 'No'. Both are currently set to 'No'. Below these is a 'List of items to sync' section with a '+' button and a list containing 'com.wincomplm.*'. At the bottom is a 'Sync Frequency (in minutes)' field set to '1' and an 'Update' button. On the right side of the interface, there is a vertical list of actions and configurations, with a wrench icon highlighted in the 'Configuration' column.

Deploy test extension

ID	SN31	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--

Description

Deploy an extension that will be present in the history

Actions

Download and deploy test extension

Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>

Result

Installation is successfull

Undeploy the extension

ID	SN32	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--

Description

Undeploy the extension deployed in previous step

Actions

Result

Enable an extension to be installed from the DB


ID	SN4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

By setting the record to released the extension will be installed by sync

Actions

As site admin set a previously installed extension to Released



Result

The document is set to released

Check the system detects the record is valid


ID	SN5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The diags will show that this extension is ready to deploy.

This features allows this system to maintain the DB as as the single source of truth for clusters and containerized systems.

Actions



windchill® wcadmin

Extension Manager

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions ↓	Configuration
Audit	com.wincomplm	wex-audit	2.0-SNAPSHOT			Release				✓ ⓘ ⚙	
Sync	com.wincomplm	wex-sync	2.0-SNAPSHOT			Release				✓ ⓘ ⚙	

Result

Sync Extensions

Database Sync

ID	Version	DB Version	Needs Sync	DB older	On DB	On Disk
com.wincomplm.wex-example-helloworld		2.0	true	false	true	false

1 item(s) require a sync

Resource Sync

ID	Version	Resource Version	Needs Sync	On Disk
----	---------	------------------	------------	---------

Setup sync from the DB


ID	SN6	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Set the sync to read the DB and update the system if required

Actions

Set sync so that the DB sync is enabled but the resource is not




The screenshot shows the Windchill wadmin interface with the 'Extension Manager' sidebar. A configuration window for the 'Sync' extension is open, displaying the following settings:



- Enable the database sync:** ☒ Yes ☐ No
- Enable the resource sync:** ☐ Yes ☒ No
- List of items to sync:** A list containing 'com.wincomplm.*' with a minus sign icon to its left.
- Sync Frequency (in minutes):** A text input field containing the value '1'.
- Update button:** A button labeled 'Update' is located at the bottom right of the configuration window.

Result

After a few minutes the extension appears as installed. This may take up to 5 minutes.



The screenshot shows the Windchill wex interface with the 'Extension Manager' sidebar. The table below lists the installed extensions:

Name	ID	Version	Documentation	Actions	Configuration
Example - Hello World	wex-example-helloworld	2.0			


Check the sync diags shows a valid update

ID	SN7	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The systems will after some minutes detect the disparity and install the extension automatically.
The diags will now show the update was complete

Actions



The screenshot shows the Windchill wadmin interface. The 'Extension Manager' section is expanded, displaying a table of installed extensions. The 'Sync' extension is highlighted, and its 'Actions' column shows a red square icon, indicating a valid update.

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configuration
Audit	com.wincomplm	wex-audit	2.0-SNAPSHOT			Release					
Sync	com.wincomplm	wex-sync	2.0-SNAPSHOT			Release					

Result

Sync Extensions

Database Sync

ID	Version	DB Version	Needs Sync	DB older	On DB	On Disk
com.wincomplm.wex-example-helloworld	2.0	2.0	false	false	true	true

Resource Sync

ID	Version	Resource Version	Needs Sync	On Disk
com.wincomplm.wex-example-helloworld	2.0		false	true

Close

Turn of all syncs

ID	SN8	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description


As site admin turn off sync so that the system does not synchronize with the DB or resource folder

Actions

The screenshot displays the Windchill wadmin interface. On the left, the 'Extension Manager' sidebar lists various components, with 'Sync' selected. The main panel is titled 'Sync' and contains the following settings:

- Enable the database sync:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- Enable the resource sync:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- List of items to sync:** A list containing 'com.wincomplm.*'.
- Sync Frequency (in minutes):** A text input field with the value '1'.
- Update:** A button to save the configuration.

On the right side of the interface, a sidebar shows a list of actions. The 'Configuration' tab is active, and a wrench icon is highlighted, indicating the current configuration page.

Install the test wex-example-sync									
ID	SN9	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
This 2.0 example delivers a new version (2.1) version of the Hello World extension which it will add to the resource area that is checked by the system Sync extension.									
Actions									
Download and deploy test extension									
Click the link below to download the test extension									
https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-sync-2.0-13.0.wex									
									
Result									
Extension deployed									

Check the sync diags show valid update


ID	SN10	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--

Description

The diags will now show the sync is required.

Note that Hello World 2.0 must already be installed.

Actions



The screenshot shows the Windchill wcadmin interface. The 'Extension Manager' section is expanded, displaying a table of extensions. The 'Sync' extension is highlighted. In the 'Actions' column for the 'Sync' extension, the 'Sync' button (represented by a red square with a white 'S') is circled in red.

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configuration
Audit	com.wincomplm	wex-audit	2.0-SNAPSHOT			Release					
Sync	com.wincomplm	wex-sync	2.0-SNAPSHOT			Release					

Result


Sync Extensions

Database Sync

ID	Version	DB Version	Needs Sync	DB older	On DB	On Disk
com.wincomplm.wex-example-helloworld	2.0	2.0	false	false	true	true

Resource Sync

ID	Version	Resource Version	Needs Sync	On Disk
com.wincomplm.wex-example-helloworld	2.0	2.1	true	true

Setup sync from the resources									
ID	SN11	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Set the sync to read from the resource area and update the system if required									
Actions									
Set sync so that the resource sync is enabled but the DB is not									
									
Result									
The sync config is updated									

New resource extension deployed

ID	SN12	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--


Description

The 2.1 Hello World extension will be deployed

Actions

Wait + or - 5 minutes for sync to trigger the automatic deployment of the extension

Result



windchill® wadmin

Home

Search | Browse

Extension Manager







+


≡

↓

✖

🖨


Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions ↓
Example - Hello World	com.wincomplm	wex-example-helloworld	2.1			Release			  	  

 WINCOM

Confidential

34

Configuration									
ID	C1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Testing the way the platform manages configurations									
<div> <div>Configuration</div> </div>									

Install the configuration example									
ID	C2	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
The configuration options include ones that are available to the extension admin									
Actions									
Download and install the configuration example extension									
https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-config-2.0-13.0.wex									
Result									
									

Check the security report of the example shows the correct information									
ID	C3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
The security reports will show which options are made visible to the Extension Admins									
Actions									
No action, this is for information only									
Result									

Configuration

The configuration options for both Site Admin and Extension Business Configuration

Business Manager Options				
Category	Name	Type	Description	Required
Business Admin	businessString	String	An option visible to the business admins	false

Admin Options				
Category	Name	Type	Description	Required
Basic	exampleString	String	Simple string	false
Basic	exampleBoolean	boolean	Boolean	false
Collections	exampleList	List	String list	false
Collections	exampleMap	Map	String map	false
Collections	exampleStateList	List	String list with handler	false
Security	examplePassword	String	Password	false

Check site admin has full access to the configuration

ID	C4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

All configurations items are visible

Actions

The screenshot shows the Windchill wadmin interface. At the top, there's a header with the Windchill logo and 'wadmin' in a box. Below the header is a sidebar with 'Search' and 'Browse' options. The main content area is titled 'Extension Manager' and contains a table with the following columns: Name, Author, ID, Version, Trial, Client, Build, Expired, Expires, Documentation, Actions, and Configur. The table lists three extensions: 'Example - Hello World', 'Example - Sync', and 'Example - Config'. The 'Example - Config' row is highlighted in orange, and a configuration icon (a wrench) is visible in the 'Configur.' column for this row.

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configur.
Example - Hello World	com.wincomplm	wex-example-helloworld	2.1			Release					
Example - Sync	com.wincomplm	wex-example-sync	2.0			Release					
Example - Config	com.wincomplm	wex-example-config	2.0			Release					

Result

Basic

Boolean

☐ Yes ☒ No

Simple string

bad2

Business Admin

An option visible to the business admins

Hello7

Collections

String list

+

String list with handler

+

Accepted

Check extension admin has limited access to the configuration

ID

C5

Category

Functional

Security

NA

Execution


Manual

Reference

Description

Only items annotations as business are visible

Actions



The screenshot shows the Windchill WEX Extension Manager interface. The header includes the Windchill logo and a 'wex' tab. A sidebar on the left contains 'Search' and 'Browse' options. The main content area is titled 'Extension Manager' and features a table of installed extensions. The table has columns for Name, ID, Version, Documentation, Actions, and Configuration. Three extensions are listed: 'Example - Hello World' (ID: wex-example-helloworld, Version: 2.1), 'Example - Sync' (ID: wex-example-sync, Version: 2.0), and 'Example - Config' (ID: wex-example-config, Version: 2.0). The 'Example - Config' row is highlighted in orange, and a wrench icon in the Configuration column is also highlighted with an orange box. The Actions column for all extensions shows a red 'X'.

Name	ID	Version	Documentation	Actions	Configuration
Example - Hello World	wex-example-helloworld	2.1		✗	
Example - Sync	wex-example-sync	2.0		✗	
Example - Config	wex-example-config	2.0		✗	

Result

Business Admin

An option visible to the business admins

Hello World

Update

Check extension manager user can do an install of a signed extension

ID	MN2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description


This extension will add a menu in the Quick Links

Actions

Download and deploy test extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>




Result

Check the menus are visible
Will require a browser refresh



Check menu is removed on undeploy




Check menu is removed on undeploy

ID	MN3	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

This undeploy removes the menu from the Quick Links

Actions




The screenshot displays the Windchill WEX Extension Manager. A table lists the installed extensions:

Name	ID	Version	Documentation	Actions	Configuration
Example - Hello World	wex-example-helloworld	2.0			

Result

Check the menus are not visible
Will require a browser refresh

Listeners									
ID	L1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Testing the extension listener options									
<div> <div>Listeners</div> </div>									

Install a test listener extension									
ID	L2	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
This example has two listeners that can be used for testing									
Actions									
Download and deploy test extension Click the link below to download the test extension https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-listener-2.0-13.0.wex									
									
Result									
Installation is successful									


Check the extension shows the configurable interface

ID	L3	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The system config extension will generate a UI to control the order the listener execution

Actions



windchill wadmin

Search | Browse

Extension Manager

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configuration
Example - Listener	com.wincomplm	wex-example-listener	2.0			Release				✓ ⓘ ✕	⚙️
Audit	com.wincomplm	wex-audit	2.0-SNAP			Release				✓ ⓘ ✕	⚙️
Sync	com.wincomplm	wex-sync	2.0-SNAP			Release				✓ ⓘ ✕	⚙️
Log	com.wincomplm	wex-log	2.0-SNAP			Release				✓ ⓘ	
System	com.wincomplm	wex-system	2.0-SNAP			Release				✓ ⓘ	

Result

Listener order

Example - Listener

Key	Supported	Order
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		0
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		1

OK Cancel

Fire the listener

ID	L4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Set the state of one part in the system to trigger the listener

Actions

Set State

Current Settings: No dependents, Latest : Design, Working

▼ Object List As a List ▼ Default ▼

	Name	Number ↑	Life Cycle Template	State	Target State	Related Processes	Collection Rule	Last Modified
	NUT_1_4	GC000010	Basic	In Work	Released ▼	Terminate	Initially Selected	2024-12-09 15:47 CET

(0 objects selected)

Result

Check the MS logs

```
MethodServer-1@26116
INFO : wt.servlet.SessionMonitor.stats.summary - ContextPath=/Windchill, ActiveSessionsAverage=1.0, ActiveSessionsMax=1, ActiveSessionsStart=1, ActiveSessionsEnd=1, ElapsedSeconds=600.000924, SessionsCreated=0, SessionsDestroyed=0, SessionsActivated=0, SessionsPassivated=0
INFO : wt.servlet.ServletRequestMonitor.stats.summary - ContextPath=/Windchill, ElapsedSeconds=600.0010389, CompletedRequests=74, ErrorCount=0, RequestSecondsAverage=0.14833998378378777, RequestSecondsMax=1.785916, RequestCpuSecondsAverage=0.012035472972972973, RequestUserSecondsAverage=0.008023648648648648, ActiveRequestsAverage=0.018308416465643556, ActiveRequestsMax=6, ActiveRequestsStart=0, ActiveRequestsEnd=0
INFO : wt.system.err wadmin - 2024-12-29 20:59:56 WARN com.wincomplm.wex-example-listener.StateListener - [L1] A part has changed state GC000010 to RELEASED
INFO : wt.system.err wadmin - 2024-12-29 20:59:56 WARN com.wincomplm.wex-example-listener.StateListener2 - [L2] A part has changed state GC000010 to RELEASED
```


Alter the execution order

ID	L5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Make the L2 listener file after the L1

Actions

Listener order

Example - Listener

Key	Supported	Order
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		<input type="text" value="1"/>
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		<input type="text" value="0"/>

OK

Cancel

Result

Set the state again and check the MS logs

MethodServer-1@26116

ge=0.0469675, RequestSecondsMax=0.3139903, RequestCpuSecondsAverage=0.004464285714285714, RequestUserSecondsAverage=0.004464285714285714, ActiveRequestsAverage=0.10980261150048709, ActiveRequestsMax=2, ActiveRequestsStart=0, ActiveRequestsEnd=0
ERROR : com.ptc.ms.ParamsController wcadmin - No container found for oid : OR:wt.folder.SubFolder:108436
INFO : wt.system.err wcadmin - 2024-12-29 21:21:12 WARN com.wincomplm.wex-example-listener.StateListener2 - [L2] A part has changed state GC000010 to INWORK
INFO : wt.system.err wcadmin - 2024-12-29 21:21:12 WARN com.wincomplm.wex-example-listener.StateListener - [L1] A part has changed state GC000010 to INWORK

Fire the listener

ID	L6	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description



Set the state of one part in the system to trigger the listener


Actions	

Set State

Current Settings: No dependents, Latest : Design, Working

▼ Object List [As a List](#) ▼ Default ▼

 Target State ▼ Dependents ▼ 

<input type="checkbox"/>	<input type="checkbox"/>	Name	Number ↑	Life Cycle Template	State	Target State	Related Processes	Collection Rule	Last Modified
<input type="checkbox"/>		NUT_1_4	GC0000010	Basic	In Work	Released ▼	Terminate	Initially Selected	2024-12-09 15:47 CET

(0 objects selected)

Result

Check the MS logs

```
MethodServer-1@26116
age=0.0469675, RequestSecondsMax=0.3139903, RequestCpuSecondsAverage=0.004644285714285714, RequestUserSecondsAverage=0.004644285714285714, ActiveRequestsAverage=0.10980261150048709, ActiveRequestsMax=2, ActiveRequestsStart=0, ActiveRequestsEnd=0
RROR : com.ptc.ms.ParamsController wcadmin - No container found for oid : OR.wt.folder.SubFolder:108436
INFO : wt.system.err wcadmin - 2024-12-29 21:21:12 WARN com.wincomplm.wex-example-listener.StateListener2 - [L2] A part has changed state GC000010 to INWORK
INFO : wt.system.err wcadmin - 2024-12-29 21:21:12 WARN com.wincomplm.wex-example-listener.StateListener - [L1] A part has changed state GC000010 to INWORK
```