



Mutual

TEST ONLY Report stage-20260925a 57b72b36-d524-4871-8cb0-dca4cebed615

Disposable hosted workflow fixture 57b72b36-d524-4871-8cb0-dca4cebed615

Report details

Report Date	2026-09-24
Site	Unassigned site
Worker	Alex Example (DEMO)
Submitted	2026-09-24T23:10:06.850361Z
Status	resolved

Report answers

PPE issue	Synthetic PPE evidence 57b72b36-d524-4871-8cb0-dca4cebed615
Worker signature	



Photos

Photo 1	 Photo 1 Taken 2026-09-24T23:08:45.852Z synthetic-ppe-stage-20260925a-01.png
---------	---



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 2	 Photo 2 Taken 2026-09-24T23:08:45.852Z synthetic-ppe-stage-20260925a-02.png
Photo 3	 Photo 3 Taken 2026-09-24T23:08:45.852Z synthetic-ppe-stage-20260925a-03.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 4	 Photo 4 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-04.png
Photo 5	 Photo 5 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-05.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 6	 Photo 6 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-06.png
Photo 7	 Photo 7 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-07.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 8	 Photo 8 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-08.png
Photo 9	 Photo 9 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-09.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 10	 Photo 10 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-10.png
Photo 11	 Photo 11 Taken 2026-09-24T23:08:45.853Z synthetic-ppe-stage-20260925a-11.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 12	 Photo 12 Taken 2026-09-24T23:08:45.854Z synthetic-ppe-stage-20260925a-12.png
Photo 13	 Photo 13 Taken 2026-09-24T23:08:45.854Z synthetic-ppe-stage-20260925a-13.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 14	 Photo 14 Taken 2026-09-24T23:08:45.854Z synthetic-ppe-stage-20260925a-14.png
Photo 15	 Photo 15 Taken 2026-09-24T23:08:45.854Z synthetic-ppe-stage-20260925a-15.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 16	 Photo 16 Taken 2026-09-24T23:08:45.854Z synthetic-ppe-stage-20260925a-16.png
Photo 17	 Photo 17 Taken 2026-09-24T23:08:45.854Z synthetic-ppe-stage-20260925a-17.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 18	 Photo 18 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-18.png
Photo 19	 Photo 19 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-19.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 20	 Photo 20 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-20.png
Photo 21	 Photo 21 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-21.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 22	 Photo 22 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-22.png
Photo 23	 Photo 23 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-23.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 24	 Photo 24 Taken 2026-09-24T23:08:45.855Z synthetic-ppe-stage-20260925a-24.png
Photo 25	 Photo 25 Taken 2026-09-24T23:08:45.856Z synthetic-ppe-stage-20260925a-25.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 26	 Photo 26 Taken 2026-09-24T23:08:45.856Z synthetic-ppe-stage-20260925a-26.png
Photo 27	 Photo 27 Taken 2026-09-24T23:08:45.856Z synthetic-ppe-stage-20260925a-27.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 28	 Photo 28 Taken 2026-09-24T23:08:45.856Z synthetic-ppe-stage-20260925a-28.png
Photo 29	 Photo 29 Taken 2026-09-24T23:08:45.856Z synthetic-ppe-stage-20260925a-29.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 30	 Photo 30 Taken 2026-09-24T23:08:45.856Z synthetic-ppe-stage-20260925a-30.png
Photo 31	 Photo 31 Taken 2026-09-24T23:08:45.857Z synthetic-ppe-stage-20260925a-31.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 32	 Photo 32 Taken 2026-09-24T23:08:45.857Z synthetic-ppe-stage-20260925a-32.png
Photo 33	 Photo 33 Taken 2026-09-24T23:08:45.857Z synthetic-ppe-stage-20260925a-33.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 34	 Photo 34 Taken 2026-09-24T23:08:45.857Z synthetic-ppe-stage-20260925a-34.png
Photo 35	 Photo 35 Taken 2026-09-24T23:08:45.857Z synthetic-ppe-stage-20260925a-35.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 36	 Photo 36 Taken 2026-09-24T23:08:45.857Z synthetic-ppe-stage-20260925a-36.png
Photo 37	 Photo 37 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-37.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 38	 Photo 38 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-38.png
Photo 39	 Photo 39 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-39.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 40	 Photo 40 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-40.png
Photo 41	 Photo 41 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-41.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 42	 Photo 42 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-42.png
Photo 43	 Photo 43 Taken 2026-09-24T23:08:45.858Z synthetic-ppe-stage-20260925a-43.png



Mutual


TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 44	 Photo 44 Taken 2026-09-24T23:08:45.859Z synthetic-ppe-stage-20260925a-44.png
Photo 45	 Photo 45 Taken 2026-09-24T23:08:45.859Z synthetic-ppe-stage-20260925a-45.png



Mutual



TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 46	 Photo 46 Taken 2026-09-24T23:08:45.859Z synthetic-ppe-stage-20260925a-46.png
Photo 47	 Photo 47 Taken 2026-09-24T23:08:45.859Z synthetic-ppe-stage-20260925a-47.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 48	 Photo 48 Taken 2026-09-24T23:08:45.860Z synthetic-ppe-stage-20260925a-48.png
Photo 49	 Photo 49 Taken 2026-09-24T23:08:45.860Z synthetic-ppe-stage-20260925a-49.png



Mutual

TEST ONLY Report stage-20260925a
57b72b36-d524-4871-8cb0-dca4cebed615

Photo 50




Photo 50 | Taken 2026-09-24T23:08:45.860Z | synthetic-ppe-stage-20260925a-50.png

Report review

Reviewing Supervisor	DEMO Presenter demo-20260916
Review started	2026-09-24T23:12:02.064389Z
Resolved	2026-09-24T23:12:03.978944Z
Supervisor note	TEST ONLY replacement PPE issued 57b72b36-d524-4871-8cb0-dca4cebed615