


A decorative graphic in the top right corner consisting of four concentric circles. A diagonal line passes through them, with a small teal dot on the line to the left of the circles, a larger teal dot on the line to the right, and a larger orange dot at the end of the line on the far right.

E7G-T

PRACTICAL STARTER KIT

See what a representation preserves, what it hides, and what to do next

A concise guide, quick-check method, worked example, and reusable worksheet

Alexander Gregory Wingate and Oleksandr Razinkov

First Edition - July 2026

Based on E7G-T v0.11-UC1

Start with the decision, not the terminology

E7G-T is a geometry-first reasoning framework for situations where a view, summary, translation, dashboard, AI answer, interface, measurement, or report stands in for something richer.

The practical question: What is being modelled, what does the current representation preserve or lose, which differences matter for this inquiry, and what is the next responsible move?

This kit helps you:

- name the actual entity and decision;
- separate the source from the visible view;
- record what the view preserves, loses, or may distort;
- define which differences matter for the intended use;
- decide whether the view is sufficient;
- classify, return to source, obtain another view, repair the criterion, or stop.

Use the smallest profile that changes the next move

Profile	Use it when	Typical output
E7-Line	The basis is obvious and the risk is limited	One disciplined paragraph
E7-Check	Routine QA or review needs a visible audit trail	A compact structured check
E7-Analysis	The decision is consequential, disputed, or reusable	A full representation-and-phase account

This kit focuses on E7-Line and E7-Check.

What E7G-T is - and is not

Proper role

E7G-T can help frame, inspect, compare, classify, navigate, document, teach, lint, and route reasoning toward a responsible next move.

It is especially useful when:

- the visible representation may be lossy;
- several source configurations could produce the same view;
- those possible sources may support different operational decisions;
- an edit or transition may cross a material boundary;
- operation order or path choice may matter;
- a formal-looking output risks being mistaken for proof, authority, or completed work.

Limits

E7G-T is not:

- established mathematics as a whole;
- empirical physics or a Theory of Everything;
- a proof system;
- an authorisation or acceptance decision;
- evidence that a task was actually performed;
- a replacement for mature legal, medical, engineering, scientific, statistical, translation, or other domain methods.

Use E7G-T to expose uncertainty and route the work. Do not use it to manufacture authority.

The smallest-use rule

If a typo, standard test, direct source check, or ordinary domain rule already determines the action, use that method. Add E7G-T only when it makes a hidden representation, equivalence, boundary, or transition problem visible.

The seven-step minimum workflow

1. Name the modelled entity

What real object, claim, document, system, state, or process are you analysing?

2. Separate context from inquiry

Context says what the terms mean. The inquiry says what decision you are trying to make.

3. Declare the operational boundary

What is included, excluded, and admitted for comparison?

4. Identify the current configuration or view

What can you actually see: source, translation, summary, dashboard, AI output, screenshot, test result, or interface state?

5. State what is preserved and lost

What survives into the view? What disappears? What may be distorted?

6. Define what counts as the same phase

Which differences are tolerated, and which protected condition must remain true for the intended use?

7. Make the next move

Classify, narrow, abstain, return to source, obtain another view, compare paths, repair the criterion, or stop.

Compact cycle: construct -> represent -> project -> compare -> classify -> navigate -> verify -> rely or stop

Choose the right route

E7G-T has two complementary routes. Use both only when the decision requires both.

Your primary question	Route
What is being constructed or projected?	Extensional-projective
What does the representation preserve or lose?	Extensional-projective
Which richer sources could explain the visible view?	Extensional-projective reconstruction
Which configurations count as operationally equivalent?	Operational phase
Did a change cross a material boundary?	Operational phase
Does order or path change the protected result?	Operational phase
Can this view support a readiness or reliance decision?	Combined

The combined test

A visible view may be compatible with several richer source configurations. Ask:

- 1 Which materially distinct source candidates remain possible?
- 2 Which operational phase does each candidate belong to under the pinned criterion?
- 3 Do all supported candidates lead to the same classification?

Phase spread in the view	Responsible response
One supported phase	Classification may be justified
Several supported phases	Abstain, narrow, obtain another view, or return to source
No admitted phase	Repair the model, boundary, or criterion
Unknown support	Do not overread the view

E7-Line: the one-paragraph check

Use E7-Line when the basis is clear and you need immediate orientation.

**For [inquiry], treat [subject] as [view/configuration] under [context].
Preserved/lost: [summary]. Same phase while: [protected condition].
Assessment: [same / different / undetermined / not applicable]. Next move:
[action].**

Blank E7-Line

Inquiry:

[Write the decision you are trying to make.]

Subject and current view:

[Name the entity and what you can actually see.]

Context:

[State the domain and intended use.]

Preserved / lost:

[Record the relevant fidelity and omissions.]

Same phase while:

[State the protected condition.]

Assessment:

[Same / different / undetermined / not applicable.]

Next move:

[Classify, verify, return to source, obtain another view, repair, or stop.]

Stop condition

If the view supports materially different next moves, E7-Line is too small. Escalate to E7-Check.

E7-Check: routine review

Use this profile for translation QA, document review, dashboards, software changes, AI outputs, or other routine decisions that need an audit trail.

A. Frame

- Entity: What is actually being modelled?
- Context: What gives the terms their meaning?
- Inquiry: What decision must be made?
- Intended use: What will someone do with the result?
- Boundary: What is included or excluded?

B. Representation account

- Visible view: What can the reviewer see?
- Preserved: What source properties remain available?
- Lost: What relevant information is absent?
- Possible distortion: What could be misleading?
- Rival source candidates: What materially different sources could still fit the view?

C. Operational phase

- Same phase when: What protected condition must remain true?
- Tolerated differences: What can vary without changing the intended use?
- Phase-defining conditions: What difference would change reliance or action?
- Support: What evidence justifies the classification?

D. Decision

- Phase spread: one / several / none / unknown
- View sufficient: yes / no / conditional / unknown
- Next move: classify / narrow / abstain / source return / another view / compare paths / repair / stop

Worked example: translation used for legal action

Scenario

An English translation states: "The applicant may submit the appeal within 14 days." The reviewer sees only the translation. The source-language sentence and governing procedure are not visible.

Frame

- Entity: The source provision and its legally operative meaning.
- Context: A legal-administrative appeal procedure.
- Inquiry: Can the translation be relied on to determine whether submission is optional and whether the deadline is 14 days?
- Intended use: Decide whether and when to file.

Representation account

- Visible view: One translated sentence.
- Preserved: Actor, action, appeal concept, and a 14-day interval.
- Lost: Source modal force, deadline trigger, calendar/business-day rule, surrounding exceptions, and procedural authority.
- Possible distortion: "May" could express permission, possibility, or a mistranslated obligation.

Rival source candidates

Candidate source meaning	Compatible with visible wording?	Reliance phase
Filing is permitted within 14 days	Yes	Provisionally usable
Filing is required within 14 days to preserve rights	Yes	Action-critical
The authority may file, not the applicant	Possible if actor mapping is wrong	Unsafe

Result

The visible sentence spans materially different reliance phases. The view is not phase-sufficient for action.

Next responsible move: return to the source, verify the modal, actor, deadline trigger, surrounding provision, and governing procedure. Do not calculate or act on the deadline from the isolated translation alone.

Why the worked example changes the decision

An ordinary style review might improve the English sentence without exposing the operational risk. E7G-T separates three questions:

1. Is the sentence fluent?

Possibly yes. Fluency is not the same as source fidelity or legal usability.

2. Is the visible translation compatible with more than one source meaning?

Yes. The missing modal, actor, and procedural context permit rival reconstructions.

3. Do those rival sources support the same next move?

No. Permission, obligation, and actor reversal create different operational phases.

Boundary account

Boundary	What it controls in this example
Model boundary	Whether surrounding provisions and procedural rules are included
Admissibility boundary	Which source meanings remain plausible enough to consider
Phase boundary	Where the permitted action or reliance status changes
Bridge boundary	Where linguistic analysis would become a legal conclusion

Typed-change discipline

Editing "may" to "must" is not a harmless style revision. It may cross a phase boundary because it changes the action signature. But the translation reviewer still cannot declare the legal rule without source and domain verification.

The framework does not decide the law. It shows why the current view cannot safely support the intended decision.

Reusable worksheet - frame and representation

A. Core frame

Modelled entity:

[_____]

Semantic context:

[_____]

Inquiry and intended use:

[_____]

Model boundary and exclusions:

[_____]

Admissibility conditions:

[_____]

B. Representation account

Visible view and viewing/projection kind:

[_____]

Source or candidate-source family:

[_____]

Preserved:

[_____]

Lost:

[_____]

Possible distortion:

[_____]

Rival source candidates:

[_____]

Reusable worksheet - phase and decision

C. Phase account

Classification aspect: structural / epistemic / operational readiness / combined

Same phase when:

[_____]

Tolerated differences:

[_____]

Phase-defining conditions:

[_____]

Evidence or support basis:

[_____]

D. Projection-to-phase test

Candidate configuration	Why compatible with the view	Phase	Support

Phase spread: one / several / none / unknown

View phase-sufficient: yes / no / conditional / unknown

E. Decision

Result: classify / narrow / abstain / source return / another view / compare paths / repair / stop

Admissible use:

Non-admissible use:

Next responsible move:

Stop or reopen condition:

Run a small real-world pilot

Do not validate E7G-T by adding terminology. Test whether it changes or materially strengthens a real next move.

Three-pass comparison

- 1 Ordinary review: Use your normal method.
- 2 Projection review: Record the entity, view, preservation, loss, rival reconstructions, and next move.
- 3 Combined review: Add the phase criterion, phase candidates, boundary status, path or order effects, and representative dependence.

Pilot card

Field	Record
Case and domain	
Ordinary review result	
Projection review result	
Combined review result	
Additional phase finding	
Did the decision change?	Yes / No
Risk caught	
Extra burden	
Recommended improvement	

Success criterion

The added phase layer earns its place when it changes or materially strengthens the next responsible move in a case where operational equivalence or boundary crossing genuinely matters.

It does not earn its place when it merely renames an ordinary correction, direct invariant check, or obvious source-return requirement.

Continue from here

Five useful next cases

- an AI answer used for a consequential recommendation;
- a translation involving modal force, identity, status, or legal effect;
- a dashboard tile used to infer readiness or health;
- a software refactor claimed to preserve behaviour;
- an interface state used to infer that work is complete.

Keep a decision log

For each case, record:

- the visible representation;
- the intended decision;
- what was preserved and lost;
- the rival source candidates;
- the phase criterion;
- whether the view supported one phase or several;
- the action taken;
- what later evidence confirmed or corrected.

Source materials

- Repository: <https://github.com/wingate-ag/E7G-T>
- Public site: <https://e7-g-t.vercel.app/>
- Books and tools: <https://therealitybridge.press/collections/e7g-t-books-tools>
- Active kernel: E7G-T v0.11-UC1

Attribution and licence

E7G-T and this Practical Starter Kit were created by equal co-authors Alexander Gregory Wingate and Oleksandr Razinkov.

Copyright © 2026 Alexander Gregory Wingate and Oleksandr Razinkov.

Licensed under the Creative Commons Attribution-ShareAlike 4.0 International Licence (CC BY-SA 4.0). You may share and adapt the material with attribution and under the same or a compatible licence. See <https://creativecommons.org/licenses/by-sa/4.0/>

Start with one real decision. Use the smallest profile that exposes the risk. Verify before relying.