

```
/** @type  
{import('tailwindcss').Config} */  
export default {  
  content: [  
    "./index.html",  
    "./src/**/*.{js,ts,jsx,tsx}",  
  ],  
  darkMode: 'class',  
  theme: {  
    extend: {  
      colors: {  
        gold: '#FFD700',  
        dark: '#0A0A0A',  
        navy: '#1A1A2E',
```

```
},  
  fontFamily: {  
    rajdhani: ['Rajdhani', 'sans-  
serif'],  
    inter: ['Inter', 'sans-serif'],  
  },  
  backdropBlur: {  
    xs: '2px',  
  }  
},  
},  
plugins: [],
```

src/

└── assets/

└── components/

```
|   |—— ui/
|   |—— layout/
|—— context/
|   |—— AuthContext.jsx
|—— pages/
|   |—— Splash.jsx
|   |—— Login.jsx
|   |—— Register.jsx
|   |—— Dashboard.jsx
|—— App.jsx
|—— main.jsx
```

```
import React, { createContext, useState, useEffect } from 'react';
```

```
export const AuthContext = createContext();
```

```
export const AuthProvider = ({ children }) => {
```

```
  const [user, setUser] = useState(null);
```

```
  const [loading, setLoading] = useState(true);
```

```
  useEffect(() => {
```

```
    // Vérifier LocalStorage au chargement
```

```
    const storedUser = localStorage.getItem('wt_user');
```

```
    if (storedUser) {
```

```
      setUser(JSON.parse(storedUser));
```

```
    }
```

```
    setLoading(false);
```

```
  }, []);
```

```
const register = (phone, password, referralCode) => {
```

```
  const userId = `WT-${Math.floor(10000 + Math.random() * 90000)}`;
```

```
  const newUser = {
```

```
    id: userId,
```

```
    phone,
```

```
    password, // En production, on ne stocke jamais le mdp en clair
```

```
    referralCode,
```

```
    balance: 300, // Bonus inscription
```

```
    bonusLocked: true, // Non retirable avant dépôt
```

```
    createdAt: new Date().toISOString()
```

```
  };
```

```
  localStorage.setItem('wt_user', JSON.stringify(newUser));
```

```
  setUser(newUser);
```

```
  return newUser;
```

```
};
```

```
const login = (phone, password) => {
```

```
  const storedUser = localStorage.getItem('wt_user');
```

```
  if (!storedUser) return { success: false, message: "Compte inexistant" };
```

```
  const parsedUser = JSON.parse(storedUser);
```

```
  if (parsedUser.phone === phone && parsedUser.password === password) {
```

```
    setUser(parsedUser);

    return { success: true };
  }

  return { success: false, message: "Identifiants incorrects" };
};
```

```
const logout = () => {

  localStorage.removeItem('wt_user');

  setUser(null);

};
```

```
return (

  <AuthContext.Provider value={{ user, loading, register, login, logout }}>

    {children}

  </AuthContext.Provider>

);

};
```

```
import React, { useEffect } from 'react';

import { motion } from 'framer-motion';
```

```
const Splash = ({ onFinish }) => {

  useEffect(() => {

    const timer = setTimeout(() => onFinish(), 3500);

    return () => clearTimeout(timer);

  }, [onFinish]);
```

```

return (

  <div className="h-screen w-screen bg-navy flex flex-col items-center justify-center overflow-
hidden relative">

    {/* Effet de fond flouté / Lumière */}

    <div className="absolute w-96 h-96 bg-gold/20 rounded-full filter blur-3xl animate-pulse">
</div>


    {/* Logo W animé */}

    <motion.div

      initial={{ scale: 0, rotate: -180 }}

      animate={{ scale: 1, rotate: 0 }}

      transition={{ duration: 1.5, type: "spring", stiffness: 100 }}

      className="relative z-10 border-4 border-gold rounded-full p-6 shadow-
[0_0_50px_rgba(255,215,0,0.5)]"

    >

      <span className="text-6xl font-rajdhani font-bold text-gold">W</span>

    </motion.div>


    {/* Texte WINNER TIME */}

    <motion.div

      initial={{ opacity: 0, y: 20 }}

      animate={{ opacity: 1, y: 0 }}

      transition={{ delay: 1.2, duration: 0.8 }}

      className="mt-6 text-center z-10"

    >

      <h1 className="text-4xl font-rajdhani font-bold text-gold tracking-widest">

```

WINNER TIME

</h1>

<p className="text-white/70 font-inter text-sm tracking-[0.3em] mt-2">

PLATEFORME DIGITALE

</p>

</motion.div>

</div>

);

};

export default Splash;

import React, { useState, useContext } from 'react';

import { BrowserRouter as Router, Routes, Route, Navigate } from 'react-router-dom';

import { AuthContext } from './context/AuthContext';

import Splash from './pages/Splash';

import Login from './pages/Login';

import Register from './pages/Register';

import Dashboard from './pages/Dashboard';

// Protection des routes

const ProtectedRoute = ({ children }) => {

const { user } = useContext(AuthContext);

return user ? children : <Navigate to="/login" />;

};

```
function App() {

  const [showSplash, setShowSplash] = useState(true);

  if (showSplash) {

    return <Splash onFinish={() => setShowSplash(false)} />;

  }

  return (

    <Router>

      <div className="bg-dark min-h-screen font-inter text-white">

        <Routes>

          <Route path="/login" element={<Login />} />

          <Route path="/register" element={<Register />} />

          <Route

            path="/dashboard"

            element={

              <ProtectedRoute>

                <Dashboard />

              </ProtectedRoute>

            }

          />

          <Route path="*" element={<Navigate to="/login" />} />

        </Routes>

      </div>

    </Router>

  );
```



```
}
```

```
export default App;
```