


# How to make maps in R

Dr Emanuele Giorgi  
Lancaster University  
`e.giorgi@lancaster.ac.uk`

Toowoomba 21-25 October 2019


# Spatial data

- **Vector data:** set of geographical points within a CRS representing stand-alone objects or complex features in forms of lines and polygons.



# Spatial data

- ▶ **Raster data:** matrix whose entries, called pixels, contain the values of a spatially referenced variable.



# R packages for making maps

# R packages for making maps

- ▶ `rgdal`: provides bindings to the GDAL software library for reading and writing vector and raster data.

# R packages for making maps

- ▶ `rgdal`: provides bindings to the GDAL software library for reading and writing vector and raster data.
- ▶ `sf`: alternative to `rgdal`, with spatial objects stored as data frames.

# R packages for making maps

- ▶ `rgdal`: provides bindings to the GDAL software library for reading and writing vector and raster data.
- ▶ `sf`: alternative to `rgdal`, with spatial objects stored as data frames.
- ▶ `raster`: allows to read, write and manipulate raster data.

# R packages for making maps


- ▶ `rgdal`: provides bindings to the GDAL software library for reading and writing vector and raster data.
- ▶ `sf`: alternative to `rgdal`, with spatial objects stored as data frames.
- ▶ `raster`: allows to read, write and manipulate raster data.
- ▶ `tmap`: generates thematic, both static and interactive, maps using vector and raster data.




# R packages for making maps

- ▶ `rgdal`: provides bindings to the GDAL software library for reading and writing vector and raster data.
- ▶ `sf`: alternative to `rgdal`, with spatial objects stored as data frames.
- ▶ `raster`: allows to read, write and manipulate raster data.
- ▶ `tmap`: generates thematic, both static and interactive, maps using vector and raster data.
- ▶ `splancs`: provides function for display and analysis of point pattern data. NOTE: This package provides computationally more efficient algorithms for generating grids (see function `gridpts`).


# Point maps of geostatistical data




# Maps of raster files



# Creating raster files using shape files



# Manipulating rasters using buffers



# Aggregating raster files using admin boundaries

