

Fault-Tolerance in the Scope of Cloud Computing

A SEMINAR REPORT

SUBMITTED IN PARTIAL FULFILLMENT OF THE
REQUIREMENTS FOR THE AWARD OF DEGREE OF

BACHELOR OF TECHNOLOGY

in

Artificial Intelligence and Machine Learning Engineering
of

APJ Abdul Kalam Technological University

by

Winnie Rose (VAS22AIM060)



(AN ISO 9001:2015 CERTIFIED INSTITUTION)

**Department of Artificial Intelligence and Machine
Learning Engineering**

Vidya Academy of Science & Technology

Thalakkottukara, Thrissur - 680 501

(<http://www.vidyaacademy.ac.in>)

October 2025

Department of Artificial Intelligence and Machine Learning

Vidya Academy of Science & Technology

Thalakkottukara, Thrissur - 680 501

(<http://www.vidyaacademy.ac.in>)



(AN ISO 9001:2015 CERTIFIED INSTITUTION)

Certificate

This is to certify that the seminar report titled “**Fault-Tolerance in the Scope of Cloud Computing** ” is a bonafide record of the work carried out by **Winnie Rose (VAS22AIM060)** of Vidya Academy of Science & Technology, Thalakkottukara, Thrissur - 680 501 in partial fulfillment of the requirements for the award of the **Degree of Bachelor of Technology in Artificial Intelligence and Machine Learning Engineering** of **APJ Abdul Kalam Technological University**, during the academic year 2022-2026.

Seminar Guide

Mrs. Bianka Thomas
Assistant Professor, Dept. of AIML

Head of Department

Dr. Jeeva K A
Associate Professor, Dept. of AIML

Seminar Coordinators

Ms. Riya P D, Assistant Professor, Dept. of AIML
Ms. Manjusha P D, Associate Professor, Dept. of AIML
Ms. Karthika P N, Associate Professor, Dept. of AIML

Acknowledgement

I wish to record my indebtedness and thankfulness to all those who helped me prepare this report titled **Fault-Tolerance in the Scope of Cloud Computing** and present it satisfactorily.

First and foremost, I thank Almighty for His providence and for being the guiding light throughout the seminar.

I would like to thank my seminar guide **Mrs. Bianka Thomas**, Assistant Professor, Dept. of Artificial Intelligence and Machine Learning, for providing critical inputs in the preparation of this report. I would also like to thank our seminar coordinators **Ms. Riya P D**, **Ms. Manjusha P D**, and **Ms. Karthika P N**, Assistant Professors, Dept. of Artificial Intelligence and Machine Learning, for their wholehearted support and guidance necessary to complete the seminar work. I also thank all other faculty members in our department for their valuable guidance.

I am thankful to **Dr. Sunitha C**, Principal, and **Dr. Jeeva K A**, Head of the Department of Artificial Intelligence and Machine Learning, for their kind co-operation and support. Finally, I would like to extend my sincere gratitude to my friends who have always been helpful in preparing and presenting the report and in the discussion following the presentation.

Winnie Rose

Reg. No. VAS22AIM060

seventh Semester B.Tech (2022 Admissions)

Vidya Academy of Science & Technology

Thrissur - 680 501.

October 2025

Abstract

Cloud computing has revolutionized management and delivery of data, applications, and resources across distributed networks, bringing unmatched scalability and flexibility to contemporary IT infrastructure. The complexity of cloud environments introduces vulnerabilities to various forms of failure, including hardware malfunctions, software bugs, network disruptions, and security breaches. Reliable service delivery and assurance of data integrity in these dynamic systems necessitate rigorous fault-tolerance mechanisms. This report examines strategic approaches within cloud computing to detect, isolate, and recover from system faults, with an emphasis on redundancy, replication, checkpointing, and automated failover technologies that sustain high availability. Prominent models and real-world applications are analyzed to highlight significant advancements and ongoing challenges in constructing resilient cloud architectures.

A key subject of analysis is the balance between system reliability and resource efficiency, given that advanced fault-tolerance techniques often result in substantial computational and management overhead. Discussion includes scalable methods for error detection, adaptive recovery solutions, load balancing strategies, and the use of artificial intelligence for proactive fault mitigation. Business and operational implications for service providers and end-users are explored, focusing on the design considerations necessary for uninterrupted service and compliance with demanding service-level agreements. By synthesizing current literature and industry case studies, fault-tolerance emerges as a critical foundation for the continued evolution and adoption of cloud computing technologies.

Contents

CERTIFICATE	
ACKNOWLEDGEMENT	i
ABSTRACT	ii
LIST OF FIGURES	iv
LIST OF SYMBOLS AND ABBREVIATIONS	v
1 INTRODUCTION	1
1.1 Overview	1
1.2 Objectives of the Work	2
1.2.1 Fault-Tolerance in the Scope of Cloud Computing	2
2 RELATED WORK	3
2.1 Prior Surveys and Comparative Scope	3
2.2 Fault-Tolerance Techniques in Cloud Computing	4
2.3 Fault-Tolerance Architectural Frameworks	4
3 PROPOSED METHODOLOGY	5
3.1 Aim of the Research	5
4 IMPLEMENTATION	8
4.1 Cloud Computing	8
4.1.1 Cloud Computing Architecture	8
4.1.2 Cloud services	10
4.1.3 Types of Cloud	10

4.2	Fault-Tolerance	11
4.2.1	Cloud Implementation	11
4.2.2	Fault-Tolerance Metrics	11
4.2.3	Types of Fault-Tolerance	12
4.2.4	Fault-Tolerance Approaches	12
5	APPLICATIONS	13
5.1	Use Cases	13
5.1.1	Durable and Heavy-Duty Systems	13
5.1.2	Highly Complex Computer Systems	13
5.1.3	Overlay Computer Network Systems	13
5.1.4	Mission-Critical Applications	14
6	Conclusion	15
6.1	Future works	16

List of Figures

3.1	Condensed structure of this survey.	7
4.1	Architecture of cloud computing	9
4.2	Fault-tolerance architectures in cloud computing	12

List of Symbols and Abbreviations

AI	Artificial Intelligence
IaaS	Infrastructure as a Service
PaaS	Platform as a Service
SaaS	Software as a Service
SDN	Software-Defined Networking
NFV	Network Functions Virtualization
NIST	National Institute of Standards and Technology
VM	Virtual Machine
MTTF	Mean Time to Failure
MTTR	Mean Time to Repair
MTBF	Mean Time Between Failures
SLA	Service Level Agreement
ICT	Information and Communications Technology
API	Application Programming Interface
CMP	Cloud Management Platform
CDN	Content Delivery Network
MSP	Managed Service Provider
VMM	Virtual Machine Monitor (Hypervisor)
BaaS	Backend as a Service

Chapter 1

INTRODUCTION

1.1 Overview

The demand for reliable and scalable computational resources has driven the widespread adoption of cloud computing across various sectors, including enterprise, research, and personal applications. Cloud environments enable access to shared pools of configurable resources, such as servers, storage, and applications, delivered over the internet and managed by service providers. Their flexibility allows users to dynamically adjust resource allocation, facilitating cost-effective and highly available service delivery.

Despite these benefits, cloud computing systems face a range of challenges that threaten dependable operation. The distributed nature of cloud infrastructures increases complexity and introduces numerous points of failure, from network interruptions and hardware breakages to unexpected software faults and cyber-attacks. Ensuring uninterrupted service and maintaining data integrity in such unpredictable conditions necessitates the implementation of systematic fault-tolerance mechanisms.

Fault tolerance in cloud computing refers to the capability of a system to continue functioning correctly in the presence of faults by employing detection, isolation, and recovery strategies. Common techniques include redundancy, replication, checkpointing, and automated failover processes, each designed to minimize the impact of failures and maximize service availability. Research and development in this field focus on improving efficiency and reducing resource overhead while maintaining strong reliability.

The evolution of fault-tolerance mechanisms remains pivotal as cloud computing services become more complex and integral to modern IT infrastructure. Continuous innovation

is essential to address emerging threats, meet high service-level agreements, and support critical business operations, making fault tolerance a central theme in the advancement of cloud technologies.

The paper "Fault-Tolerance in the Scope of Cloud Computing" is authored by A. U. Rehman, Rui L. Aguiar, and Joo Paulo Barraca, affiliated with the Instituto de Telecomunicações and Universidade de Aveiro, Portugal. Their combined expertise grounds the survey in both theoretical and practical perspectives on fault tolerance in cloud environments

1.2 Objectives of the Work

1.2.1 Fault-Tolerance in the Scope of Cloud Computing

aim to establish a comprehensive understanding of fault-tolerance mechanisms and their critical role in ensuring reliable cloud services. The objectives of the paper "Fault-Tolerance in the Scope of Cloud Computing" are as follows:

- To provide an organized survey of fault-tolerance techniques used in cloud computing, covering both proactive and reactive approaches.
- To present a detailed background on cloud computing architectures, service models, and deployment strategies relevant to fault tolerance.
- To highlight the key fault-tolerance components and system-level metrics important for cloud computing environments.
- To review and analyze state-of-the-art fault-tolerance architectures and frameworks specific to clouds.
- To identify the unique needs and applications of fault tolerance in cloud systems, including challenges and practical implications.
- To outline future research directions especially in the context of integrating fault tolerance with emerging technologies like fog, edge computing, and machine learning.
- To emphasize the necessity of efficient fault-tolerant mechanisms to ensure high availability, reliability, and quality of service in cloud platforms

Chapter 2

RELATED WORK

Fault tolerance within cloud computing has been an area of active research, with multiple surveys and studies exploring different aspects and methodologies. This work provides a more focused and comprehensive survey specifically addressing fault tolerance tailored to the complexities and intrinsic characteristics of cloud environments, distinguishing it from previous broader surveys.

2.1 Prior Surveys and Comparative Scope

Some previous surveys have explored fault-tolerance in cloud

Earlier surveys like those by Cheraghlou et al. and Hasan and Goraya provided foundational overviews of fault tolerance in cloud computing, broadly categorizing preventive and reactive fault-tolerance methods. Cheraghlou et al. evaluated failure detection and recovery methods, while Hasan and Goraya offered in-depth analyses of fault categories and fault-tolerance frameworks. Kumari and Kaur also discussed cloud background, deployment models, and security considerations related to fault tolerance. However, these works lacked an extensive exploration of the specific needs, system-level metrics, and components related to cloud fault tolerance that are addressed in this paper.

This current study organizes and reviews the state-of-the-art research focusing on fault-tolerance architectures and frameworks within cloud computing, distinguishing between reactive and proactive approaches in greater detail. It also clarifies the essential system metrics and components important for designing and evaluating fault-tolerant cloud systems. Furthermore, it delineates future research directions considering emerging tech-

nologies such as fog and edge computing and the application of machine learning tools to enhance fault tolerance.

2.2 Fault-Tolerance Techniques in Cloud Computing

Fault-tolerance techniques in cloud computing span both hardware and software domains. Hardware fault tolerance involves building redundancy into hardware components like CPUs and storage to enable automatic recovery, albeit at higher cost. Software fault tolerance involves methods to detect and correct software faults dynamically, often leveraging middleware and virtualization layers. Common strategies include checkpoint-restart, replication, job migration, and retry mechanisms.

Reactive approaches address faults after they occur, using techniques such as checkpointing to rollback to a known good state or replicating tasks across nodes to avoid service interruption. Proactive methods aim to predict failures and act ahead of time to prevent them from impacting services, using self-healing, preemptive migration, software rejuvenation, and load balancing.

2.3 Fault-Tolerance Architectural Frameworks

State-of-the-art fault-tolerance frameworks include proactive models like MapReduce and Hadoop, which implement self-healing and preemptive migrations to achieve high availability in large-scale data processing. Systems like Assure and SHelp provide software-level self-healing capabilities in cloud environments. FTCloud framework uses component-specific strategies and replication to optimize reliability and costs.

Reactive architectures include HAProxy, providing load balancing and failover for web applications, and BFTCloud, which offers Byzantine fault tolerance for complex cloud systems, albeit with resource utilization trade-offs. Other models include fault-tolerance management frameworks that apply monitoring, fault detection, and recovery policies at the virtualization layer.

Chapter 3

PROPOSED METHODOLOGY

3.1 Aim of the Research

The paper details multiple fault-tolerance methodologies used in cloud computing, dividing them mainly into proactive and reactive techniques.

Reactive fault-tolerance techniques focus on managing failures after they occur. They aim to reduce the impact of faults once detected, ensuring service continuity despite failures. Common reactive methods include checkpoint-restart, where the system periodically saves its state and can rollback to a recent stable checkpoint upon failure. Replication involves creating copies of tasks or data across nodes so that if one copy fails, others can seamlessly take over. Job migration moves workloads from failing or overloaded machines to healthy ones. Other reactive mechanisms include retrying failed tasks, rollback recovery using tools like S-Guard, continuous timing checks, and user-defined exception handling. These methods predominantly work by detecting faults and recovering to maintain system availability.

On the other hand, proactive fault-tolerance techniques aim to anticipate and prevent failures before they affect the system. Self-healing mechanisms isolate faults at virtual machine granularity, enabling automatic recovery without disrupting other components. Preemptive migration predicts hardware or software degradations and proactively moves workloads away from potential points of failure. Software rejuvenation refreshes system software periodically to prevent corruption or performance degradation. Load balancing

algorithms dynamically distribute workloads to avoid resource exhaustion and prevent failures caused by overload. These techniques contribute to fault avoidance and enhance system reliability by addressing problems before manifesting as faults.

Both hardware and software fault-tolerance are critical in cloud environments. Hardware fault-tolerance involves designing resilient physical components with redundancy and automatic recovery capabilities, while software fault-tolerance employs programming techniques such as active and passive redundancy, error detection, and recovery algorithms. The combination provides multilayered resilience necessary for the complex, dynamic cloud infrastructure.

Together, reactive and proactive approaches form complementary pillars of fault-tolerant cloud computing systems. They are implemented through various architectural frameworks and tools like MapReduce, Hadoop, HAProxy, FTCloud, and others. These frameworks leverage fault-tolerance policies to provide high availability, reliability, and maintain quality of service under a wide range of failure scenarios in large-scale distributed environments.




Figure 3.1: Condensed structure of this survey.

Chapter 4

IMPLEMENTATION

4.1 Cloud Computing

Cloud computing is a paradigm that provides on-demand access to shared computing resources over the internet with minimal management effort or service provider interaction. It delivers scalable and elastic IT-related capabilities as services, enabling widespread network access and resource pooling. Cloud computing supports the delivery of applications, storage, and processing power to users and organizations, allowing flexible resource allocation based on demand.

4.1.1 Cloud Computing Architecture

1. **HARDWARE LAYER:** This layer is the combination of physical hardware, including servers, routers, switches, power, and cooling system. These physical resources of the cloud, (i.e., hardware layer) are typically deployed in data centers, interconnection systems.
2. **INFRASTRUCTURE LAYER:** This layer is an abstracted view of the hardware layer. Generally, a hypervisor provides an abstraction to create a virtual environment over the underlying infrastructure.
3. **PLATFORM LAYER:** This layer is built on top of the infrastructure layer. Software frameworks, such as Java, Python, and .Net, provide application programmable interfaces (APIs) support to quickly create and implement databases and storage of different web applications.




Figure 4.1: Architecture of cloud computing

4. **APPLICATION LAYER:** APPLICATION LAYER This layer is responsible for hosting and managing actual cloud applications over the Internet, on-demand and on a subscription basis. Cloud computing architectures are very modular and each layer is loosely coupled (isolated), which means that a wide variety of applications can be supported and better managed in the cloud compared to traditional services hosted on dedicated server farms.

4.1.2 Cloud services

- **Infrastructure as a Service (IaaS):** This foundational layer provides virtualized hardware resources such as compute power, storage, and networking. Users can rent servers and storage without dealing with the physical infrastructure.
- **Platform as a Service (PaaS):** Built upon IaaS, this layer offers platforms and environments to develop, test, and deploy applications. It abstracts underlying infrastructure complexities, enabling developers to focus on application logic.
- **Software as a Service (SaaS):** The top most layer delivers fully functional applications over the internet. Users access software maintained and managed by cloud providers without worrying about infrastructure or platform details.

4.1.3 Types of Cloud

Cloud services can be deployed based on organizational needs and infrastructure ownership:

- **Public Cloud:** Infrastructure and services are delivered over the public internet and shared across multiple tenants.
- **Private Cloud:** Cloud infrastructure operated solely for a single organization, offering greater control and privacy.
- **Community Cloud:** Shared infrastructure for a specific community with common concerns, such as compliance or security requirements.
- **Hybrid Cloud:** Composition of two or more cloud deployment models (public, private, community) that remain unique but are bound together, enabling data and application portability.

4.2 Fault-Tolerance

4.2.1 Cloud Implementation

Fault-tolerance in cloud computing is implemented through a combination of hardware and software strategies designed to ensure continuous availability and reliability despite failures. Cloud service providers leverage virtualization, replication, checkpointing, redundancy, and fault detection mechanisms. Popular frameworks and tools such as MapReduce, Hadoop, FTCloud, and HAProxy illustrate different fault-tolerant architectures balancing recovery latency, overhead, and resource utilization.

4.2.2 Fault-Tolerance Metrics

Fault tolerance effectiveness is measured using metrics at both component and system levels:

Component Level

- **Reliability:** The ability of individual components, such as virtual machines or servers, to operate without failure over a specific period.
- **Availability:** The proportion of time components are operational and accessible.
- **Fault Detection Latency:** Time taken to identify faults within components.

System Level

- **System Availability:** The overall uptime of the cloud system, considering interaction among components.
- **Fault Recovery Time:** The time required to restore full system operation after a failure.
- **Fault Impact:** Degree to which faults affect system performance or data integrity.




Figure 4.2: Fault-tolerance architectures in cloud computing

4.2.3 Types of Fault-Tolerance

- **Hardware Fault-Tolerance:** Relies on redundant physical components and automatic failover to maintain availability despite hardware failures.
- **Software Fault-Tolerance:** Uses replication, retries, checkpointing, and exception handling at the software level to detect and recover from faults.

4.2.4 Fault-Tolerance Approaches

Reactive Techniques

Reactive methods respond after faults occur to recover system operation. Techniques include checkpoint-restart mechanisms, task replication, rollback recovery, and job migration. These methods focus on fault detection followed by recovery actions to minimize downtime.

Proactive Techniques

Proactive mechanisms aim to predict and prevent faults before they affect system availability. These include self-healing systems, preemptive migration, software rejuvenation, and dynamic load balancing. By anticipating potential failures, proactive approaches reduce fault occurrence and maintain service continuity.

Chapter 5

APPLICATIONS

5.1 Use Cases

5.1.1 Durable and Heavy-Duty Systems

Application: Used in environments with electromagnetic disturbance and external noise, combining electrical and mechanical components for long-term operation where repairs are difficult.

Impact: Enables continuous operation through complete redundancy, ensuring uninterrupted service and operational longevity even under harsh conditions

5.1.2 Highly Complex Computer Systems

Application: Found in large-scale distributed networks with billions of interconnected devices, where each device has a probability of failure.

Impact: Reduces overall system failure rates and improves reliability by employing hardware/software redundancy and replication, maintaining service continuity despite individual component failures.

5.1.3 Overlay Computer Network Systems

Application: Utilizes existing hardware infrastructure to create virtualized environments using SDN, NFV, and cloud computing, supporting dynamic and evolving network topologies.

Impact: Enhances network resilience and resource efficiency, allowing rapid adaptation to changes and recovery from failures without service disruption.

5.1.4 Mission-Critical Applications

Application: Supports aerospace, healthcare, financial services, and emergency response systems that require extremely high reliability and fault-tolerance.

Impact: Achieves "Five 9s" reliability through advanced redundancy and automated recovery, preventing catastrophic failures and ensuring continuous operation in critical environments.

Chapter 6

Conclusion

Fault-tolerance is a fundamental requirement for cloud computing environments, given the complexity and distributed nature of modern cloud architectures. The survey presented in the paper highlights how cloud systems are inherently prone to failures, errors, and faults due to hardware malfunctions, software bugs, network disruptions, and resource shortages. Addressing these challenges requires a comprehensive set of fault-tolerance mechanisms, including redundancy, replication, checkpointing, and automated failover, which together ensure high availability and reliability for cloud services.

The paper emphasizes that both hardware and software fault-tolerance are essential for robust cloud operations. Hardware-based approaches provide infrastructure-level resilience, while software-based techniques offer flexibility and adaptability in real-time environments. The integration of proactive and reactive fault-tolerance strategies allows cloud systems to not only recover from failures but also anticipate and prevent them, minimizing service disruption and maintaining data integrity.

A key insight from the survey is the importance of balancing fault-tolerance with resource efficiency and operational overhead. Advanced fault-tolerance mechanisms can introduce significant costs in terms of computation, storage, and management, making it crucial to optimize these solutions for scalability and performance. The paper also identifies emerging trends, such as the use of artificial intelligence for predictive maintenance and adaptive response, which promise to further enhance fault-tolerance in future cloud architectures.

In conclusion, fault-tolerance remains a central pillar for the sustained adoption and evolution of cloud computing. The ongoing development of innovative fault-tolerance frameworks and techniques is vital for meeting the stringent requirements of mission-critical applications and supporting the growing diversity of cloud services. As cloud technologies continue to advance, the integration of fault-tolerance with new paradigms like fog and edge computing will be essential for building resilient, high-performance distributed systems.

6.1 Future works

Future work in fault-tolerance for cloud computing is expected to focus on the integration of advanced technologies such as artificial intelligence and machine learning to enhance predictive maintenance and automated fault detection. These approaches will enable cloud systems to anticipate failures more accurately and respond proactively, reducing downtime and improving overall reliability. Additionally, research will continue to explore energy-efficient fault-tolerant algorithms and scalable architectures that can support the growing demands of distributed and edge computing environments.

Another important direction is the development of fault-tolerance frameworks tailored for emerging paradigms like fog and edge computing, which require new strategies for managing failures across highly decentralized and heterogeneous infrastructures. The evolution of load balancing, dynamic resource allocation, and self-healing mechanisms will be critical for maintaining service continuity in increasingly complex cloud ecosystems. As cloud services expand to support mission-critical applications, future work will also address compliance with stringent service-level agreements and the integration of robust security measures to protect against evolving cyber threats.

Bibliography

- [1] National Institute of Science and Technology, “The NIST Definition of Cloud Computing,” Standard SP 800-145, 2011.
- [2] A. Keshavarzi, A. T. Haghighat, and M. Bohlouli, “Research challenges and prospective business impacts of cloud computing: A survey,” in *Proc. IEEE 7th Int. Conf. Intell. Data Acquisition Adv. Comput. Syst. (IDAACS)*, vol. 2, pp. 731–736, Sep. 2013.
- [3] M. G. Avram, “Advantages and challenges of adopting cloud computing from an enterprise perspective,” *Proc. Technol.*, vol. 12, pp. 529–534, Jan. 2014.
- [4] A. Apostu, F. Puican, G. Ularu, G. Suciu, and G. Todoran, “The advantages of telemetry applications in the cloud,” in *Recent Advances in Applied Computer Science and Digital Services*, H. Fujita and M. Tuba, Eds., vol. 2103, pp. 118–123, WSEAS, 2013. Available: <https://www.wseas.org/main/books/2013/Morioka/DSAC.pdf>
- [5] A. Gajbhiye and K. M. P. Shrivastva, “Cloud computing: Need, enabling technology, architecture, advantages and challenges,” in *Proc. 5th Int. Conf. Confluence Next Gener. Inf. Technol. Summit (Confluence)*, pp. 1–7, Sep. 2014.
- [6] V. Rajaraman, “Cloud computing,” *Resonance*, vol. 19, no. 3, pp. 242–258, 2014.
- [7] M. N. Cheraghlou, A. Khadem-Zadeh, and M. Haghparast, “A survey of fault tolerance architecture in cloud computing,” *J. Netw. Comput. Appl.*, vol. 61, pp. 82–92, 2016.
- [8] P. Kumari and P. Kaur, “A survey of fault tolerance in cloud computing,” *J. King Saud Univ., Comput. Inf. Sci.*, vol. 1, pp. 1159–1176, 2018.

- [9] N. Subramanian and A. Jeyaraj, “Recent security challenges in cloud computing,” *Comput. Electr. Eng.*, vol. 71, pp. 28–42, 2018.
- [10] R. Buyya et al., “A manifesto for future generation cloud computing: Research directions for the next decade,” *ACM Comput. Surv.*, vol. 51, no. 5, pp. 1–38, Nov. 2018.
- [11] M. N. O. Sadiku, S. M. Musa, and O. D. Momoh, “Cloud computing: Opportunities and challenges,” *IEEE Potentials*, vol. 33, no. 1, pp. 34–36, Jan./Feb. 2014.
- [12] F. Durao, J. F. S. Carvalho, A. Fonseca, and V. C. Garcia, “A systematic review on cloud computing,” *J. Supercomput.*, vol. 68, no. 3, pp. 1321–1346, Jun. 2014.
- [13] R. Lin, Y. Cheng, M. D. Andrade, L. Wosinska, and J. Chen, “Disaggregated data centers: Challenges and trade-offs,” *IEEE Commun. Mag.*, vol. 58, no. 2, pp. 20–26, Feb. 2020.
- [14] C. Kachris and I. Tomkos, “A survey on optical interconnects for data centers,” *IEEE Commun. Surveys Tuts.*, vol. 14, no. 4, pp. 1021–1036, 4th Quart., 2012.
- [15] H. Qi, M. Shiraz, J.-Y. Liu, A. Gani, Z. A. Rahman, and T. A. Altameem, “Data center network architecture in cloud computing: Review, taxonomy, and open research issues,” *J. Zhejiang Univ. Sci. C*, vol. 15, no. 9, pp. 776–793, Sep. 2014.

Appendix

A. List of Acronyms

- IaaS: Infrastructure as a Service
- PaaS: Platform as a Service
- SaaS: Software as a Service
- SDN: Software-Defined Networking
- NFV: Network Functions Virtualization

B. Additional Notes on Methodology

A summary of the fault-tolerance techniques covered in the report is provided here for reference. This includes checkpointing, replication, job migration, and recovery strategies, as well as the distinction between proactive and reactive approaches. These notes serve as a quick guide to the technical methods discussed throughout the report.

C. Reference Models

Descriptions of common fault-tolerance reference models, such as hardware redundancy (using backup components to ensure system reliability) and software redundancy (using replication and error detection algorithms), are included to give a comprehensive technical overview. These models are essential for understanding the practical implementation of fault-tolerance in cloud computing environments.



Department of Artificial Intelligence and Machine Learning

Vidya Academy of Science & Technology

Thalakkottukara, Thrissur - 680 501

(<http://www.vidyaacademy.ac.in>)