

Exercise S1G01

Objective

Using EuroScope as an aircraft display and TeamSpeak for communications, issue IFR and VFR clearances to aircraft. Update the EuroScope list fields as required. The student will have to recognize which SID to issue for IFR aircraft and the appropriate altitude restriction for VFR aircraft.

Events are not timed, but instead, the instructor can initiate each clearance when the student is ready, and move onto the next once the student has had time to practice and discuss as required.

Exercise Parameters

Exercise Name:	S1G01	ATIS Letter:	D
Time:	N/A	Wind:	350/10
Departures:	10	METAR:	15SM FEW250 21/16 A3036 RMK C12 SLP279
Arrivals:	0	Runway:	36

Flight Plans

IDENT	TYPE	FLT R	DEP	ALT	ROUTE	DEST
ACA258	A320	I	CYWG	350	RORMA SIDPO DEGVA FELTN OTNIK BOXUM7	CYYZ
WJA269	B738	I	CYWG	380	LIVBI DUKPO FAREN NILTT SHAWI Q874 ILADA BIRKO5	CYYC
DAL1231	A319	I	CYWG	310	ELETO GROLE GGULL BAINY3	KMSP
WEN3214	DH8D	I	CYWG	250	RORMA SIDPO DEGVA TIGAG TIGAG3	CYQT
KUGR15	CF18	I	CYWG	330	RORMA SIDPO DEGVA YXZ	CYYB

CFAQR	BE20	V	CYWG	18	CORRIDOR	CYAV
CAV240	AT72	I	CYWG	210	VILPA PIDVI GRAND	CYSK
UPS495	B752	I	CYWG	390	OMLOT TUKAD DLH J538 DLL JOT RAMSE FRIZN5	KSDF
CFGRY	LJ35	I	CYWG	410	DLH TVC BENNY HOCKE	CYXU
CFNIQ	C172	V	CYWG	20	CCTS	CYWG

Initial Picture

- ACA258 is parked at Gate 9.
- WJA269 is parked at Gate 8.
- DAL1231 is parked at Gate 2.
- WEN3214 is parked at Gate 16.
- KUGR15 is parked on Apron 6.
- CFAQR is parked on Apron 2.
- CAV240 is parked at Gate 20.
- UPS495 is parked on Apron 5.
- CFGRY is parked on Apron 4.
- CFNIQ is parked on Apron 2.

Instructor Script

SCENARIO NUMBER	INSTRUCTOR TRANSMISSION	NOTES
Scenario 1	WINNIPEG GROUND THIS IS ACA258 PARKED AT GATE 8 REQUESTING IFR CLEARANCE TO CYYZ.	
Scenario 2	WINNIPEG GROUND THIS IS WJA269 PARKED AT GATE 9 REQUESTING IFR CLEARANCE TO CYYC.	
Scenario 3	WINNIPEG GROUND THIS IS DAL1231 PARKED AT GATE 2 REQUESTING IFR CLEARANCE TO KMSP.	
Scenario 4	WINNIPEG GROUND THIS IS WEN3214 PARKED AT GATE 16 REQUESTING IFR CLEARANCE TO CYQT.	In real-life, controllers issue jets SIDs to Q400s, however, they are not required to follow the noise

		abatement procedures.
Scenario 5	WINNIPEG GROUND THIS IS KUGR15 PARKED AT APRON 6 REQUESTING IFR CLEARANCE TO CYYB AND BE ADVISED, WE ARE NOT RNAV EQUIPPED TODAY.	Student should issue the GRZL5 SID.
Scenario 6	WINNIPEG GROUND THIS IS CFAQR PARKED AT APRON 2 REQUESTING VFR CLEARANCE TO CYAV.	Student should issue "Not above 1800 in the corridor."
Scenario 7	WINNIPEG GROUND THIS IS CAV240 PARKED AT GATE 20 REQUESTING IFR CLEARANCE TO CYSK.	
Scenario 8	WINNIPEG GROUND THIS IS UPS495 PARKED AT APRON 5 REQUESTING IFR CLEARANCE TO KSDF.	
Scenario 9	WINNIPEG GROUND THIS IS CFGRY PARKED AT APRON 5 REQUESTING IFR CLEARANCE TO CYXU.	Student should issue a full route clearance with the amended route "OMLOT TUKAD DLH flight-planned route."
Scenario 10	WINNIPEG GROUND THIS IS CFNIQ PARKED AT APRON 2 REQUESTING VFR CLEARANCE FOR CIRCUITS.	Student should issue "Maintain 2000 in the circuit."