

Humanify Documentation Pack

Version: 2.0 · **Evidence cutoff:** 30 July 2026 · **Owner:** Naincode Inti Teknologi

Paket ini menggabungkan index, business plan, PRD, arsitektur teknis, QA, dan investment memo.

Part 1 — Documentation Index

Humanify — Documentation Pack

Product: Humanify HRIS SaaS

Owner: Naincode Inti Teknologi

Version: 2.0

Evidence cutoff: 30 July 2026

Status: Living documentation; implementation and operational evidence remain authoritative.

Purpose

This pack consolidates Humanify documentation for product, business, engineering, quality assurance, operations, security, and investment review. It covers Humanify only. SIMESI and legacy Bedagang modules are separate products and are out of scope.

Documents

1. [Business Plan + Executive Summary](#)
 - One-page executive summary, company, market, product, monetization, GTM, competition, ops, financial framework, risks, 90/180-day milestones.
2. [Product Requirements & Business](#)
 - Vision, market problem, personas, journeys, functional requirements, business rules, packaging, success metrics, scope, and roadmap.
3. [Technical Architecture](#)
 - Runtime topology, application surfaces, API patterns, data, tenancy, authentication, security, integrations, deployment, observability, and risks.
4. [Quality Assurance & Release](#)
 - QA strategy, release gates, test inventory, evidence, environments, severity model, gaps, and quality roadmap.
5. [Business & Investment Memo](#)
 - Commercial model, pricing, channel, economic inputs, readiness, potential moats, risks, diligence requests, and financial-model inputs.

Evidence hierarchy

When documents disagree, use this order:

1. Runtime implementation and database behavior.
2. `.hermes/DECISIONS.md` for accepted architectural/product decisions.
3. `.hermes/HANDOFF.md` for recent delivery and recorded QA evidence.
4. `config/humanify-sidebar.config.ts` and plan entitlement rules for visible product scope.
5. This documentation pack.
6. Marketing copy and illustrative UI.

Current product statement

Humanify is a multi-tenant Indonesian HRIS SaaS covering employee records, attendance, leave, payroll, claims, ESS/MSS, recruitment, HR operations, analytics, billing, and platform operations. The GA core is operational with important declared ceilings:

- Production tenant isolation uses application scoping plus request-bound soft RLS; strict RLS is validated in staging and not yet enabled in production.
- Internal observability is the production standard; external Sentry.io is deferred.
- Partner commissions use a manual ledger/CSV process; automatic Midtrans disbursement is not implemented.
- Privy e-sign remains hidden until the provider GA checklist is completed.
- Advanced LMS remains lab-gated; visible product scope must not imply all advanced LMS surfaces are GA.

Canonical sources

- Product delivery: `../hermes/HANDOFF.md`
- Decisions: `../hermes/DECISIONS.md`
- GA scope: `./humanify-ga-scope.md`
- Sidebar IA: `../config/humanify-sidebar.config.ts`
- Entitlements/pricing: `../lib/saas/plan-entitlements.ts`
- Tenant security: `./humanify-tenant-isolation-faq.md`
- Deployment: `../scripts/deploy-humanify-vps.sh`
- Staging: `./humanify-staging-deploy.md`
- Fiscal sign-off: `./humanify-payroll-fiscal-signoff.md`
- Backup/restore: `./humanify-backup-restore-runbook.md`

Maintenance rules

- Update this pack when a module changes GA status, pricing changes, an ADR ceiling is removed, or release gates change.
- Never convert “implemented in code” into “commercially validated” without customer, revenue, or usage evidence.

- Never treat demo tenants, seeded users, smoke-test records, or self-scored readiness as customer traction.
- Add dates and source paths to new claims.
- Keep sensitive credentials, customer PII, production database values, and non-public commercial contracts out of this repository.

Part 2 — Business Plan

Humanify — Business Plan

Versi: 1.0
Tanggal: 30 Juli 2026
Perusahaan: Naincode Inti Teknologi
Produk: Humanify HRIS SaaS (humanify.id)
Status: Living document — grounded on implementation & repository evidence
Pendamping: [Documentation Index](#) · [Investment Memo](#) · [PRD v2](#)

Aturan kejujuran: dokumen ini **tidak mengarang** TAM/SAM/SOM, jumlah paying customer, ARR, CAC, LTV, runway, atau valuasi. Bagian yang membutuhkan data eksternal ditandai **[DATA REQUIRED]**.

0. Executive Summary

Ringkasan satu halaman

Humanify adalah produk SaaS HRIS multi-tenant untuk perusahaan Indonesia, dibangun dan dioperasikan oleh **Naincode Inti Teknologi**. Produk mencakup siklus hire-to-retire: data karyawan, absensi, cuti, payroll (PPH 21 / BPJS / THR), klaim, ESS/MSS, rekrutmen, analitik, billing, dan control plane platform.

Masalah: HR Indonesia sering mengelola orang, waktu, cuti, klaim, dan payroll lewat spreadsheet atau sistem terpisah — sehingga lambat, sulit diaudit, dan rawan salah hitung pajak/tunjangan.

Solusi: satu cloud HRIS dengan isolasi tenant, self-service karyawan/manajer, payroll Indonesia yang dapat diaudit, serta monetisasi berbasis paket (Trial / Starter / Growth / Enterprise) via Midtrans.

Status produk saat ini: *GA core ready with caveats* — journey inti sudah live dan diuji secara berulang; beberapa kemampuan (e-sign Privy, LMS advanced, RLS strict di production, auto-payout partner) sengaja ditahan dan tidak boleh dijual sebagai GA penuh.

Model bisnis:

Paket	Harga list / bulan	Fokus
Trial	Rp0 (14 hari)	Evaluasi full feature
Starter	Rp499.000	Core + absensi + rekrutmen
Growth	Rp1.499.000	+ payroll + analytics

Enterprise	Rp4.999.000	+ LMS, AIMAN, API, white-label, SSO
------------	-------------	-------------------------------------

Annual: diskon 20% dari monthly × 12. PPN 11% inclusive.

Go-to-market: self-serve signup + sales-assisted enterprise + channel partner (konsultan PPh/BPJS, akuntan UMKM, vendor mesin absensi) dengan komisi referral (usulan 10–20% ARR tahun 1).

Keunggulan yang sudah terbukti di kode/ops:

1. Kedalaman compliance Indonesia (bukan HR generik saja).
2. Multi-tenant SaaS first-class (plan, entitlement, invite, billing, platform ops).
3. ESS/MSS mengurangi beban admin.
4. Disiplin QA/security (smoke, IDOR scorecard, staging strict RLS).
5. Kejujuran scope (ceiling ADR tidak disembunyikan).

Risiko utama yang harus dikelola:

1. Belum ada bukti traction komersial yang diekspor dari production ke dokumentasi.
2. Konflik harga list entitlements vs ROI calculator (Rp1,8jt–9,5jt).
3. Production masih soft RLS (strict sudah terbukti di staging).
4. Konsentrasi infrastruktur (single VPS / single process).
5. Over-selling modul lab/hidden (e-sign, LMS advanced, AI autonomous).

Kesimpulan eksekutif: Humanify sudah cukup kuat sebagai **product & operating company story**. Belum cukup sebagai **growth / valuation story** tanpa export cohort paying tenant, paid-order MRR/ARR, dan unit economics. Prioritas 90 hari: satukan price book, export metrik komersial, dan perketat disiplin release/artifact.

Keputusan yang diminta dari pembaca dokumen

Pembaca	Keputusan yang diharapkan
Founder / CEO	Setuju price book kanonis + prioritas GTM 90 hari
Board / investor	Terima framing "product-ready, traction TBD" + daftar data diligence
Sales / Partner	Pakai GA scope saja; jangan jual fitur deferred
CTO / Product	Lanjutkan P0 pricing truth + QA artifact + security narrative

1. Company Overview

1.1 Identitas

Field	Value
Legal entity	Naincode Inti Teknologi

Product brand	Humanify
Product type	HRIS System (SaaS multi-tenant)
Domain	https://humanify.id
Parent / ecosystem	Naincode (web, mobile, cloud, cybersecurity, digital transformation)
Kontak	hello@naincode.com · +62 877-8814-1650
Alamat	Jl. Tanah Abang II No.74A, Jakarta Pusat 10160

1.2 Positioning dalam portofolio Naincode

Humanify adalah **produk SaaS berulang (recurring revenue)** di dalam portofolio Naincode yang juga melayani project-based digital transformation. Ini memungkinkan:

- Cross-sell dari jasa implementasi ke produk berlangganan.
- Case study industri (SME / enterprise) yang memperkuat pipeline.
- Shared engineering discipline (security, DevOps, QA).

Bukan produk yang sama dengan SIMESI (ERP pet ecosystem B2B). Monorepo dual-product harus dijaga agar diligence dan sales tidak mencampur klaim.

1.3 Visi & misi produk

Visi: menjadi HRIS cloud pilihan bagi perusahaan Indonesia yang membutuhkan compliance, self-service, dan operasional yang transparan tanpa kompleksitas ERP penuh.

Misi:

1. Digitalisasi hire-to-retire dalam satu tenant yang aman.
2. Membuat payroll & statutory lebih akurat dan dapat diaudit.
3. Mengurangi beban HR lewat ESS/MSS dan antrean aksi.
4. Memungkinkan monetisasi seat/plan + channel partner yang sehat.

2. Market Opportunity

2.1 Masalah pasar (validated by product design)

- Fragmentasi tools: absensi, cuti, payroll, klaim, dan dokumen terpisah.
- Risiko compliance: PPh 21, PTKP, BPJS, THR, cuti sesuai UU Ketenagakerjaan.
- Ketergantungan pada admin HR untuk tugas rutin karyawan.
- Vendor HRIS tradisional yang mahal, lambat di-onboard, atau kurang multi-tenant.
- Kebutuhan enterprise: SSO, API, audit, isolasi data antar perusahaan.

2.2 Segmen target

Segmen	Karakter	Paket tipikal	Catatan
--------	----------	---------------	---------

SME kecil	≤50 karyawan, HR lean	Starter / Trial→Starter	Time-to-value penting
Growing mid-market	50–500 karyawan, butuh payroll	Growth	Core revenue engine
Enterprise / multi-lokasi	500–10.000 karyawan, IT mature	Enterprise	SSO, API, white-label
Channel partner	Konsultan pajak/BPJS, akuntan, device vendor	Referral → Starter–Enterprise	Margin tahun 1

2.3 Market sizing — kerangka saja

[DATA REQUIRED — jangan isi tanpa sumber bertanggal]

Layer	Definisi kerja	Sumber yang dibutuhkan
TAM	Total spend HRIS/payroll cloud + on-prem di Indonesia (atau ASEAN jika relevan)	BPS, asosiasi, analyst report
SAM	Perusahaan Indonesia yang butuh cloud HRIS + compliance ID, ukuran X–Y karyawan	Filter TAM by company size & buyer readiness
SOM	Kapasitas sales × win rate × ACV 3–5 tahun	Pipeline internal + capacity plan

Hingga data di atas ada, **jangan cantumkan angka pasar di pitch eksternal.**

2.4 Timing

Faktor yang mendukung:

- Digitalisasi HR pasca-pandemi berlanjut.
- Tekanan compliance & auditabilitas payroll.
- Preferensi SaaS vs instalasi on-prem per klien.
- Kematangan Midtrans / payment rail lokal.

Faktor yang menahan:

- Persaingan vendor mapan (Talenta/Mekari dan sejenis).
- Buying cycle enterprise yang panjang.
- Kepercayaan keamanan multi-tenant.

3. Product & Value Proposition

3.1 Value proposition (60 detik)

Humanify adalah HRIS cloud multi-tenant untuk perusahaan Indonesia: karyawan, absensi, cuti, payroll PPh 21/BPJS/THR, klaim, ESS/MSS, dan billing — dengan isolasi tenant, audit payroll, dan go-live yang terukur.

3.2 Differentiator vs generic HRIS / Talenta-class

Pain	Humanify response
Journey harian kabur	Action inbox + GA journey (import → absensi → cuti → payroll → ESS)
Dokumen & bukti rawan hilang	Private storage + signed/session download + backup runbook
Payroll "black box"	Engine + fiscal checklist + audit approve→paid
SSO mahal / terlambat	SAML ACS e2e gate + IdP runbook
Demo sulit	Seed demo/QA + skrip 15 menit

3.3 Matriks fitur — apa yang boleh dijual

Area	Status penjualan	Bukti
Employees, org, onboarding/offboarding, kontrak, aset	Jual (GA)	Sidebar + lifecycle smoke
Absensi, shift, leave, OT→payroll	Jual (GA)	payroll-golden
Payroll, slip, THR, PPh21, BPJS, loan, kasbon, disbursement	Jual (GA)	payroll modules + golden
Claims / reimbursement + bukti private	Jual (GA)	claim-proof
ESS / MSS	Jual (GA)	portal + persona smoke
Rekrutmen + careers	Jual (GA)	dengan caveat konektor eksternal bervariasi
LMS core	Jual hati-hati	advanced = lab
AIMAN	Jual sebagai assist, bukan autonomous	Trial/Enterprise entitlement
Analytics	Jual (Growth+)	entitlement gate
SSO / API / white-label	Jual (Enterprise)	foundation live; IdP nyata = onboarding
E-Sign Privy	Jangan jual sebagai GA	UI hidden
Partner auto-payout	Jangan janjikan	manual CSV/ledger

3.4 Personas & jobs-to-be-done

Persona	Job utama	Surface
Owner / HRD	Compliance + biaya + laporan	Billing, reports, go-live
HR Admin	Operasikan hire-to-retire	/humanify/*
Finance/Payroll	Hitung, approve, bayar, audit	Payroll modules

Manager	Approve leave/OT/claim/mutasi	MSS / Manager Hub
Karyawan	Absensi, cuti, slip, klaim	/employee
Platform ops	Tenant, obs, partner, support	/platform

4. Business Model

4.1 Revenue streams

1. **Subscription SaaS** (primer) — monthly/annual plan.
2. **Enterprise upsell** — SSO, API, white-label, AI, LMS.
3. **Partner-attributed deals** — referral dengan komisi.
4. **Professional services** (opsional, di luar core SaaS) — onboarding, migrasi data, workshop fiscal **[policy commercial TBD]**.

4.2 Pricing (kanonis)

Sumber kebenaran: `lib/saas/plan-entitlements.ts`

Plan	Monthly (IDR)	Users max	Employees max	Features
Trial	0	25	100	Full (14 hari)
Starter	499.000	10	50	core, attendance, recruitment
Growth	1.499.000	50	500	+ payroll, analytics
Enterprise	4.999.000	500	10.000	+ lms, ai, api, white_label, sso

Annual: $\text{monthly} \times 12 \times 0.8$

Tax: PPN 11% inclusive

Seat model: hard cap per plan; upgrade path (bukan overage fee)

4.3 Konflik harga yang harus diselesaikan (P0)

ROI calculator memakai band harga berbeda (Rp1,8jt–9,5jt by headcount).

Keputusan bisnis yang dibutuhkan:

Opsi	Dampak
A. Entitlements = kanonis; ROI diubah	Sales & billing konsisten
B. ROI = enterprise quote guidance saja	Harus dilabel "indikatif / custom"
C. Dual book resmi (list vs enterprise custom)	Perlu policy discount & approval

Tanpa keputusan ini, forecast dan diligence akan goyah.

4.4 Unit economics — kerangka

Input yang sudah ada di kode:

- List ARPU per plan.
- Diskon annual 20%.
- Komisi partner default 10% order (tier usulan 10/15/20% ARR Y1).
- ROI assumptions internal: efisiensi waktu 80%, error payroll 2%, dsb. (untuk pitch value, bukan P&L).

Input yang belum ada [DATA REQUIRED]:

Metrik	Mengapa penting
CAC by channel	Payback & channel mix
Gross margin	Setelah Midtrans MDR + infra + support
Logo / revenue churn	Retention health
NRR / GRR	Growth quality
Implementation cost	Services vs SaaS margin
Support cost / tenant	Scalability of CS
Midtrans MDR & settlement	COGS payment
Paid MRR (cash) vs list MRR	Hindari overstatement

4.5 Contoh ilustratif (bukan forecast)

Untuk perencanaan internal, gunakan skenario **hipotesis** yang jelas ditandai:

Contoh: 100 paying Growth @ Rp1.499.000 = ~Rp149,9jt list MRR sebelum diskon/churn/PPN treatment.

Angka ini **bukan** revenue aktual — hanya alat sensitivitas.

Jangan gunakan contoh ini di deck eksternal tanpa mengganti dengan paid-order export.

5. Go-to-Market Strategy

5.1 Motion

Motion	Deskripsi	Status
Product-led / self-serve	Signup → trial → setup wizard → go-live	Live
Sales-assisted	Demo 15 menit + seed tenant + billing	Live (playbook)
Partner-led	Lead form + referral attribution + commission ledger	Partial (payout manual)

Outbound / content	Positioning, ROI calculator, Naincode cross-sell	Partial [DATA REQUIRED]
--------------------	--	--------------------------------

5.2 Funnel target (definisi operasional)

1. Visit / partner lead
2. Signup + email verified
3. Setup wizard complete
4. First employee created
5. Go-live ready ($\geq 3/4$ core checklist)
6. First payroll run (Growth+)
7. Paid conversion
8. Expansion / renewal

KPI produk yang sudah didefinisikan:

- Time-to-first-employee < 1 hari
- Time-to-first-payroll < 14 hari

5.3 Sales enablement

- Demo script: docs/humanify-sales-demo-15min.md
- Positioning: docs/humanify-positioning.md
- GA scope: docs/humanify-ga-scope.md
- Isolation FAQ: docs/humanify-tenant-isolation-faq.md
- Partner program: docs/humanify-partner-channel.md

Aturan sales:

- Jangan demo / janjikan: FORCE RLS prod, Sentry.io, Midtrans auto-payout, Privy e-sign GA, LMS advanced penuh.
- AIMAN = assist + human confirm, bukan pengganti keputusan HR/legal/pajak.

5.4 Partner program (usulan komersial)

Tier	Komisi Y1	Syarat
Registered	10% ARR	≥ 1 deal closed
Certified	15% ARR	3 deals + fiscal workshop
Premier	20% + co-marketing	10 deals / regional lead

Angka usulan — finalisasi kontrak legal.

Ops saat ini: snapshot komisi + CSV + mark-paid manual.

5.5 Pricing & packaging GTM notes

- Trial full-feature mempercepat evaluasi tetapi menaikkan ekspektasi Enterprise.
- Unknown/null plan saat ini default ke Enterprise di kode — **risiko komersial**; harus diputuskan (legacy grandfather vs force choose plan).

6. Competitive Landscape

6.1 Competitor classes

Kelas	Contoh (indikatif)	Humanify angle
HRIS lokal mapan	Mekari Talenta & sejenis	Multi-tenant SaaS + observability + channel + AI assist
Payroll-only / absensi-only	Banyak vendor niche	Integrasi hire-to-retire + audit
ERP berat	SAP SuccessFactors-class / on-prem	Time-to-value & harga mid-market
Spreadsheet	Internal Excel	Compliance + ESS + audit

[DATA REQUIRED] matriks harga kompetitor bertanggal, win/loss, dan case migration.

6.2 Competitive thesis (honest)

Humanify bersaing pada **kedalaman Indonesia + SaaS controls + operasional/security discipline**, bukan pada klaim “lebih banyak modul daripada siapa pun”. Modul lab yang disembunyikan justru melindungi trust.

7. Operations & Technology (ringkas untuk business plan)

7.1 Delivery model

- Produk cloud multi-tenant shared DB + tenant_id.
- App: Next.js (Pages) + PostgreSQL + PM2.
- Prod: humanify.id :3020 · Staging: staging.humanify.id :3021 (strict RLS).
- Billing: Midtrans Snap + webhook idempotency.
- Observability: internal (bukan Sentry.io).

7.2 Operating principles

1. Empty tenant = empty UI (no fake prod data).
2. Session tenant_id = trust boundary.
3. Mutating SQL via withHQAAuth / tenant context.
4. Hidden ≠ deleted; jangan jual.
5. Payroll changes butuh golden + fiscal checklist.

7.3 Capacity & scale posture

Saat ini cocok early-stage controlled SaaS. Sebelum scale agresif:

- Redis shared untuk rate-limit multi-instance.
- Build artifact di CI, bukan hanya on-host.
- Load/capacity baseline.
- Object storage migration policy.
- Strict prod RLS evaluasi setelah gate hijau.

Detail teknis: docs/humanify-technical-architecture.md.

8. Organization & Execution

8.1 Roles yang dibutuhkan untuk menjalankan bisnis (bukan headcount aktual)

Fungsi	Tanggung jawab
Product / PM	Scope GA, pricing truth, roadmap
Engineering	Delivery, security, reliability
QA/QC	Gate A–E, artifacts, regression
Sales / CS	Demo, onboarding, retention
Partner manager	Channel, commission, enablement
Finance / Fiscal	Sign-off payroll, revenue recognition
Platform ops	Tenants, observability, support impersonation

[DATA REQUIRED] struktur tim aktual, burn, dan hiring plan.

8.2 Cadence operasional

- Release: Gate A–E + HANDOFF note.
- Security: weekly IDOR scorecard.
- Commercial: monthly pack (trials, paid, churn, expansion, partner).
- Fiscal: checklist update tiap perubahan engine material.

9. Financial Plan Framework

9.1 Apa yang boleh diklaim sekarang

- Price book list (Starter/Growth/Enterprise).
- Annual discount policy (20%).
- PPN inclusive handling di invoice path.
- Partner commission stub & ledger.
- Platform metrics *code path* untuk list MRR vs paid-order MRR.

9.2 Apa yang belum boleh diklaim

- ARR/MRR aktual.
- Jumlah paying logos.
- Growth rate.
- Unit economics lengkap.
- Valuation / raise amount berbasis multiple industri tanpa comps.

9.3 Model 12–36 bulan (template)

Isi setelah export data:

Line	M1	...	M12	Y2	Y3
Trial starts					
Paid conversions					
Paying tenants EoP					
Mix Starter/Growth/Enterprise					
Paid MRR					
Annual prepay attach %					
Gross churn %					
Expansion MRR					
Partner-attributed %					
Commission expense					
COGS (infra+payment+support)					
Gross profit					
Sales & marketing					
R&D					
G&A					
Operating income					
Cash / runway					

9.4 Sensitivitas yang harus diuji

1. Conversion trial→paid 5% vs 15% vs 25%.
2. Mix Growth-heavy vs Starter-heavy.
3. Annual attach 20% vs 50%.
4. Partner share 0% vs 30% of new logos.
5. Churn 2%/mo vs 5%/mo.
6. Enterprise discounting depth.

10. Risks & Mitigations

Risk	Severity	Mitigation
Pricing book conflict	High	Putuskan kanonis dalam 14 hari; update ROI/sales
Traction tidak terdokumentasi	High	Export paid-order + cohort bulanan
Soft RLS prod ditolak enterprise	Medium–High	FAQ jujur + roadmap flip + staging proof
Overselling lab features	High	Sales checklist + GA scope di setiap proposal
Infra concentration	Medium	CI artifact, monitoring, restore drill, scale plan
Partner payout unfinished	Medium	Manual ledger OK short-term; set expectation
Fiscal sign-off incomplete	Medium	Checklist finance sebelum claim "compliance-ready"
Dual-product confusion (SIMESI)	Medium	Scope statement di setiap deck
AI hallucination / liability	Medium	Rule-first + human confirm + audit log
Legacy null plan → Enterprise access	Medium	Policy grandfather / force plan selection

11. Roadmap & Milestones

11.1 0–30 hari (truth & commercial spine)

1. Keputusan price book kanonis.
2. Export paying tenants + paid MRR/ARR.
3. Feature-status one-pager untuk sales.
4. Release artifact policy (immutable smoke/E2E).
5. Rekonsiliasi default plan Enterprise untuk legacy.

11.2 31–90 hari (GTM & retention)

1. Monthly commercial pack live.
2. 3–5 case study / reference **[DATA REQUIRED]**.
3. Partner MSA draft + commission schedule.
4. Capacity/load baseline pertama.
5. ESS mobile critical journey QA formal.

11.3 90–180 hari (enterprise readiness)

1. Evaluasi prod strict RLS (jika gate hijau).
2. Keputusan Privy e-sign GA / tetap deferred.

3. Object storage / multi-instance readiness plan.
4. Channel Premier pilot.
5. Forecast 12 bulan berbasis data aktual.

11.4 Milestone produk (non-financial)

Milestone	Definisi selesai
GA Day-1	Go-live ready + ≥1 karyawan + ga-journey green
Payroll trust	payroll-golden green + fiscal checklist signed
Security narrative	scorecard hijau + FAQ soft RLS + roadmap
Enterprise attach	≥1 tenant pakai SSO atau API di production [DATA REQUIRED]

12. Funding / Capital Use (opsional)

Bagini hanya relevan jika Naincode mencari external capital untuk Humanify.

[DATA REQUIRED] sebelum menulis raise:

- Ask amount & instrument.
- Cap table.
- Use of funds (product, sales, infra, compliance).
- 18-month runway target.
- Milestone yang dibeli investor.

Tanpa itu, bagian ini **sengaja dikosongkan** agar tidak spekulatif.

13. Governance & Documentation Cadence

Dokumen	Owner	Update
Business Plan (ini)	CEO / PM	Quarterly atau saat price/GTM berubah
PRD / GA scope	PM	Per wave material
Architecture	CTO	Per ADR
QA strategy	QA lead	Per release process change
Investment memo	CEO / Finance	Saat diligence / board
HANDOFF	Eng lead	Per wave

Hierarki bukti: runtime → DECISIONS → HANDOFF → sidebar/entitlements → docs pack → marketing.

14. Appendices

A. Canonical document map

- Index: docs/humanify-documentation-index.md
- PRD: docs/humanify-prd-v2.md
- Architecture: docs/humanify-technical-architecture.md
- QA: docs/humanify-quality-assurance.md
- Investment memo: docs/humanify-investment-memo.md
- GA scope: docs/humanify-ga-scope.md
- Partner: docs/humanify-partner-channel.md
- Decisions: .hermes/DECISIONS.md
- Handoff: .hermes/HANDOFF.md

B. Declared ADR ceilings (jangan dihapus dari narasi)

1. Production soft RLS (strict deferred).
2. Sentry.io deferred (internal obs).
3. Midtrans partner auto-payout won't-do (manual ledger).
4. Privy e-sign UI hidden.

C. Diligence checklist cepat

- ☐ Price book tunggal
- ☐ Paid-order export
- ☐ Cohort retention
- ☐ CAC / channel mix
- ☐ Gross margin estimate
- ☐ Customer references
- ☐ Fiscal sign-off
- ☐ Security FAQ + RLS roadmap
- ☐ Release artifacts
- ☐ Partner contracts

D. Contact

- Product / sales: via Naincode · hello@naincode.com
- Partners: partners@humanify.id (atau sales Naincode)
- Billing: billing@humanify.id (seller identity di invoice path)

15. Bottom line

Humanify sudah melewati tahap “apakah produknya nyata?” — **ya, GA core nyata dan operasional.**

Pertanyaan bisnis berikutnya adalah:

1. **Berapa yang membayar, berapa yang bertahan, berapa yang ekspansi?**
2. **Price book mana yang resmi?**
3. **Channel mana yang CAC-nya masuk akal?**

Jawab tiga pertanyaan itu dengan data production/finance, maka business plan ini berubah dari *product plan* menjadi *investor-grade operating plan*.

Part 3 — PRD & Business Requirements

Humanify — Product Requirements Document & Business Requirements

Version: 2.0

Evidence cutoff: 30 July 2026

Owner: Naincode Inti Teknologi

Product: Humanify HRIS SaaS (humanify.id)

Status: GA core ready with declared technical and commercial caveats.

1. Executive summary

Humanify is a cloud HRIS for Indonesian organizations. It combines employee master data, attendance, leave, payroll and Indonesian compliance, claims, employee and manager self-service, recruitment, HR operations, analytics, billing, and a SaaS control plane.

Humanify is one product within a dual-product repository. It must not be described as SIMESI, a pet ecosystem ERP, or as a retail/FnB platform.

Product promise

Humanify helps HR teams run hire-to-retire workflows in one tenant-isolated system, reduce repetitive administration through ESS/MSS, and operate payroll with auditable Indonesian tax and statutory components.

Current verdict

The operational core is suitable for controlled production use. Product claims must preserve the distinction between:

- **GA/live:** sold and operated as part of the core product.
- **Partial:** implemented with limited depth, integration, or rollout.
- **Lab/hidden:** present in code but not part of the GA sales commitment.
- **Deferred:** deliberately held behind an architectural or provider gate.

2. Business requirements

2.1 Market problem

Indonesian HR teams often manage employee records, attendance, leave, reimbursements, payroll, and compliance across spreadsheets and disconnected tools. This creates duplicated

input, weak auditability, slow approvals, employee dependence on HR, and payroll/compliance risk.

2.2 Target customers

Primary target:

- Indonesian small and mid-market organizations needing cloud HRIS.
- Companies requiring PPh 21, BPJS, THR, leave, payroll, and employee self-service in Bahasa Indonesia.
- Organizations with field, distributed, or multi-location teams.
- Enterprise buyers requiring SSO, API access, role control, and auditability.

Channel target:

- Payroll, tax, and BPJS consultants.
- SME accounting firms.
- Attendance-device vendors and implementation partners.

2.3 Buyers and users

Owner / HR Director

- Buys the product.
- Needs compliance confidence, implementation speed, cost control, and reports.

HR administrator

- Configures organization, employees, attendance, leave, payroll, claims, onboarding, offboarding, and employee communications.

Finance / payroll operator

- Runs payroll, tax, BPJS, THR, disbursement, adjustments, and audit review.

Manager

- Reviews team data and approves leave, overtime, claims, and mutations.

Employee

- Uses ESS for attendance, leave, claims, payslips, profile, documents, and selected learning or disciplinary records.

Platform operator

- Uses /platform to operate tenants, billing, partner leads, support impersonation, email verification, and observability.

2.4 Business goals

1. Digitize hire-to-retire workflows in a tenant-first SaaS model.
2. Reduce payroll and statutory calculation risk through tested engines and auditable state changes.
3. Reduce HR administrative workload through ESS, MSS, bulk operations, and actionable queues.
4. Prevent cross-tenant data exposure.
5. Monetize with plan entitlements, annual billing, and partner referrals.
6. Support enterprise expansion through SSO, API keys, white-label entitlements, and operational controls.
7. Introduce AI assistance only where generated output is grounded and writes require human confirmation.

2.5 Product success measures

Operational product KPIs:

- Time to first employee: less than one business day after signup.
- Time to first payroll run: less than fourteen days after onboarding.
- Go-live checklist ready with at least one active employee.
- Payroll golden and claim-proof suites green before release promotion.
- Zero unresolved P0 cross-tenant leakage.
- Approval cycle time for leave, overtime, and claims.
- ESS weekly active users per tenant.
- Payroll run completion and payslip distribution success.

Commercial KPIs requiring production/finance data:

- Trial-to-paid conversion.
- Paying tenants by plan and cohort.
- Paid-order MRR/ARR, not list-price estimates.
- Gross and net revenue retention.
- Logo and revenue churn.
- Partner-attributed revenue and commission cost.
- Customer acquisition cost and payback period.

These commercial values are not established by the repository alone.

3. Product scope

3.1 GA/live core

People and organization

- Employee database, import/export, bulk edit, profile and photos.
- Organization structure and settings.
- Onboarding and offboarding checklists.

- Contract reminders.
- Asset inventory, assignment, and return.
- Employee documents and private file access.

Time, attendance, and leave

- Attendance dashboard and daily recap.
- Shift and schedule management.
- Attendance settings and device administration.
- Leave types, requests, balances, and approvals.
- Overtime workflow and payroll bridge.

Payroll and statutory administration

- Payroll runs and attendance-generated components.
- Payslips, THR, PPh 21, BPJS, overtime, bonuses, loans, and cash advances.
- Bank transfer/disbursement files.
- Payroll reports and audit events.
- Indonesia-oriented PPh 21/PTKP calculation fixtures.

Claims and expenses

- Reimbursement requests and approval.
- Private receipt storage and signed/session access.
- Travel expense and payroll-related claim integration.

ESS and MSS

- Employee portal for self-service workflows.
- Manager portal/action hub for team approvals.
- Persona-aware navigation and role restrictions.

Talent and HR operations

- Recruitment and careers portal.
- Training/LMS core surfaces.
- Certificates.
- Mutations, industrial relations, disciplinary letters, HR activities, team tasks, announcements, and calendar.

Platform and enterprise

- Tenant signup, onboarding wizard, invitations, users, roles, and security.
- Midtrans checkout path, billing orders, plan changes, and invoice data.
- SAML SSO foundation and API keys.
- Platform tenant operations and internal observability.
- Go-live readiness workflow.

3.2 Partial capabilities

- Recruitment publishing depth differs by external job portal; some connectors are credential, webhook, outbound-link, or manual-readiness layers.
- Real SAML IdP onboarding remains customer-specific even though synthetic ACS is release-tested.
- Local document storage is production-ready; S3/R2 is optional and does not automatically migrate existing local files.
- AIMAN is available to entitled plans, but it remains a rule-engine-first, human-confirmed assistant rather than autonomous HR decision-making.
- Core LMS is visible; advanced LMS capabilities are lab-gated.

3.3 Hidden, lab, or deferred

- Privy e-sign UI: hidden until credentials and GA checklist are approved.
- Advanced LMS: URL/lab only through HUMANIFY_LMS_LAB.
- Engagement and HR projects: hidden in current sidebar IA.
- Partner auto-disbursement: not implemented; payout is manual ledger/CSV.
- Offline ESS mutation queue: not implemented; service worker is online-first.
- Production strict RLS: deferred behind staging and cron-context gates.
- External Sentry.io: deferred by decision; internal observability is standard.

3.4 Out of scope

- Point of sale, restaurant/FnB, manufacturing, BUMDes, and DMS.
- SIMESI pet ERP workflows.
- Wildlife conservation operations.
- Fully autonomous AI writes without confirmation.
- DJP certification claims; fiscal fixtures are acceptance evidence, not government certification.

4. Core user journeys and acceptance criteria

4.1 Tenant acquisition and go-live

Journey:

1. Buyer signs up and verifies email.
2. Tenant selects or starts a plan/trial.
3. Admin completes company, organization, and policy setup.
4. Admin adds employees and optional asset inventory.
5. Go-live checklist reports readiness.

Acceptance:

- Tenant context is attached to the authenticated session.
- Unknown tenants cannot read another tenant's data.
- Empty tenants see actionable empty states, never fake production data.

- Plan limits and feature entitlements are enforced in routes and APIs.

4.2 HR administration

Journey:

1. Import or create employees.
2. Configure attendance, leave, organization, and policies.
3. Review pending HR actions.
4. Run reports and lifecycle workflows.

Acceptance:

- Mutations are tenant-scoped and permission checked.
- Import errors are actionable and do not partially corrupt unrelated tenants.
- Destructive or sensitive actions are auditable where required.

4.3 Payroll

Journey:

1. Select period and employee population.
2. Import or aggregate attendance and adjustments.
3. Calculate payroll and statutory components.
4. Review exceptions.
5. Approve, mark paid, distribute payslips, and export payment files.

Acceptance:

- Net pay identity and attendance-to-overtime bridge pass golden tests.
- Approve and paid transitions create audit events.
- Employee payslips expose only the authorized employee's data.
- Fiscal engine changes require regression fixtures and finance sign-off.

4.4 Employee self-service

Journey:

1. Employee logs in.
2. Records attendance or views attendance history.
3. Submits leave, overtime, or claim.
4. Views status, payslips, profile, and documents.

Acceptance:

- Employee only sees own records unless separately authorized as manager.
- Private attachments use authenticated or signed access.
- Mobile layouts support critical workflows.
- Offline mode must not imply successful offline mutations.

4.5 Manager self-service

Journey:

1. Manager opens pending actions.
2. Reviews employee, policy, amount, and proof.
3. Approves or rejects.
4. Employee and HR see updated status.

Acceptance:

- Manager scope is limited to authorized team records.
- Approval actions are idempotent or safely reject invalid state transitions.
- Evidence links remain private.

4.6 Platform operations

Journey:

1. Platform operator reviews tenant health, billing, and verification.
2. Creates or updates tenant profile.
3. Enters audited support impersonation when needed.
4. Reviews observability and partner operations.

Acceptance:

- Only super/platform admin roles have cross-tenant access.
- Impersonation is explicit, visible, time-bound by session behavior, and logged.
- Platform metrics distinguish paid-order revenue from list-price estimates.

5. Packaging and monetization

Canonical plan definitions are in `lib/saas/plan-entitlements.ts`:

- Trial: Rp0 for 14 days; up to 25 users and 100 employees; full feature evaluation.
- Starter: Rp499,000/month; up to 10 users and 50 employees; core, attendance, and recruitment.
- Growth: Rp1,499,000/month; up to 50 users and 500 employees; adds payroll and analytics.
- Enterprise: Rp4,999,000/month; up to 500 users and 10,000 employees; adds LMS, AIMAN, API, white-label, and SSO.
- Annual quote: monthly price × 12 with a 20% discount.

Pricing issue requiring product decision:

The ROI calculator contains a different headcount-based price book ranging from Rp1.8M to Rp9.5M per month. It must be reconciled with billable entitlements before it is used in sales, forecasting, or investor materials.

6. AI product policy

AIMAN is a hybrid assistant:

- Rule-based tools calculate or retrieve business data.
- Optional LLM output improves explanation, not source calculations.
- Read actions may run directly.
- Write actions require explicit human confirmation.
- Confirmations should remain audit logged.
- AI must not fabricate employee, payroll, compliance, or financial values.
- AI recommendations do not replace HR, legal, tax, or management decisions.

7. Non-functional requirements

Security

- Tenant isolation at application query level and PostgreSQL policy level.
- Role, permission, plan, and module checks.
- Private document storage.
- Rate limiting, login lockout, MFA capability, hashed API keys, and signed integrations.

Reliability

- Production and staging health endpoints.
- PM2 process supervision and Nginx proxying.
- Daily backup target, retention, and restore runbook.
- Request-bound database context where enabled.

Performance

- Critical HR tables and dashboards should remain responsive at plan limits.
- Dedicated capacity baselines and sustained load testing remain required.

Observability

- Structured logs, internal event ring, persisted errors/warnings, health, Discord/email alert paths, and platform dashboard.

Accessibility and UX

- Bahasa Indonesia is the default operations language.
- Operations, ESS, and marketing use intentional separate design surfaces.
- Empty/error/loading states must be explicit.
- Keyboard, screen-reader, contrast, and cross-browser verification must be added to the formal quality matrix.

8. Roadmap priorities

P0 — truth, safety, and release discipline

- Keep plan/pricing sources consistent across billing, ROI, and sales collateral.
- Make release evidence immutable and attached to CI/release artifacts.
- Close source-backed fail-open risks in public webhooks and token delivery.
- Maintain zero unresolved P0 tenant-isolation defects.

P1 — commercial and operational maturity

- Establish paid-order cohort reporting, conversion, churn, and customer health.
- Add sustained load/capacity baselines.
- Make post-deploy health and critical migrations blocking.
- Complete customer evidence: contracts, case studies, and measured outcomes.

P2 — gated expansion

- Privy e-sign GA only after provider, legal, security, and QA sign-off.
- Decide advanced LMS commercialization.
- Evaluate production strict RLS after cron/job context evidence remains green.
- Revisit external observability only when operational scale justifies it.

9. Product decisions that remain open

- Canonical commercial pricing and enterprise custom-pricing policy.
- Whether Trial should expose all enterprise-only features.
- Whether unknown/null plans should continue defaulting to Enterprise access.
- Date and exit criteria for strict production RLS.
- Scope and commercial promise for AIMAN and advanced LMS.
- E-sign provider GA timing.
- Seat overage versus forced plan upgrade.

10. Definition of done

A Humanify feature is done when:

1. Acceptance criteria are implemented.
2. Authorization and tenant scoping are explicit.
3. Plan entitlement is enforced where applicable.
4. Loading, empty, error, and success states exist.
5. Relevant unit, smoke, and/or E2E evidence is green.
6. Sensitive actions are logged or audited.
7. Documentation and sidebar/GA status are updated.
8. Production does not depend on mock HR data.
9. No secret, PII, or customer-specific configuration is committed.

11. References

- `config/humanify-sidebar.config.ts`
- `lib/saas/plan-entitlements.ts`
- `docs/humanify-ga-scope.md`
- `docs/humanify-positioning.md`
- `docs/humanify-partner-channel.md`
- `docs/humanify-payroll-fiscal-signoff.md`
- `.hermes/DECISIONS.md`
- `.hermes/HANDOFF.md`

Part 4 — Technical Architecture

Humanify — Technical Architecture & Operations

Version: 2.0

Evidence cutoff: 30 July 2026

Audience: Engineering, security, DevOps, technical diligence, enterprise IT.

1. Architecture summary

Humanify is a multi-tenant HRIS SaaS implemented inside a Next.js 15 Pages Router application. Frontend pages, API routes, authentication, scheduled operations, and platform administration are maintained in one repository and the main web/API workload runs as one PM2-managed Next.js process per environment.

Humanify currently favors operational simplicity over microservices:

- One application repository.
- One Next.js process for frontend and APIs.
- Shared PostgreSQL database with `tenant_id`.
- Sequelize and parameterized raw SQL as the canonical write path.
- Prisma retained as read-only/non-canonical for Humanify.
- Nginx and Cloudflare in front of the application.

Extraction into a separate `humanify-core` package or second worker/BFF is explicitly deferred until another deployable requires it.

2. System context

Actors

- Employee, manager, HR administrator, finance/payroll operator.
- Tenant owner.
- Naincode platform operator.
- External IdP, Midtrans, SMTP provider, SumoPod, attendance devices, job portals, and optional object storage.

Application surfaces

- `/humanify/*`: tenant HR operations.
- `/employee/*`: employee ESS.
- `/platform/*`: Naincode control plane.
- `/c/{tenantSlug}/careers`: public tenant careers.
- `/api/humanify/*`: authenticated HRIS APIs.

- `/api/platform/*`: platform control APIs.
- `/api/v1/*`: scoped public enterprise APIs.

UI shells

- Operations: `components/humanify/HumanifyLayout.tsx` over shared `HQLayout`.
- ESS: `components/employee/EmployeePortal.tsx` with separate teal tokens.
- Marketing: `HumanifyMarketingShell`.
- Shared operations tokens: `styles/humanify-tokens.css`.

The different visual surfaces are an intentional ADR, not accidental inconsistency.

3. Runtime topology

Production

- Host directory: `/root/humanify`.
- PM2 process: `humanify`.
- Application port: 3020.
- Database: `humanify`.
- Tenant policy mode: request-bound soft RLS.
- Public domain: `humanify.id`.

Staging

- Host directory: `/root/humanify-staging`.
- PM2 process: `humanify-staging`.
- Application port: 3021.
- Database: `humanify_staging`.
- Tenant policy mode: strict RLS/FORCE.
- Public domain: `staging.humanify.id`.

Infrastructure

- Node.js 20.
- PM2 fork mode, one application instance.
- Nginx reverse proxy.
- Cloudflare edge/TLS.
- PostgreSQL.
- Redis when configured, with memory fallback for selected controls.

Key deployment files:

- `scripts/deploy-humanify-vps.sh`
- `scripts/deploy-humanify-staging-vps.sh`
- `scripts/humanify-ecosystem.config.cjs`
- `scripts/ensure-humanify-crons.sh`

4. Request and API architecture

Normal authenticated request

1. NextAuth resolves JWT/session.
2. `withHQAAuth` attaches the session to the request.
3. Tenant context is established for request-bound database access.
4. Role, permission, module, and plan checks run.
5. The handler executes queries within the expected Sequelize transaction context where request-bound RLS is enabled.
6. Errors are normalized and logged.

Core implementation:

- `lib/middleware/withHQAAuth.ts`
- `lib/permissions/permission-resolver.ts`
- `lib/saas/assert-feature.ts`
- `lib/saas/tenant-request-bound.ts`
- `lib/humanify/api-error.ts`

API boundary rules

- Client-provided `tenantId` is not an authorization source.
- Tenant identity comes from the authenticated session or a verified public integration context.
- Mutating SQL uses `withHQAAuth` or explicit tenant DB context.
- Public webhooks require signatures/secrets and idempotency where applicable.
- Mock HR fallback is prohibited in production.
- `middleware.ts` excludes `/api/*`; every API route must enforce its own authentication or public-token policy.

Static enforcement:

- `npm run lint:humanify-hq-auth`
- `scripts/lint-humanify-hq-auth.js`

5. Authentication and authorization

Authentication

- NextAuth credentials provider.
- SAML handoff/provider path.
- JWT sessions with tenant, role, plan, onboarding, MFA, and impersonation context.
- bcrypt password hashing.
- Hashed invitation and password-reset tokens.
- Login lockout and rate-limit controls.

Primary file:

- `pages/api/auth/[...nextauth].ts`

Page access

`middleware.ts` handles:

- Public route allowlisting.
- Login redirects.
- Onboarding enforcement.
- Tenant MFA enrollment.
- Plan/feature redirects.
- LMS lab gating.
- Tenant career-domain routing.

Authorization

- Role and permission resolution in `withHQAAuth`.
- Feature entitlement checks for pages and APIs.
- Platform routes restricted to `super_admin`, `superadmin`, or `platform_admin`.
- Support impersonation restricted to platform roles and audit logged.
- Enterprise API keys are hashed, scoped, revocable, and require eligible entitlement.

MFA

- RFC6238 TOTP.
- Tenant policy may require enrollment.
- Current infrastructure-error behavior can fail open and should be evaluated against enterprise risk appetite.

6. Multi-tenancy and data isolation

Model

- Shared PostgreSQL database.
- Business rows carry `tenant_id`.
- Session tenant is authoritative.
- Platform operators may use explicit cross-tenant privileges.

Isolation layers

1. Application query scoping (`scopedWhere` and explicit tenant filters).
2. Request-bound PostgreSQL context:
 - `app.current_tenant`
 - `app.is_super_admin`
3. PostgreSQL row-level security policies.
4. Role/permission and plan enforcement.
5. IDOR smoke and weekly scorecard.

Production mode

Production uses application filtering plus request-bound **soft-policy RLS**. Soft means an empty tenant context can be allowed by policy; it does not mean RLS is absent. This makes explicit application scoping critical.

Staging mode

Staging applies strict policies and FORCE RLS. Empty tenant context has been validated to return zero protected employee rows.

Deferred strict production flip

The production flip is manual and gated:

```
CONFIRM_PROD_RLS_STRICT=YES bash scripts/flip-humanify-prod-rls-strict.sh
```

Required evidence includes staging IDOR, job/cron tenant context, restore readiness, and CTO sign-off. See:

- docs/humanify-rls-prod-flip.md
- docs/humanify-rls-strict-staging.md
- docs/humanify-tenant-isolation-faq.md

7. Data architecture

Canonical access path

- Sequelize models and Sequelize transactions.
- Parameterized raw PostgreSQL SQL for complex/reporting paths.
- Runtime connection: lib/sequelize.js.
- Model registry: models/index.js.

Prisma posture

Prisma is not the canonical Humanify write/migration layer. No Humanify write path should be added through Prisma unless the architecture decision changes.

Schema evolution

Current migration posture combines:

- sequelize-cli migrations.
- Humanify-specific migration scripts.
- RLS migration scripts.
- Some runtime CREATE TABLE IF NOT EXISTS safeguards.
- Schema-drift checks through information_schema.
- SAVEPOINT-wrapped optional queries where optional schema must not abort a larger request transaction.

Architectural liabilities

- Runtime table creation weakens deterministic schema ownership.
- Some deploy migration steps tolerate errors.
- The shared model registry includes legacy non-Humanify models.
- Schema drift increases testing and support cost.
- A formal, ordered Humanify migration ledger should replace runtime creation over time.

8. Domain boundaries

Principal Humanify domains:

- SaaS tenancy, plans, billing, signup, invites, partner channel.
- People and organization.
- Attendance, shifts, devices, leave, and overtime.
- Payroll, tax, BPJS, THR, adjustments, audit, and disbursement.
- Claims, travel, private files, and document retention.
- Recruitment, careers, LMS, training, certificates.
- Performance, KPI, analytics, and engagement.
- Lifecycle: onboarding, contracts, assets, offboarding.
- ESS/MSS.
- Enterprise: SSO, API keys, brand controls.
- Platform operations and observability.
- AIMAN/AI assistance.

Reference: [docs/humanify-bounded-context.md](#).

9. Integrations

Midtrans

- Snap checkout.
- Signed notification verification.
- Webhook idempotency.
- Plan activation and billing orders.
- Manual provider fallback when server credentials are missing.
- Partner auto-disbursement is not implemented.

Email

- Verification, reset, invitation, alerts, digests, and payroll messages.
- SMTP/DNS probes and operational checks exist.
- Production token-return fallback behavior during email failure should be reviewed because it can weaken the expected email-only token boundary.

SAML SSO

- Metadata and ACS flow.
- Signed assertion handling.
- Tenant configuration, domain allowlist, and JIT provisioning.
- Synthetic ACS is release-gated.
- Real IdP onboarding is customer-specific.

SumoPod / AIMAN

- OpenAI-compatible provider.
- Enabled only when configured and feature-gated.
- Rule engines remain the source for calculations.
- Write tools require confirmation.

Attendance devices

- ZKTeco HTTP bridge.
- Simulation only outside production.
- Production depends on deployed bridge/device configuration.

Job portals

- Native careers and Google Jobs are strongest.
- Other portal integrations vary from direct integration to outbound/manual readiness and must be described individually.

Document storage

- Private local storage is the default.
- S3/R2 is opt-in.
- Existing local objects are not automatically migrated.

Privy

- Client/webhook code exists.
- UI remains hidden until provider and GA controls are complete.

10. Security architecture

Implemented controls include:

- Password hashing.
- JWT session signing.
- Login lockout and rate limiting.
- TOTP MFA.
- Hashed, expiring invitation/reset tokens.
- Hashed and scoped enterprise API keys.

- Tenant application scoping and RLS.
- Private claim/document storage.
- Session/HMAC file access.
- Webhook signature verification and idempotency.
- Security headers and referrer policy.
- IDOR regression and weekly scorecard.
- Production mock-data guard.
- Support impersonation audit.

Known security risks to track

- `withHQAAuth` error-swallowing around context/entitlement setup can increase reliance on each handler's explicit tenant filter.
- Some scoping helpers can return broad clauses when tenant context is absent.
- Selected public webhook validation paths may fail open when provider secrets are unset.
- MFA and login-guard infrastructure errors currently prioritize availability.
- Some aggregate AI queries rely on request-bound RLS rather than explicit tenant predicates.
- Build configuration skips TypeScript/lint validation; CI filtering is not equivalent to a clean repository build.
- Production strict-policy RLS remains deferred.

These are risk statements, not proof of exploitation. They require tracked remediation, tests, and release evidence.

11. Observability

Current internal observability:

- Structured JSON logs to PM2 stdout.
- In-memory ring buffer.
- Slow-request threshold.
- Persisted errors/warnings in `humanify_obs_events`.
- `/platform/observability`.
- Public shallow/deep health.
- Discord/email alerts and external uptime probes.

Default production direction is internal monitoring. External Sentry.io is deferred by ADR, not accidentally missing.

12. Backup, recovery, and scheduled operations

Documented targets:

- RPO: at most 24 hours.
- RTO: at most 2 hours.
- Default backup retention: 7 days.

Scheduled jobs include:

- Health monitoring.
- Observability and Redis checks.
- Daily database backup.
- Tenant hard-delete processing.
- Document expiry.
- Action digest.
- Weekly IDOR/security scorecard.

See `docs/humanify-backup-restore-runbook.md` and `scripts/ensure-humanify-crons.sh`.

13. Deployment flow

Typical production flow:

1. Validate source and environment.
2. Preserve `.env`, storage, and uploads.
3. Transfer/synchronize application.
4. Install dependencies.
5. Run database migrations/setup scripts.
6. Build Next.js on the VPS.
7. Verify `.next/BUILD_ID` and critical page artifact.
8. Restart PM2 with environment.
9. Probe local and public health.
10. Save PM2 process state.

Known operational risks:

- On-host builds can be slow and fragile.
- Concurrent/orphan `next build` processes have caused recovery work.
- SSH timeout can hide final build status.
- Some migrations and final health checks are non-blocking.
- Single VPS/process is a concentration risk.

Recommended direction:

- Build immutable artifact in CI.
- Promote the same artifact from staging to production.
- Make critical migrations and post-deploy probes blocking.
- Record release ID, migration set, test artifacts, and rollback target.
- Exercise restore/rollback on a schedule.

14. Scalability posture

Current architecture is reasonable for early-stage controlled SaaS but has not established a sustained capacity baseline.

Before horizontal scaling:

- Require shared Redis for distributed rate limits and locks.
- Remove process-memory assumptions.
- Separate scheduled jobs from web request processes.
- Establish connection-pool and database saturation limits.
- Move builds off the production host.
- Define object-storage migration and CDN policy.
- Validate tenant isolation across multiple instances.

15. Technical roadmap

Priority 0

- Close fail-open public webhook/token-delivery behavior.
- Ensure all critical queries fail closed without tenant context.
- Make release evidence and post-deploy verification blocking.
- Reconcile migration ownership and remove runtime schema creation from business requests.

Priority 1

- Immutable CI build/promotion.
- Sustained load, capacity, and Web Vitals baselines.
- Restore/rollback automation.
- Shared Redis requirement for multi-instance deployment.
- Explicit tenant filters in aggregate/All queries even when RLS is active.

Priority 2

- Evaluate production strict RLS only after gates remain green.
- Object-storage migration tooling.
- Split scheduled workers if operational scale requires it.
- Add external observability only when the operational case is justified.

16. Key references

- `components/humanify/HumanifyLayout.tsx`
- `components/employee/EmployeePortal.tsx`
- `pages/api/auth/[...nextauth].ts`
- `lib/middleware/withHQAAuth.ts`
- `lib/saas/tenant-scope.ts`
- `lib/saas/tenant-request-bound.ts`
- `scripts/migrate-humanify-rls.js`
- `scripts/deploy-humanify-vps.sh`
- `scripts/ensure-humanify-crons.sh`
- `docs/humanify-staging-deploy.md`

- docs/humanify-backup-restore-runbook.md
- .hermes/DECISIONS.md

Part 5 — Quality Assurance

Humanify — Quality Assurance, Quality Control & Release Strategy

Version: 2.0

Evidence cutoff: 30 July 2026

Audience: QA, engineering, product, operations, enterprise diligence.

1. Quality objective

Humanify quality assurance prioritizes business-impact failures:

1. Prevent cross-tenant data exposure.
2. Prevent incorrect payroll, tax, balance, and financial state.
3. Preserve authenticated ESS/MSS and approval journeys.
4. Keep production deployable, observable, and recoverable.
5. Prevent hidden/lab features from being represented as GA.

Test files existing in the repository and test results recorded as green are different evidence classes. This document keeps them separate.

2. Quality model

Blocker

- Cross-tenant/IDOR leak.
- Unauthorized payroll or private-document access.
- Corrupt or materially wrong payroll.
- Authentication bypass.
- Production unavailable with no viable rollback.

Release action: stop promotion or roll back immediately.

Major

- Critical workflow cannot complete.
- Approval state is wrong or non-auditable.
- Attendance/payroll bridge breaks.
- Claims evidence cannot be securely accessed.
- Feature entitlement can be bypassed.

Release action: block affected release unless formally isolated and accepted.

Minor

- Copy, spacing, non-critical visual inconsistency.
- Non-blocking empty-state or secondary CTA issue.
- Cosmetic chart or responsive issue without data loss.

Release action: track and schedule; may ship with product approval.

3. Test layers

Unit tests

Repository Jest coverage includes shared middleware tests such as:

- Tenant isolation.
- `withHQAAuth`.
- Rate limiting.

Commands:

- `npm test`
- `npm run test:ci`
- `npm run test:coverage`

Current limitation: no recent documented clean Jest run, coverage percentage, or enforced coverage threshold is tied to the latest Humanify release.

Static and contract checks

Humanify CI includes:

- Filtered TypeScript validation.
- Required-file checks.
- No-network logic/smoke scripts.
- `lint:humanify-hq-auth`.
- Build artifact checks.

Limitations:

- Next.js production build skips TypeScript and ESLint validation.
- Generic CI tolerates lint/Jest failures.
- Humanify workflow path filters omit some frontend, HR library, test, script, and style paths.

API and module smoke tests

The repository contains broad script coverage across:

- Tenant isolation and empty tenants.
- Signup, plans, billing, invites, and onboarding.
- Employees, documents, attendance, leave, claims, assets, lifecycle.

- Payroll, fiscal calculations, audit states, and disbursement.
- KPI, performance, analytics, recruitment, LMS, SSO, API, and platform ops.
- Mock guards, rate limiting, headers, Redis, observability, and health.

Key commands:

- `npm run smoke:ci-subset`
- `npm run qa:humanify-full`
- `npm run qa:humanify:matrix`
- `npm run smoke:payroll-golden`
- `npm run smoke:claim-proof`
- `npm run smoke:ga-journey`
- `npm run smoke:kpi-performance`
- `npm run smoke:sidebar-persona`

Playwright E2E

Humanify E2E covers selected:

- Public/auth pages.
- Authenticated HR pages.
- Payroll.
- RBAC personas.
- ESS.
- Manager leave approval.
- Documents and module routes.

Key commands:

- `npm run test:e2e:humanify:prod`
- `npm run test:e2e:humanify:payroll:prod`
- Staging-gated hard payroll and persona suites.

Current limitations:

- Secret-dependent suites may skip and still leave CI green.
- Chromium is the primary configured browser.
- No consolidated current green across every Humanify Playwright spec.
- No formal mobile device, Firefox, WebKit, or accessibility matrix.

Security testing

Present:

- IDOR packs and weekly security scorecard.
- Strict RLS staging lab.
- Job/cron tenant-context chaos.
- OWASP-oriented probes.
- Login lockout and rate-limit checks.

- Trivy filesystem dependency/image scan workflow.

Commands:

- `npm run smoke:idor`
- `npm run security:scorecard`
- `npm run security:owasp`
- `npm run smoke:rls-lab`
- `npm run smoke:rls-job-chaos`

Current limitations:

- OWASP and Trivy have no recent green evidence recorded in the handoff.
- Weekly scorecard is a selected subset, not every IDOR test.
- CSRF evidence should explicitly assert rejection rather than count successful foreign-origin handling as acceptable.
- Strict RLS evidence applies to staging, not production policy mode.

Performance and resilience

Present:

- Light concurrency/stress within selected KPI, enterprise, employee, dashboard, recruitment, attendance, and HR scripts.
- Latency thresholds in selected smoke tests.
- Health, Redis, backup-freshness, SMTP, and uptime checks.

Missing:

- Sustained load.
- Soak tests.
- Capacity by plan/tenant size.
- Database saturation and connection-pool tests.
- Memory leak tests.
- Web Vitals budgets.
- Multi-instance behavior.
- Disaster recovery exercise attached to each release.

4. Environments

Local

- Base: `http://localhost:3010`.
- Used for development, no-network tests, and selected Playwright.
- Local data does not prove production tenant isolation.

Staging

- Base: `https://staging.humanify.id`.

- Port: 3021.
- Strict RLS database.
- Required environment for hard payroll, strict isolation, and destructive end-to-end tests.
- Loopback staging is discouraged because NextAuth cookie/domain behavior can invalidate authenticated E2E.

Production

- Base: <https://humanify.id>.
- Port: 3020.
- Request-bound soft RLS.
- Only production-safe, non-destructive checks should run.
- Authenticated live checks require protected credentials.

5. Release gates

Gate A — build and availability

Required:

- Dependency install succeeds.
- Production build succeeds.
- `.next/BUILD_ID` exists.
- PM2 process is online.
- Local `/api/health` returns 200.
- Public `/api/health` returns 200.
- Login route returns 200.

Gate B — security and isolation

Required:

- `lint:humanify-hq-auth`.
- Security scorecard/IDOR subset.
- Plan and persona authorization checks.
- Strict RLS and job-context checks on staging when relevant.
- No open blocker security defect.

Gate C — business integrity

Required:

- `smoke:payroll-golden`.
- `smoke:claim-proof`.
- Module-specific critical smoke for changed areas.
- Audit state assertions for payroll changes.

Gate D — journeys and UI

Required:

- Persona/sidebar regression.
- GA journey.
- Affected authenticated E2E.
- Critical mobile ESS spot-check.
- Empty/error states for changed modules.

Gate E — operations and rollback

Recommended as mandatory:

- Migration set recorded and successful.
- Backup freshness confirmed.
- Rollback target known.
- Post-deploy smoke artifacts stored.
- Release notes link code, migration, tests, and environment.

6. Recorded evidence

The following is historical evidence from `.hermes/HANDOFF.md`, not a rerun performed by this documentation task:

- Wave 78, production: KPI/performance smoke 55 passed, 0 failed.
- Wave 76: employee avatar smoke 15 passed, 0 failed.
- Wave 75, production: go-live 10/0, claim-proof 28/0, sidebar persona 16/0, deployment health 200.
- Wave 73, staging and production: go-live 6/0 each, claim-proof 25/0 each.
- Wave 72, staging and production: HR wave UAT 12/0.
- Wave 69 gates: health/login 200; security scorecard 38/0 on staging and production; payroll 17/0; claim and GA journey green.
- Wave 67, staging: strict empty tenant context returned zero employee rows; IDOR and scorecard green.
- Wave 64, staging: payroll golden 17/0 and hard payroll E2E passed.
- 15 July baseline, production: 26-script regression recorded as 199/0, with a wording inconsistency around password-reset coverage that should be resolved before citing externally.

Evidence warning:

- HANDOFF is narrative operational evidence.
- It is not an immutable CI artifact.
- It does not prove that every current uncommitted worktree change is green.

7. QA matrix by product risk

Tenant and authorization changes

Minimum:

- Unit scope test.
- `lint:humanify-hq-auth`.
- Relevant IDOR batch.
- Persona/role E2E.
- Empty-tenant check.
- Staging strict RLS check when query shape changes.

Payroll/fiscal changes

Minimum:

- Calculation fixtures.
- Payroll golden.
- Attendance-to-payroll bridge.
- Approve-to-paid audit assertion.
- Payslip authorization.
- Finance sign-off update.

Files and claims

Minimum:

- Upload size/type validation.
- Private storage location.
- Authorized preview.
- Unauthorized and cross-tenant denial.
- Legacy receipt behavior.
- Backup/retention impact.

Billing and plans

Minimum:

- Quote and annual discount.
- PPN split.
- Webhook signature.
- Idempotency.
- Plan activation.
- Route and API entitlement.
- Downgrade seat guard.

UI and navigation

Minimum:

- Page crawl/no 5xx.
- Role/sidebar visibility.
- Keyboard and focus behavior.
- Loading, empty, error, success states.
- Mobile critical journey.
- No hidden/lab surface accidentally exposed.

8. Test data policy

- Production mock HR fallback is prohibited.
- Demo and QA tenants must be identifiable and excluded from commercial MRR.
- Smoke tests should create isolated, traceable records and clean them where safe.
- Tests must not depend on one permanent shared superadmin when persona behavior is under test.
- Production destructive tests are prohibited.
- Credentials and PII must not appear in test logs or repository artifacts.

9. CI/CD quality gaps

1. No single immutable release bundle with JUnit, Playwright, scorecard, and coverage artifacts.
2. No current enforced Jest coverage threshold.
3. Generic CI treats lint and Jest as non-blocking.
4. Humanify path filters miss relevant files.
5. Secret-dependent checks can skip and still pass.
6. Scheduled production QA can succeed without credentials.
7. No complete browser/device/accessibility matrix.
8. OWASP and Trivy lack current recorded green evidence.
9. Performance evidence is light concurrency, not capacity testing.
10. Manual deploy tolerates some migration and post-deploy failures.
11. Rollback and restore are documented but not attached to every release.

10. Improvement roadmap

P0

- Publish immutable test artifacts per release.
- Make missing required credentials a failed release gate, not a skip.
- Expand CI path filters to all Humanify components, libraries, styles, tests, scripts, APIs, pages, and migrations.
- Make lint, targeted typecheck, Jest, critical migrations, and post-deploy health blocking.
- Add regression tests for source-backed fail-open risks.

P1

- Establish coverage thresholds for tenant/auth/payroll/file domains.
- Add Firefox, WebKit, mobile viewport, and accessibility checks.
- Add sustained load and database capacity tests.
- Add automated rollback and scheduled restore drills.
- Produce a signed QC release record.

P2

- Contract testing for external providers.
- Chaos testing for Redis, SMTP, storage, DB failover, and provider outages.
- SLO error budgets and release quality trend dashboard.

11. Release sign-off template

Every production release record should include:

- Release ID / commit SHA.
- Product owner approval.
- Changed modules.
- Database migrations.
- Security impact.
- Gate A–E results.
- Test artifact links.
- Known limitations.
- Backup/rollback target.
- Deployment timestamp and operator.
- Post-deploy health and critical journey results.
- Final QC decision: pass, conditional pass, or rollback.

12. Key references

- `.github/workflows/humanify-saas-gate.yml`
- `.github/workflows/humanify-qa.yml`
- `.github/workflows/security.yml`
- `scripts/run-humanify-qa-matrix.sh`
- `scripts/run-humanify-full-qa.sh`
- `scripts/run-humanify-idor-smokes.sh`
- `scripts/deploy-humanify-vps.sh`
- `e2e/humanify*.spec.ts`
- `.hermes/HANDOFF.md`
- `.hermes/DECISIONS.md`

Part 6 — Investment Memo

Humanify — Business & Investment Memo

Version: 2.0

Evidence cutoff: 30 July 2026

Purpose: Commercial and investor-oriented summary grounded in repository evidence. This document does **not** invent TAM, customer counts, ARR, CAC, LTV, runway, or valuation.

1. Investment framing

Humanify is a multi-tenant HRIS SaaS for Indonesian companies, built and operated by Naincode Inti Teknologi. It has broad feature depth for the HR core stack and a meaningful amount of operational hardening in QA, billing, tenant-isolation controls, and release discipline. It is investable as a product story only if commercial claims remain separated from engineering readiness.

The strongest evidence in-repo is:

- A coherent, shipped product across HR, payroll, ESS/MSS, billing, platform, and security.
- Clear plan entitlements and Midtrans billing path.
- Strong internal QA culture with many smoke and E2E scripts.
- Explicit honesty about deferred ceilings instead of hiding them.

The weakest evidence in-repo is:

- No committed paying-customer count.
- No canonical exported paid MRR/ARR history.
- No CAC, churn, LTV, runway, or valuation basis.
- A pricing inconsistency between billable plans and the ROI calculator.

2. Product and commercial thesis

Problem solved

Indonesian HR teams need one cloud system for people records, time, leave, claims, payroll, and statutory workflows without the complexity of a generic ERP or disconnected tools.

Why the product can win

- Built specifically for Indonesia-oriented HR workflows including PPh 21, PTKP, BPJS, THR, leave presets, and payroll audit transitions.
- Multi-tenant SaaS controls are not an afterthought; plans, entitlements, invites, onboarding, platform ops, and billing are part of the product.

- ESS and MSS reduce dependence on HR administrators.
- Platform control plane and internal observability improve supportability.
- AIMAAN creates an AI narrative without requiring fully autonomous HR actions.

Why the story needs caution

- Product readiness is not the same as market traction.
- Several impressive capabilities remain hidden, lab-gated, or partially integrated.
- Partner monetization exists operationally but not as a finished payout product.
- Security posture is credible but production strict RLS is intentionally not yet live.

3. Pricing and packaging

Canonical billable price book

Current source of truth:

- Trial: Rp0, 14 days, up to 25 users and 100 employees.
- Starter: Rp499,000/month.
- Growth: Rp1,499,000/month.
- Enterprise: Rp4,999,000/month.
- Annual: 20% discount on monthly $\times$ 12.

Included structure

- Starter focuses on core, attendance, and recruitment.
- Growth adds payroll and analytics.
- Enterprise adds LMS, AIMAAN, API, white-label, and SSO.

Key commercial issue

The ROI calculator uses a different, higher, headcount-based price book:

- Rp1.8M to Rp9.5M per month by employee bands.

This mismatch must be resolved before:

- investor modeling,
- sales compensation plans,
- pipeline forecasting,
- enterprise quoting guidance,
- or public commercial collateral.

4. Revenue model

Direct SaaS revenue

- Monthly and annual recurring subscriptions.

- Paid through Midtrans when merchant credentials are configured.
- Manual fallback flow when billing credentials are absent.

Expansion revenue candidates

- Enterprise upgrades.
- More employee/user allowance via plan step-up.
- API/SSO/white-label attach.
- Professional services or onboarding assistance.

Current limitation

There is no clear coded overage billing model; present logic favors plan boundaries and upgrade prompts over metered overage.

5. Partner/channel model

Documented partner thesis:

- Payroll and tax consultants.
- SME accounting firms.
- Attendance-device vendors.

Implemented today:

- Referral code capture.
- Partner lead intake and triage.
- Commission snapshot on orders.
- Commission preview calculator.
- CSV export.
- Manual payout ledger and mark-paid flow.

Not yet implemented:

- Automatic partner payout.
- Completed legal/financial channel pack evidenced in-repo.
- Mature partner scorecards or partner-specific retention economics.

Practical implication:

The partner story is credible as a distribution hypothesis, but not yet mature enough to be treated as a proven revenue engine.

6. Evidence-backed strengths

6.1 Product depth

Humanify covers more than a basic HRIS CRUD app. It includes:

- employee data and documents,
- attendance and devices,
- leave and overtime,
- payroll and tax/statutory modules,
- claims and private proof,
- assets and lifecycle,
- ESS/MSS,
- recruitment,
- analytics,
- billing,
- platform operations.

That breadth lowers the risk of a “thin feature wrapper” thesis.

6.2 Operational maturity

The repository shows repeated production/staging smoke verification, QA gates, deployment scripts, backup/restore documentation, and internal observability.

This does not prove scale, but it does show discipline.

6.3 Honest scope management

The product explicitly marks these as deferred or not GA:

- production strict RLS,
- external Sentry.io,
- partner auto-payout,
- Privy e-sign unhide,
- advanced LMS depth.

That honesty is stronger than sales material that implies everything is fully live.

6.4 Localization

Indonesian payroll and compliance logic is more defensible than generic HR feature breadth alone.

7. Evidence-backed risks

7.1 Commercial data gap

The repo does not prove:

- number of paying tenants,
- live ARR,
- churn,
- expansion,
- CAC,

- payback,
- pipeline value,
- or runway.

Without DB/finance exports, any investor deck using those numbers would be speculative.

7.2 Pricing inconsistency

Two pricing models in one product create:

- sales confusion,
- forecasting error,
- board-report inconsistency,
- and diligence questions about what customers actually pay.

7.3 Security caveat

Soft request-bound RLS in production is a conscious design choice, not a hidden bug. But enterprise security reviews may still treat this as a negotiation point until strict production RLS is live.

7.4 Infrastructure concentration

A single VPS/process deployment pattern increases:

- operational concentration risk,
- deployment fragility,
- and capacity uncertainty.

7.5 Hidden/lab features risk

If sales collateral overstates:

- advanced LMS,
- AI capabilities,
- e-sign readiness,
- or external job integrations,

then commercial trust risk increases.

8. Competitive angle

Based on repository positioning:

- Humanify wants to compete on integrated HR operations, tenant-aware SaaS controls, platform ops, and Indonesia-localized payroll/compliance.
- It frames Mekari/Talenta and generic HRIS as less aligned with first-class multi-tenant operation and internal observability posture.

What is still missing:

- dated competitive pricing comparisons,
- migration win stories,
- switching-cost evidence,
- or measurable implementation-time advantage versus competitors.

9. Moat candidates and confidence level

Higher-confidence moat candidates

- Indonesia payroll/compliance depth.
- Multi-tenant SaaS operational layer built into the product.
- Strong internal QA/security culture relative to many early SaaS products.

Lower-confidence moat candidates

- AIMAN as AI differentiation.
- partner channel defensibility.
- pet-ecosystem adjacency.
- data network effects.

These lower-confidence items need customer adoption and commercial proof.

10. Investment interpretation by stage

As an early product-stage opportunity

Humanify is strong enough to support:

- pre-seed/seed product and execution arguments,
- strategic angel/institutional diligence on technical quality,
- and operator confidence in shipping capability.

As a growth-stage SaaS case

Humanify is not yet evidenced in-repo as a growth-stage commercial asset, because the needed metrics and audited customer/revenue history are absent from the repository.

11. Data required for a real investor model

Market sizing

- TAM/SAM/SOM with dated external sources.
- Segment definitions by company size, industry, and buyer type.
- Competitive pricing matrix and feature positioning.

Revenue

- Paid tenants by plan and cohort.
- Paid-order MRR and ARR by month.
- Annual versus monthly mix.
- Discounts, credits, refunds, and churned revenue.

Growth and retention

- Trial starts, conversions, time-to-paid.
- Gross and net revenue retention.
- Logo churn and revenue churn.
- Expansion by plan and seat growth.

Efficiency

- CAC by channel.
- Partner acquisition economics.
- Implementation cost.
- Support cost per tenant.
- Gross margin.

Finance and runway

- Cash on hand.
- Burn.
- committed funding,
- cap table,
- runway,
- revenue recognition policy,
- and valuation methodology.

12. Immediate recommendations

1. Choose one canonical commercial price book and update every dependent surface.
2. Export paid-order MRR/ARR and paying-tenant cohort data from production.
3. Produce a monthly commercial operating pack:
 - trials,
 - conversions,
 - paid tenants,
 - churn,
 - expansion,
 - partner contribution.
4. Separate "implemented", "GA", and "sold" features in sales materials.
5. Track product readiness and commercial traction independently.
6. Close or roadmap the most visible deferred items before enterprise pitches: pricing consistency, production security narrative, e-sign status, and channel economics.

13. Diligence checklist

Before using Humanify in an investor room, assemble:

- latest plan/pricing decision memo,
- paid-order export and cohort tables,
- tenant count by plan,
- monthly revenue waterfall,
- channel/partner contribution,
- finance sign-off on payroll posture,
- security FAQ and RLS roadmap,
- customer case studies or references,
- contracts/MSA samples,
- support and onboarding process metrics,
- release evidence artifacts, not only handoff narrative.

14. Bottom line

Humanify already supports a credible product, architecture, and operational readiness story. It does **not** yet support a fully evidenced financial or valuation story from the repository alone.

The highest-leverage next step is not another architecture claim. It is commercial truth consolidation:

- one price book,
- one paid-order revenue dataset,
- one cohort view,
- and one honest feature-status matrix.

Once those exist, Humanify can be presented more convincingly to investors, partners, and enterprise buyers.

15. References

- `lib/saas/plan-entitlements.ts`
- `lib/saas/humanify-billing.ts`
- `lib/saas/platform-metrics.ts`
- `lib/saas/partners.ts`
- `lib/saas/partner-payouts.ts`
- `lib/humanify/roi-calculator.ts`
- `docs/humanify-positioning.md`
- `docs/humanify-product-brd-prd.md`
- `docs/humanify-partner-channel.md`
- `docs/humanify-ga-scope.md`
- `docs/humanify-tenant-isolation-faq.md`
- `.hermes/HANDOFF.md`
- `.hermes/DECISIONS.md`