

A Primer on Windows Access Control & Creating a Compelling D&D Villain

Shad Brown (WinterKnight)

Whoami.exe

- Associate AdSim Consultant at SpecterOps
- The guy who writes too much about CCDC

- D&D Enjoyer
- Former Forever DM
- Bad Guy Appreciator



A Primer on Windows Access Control

Windows Access Control

- In Linux, everything is a file
  - Processes? File.
  - TCP Ports? File.
  - File? File.
- In Windows, everything is an “object”
  - Processes? Object.
  - Printer? Object.
  - File? Object. ← The focus for today.
- Most objects can be secured!


Windows Access Control

- Handled in 3 parts
  - Discretionary Access Control List (DACL)
  - System Access Control List (SACL)
  - Access Control Entry (ACE)

An Analogy


- Secure building with a guard
- Entrants sign in with a logbook
- Guard acts as DACL
  - Determining who is allowed in or out
- Guard's manager acts as the SACL
  - Collects and audits logbook at the end of the day
- Entrant is the ACE
  - Permissions to access assigned to an identity

- Thanks Emily!




What does this look like though?

Like this


Advanced Security Settings for breakfast.txt
DACL
Name: C:\Users\WinterKnight\pancakes\hungry\breakfast.txt
Owner: Administrators (DESKTOP-E7SAUML\Administrators) Change
Permissions
Auditing
Effective Access
SACL
For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).
Permission entries:
Principal
Type
Access
Inherited from
SYSTEM
Allow
Full control
None
Administrators (DESKTOP-E7SAUML\Admini...
Allow
Full control
None
WinterKnight (DESKTOP-E7SAUML\WinterKn...
Allow
Special
None
ACEs
Add
Remove
Edit
Enable inheritance
OK
Cancel
Apply

Also this


Permission Entry for breakfast.txt
Principal:
WinterKnight (DESKTOP-E7SAUML\WinterKnight)
Select a principal
Type:
Allow
Account/Group
(Resolves to SID)
ACE Type Flag
Advanced permissions:
Show basic permissions
Full control
Traverse folder / execute file
List folder / read data
Read attributes
Read extended attributes
Create files / write data
Create folders / append data
Write attributes
Write extended attributes
Delete
Read permissions
Change permissions
Take ownership
Clear all
Access Mask
OK
Cancel

Wait, SID?

```
PS C:\Users\WinterKnight\pancakes\hungry> Get-acl -Path .\breakfast.txt | fl


Path   : Microsoft.PowerShell.Core\FileSystem::C:\Users\WinterKnight\pancakes\hungry\breakfast.txt
Owner  : DESKTOP-E7SAUML\WinterKnight
Group  : DESKTOP-E7SAUML\None
Access : NT AUTHORITY\SYSTEM Allow  FullControl
         BUILTIN\Administrators Allow  FullControl
         DESKTOP-E7SAUML\WinterKnight Allow  Modify, ChangePermissions, TakeOwnership, Synchronize
Audit  :
Sdl    : O:S-1-5-21-1150754205-620307578-3618166463-1001G:S-1-5-21-1150754205-620307578-3618166463-51
         3D:PAI(A;;FA;;;SY)(A;;FA;;;BA)(A;;0x1f01bf;;;S-1-5-21-1150754205-620307578-3618166463-1001)



PS C:\Users\WinterKnight\pancakes\hungry>
```

Security Identifier (SID)

Format: S-1-5-21-1150754205-620307578-3618166463-1001

(WinterKnight account)


3 Parts:

- Prefix (Metadata)
- Domain Identifier (Domain or Computer)
- Relative Identifier (User/Group)


Let’s Start Changing Stuff!


Permissions Granting Permissions

Basic Permissions View



Permissions Granting Permissions

Advanced Permissions View



Permissions Granting Permissions


CLI View

```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-Acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl


Owner             : [redacted]
Group             : DESKTOP-E7SAUML\None
DiscretionaryAcl  : {NT AUTHORITY\SYSTEM: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                    BUILTIN\Administrators: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey)}
SystemAcl         : {}
RawDescriptor     : System.Security.AccessControl.CommonSecurityDescriptor


PS C:\Users\WinterKnight\pancakes\hungry>
```


Let’s try opening it!



Is no fun, is no Blinksy :(


Learning to Read

Basic Permissions View



Learning to Read

Advanced Permissions View



Learning to Read


CLI View

```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-Acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl



Owner             : [redacted]
Group             : DESKTOP-E7SAUML\None
DiscretionaryAcl  : {NT AUTHORITY\SYSTEM: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                    BUILTIN\Administrators: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                    DESKTOP-E7SAUML\WinterKnight: AccessAllowed (ListDirectory, Read, ReadAttributes,
                    ReadExtendedAttributes, ReadPermissions, Synchronize)}
SystemAcl         : {}
RawDescriptor     : System.Security.AccessControl.CommonSecurityDescriptor


PS C:\Users\WinterKnight\pancakes\hungry>
```

I can read now!




Writing is hard




Execution

Basic Permissions



Execution

Advanced Permissions



Execution

CLI

```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-Acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl



Owner              : [redacted]
Group              : DESKTOP-E7SAUML\None
DiscretionaryAcl   : {NT AUTHORITY\SYSTEM: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                     DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                     FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                     ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                     TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                     BUILTIN\Administrators: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                     DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                     FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                     ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                     TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                     DESKTOP-E7SAUML\WinterKnight: AccessAllowed (GenericWrite, ListDirectory, Read, ReadAndExecute,
                     ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize, Traverse)}
SystemAcl          : {}
RawDescriptor      : System.Security.AccessControl.CommonSecurityDescriptor



PS C:\Users\WinterKnight\pancakes\hungry>
```


Yes hello. I Would Like to Write Please.

Basic Permissions



Yes hello. I Would Like to Write Please.

Advanced Permissions



Yes hello. I Would Like to Write Please.

CLI


```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-Acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl


Owner           : [redacted]
Group           : DESKTOP-E7SAUML\None
DiscretionaryAcl : {NT AUTHORITY\SYSTEM: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                   DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                   FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                   ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                   TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                   BUILTIN\Administrators: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                   DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                   FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                   ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                   TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                   DESKTOP-E7SAUML\WinterKnight: AccessAllowed (CreateDirectories, ExecuteKey, GenericExecute,
                   GenericRead, GenericWrite, ListDirectory, Read, ReadAndExecute, ReadAttributes,
                   ReadExtendedAttributes, ReadPermissions, Synchronize, Traverse, Write, WriteAttributes, WriteData,
                   WriteExtendedAttributes, WriteKey)}
SystemAcl       : {}
RawDescriptor   : System.Security.AccessControl.CommonSecurityDescriptor


PS C:\Users\WinterKnight\pancakes\hungry>
```


Modifying For Modification

Basic Permissions



Modifying For Modification

Advanced Permissions



Modifying For Modification

CLI


```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-Acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl


Owner              :
Group              : DESKTOP-E7SAUML\None
DiscretionaryAcl   : {NT AUTHORITY\SYSTEM: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                     DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                     FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                     ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                     TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                     BUILTIN\Administrators: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                     DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                     FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                     ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                     TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                     DESKTOP-E7SAUML\WinterKnight: AccessAllowed (CreateDirectories, Delete, ExecuteKey, GenericExecute,
                     GenericRead, GenericWrite, ListDirectory, Modify, Read, ReadAndExecute, ReadAttributes,
                     ReadExtendedAttributes, ReadPermissions, Synchronize, Traverse, Write, WriteAttributes, WriteData,
                     WriteExtendedAttributes, WriteKey)}
SystemAcl          : {}
RawDescriptor      : System.Security.AccessControl.CommonSecurityDescriptor


PS C:\Users\WinterKnight\pancakes\hungry>
```


Full Takeover

Basic Permissions



Full Takeover

Advanced Permissions



Full Takeover


CLI

```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-Acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl


Owner             :
Group             : DESKTOP-E7SAUML\None
DiscretionaryAcl  : {NT AUTHORITY\SYSTEM: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                    BUILTIN\Administrators: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                    DESKTOP-E7SAUML\WinterKnight: AccessAllowed (ChangePermissions, CreateDirectories, Delete,
                    DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                    FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                    ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize,
                    TakeOwnership, Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey)}
SystemAcl         : {}
RawDescriptor     : System.Security.AccessControl.CommonSecurityDescriptor


PS C:\Users\WinterKnight\pancakes\hungry>
```

Oh Look I Inherited... Something?



Oh, Look I Inherited Something!

```
PS C:\Users\WinterKnight\pancakes\hungry> $acl = Get-acl -Path .\breakfast.txt; convertfrom-sddlstring -sddl $acl.sddl


Owner           : [redacted]
Group           : DESKTOP-E7SAUML\None
DiscretionaryAcl : {NT AUTHORITY\SYSTEM: AccessAllowed Inherited (ChangePermissions, CreateDirectories, Delete,
                   DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                   FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                   ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize, TakeOwnership,
                   Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                   BUILTIN\Administrators: AccessAllowed Inherited (ChangePermissions, CreateDirectories, Delete,
                   DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                   FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                   ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize, TakeOwnership,
                   Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey),
                   DESKTOP-E7SAUML\WinterKnight: AccessAllowed Inherited (ChangePermissions, CreateDirectories, Delete,
                   DeleteSubdirectoriesAndFiles, ExecuteKey, FullControl, FullControl, FullControl, FullControl,
                   FullControl, GenericAll, GenericExecute, GenericRead, GenericWrite, ListDirectory, Modify, Read,
                   ReadAndExecute, ReadAttributes, ReadExtendedAttributes, ReadPermissions, Synchronize, TakeOwnership,
                   Traverse, Write, WriteAttributes, WriteData, WriteExtendedAttributes, WriteKey)}
SystemAcl       : {}
RawDescriptor   : System.Security.AccessControl.CommonSecurityDescriptor


PS C:\Users\WinterKnight\pancakes\hungry>
```



Creating a Compelling D&D Villain

Content (and Spoiler) Warning

- Profiling 3 major 5e Villains
  - Keeping PG-13
    - Suicide
    - Torture
    - Murder
    - Involuntary Servitude
  - Not going into details but want to mention!


- Highlighting a significant act of evil
- Highlighting traits that can be reused

Zariel: Archduchess of Avernus



Zariel's Feats of Evil

- Former Angel
- Intervened in Blood War with mortal followers
  - She really, really hates demons
  - Mortal resolve wavered, most retreated
- Zariel sold her soul to Asmodeus continue fighting
  - Devils need souls
- Orchestrated The Descent of Eltruel



The Descent

- Created The Companion at the behest of Thavius Kreeg
- Forced citizens to swear fealty to Eltruel
- The Companion was detonated and pulled Eltruel into the Hells
- Allowed Zariel to collect souls of the citizens



Zariel's Traits of Evil

- The ends justify the means
  - Even at the cost of your own morals
- Blind hatred corrupts
  - She sold out, quite literally
- The road to The Hells are paved with good intentions
  - Zariel wanted to fight demons to prevent them from causing chaos in the multiverse



The First Vampire: Strahd Von Zarovich




Strahd's Feats of Evil

- Conquered Barovia while human
  - Named it after his dad
- Built Castle Ravenloft
  - Named it after his mom
- Fell in love with Tatyana
  - Tatyana fell in love with Sergei
- Strahd wanted Immortality
  - Strahd made a deal with the Dark Powers



Strahd's Feats of Evil

- Strahd killed Sergei to claim Tatyana
  - On Sergei and Tatyana's wedding day
- Tatyana thew herself off the walls of Ravenloft instead
- Strahd's guards attempted to assassinate him
- Strahd slaughtered traitors



Strahd's Traits of Evil

- Vain
  - Constantly reminds you he's in power
  - Likes to take personal charge of the party's misery
- Selfish
  - Literally killed his brother to take his bride to be
  - Also, the whole "I'm so great I want to live forever" thing
- Paranoid
  - Very quick to dispatch servants if he grows suspicious






Vecna:
The Whispered One


Vecna's Feats of Evil

- Son of a Necromancer in Fleeth
  - Necromancer was single mother
- Mom was executed for witchcraft
  - By clerics and paladins of good-aligned gods
- Killed a bunch of guards and escaped
- Became an incredible wizard, then lich
- Returned 1000 years later




Conquest of Fleeth

- Officials begged Vecna for mercy
- Officials offered city, wealth in exchange for sparing lives of citizens
  - Vecna said no
- Vecna gave an official and their family to Kas
  - Tortured them in front of delegation



Conquest of Fleeth

- Vecna then had all the civilians killed
- Stacked heads on pikes
  - Officials' family members on top
- Raised remaining citizens as undead
- Granted his protection for officials for the rest of their lives
- Later became the god of secrets
  - And tried to remake the multiverse. Twice.



Vecna’s Traits of Evil

- Unmatched cruelty
  - See last 3 slides
- Ambition
  - Wants to remake the multiverse in his image
  - Was nearly successful, twice!
- Calculating
  - Looks for long term goals
- Corrupting
  - Artifacts of Vecna’s inherently Corrupt others





Creating a new Villain

Merethyl Ulayra's Backstory

- Former headmaster of a prominent academy for wizards
  - Specializes in illusion magic
  - Cruel in her methods of teaching, but effective
- Prince of a local kingdom came to study under her
  - Prince initially struggled, until a breakthrough
- Merethyl gets invited to join the Royal Court as thanks
- She starts manipulating the courtiers, royal family using illusion and enchantment magic
  - Goal to use Wizard Prince as a puppet and rule through him
    - For now
- Starts picking off royal family members while working illusions on them over time
  - Driving the family mad to prevent them from being useful

Merethyl Ulayra

- Eventually gets Wizard Prince on the throne after removing all his obstacles
- Prevents him from getting married and fathering children by keeping him mad
- Eventually names herself regent through the Wizard King
- Kills the Wizard King to take the throne
- Starts devoting resources to unearth forbidden knowledge to start a war of conquest of her neighbors

What did I pull from who?

- Zariel
  - Works within legal framework (Devils are Lawful)
- Strahd
  - Intends to conquer
  - Takes personal charge of causing suffering to those around her
- Vecna
  - Seeking forbidden knowledge
  - Silently and deliberately corrupts those around her
- All three
  - Lays out framework for long-term, grandiose plans
  - Quick to dispatch competitors

Stat block!

- You’re squinting, I know
- Started with making a level 20 School of Illusion Wizard
- Crowdsourced some ideas and items to equip
  - Shout out to Ben!

- Full stat block will be up on my blog soon™
  - Along with markdown format for use with Obsidian
  - Expanded role in a story
  - Really this whole thing is an excuse to make a wiki page, I guess?

Merethyl Ulayra

Medium, Humanoid, High Elf, Neutral Evil

Armor Class 11 (14 with *Mage Armor*)
Hit Points 131 (20d6+40)
Speed 30ft

Str	Dex	Con	Int	Wis	Cha
10 (+0)	12 (+1)	14 (+2)	20 (+5)	14 (+2)	15 (+2)

Saves Int +11, Wis +8
Skills Arcana +11, Insight +8, Investigation +11, Perception +8, Religion +11
Condition Immunities Magic induced sleep
Senses Darkvision 60ft, passive Perception 18
Languages Common, Draconic, Dwarvish, Elvish, Halfling, Sylvan
Challenge 17 (18,000 XP) **Proficiency Bonus** +6

Special Equipment Merethyl carries a *Deck of Illusions* which she can use as an action (DMG p.161). She also carries a set of *Nolzur's Marvelous Pigments* (DMG p.183) and a *Rod of Rulership* (DMG p.197). Additionally, she wears *Boots of False Tracks*, *Eyes of minute seeing*, *Ring of X-Ray vision*, Rod of Rulership (see *Actions*) and a Cloak of Invisibility (see *Actions*).

Arcane Recovery (1/Day) When she finishes a shrot rest, Merethyl recovers all her spell slots of 5th level and lower.

Improved Minor Illusion When Merethyl casts minor illusion, she can create both a sound and an image with a single casting of the spell.

War Caster Merethyl has advantage on Constitution saving throws to maintain concentration on a spell. She can also use somatic components when she has a weapon or shield in her hands. When a hostile creature's movement provokes an opportunity attack, Merethyl may use her reaction to cast a spell at the creature, rather than make an opportunity attack. The spell must have a casting time of 1 action and must target only that creature.

Spell Sniper When Merethyl casts a spell with an attack roll, the spell's range is doubled. They also ignore half, and three quarters cover.

Spellcasting Merethyl is a 20th-level spellcaster. Her spellcasting ability is Intelligence (spell save DC 19, +11 to hit with spell attacks). She has *mage armor* cast on herself at the beginning of battle. Merethyl may also cast *Major Image* and *Enemies Abound* once per day without expending a spell slot. Merethyl has the following spells prepared:

- Cantrip: *Eldritch Blast, Fire Bolt, Friends, Mage Hand, Message, Mind Sliver, Minor Illusion, Prestidigitation*
- 1st Level: *Charm Person, Illusory Script, Mage Armor, Shield*
- 2nd Level: *Darkness, Mirror Image, Misty Step*
- 3rd Level: *Counterspell, Fireball, Major Image*
- 4th Level: *Banishment, Hallucinatory Terrain, Polymorph*
- 5th Level: *Dream, Mislead, Modify Memory*
- 6th Level: *Magic Jar, Programmed Illusion*
- 7th Level: *Etherealness, Project Image, Simulacrum*
- 8th Level: *Feeblemind, Illusory Dragon*
- 9th Level: *Psychic Scream, Weird*

Actions

Rod of Rulership (1/Day) Merethyl can present the rod and command obediance from each creature of her choice she can see within 120 feet of her. Each target must succeed on a DC 15 Wisdom saving through or be charmed by her for 8 hours. While charmed in this way, the creature regards Merethyl as a trusted leader. If the creature is harmed by Merethyl or her companions, or is commanded to do something contrary to it's nature, a target ceases to be charmed in this way.

Cloak of Invisibility Merethyl can pull the hood of the Cloak of Invisibility over her head to cause herself to turn invisible. While invisible, anything she is carrying or wearing is invisible with you. She becomes visibile when she ceases wearing the hood.

Fey Teleportation (1/Day) Merethyl can cast *misty step* without expending a spell slot.

Malleable Illusions If an illusion spell has a duration of 1 minute or longer, Merethyl can change the nature of the illusion (Within the spell's normal parameters) provided she can see it.

Bonus Actions

Illusory Reality When Merethyl casts an illusion spell of 1st level or higher, she can choose one inanimate, nonmagical object that is part of the illusion and make it real. The object cannot deal damage, or otherwise directly harm anyome. Additionally, the object remains real for 1 minute.

Reactions

Illusory Self (3/Day) Merethyl can create an illusory duplicant of herself as an instant, almost instinctual reaction to danger. When a creature makes an attack roll against Merethyl, she can use a reaction to interpose the illusory duplicate between the attacker and herself. The attack automatically misses, then the illusion dissipates.

Contact info

- Website: Winterknight.net
- Bluesky: @Winterknight.net
- BloodHoundGang Slack: @WinterKnight
- Mastodon: @winterknight1337@infosec.exchange
- Email: winterknight@winterknight.net

Slides will be up on my website soon!

All images (except for the stat block) in the Creating a Compelling D&D Villain section of the talk are owned by Wizards of the Coast and are used for illustration purposes only.


Thank you!