
Start Scene Menu Appearance

- Use a search engine to find reference examples of Pacman, Ms. Pacman and other classic game menu screens

- Make sure to check specifications for exactly what is needed in the Start Scene menu.








PacStudent Movement Example (no input at start)

Player Input = null

lastInput = null

currentInput = null




PacStudent Movement Example (new player input)

Player Input = d

lastInput = d

currentInput = d




PacStudent Movement Example (lerping between grid spots)

Player Input = null

lastInput = d

currentInput = d




PacStudent Movement Example (continuing with lastInput)

Player Input = null

lastInput = d

currentInput = d




PacStudent Movement Example (lerping)

Player Input = s

lastInput = s

currentInput = d




PacStudent Movement Example (invalid lastInput, use currentInput)

Player Input = null

lastInput = s

currentInput = d




PacStudent Movement Example (lerping)

Player Input = null

lastInput = s

currentInput = d




PacStudent Movement Example (lastInput now valid)

Player Input = null

lastInput = s

currentInput = s




PacStudent Movement Example (lastInput now valid)

Player Input = null

lastInput = s

currentInput = s




PacStudent Movement Example (lastInput now valid)

Player Input = null

lastInput = s

currentInput = s




PacStudent Movement Example (changing direction)

Player Input = w

lastInput = w

currentInput = s




PacStudent Movement Example (changing direction)

Player Input = null

lastInput = w

currentInput = w




PacStudent Movement Example (multiple input during lerp)

Player Input = a

lastInput = a

currentInput = w




PacStudent Movement Example (multiple input during lerp)

Player Input = s

lastInput = s

currentInput = w




PacStudent Movement Example (multiple input during lerp)

Player Input = null

lastInput = s

currentInput = s




PacStudent Movement Example (multiple input during lerp)

Player Input = null

lastInput = s

currentInput = s




PacStudent Movement Example (invalid input when colliding with wall)

Player Input = null

lastInput = a

currentInput = a




PacStudent Movement Example (invalid input when colliding with wall)

Player Input = null

lastInput = a

currentInput = a



PacStudent Movement Example (invalid input when colliding with wall)

Player Input = null

lastInput = a

currentInput = a

PacStudent stops moving until new player input is detected.

